

# Tiziana Martinello

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5243392/publications.pdf>

Version: 2024-02-01

39  
papers

1,021  
citations

430874

18  
h-index

434195

31  
g-index

39  
all docs

39  
docs citations

39  
times ranked

1564  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Prototype Skin Substitute, Made of Recycled Marine Collagen, Improves the Skin Regeneration of Sheep. <i>Animals</i> , 2021, 11, 1219.	2.3	13
2	Could cold plasma act synergistically with allogeneic mesenchymal stem cells to improve wound skin regeneration in a large size animal model?. <i>Research in Veterinary Science</i> , 2021, 136, 97-110.	1.9	12
3	Autologous Platelet-Rich Plasma Enhances the Healing of Large Cutaneous Wounds in Dogs. <i>Frontiers in Veterinary Science</i> , 2020, 7, 575449.	2.2	20
4	From Food Waste to Innovative Biomaterial: Sea Urchin-Derived Collagen for Applications in Skin Regenerative Medicine. <i>Marine Drugs</i> , 2020, 18, 414.	4.6	46
5	An Assay System to Evaluate Riboflavin/UV-A Corneal Phototherapy Efficacy in a Porcine Corneal Organ Culture Model. <i>Animals</i> , 2020, 10, 730.	2.3	5
6	Wound healing improvement in large animals using an indirect helium plasma treatment. <i>Clinical Plasma Medicine</i> , 2020, 17-18, 100095.	3.2	17
7	Hyaluronic acid, Manuka honey and Acemannan gel: Wound-specific applications for skin lesions. <i>Research in Veterinary Science</i> , 2020, 129, 82-89.	1.9	22
8	Muscle spindles of the rat sternomastoid muscle. <i>European Journal of Translational Myology</i> , 2018, 28, 7904.	1.7	15
9	Revisiting the peculiar regional distribution of muscle fiber types in rat Sternomastoid Muscle. <i>European Journal of Translational Myology</i> , 2018, 28, 7302.	1.7	5
10	Investigations of the corneal epithelium in Veterinary Medicine: State of the art on corneal stem cells found in different mammalian species and their putative application. <i>Research in Veterinary Science</i> , 2018, 118, 502-507.	1.9	4
11	Morphological description of limbal epithelium: searching for stem cells crypts in the dog, cat, pig, cow, sheep and horse. <i>Veterinary Research Communications</i> , 2017, 41, 169-173.	1.6	13
12	Covalently bound DNA on naked iron oxide nanoparticles: Intelligent colloidal nano-vector for cell transfection. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017, 1861, 2802-2810.	2.4	38
13	Tat-MyoD fused proteins, together with C2c12 conditioned medium, are able to induce equine adult mesenchymal stem cells towards the myogenic fate. <i>Veterinary Research Communications</i> , 2017, 41, 211-217.	1.6	5
14	A mini-review of TAT-MyoD fused proteins: state of the art and problems to solve. <i>European Journal of Translational Myology</i> , 2017, 27, 6039.	1.7	2
15	Tenogenic induction of equine mesenchymal stem cells by means of growth factors and low-level laser technology. <i>Veterinary Research Communications</i> , 2016, 40, 39-48.	1.6	29
16	Wound-healing markers after autologous and allogeneic epithelial-like stem cell treatment. <i>Cytotherapy</i> , 2016, 18, 562-569.	0.7	4
17	Effect of MLS <sup>®</sup> Laser Therapy with Different Dose Regimes for the Treatment of Experimentally Induced Tendinopathy in Sheep: Pilot Study. <i>Photomedicine and Laser Surgery</i> , 2015, 33, 154-163.	2.0	11
18	A home-care, early discharge model after autografting in multiple myeloma: results of a three-arm prospective, non-randomized study. <i>Leukemia and Lymphoma</i> , 2015, 56, 801-804.	1.3	17

#	ARTICLE	IF	CITATIONS
19	Might the Masson trichrome stain be considered a useful method for categorizing experimental tendon lesions?. <i>Histology and Histopathology</i> , 2015, 30, 963-9.	0.7	15
20	Successful recellularization of human tendon scaffolds using adipose-derived mesenchymal stem cells and collagen gel. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2014, 8, 612-619.	2.7	63
21	Tolerability and Efficacy of Busulfan and Fludarabine As Allogeneic Pretransplant Conditioning Therapy in Acute Myeloid Leukemia: Comparison With Busulfan and Cyclophosphamide Regimen. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2014, 14, 493-500.	0.4	7
22	Equine Epidermis: A Source of Epithelial-Like Stem/Progenitor Cells with In Vitro and In Vivo Regenerative Capacities. <i>Stem Cells and Development</i> , 2014, 23, 1134-1148.	2.1	22
23	Production, Characterization and Biocompatibility of Marine Collagen Matrices from an Alternative and Sustainable Source: The Sea Urchin <i>Paracentrotus lividus</i> . <i>Marine Drugs</i> , 2014, 12, 4912-4933.	4.6	71
24	Treatments of the injured tendon in Veterinary Medicine: from scaffolds to adult stem cells. <i>Histology and Histopathology</i> , 2014, 29, 417-22.	0.7	11
25	Description of a double centrifugation tube method for concentrating canine platelets. <i>BMC Veterinary Research</i> , 2013, 9, 146.	1.9	22
26	Effects of in vivo applications of peripheral blood-derived mesenchymal stromal cells (PB-MSCs) and platelet-rich plasma (PRP) on experimentally injured deep digital flexor tendons of sheep. <i>Journal of Orthopaedic Research</i> , 2013, 31, 306-314.	2.3	66
27	Larval development in the feather star <i>Antedon mediterranea</i> . <i>Invertebrate Reproduction and Development</i> , 2012, 56, 124-137.	0.8	8
28	Canine adipose-derived-mesenchymal stem cells do not lose stem features after a long-term cryopreservation. <i>Research in Veterinary Science</i> , 2011, 91, 18-24.	1.9	122
29	Extracellular ATP signaling during differentiation of C2C12 skeletal muscle cells: role in proliferation. <i>Molecular and Cellular Biochemistry</i> , 2011, 351, 183-196.	3.1	32
30	Cryopreservation Does Not Affect the Stem Characteristics of Multipotent Cells Isolated from Equine Peripheral Blood. <i>Tissue Engineering - Part C: Methods</i> , 2010, 16, 771-781.	2.1	80
31	Real-time polymerase chain reaction, in situ hybridization and immunohistochemical localization of insulin-like growth factor-I and myostatin during development of <i>Dicentrarchus labrax</i> (Pisces). <i>Tissue Engineering</i> , 2010, 14, 149-157.	1.9	14
32	Myostatin shows a specific expression pattern in pig skeletal and extraocular muscles during pre- and post-natal growth. <i>Differentiation</i> , 2008, 76, 168-181.	1.9	38
33	Expression of the paired box domain Pax7 protein in myogenic cells isolated from the porcine semitendinosus muscle after birth. <i>Tissue and Cell</i> , 2008, 40, 1-6.	2.2	20
34	Embryonic chick cocultures of neuronal and muscle cells. <i>Neurological Research</i> , 2008, 30, 179-182.	1.3	1
35	Jejunal Flap as an In Vivo Vascular Carrier for Transplanted Adipose Tissue. <i>Annals of Plastic Surgery</i> , 2007, 59, 428-434.	0.9	3
36	Glial cell line-derived neurotrophic factor expression in the retina of adult zebrafish ( <i>Danio rerio</i> ). <i>Neuroscience Letters</i> , 2007, 429, 156-160.	2.1	7

#	ARTICLE	IF	CITATIONS
37	Deficiency of $\beta$ -sarcoglycan differently affects fast- and slow-twitch skeletal muscles. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2005, 289, R1328-R1337.	1.8	34
38	The T-tubule membrane ATP-dependent P2X <sub>4</sub> receptor influences contractility of skeletal muscle. FASEB Journal, 2005, 19, 1184-1186.	0.5	42
39	Characterization of the ATP-hydrolysing activity of $\beta$ -sarcoglycan. Biochemical Journal, 2004, 381, 105-112.	3.7	38