

Neil E Kay

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5244265/publications.pdf>

Version: 2024-02-01

368
papers

14,914
citations

18436

62
h-index

20900

115
g-index

369
all docs

369
docs citations

369
times ranked

12380
citing authors

#	ARTICLE	IF	CITATIONS
1	Ibrutinib versus Ofatumumab in Previously Treated Chronic Lymphoid Leukemia. <i>New England Journal of Medicine</i> , 2014, 371, 213-223.	13.9	1,427
2	ZAP-70 Compared with Immunoglobulin Heavy-Chain Gene Mutation Status as a Predictor of Disease Progression in Chronic Lymphocytic Leukemia. <i>New England Journal of Medicine</i> , 2004, 351, 893-901.	13.9	824
3	Ibrutinibâ€“Rituximab or Chemoimmunotherapy for Chronic Lymphocytic Leukemia. <i>New England Journal of Medicine</i> , 2019, 381, 432-443.	13.9	545
4	GM-CSF inhibition reduces cytokine release syndrome and neuroinflammation but enhances CAR-T cell function in xenografts. <i>Blood</i> , 2019, 133, 697-709.	0.6	408
5	Guidelines for clinical protocols for chronic lymphocytic leukemia: Recommendations of the national cancer institute-sponsored working group. <i>American Journal of Hematology</i> , 1988, 29, 152-163.	2.0	389
6	Diagnostic criteria for monoclonal B-cell lymphocytosis. <i>British Journal of Haematology</i> , 2005, 130, 325-332.	1.2	360
7	Pembrolizumab in patients with CLL and Richter transformation or with relapsed CLL. <i>Blood</i> , 2017, 129, 3419-3427.	0.6	335
8	Diverse marrow stromal cells protect CLL cells from spontaneous and drug-induced apoptosis: development of a reliable and reproducible system to assess stromal cell adhesion-mediated drug resistance. <i>Blood</i> , 2009, 114, 4441-4450.	0.6	284
9	Relative value of ZAP-70, CD38, and immunoglobulin mutation status in predicting aggressive disease in chronic lymphocytic leukemia. <i>Blood</i> , 2008, 112, 1923-1930.	0.6	282
10	Combination chemoimmunotherapy with pentostatin, cyclophosphamide, and rituximab shows significant clinical activity with low accompanying toxicity in previously untreated B chronic lymphocytic leukemia. <i>Blood</i> , 2007, 109, 405-411.	0.6	278
11	Acalabrutinib Versus Ibrutinib in Previously Treated Chronic Lymphocytic Leukemia: Results of the First Randomized Phase III Trial. <i>Journal of Clinical Oncology</i> , 2021, 39, 3441-3452.	0.8	266
12	Development of a comprehensive prognostic index for patients with chronic lymphocytic leukemia. <i>Blood</i> , 2014, 124, 49-62.	0.6	244
13	Prospective Evaluation of Clonal Evolution During Long-Term Follow-Up of Patients With Untreated Early-Stage Chronic Lymphocytic Leukemia. <i>Journal of Clinical Oncology</i> , 2006, 24, 4634-4641.	0.8	223
14	Prognosis at diagnosis: integrating molecular biologic insights into clinical practice for patients with CLL. <i>Blood</i> , 2004, 103, 1202-1210.	0.6	214
15	Circulating microvesicles in B-cell chronic lymphocytic leukemia can stimulate marrow stromal cells: implications for disease progression. <i>Blood</i> , 2010, 115, 1755-1764.	0.6	208
16	Chromosome anomalies detected by interphase fluorescence in situ hybridization: correlation with significant biological features of B-cell chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , 2003, 121, 287-295.	1.2	198
17	VEGF receptor phosphorylation status and apoptosis is modulated by a green tea component, epigallocatechin-3-gallate (EGCG), in B-cell chronic lymphocytic leukemia. <i>Blood</i> , 2004, 104, 788-794.	0.6	195
18	Diffuse large <sc>B</sc>-cell lymphoma (<sc>R</sc>-ichter syndrome) in patients with chronic lymphocytic leukaemia (CLL): a cohort study of newly diagnosed patients. <i>British Journal of Haematology</i> , 2013, 162, 774-782.	1.2	187

#	ARTICLE	IF	CITATIONS
19	Prognostic value of miR-155 in individuals with monoclonal B-cell lymphocytosis and patients with B chronic lymphocytic leukemia. <i>Blood</i> , 2013, 122, 1891-1899.	0.6	184
20	Analysis of clonal B-cell CD38 and immunoglobulin variable region sequence status in relation to clinical outcome for B-chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , 2001, 115, 854-861.	1.2	179
21	Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. <i>Nature Genetics</i> , 2013, 45, 868-876.	9.4	179
22	Comorbid conditions and survival in unselected, newly diagnosed patients with chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , 2008, 49, 49-56.	0.6	176
23	CD49d expression is an independent predictor of overall survival in patients with chronic lymphocytic leukaemia: a prognostic parameter with therapeutic potential. <i>British Journal of Haematology</i> , 2008, 140, 537-546.	1.2	152
24	De novo deletion 17p13.1 chronic lymphocytic leukemia shows significant clinical heterogeneity: the M. D. Anderson and Mayo Clinic experience. <i>Blood</i> , 2009, 114, 957-964.	0.6	150
25	Pentostatin, cyclophosphamide, and rituximab regimen in older patients with chronic lymphocytic leukemia. <i>Cancer</i> , 2007, 109, 2291-2298.	2.0	145
26	How we treat Richter syndrome. <i>Blood</i> , 2014, 123, 1647-1657.	0.6	145
27	LEF-1 is a prosurvival factor in chronic lymphocytic leukemia and is expressed in the preleukemic state of monoclonal B-cell lymphocytosis. <i>Blood</i> , 2010, 116, 2975-2983.	0.6	136
28	How I treat autoimmune hemolytic anemia. <i>Blood</i> , 2017, 129, 2971-2979.	0.6	134
29	Aberrant regulation of pVHL levels by microRNA promotes the HIF/VEGF axis in CLL B cells. <i>Blood</i> , 2009, 113, 5568-5574.	0.6	129
30	Brief Report: Natural History of Individuals With Clinically Recognized Monoclonal B-Cell Lymphocytosis Compared With Patients With Rai 0 Chronic Lymphocytic Leukemia. <i>Journal of Clinical Oncology</i> , 2009, 27, 3959-3963.	0.8	123
31	Quantitative DNA Methylation Analysis Identifies a Single CpG Dinucleotide Important for ZAP-70 Expression and Predictive of Prognosis in Chronic Lymphocytic Leukemia. <i>Journal of Clinical Oncology</i> , 2012, 30, 2483-2491.	0.8	120
32	Genome-wide association study identifies a novel susceptibility locus at 6p21.3 among familial CLL. <i>Blood</i> , 2011, 117, 1911-1916.	0.6	118
33	Curcumin Inhibits Prosurvival Pathways in Chronic Lymphocytic Leukemia B Cells and May Overcome Their Stromal Protection in Combination with EGCG. <i>Clinical Cancer Research</i> , 2009, 15, 1250-1258.	3.2	114
34	Platelet-derived growth factor (PDGF)â€“PDGF receptor interaction activates bone marrowâ€“derived mesenchymal stromal cells derived from chronic lymphocytic leukemia: implications for an angiogenic switch. <i>Blood</i> , 2010, 116, 2984-2993.	0.6	113
35	The novel receptor tyrosine kinase Axl is constitutively active in B-cell chronic lymphocytic leukemia and acts as a docking site of nonreceptor kinases: implications for therapy. <i>Blood</i> , 2011, 117, 1928-1937.	0.6	109
36	Identification of a global gene expression signature of B-chronic lymphocytic leukemia. <i>Molecular Cancer Research</i> , 2003, 1, 346-61.	1.5	108

#	ARTICLE	IF	CITATIONS
37	Age at diagnosis and the utility of prognostic testing in patients with chronic lymphocytic leukemia. <i>Cancer</i> , 2010, 116, 4777-4787.	2.0	107
38	B-cell count and survival: differentiating chronic lymphocytic leukemia from monoclonal B-cell lymphocytosis based on clinical outcome. <i>Blood</i> , 2009, 113, 4188-4196.	0.6	104
39	High-level ROR1 associates with accelerated disease progression in chronic lymphocytic leukemia. <i>Blood</i> , 2016, 128, 2931-2940.	0.6	102
40	Atrial fibrillation in patients with chronic lymphocytic leukemia (CLL). <i>Leukemia and Lymphoma</i> , 2017, 58, 1630-1639.	0.6	102
41	The prognostic significance of cytopenia in chronic lymphocytic leukaemia/small lymphocytic lymphoma. <i>British Journal of Haematology</i> , 2008, 141, 615-621.	1.2	101
42	Bone marrow stromal cells protect lymphoma B cells from rituximab-induced apoptosis and targeting integrin $\alpha 4 \beta 1$ (VLA-4) with natalizumab can overcome this resistance. <i>British Journal of Haematology</i> , 2011, 155, 53-64.	1.2	99
43	Blood levels of immune cells predict survival in myeloma patients: results of an Eastern Cooperative Oncology Group phase 3 trial for newly diagnosed multiple myeloma patients. <i>Blood</i> , 2001, 98, 23-28.	0.6	94
44	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. <i>Nature Communications</i> , 2016, 7, 10933.	5.8	94
45	Long-term outcomes for ibrutinib+rituximab and chemoimmunotherapy in CLL: updated results of the E1912 trial. <i>Blood</i> , 2022, 140, 112-120.	0.6	93
46	Impact of Ibrutinib and Idelalisib on the Pharmaceutical Cost of Treating Chronic Lymphocytic Leukemia at the Individual and Societal Levels. <i>Journal of Oncology Practice</i> , 2015, 11, 252-258.	2.5	92
47	Chronic Lymphocytic Leukemia. <i>Hematology American Society of Hematology Education Program</i> , 2002, 2002, 193-213.	0.9	86
48	Methylprednisolone-rituximab is an effective salvage therapy for patients with relapsed chronic lymphocytic leukemia including those with unfavorable cytogenetic features. <i>Leukemia and Lymphoma</i> , 2007, 48, 2412-2417.	0.6	85
49	Autoimmune Complications in Chronic Lymphocytic Leukaemia (CLL). <i>Best Practice and Research in Clinical Haematology</i> , 2010, 23, 47-59.	0.7	84
50	The efficacy of ibrutinib in the treatment of Richter syndrome. <i>Blood</i> , 2015, 125, 1676-1678.	0.6	83
51	The PI3-Kinase Delta Inhibitor Idelalisib (GS-1101) Targets Integrin-Mediated Adhesion of Chronic Lymphocytic Leukemia (CLL) Cell to Endothelial and Marrow Stromal Cells. <i>PLoS ONE</i> , 2013, 8, e83830.	1.1	80
52	Long-term repair of T-cell synapse activity in a phase II trial of chemoimmunotherapy followed by lenalidomide consolidation in previously untreated chronic lymphocytic leukemia (CLL). <i>Blood</i> , 2013, 121, 4137-4141.	0.6	79
53	Hypogammaglobulinemia in newly diagnosed chronic lymphocytic leukemia: Natural history, clinical correlates, and outcomes. <i>Cancer</i> , 2015, 121, 2883-2891.	2.0	77
54	Common variation at 6p21.31 (BAK1) influences the risk of chronic lymphocytic leukemia. <i>Blood</i> , 2012, 120, 843-846.	0.6	76

#	ARTICLE	IF	CITATIONS
55	Bi-directional activation between mesenchymal stem cells and CLL B-cells: implication for CLL disease progression. <i>British Journal of Haematology</i> , 2009, 147, 471-483.	1.2	74
56	Validation of a new prognostic index for patients with chronic lymphocytic leukemia. <i>Cancer</i> , 2009, 115, 363-372.	2.0	72
57	Renal complications in chronic lymphocytic leukemia and monoclonal B-cell lymphocytosis: the Mayo Clinic experience. <i>Haematologica</i> , 2015, 100, 1180-1188.	1.7	70
58	Autoimmune cytopenia in chronic lymphocytic leukemia/small lymphocytic lymphoma: changes in clinical presentation and prognosis. <i>Leukemia and Lymphoma</i> , 2009, 50, 1261-1268.	0.6	69
59	High-grade transformation of chronic lymphocytic leukemia: incidence, outcomes, and comparison to de novo high-grade lymphoma. <i>American Journal of Hematology</i> , 2015, 90, 334-338.	2.0	69
60	Bone biopsy derived marrow stromal elements rescue chronic lymphocytic leukemia B-cells from spontaneous and drug induced cell death and facilitates an "angiogenic switch". <i>Leukemia Research</i> , 2007, 31, 899-906.	0.4	67
61	Early treatment of high-risk chronic lymphocytic leukemia with alemtuzumab and rituximab. <i>Cancer</i> , 2008, 113, 2110-2118.	2.0	67
62	Relationship between comorbidities at diagnosis, survival and ultimate cause of death in patients with chronic lymphocytic leukaemia (CLL): a prospective cohort study. <i>British Journal of Haematology</i> , 2017, 178, 394-402.	1.2	66
63	Clinical characteristics and outcomes of Richter transformation: experience of 204 patients from a single center. <i>Haematologica</i> , 2020, 105, 765-773.	1.7	64
64	Mcl-1 expression predicts progression-free survival in chronic lymphocytic leukemia patients treated with pentostatin, cyclophosphamide, and rituximab. <i>Blood</i> , 2009, 113, 535-537.	0.6	61
65	Common occurrence of monoclonal B-cell lymphocytosis among members of high-risk CLL families. <i>British Journal of Haematology</i> , 2010, 151, 152-158.	1.2	61
66	Validation of ZAP-70 methylation and its relative significance in predicting outcome in chronic lymphocytic leukemia. <i>Blood</i> , 2014, 124, 42-48.	0.6	60
67	Circulating Blood B Cells in Multiple Myeloma: Analysis and Relationship to Circulating Clonal Cells and Clinical Parameters in a Cohort of Patients Entered on the Eastern Cooperative Oncology Group Phase III E9486 Clinical Trial. <i>Blood</i> , 1997, 90, 340-345.	0.6	59
68	Treatment of autoimmune cytopenia complicating progressive chronic lymphocytic leukemia/small lymphocytic lymphoma with rituximab, cyclophosphamide, vincristine, and prednisone. <i>Leukemia and Lymphoma</i> , 2010, 51, 620-627.	0.6	59
69	Targeted Axl Inhibition Primes Chronic Lymphocytic Leukemia B Cells to Apoptosis and Shows Synergistic/Additive Effects in Combination with BTK Inhibitors. <i>Clinical Cancer Research</i> , 2015, 21, 2115-2126.	3.2	59
70	The chronic lymphocytic leukemia international prognostic index predicts time to first treatment in early CLL: Independent validation in a prospective cohort of early stage patients. <i>American Journal of Hematology</i> , 2016, 91, 1090-1095.	2.0	58
71	Large-scale analysis of DNA methylation in chronic lymphocytic leukemia. <i>Epigenomics</i> , 2009, 1, 39-61.	1.0	57
72	Identification of recurrent truncated DDX3X mutations in chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , 2015, 169, 445-448.	1.2	54

#	ARTICLE	IF	CITATIONS
73	Targeting cancer-associated fibroblasts in the bone marrow prevents resistance to CART-cell therapy in multiple myeloma. <i>Blood</i> , 2022, 139, 3708-3721.	0.6	53
74	The addition of interferon or high dose cyclophosphamide to standard chemotherapy in the treatment of patients with multiple myeloma. <i>Cancer</i> , 1999, 86, 957-968.	2.0	51
75	Interleukin 4 content in chronic lymphocytic leukaemia (CLL) B cells and blood CD8+ T cells from B-CLL patients: impact on clonal B-cell apoptosis. <i>British Journal of Haematology</i> , 2001, 112, 760-767.	1.2	48
76	A Randomized Phase III Study of Ibrutinib (PCI-32765)-Based Therapy Vs. Standard Fludarabine, Cyclophosphamide, and Rituximab (FCR) Chemoimmunotherapy in Untreated Younger Patients with Chronic Lymphocytic Leukemia (CLL): A Trial of the ECOG-ACRIN Cancer Research Group (E1912). <i>Blood</i> , 2018, 132, LBA-4-LBA-4.	0.6	48
77	The Clinical and Biologic Importance of Neovascularization and Angiogenic Signaling Pathways in Chronic Lymphocytic Leukemia. <i>Seminars in Oncology</i> , 2006, 33, 174-185.	0.8	47
78	Deep sequencing identifies genetic heterogeneity and recurrent convergent evolution in chronic lymphocytic leukemia. <i>Blood</i> , 2015, 125, 492-498.	0.6	47
79	Analysis of blood T cell cytokine expression in B cell chronic lymphocytic leukaemia: evidence for increased levels of cytoplasmic IL-4 in resting and activated CD8 T cells. <i>British Journal of Haematology</i> , 1997, 96, 733-735.	1.2	45
80	Epstein-Barr Virus MicroRNAs are Expressed in Patients with Chronic Lymphocytic Leukemia and Correlate with Overall Survival. <i>EBioMedicine</i> , 2015, 2, 572-582.	2.7	43
81	Leukemic extracellular vesicles induce chimeric antigen receptor T cell dysfunction in chronic lymphocytic leukemia. <i>Molecular Therapy</i> , 2021, 29, 1529-1540.	3.7	43
82	T-Cell Subpopulations in Multiple Myeloma: Correlation with Clinical Disease Status. <i>British Journal of Haematology</i> , 1981, 49, 629-634.	1.2	42
83	Real-world clinical experience in the Connect [®] chronic lymphocytic leukaemia registry: a prospective cohort study of 1494 patients across 199 US centres. <i>British Journal of Haematology</i> , 2016, 175, 892-903.	1.2	42
84	Rapid disease progression following discontinuation of ibrutinib in patients with chronic lymphocytic leukemia treated in routine clinical practice. <i>Leukemia and Lymphoma</i> , 2019, 60, 2712-2719.	0.6	42
85	Ofatumumab-based chemoimmunotherapy is effective and well tolerated in patients with previously untreated chronic lymphocytic leukemia (CLL). <i>Cancer</i> , 2013, 119, 3788-3796.	2.0	41
86	Adaphostin-induced apoptosis in CLL B cells is associated with induction of oxidative stress and exhibits synergy with fludarabine. <i>Blood</i> , 2005, 105, 2099-2106.	0.6	40
87	Ibrutinib restores immune cell numbers and function in first-line and relapsed/refractory chronic lymphocytic leukemia. <i>Leukemia Research</i> , 2020, 97, 106432.	0.4	40
88	Triggering interferon signaling in T cells with avadomide sensitizes CLL to anti-PD-L1/PD-1 immunotherapy. <i>Blood</i> , 2021, 137, 216-231.	0.6	40
89	IL-4 Biology: Impact on Normal and Leukemic CLL B Cells. <i>Leukemia and Lymphoma</i> , 2003, 44, 897-903.	0.6	39
90	Hematologist/oncologist disease-specific expertise and survival: Lessons from chronic lymphocytic leukemia (CLL)/small lymphocytic lymphoma (SLL). <i>Cancer</i> , 2012, 118, 1827-1837.	2.0	38

#	ARTICLE	IF	CITATIONS
91	Extramedullary chronic lymphocytic leukemia: Systematic analysis of cases reported between 1975 and 2012. <i>Leukemia Research</i> , 2014, 38, 299-303.	0.4	38
92	Dysregulated angiogenesis in B-chronic lymphocytic leukemia: Morphologic, immunohistochemical, and flow cytometric evidence. <i>Diagnostic Pathology</i> , 2008, 3, 16.	0.9	37
93	Autoimmune cytopenias in patients with chronic lymphocytic leukaemia treated with ibrutinib in routine clinical practice at an academic medical centre. <i>British Journal of Haematology</i> , 2018, 183, 421-427.	1.2	37
94	Design and validity of a clinic-based case-control study on the molecular epidemiology of lymphoma. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2011, 2, 95-113.	0.4	37
95	The impact of race, ethnicity, age and sex on clinical outcome in chronic lymphocytic leukemia: a comprehensive Surveillance, Epidemiology, and End Results analysis in the modern era. <i>Leukemia and Lymphoma</i> , 2014, 55, 2778-2784.	0.6	36
96	The impact of dose modification and temporary interruption of ibrutinib on outcomes of chronic lymphocytic leukemia patients in routine clinical practice. <i>Cancer Medicine</i> , 2020, 9, 3390-3399.	1.3	36
97	Loss of TP53 is due to rearrangements involving chromosome region 17p10-14p12 in chronic lymphocytic leukemia. <i>Cancer Genetics and Cytogenetics</i> , 2006, 167, 177-181.	1.0	35
98	Progressive but previously untreated CLL patients with greater array CGH complexity exhibit a less durable response to chemoimmunotherapy. <i>Cancer Genetics and Cytogenetics</i> , 2010, 203, 161-168.	1.0	35
99	Pentostatin, Chlorambucil and Prednisone Therapy for B-Chronic Lymphocytic Leukemia: A Phase I/II Study by the Eastern Cooperative Oncology Group Study E1488. <i>Leukemia and Lymphoma</i> , 2004, 45, 79-84.	0.6	34
100	Analytical Considerations in Nanoscale Flow Cytometry of Extracellular Vesicles to Achieve Data Linearity. <i>Thrombosis and Haemostasis</i> , 2018, 118, 1612-1624.	1.8	34
101	Incidence of chronic lymphocytic leukemia and high-count monoclonal B-cell lymphocytosis using the 2008 guidelines. <i>Cancer</i> , 2014, 120, 2000-2005.	2.0	33
102	Pharmacovigilance during ibrutinib therapy for chronic lymphocytic leukemia (CLL)/small lymphocytic lymphoma (SLL) in routine clinical practice. <i>Leukemia and Lymphoma</i> , 2017, 58, 1376-1383.	0.6	33
103	Pentostatin and rituximab therapy for previously untreated patients with B-cell chronic lymphocytic leukemia. <i>Cancer</i> , 2010, 116, 2180-2187.	2.0	32
104	Sphingosine Kinase-1 Protects Multiple Myeloma from Apoptosis Driven by Cancer-Specific Inhibition of RTKs. <i>Molecular Cancer Therapeutics</i> , 2015, 14, 2303-2312.	1.9	32
105	Atrial fibrillation in patients with chronic lymphocytic leukemia (CLL) treated with ibrutinib: risk prediction, management, and clinical outcomes. <i>Annals of Hematology</i> , 2021, 100, 143-155.	0.8	32
106	Recurrent XPO1 mutations alter pathogenesis of chronic lymphocytic leukemia. <i>Journal of Hematology and Oncology</i> , 2021, 14, 17.	6.9	31
107	Ibrutinib and Rituximab Provides Superior Clinical Outcome Compared to FCR in Younger Patients with Chronic Lymphocytic Leukemia (CLL): Extended Follow-up from the E1912 Trial. <i>Blood</i> , 2019, 134, 33-33.	0.6	29
108	Developmental subtypes assessed by DNA methylation-iPLEX forecast the natural history of chronic lymphocytic leukemia. <i>Blood</i> , 2019, 134, 688-698.	0.6	26

#	ARTICLE	IF	CITATIONS
109	The humoral immune response to high-dose influenza vaccine in persons with monoclonal B-cell lymphocytosis (MBL) and chronic lymphocytic leukemia (CLL). <i>Vaccine</i> , 2021, 39, 1122-1130.	1.7	26
110	Akt inhibitor MKâ€2206 in combination with bendamustine and rituximab in relapsed or refractory chronic lymphocytic leukemia: Results from the N1087 alliance study. <i>American Journal of Hematology</i> , 2017, 92, 759-763.	2.0	25
111	T-helper phenotypes in the blood of myeloma patients on ECOG phase III trials E9486/E3A93. <i>British Journal of Haematology</i> , 1998, 100, 459-463.	1.2	24
112	CLL update 2022: A continuing evolution in care. <i>Blood Reviews</i> , 2022, 54, 100930.	2.8	24
113	<scp>CD</scp>49d associates with nodal presentation and subsequent development of lymphadenopathy in patients with chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , 2017, 178, 99-105.	1.2	23
114	Prognostic Testing Patterns and Outcomes of Chronic Lymphocytic Leukemia Patients Stratified by Fluorescence In Situ Hybridization/Cytogenetics: A Real-world Clinical Experience in the Connect CLL Registry. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2018, 18, 114-124.e2.	0.2	23
115	Association of polygenic risk score with the risk of chronic lymphocytic leukemia and monoclonal B-cell lymphocytosis. <i>Blood</i> , 2018, 131, 2541-2551.	0.6	21
116	KRAS, NRAS, and BRAF mutations are highly enriched in trisomy 12 chronic lymphocytic leukemia and are associated with shorter treatment-free survival. <i>Leukemia</i> , 2019, 33, 2111-2115.	3.3	21
117	Bone marrow hematopoietic dysfunction in untreated chronic lymphocytic leukemia patients. <i>Leukemia</i> , 2019, 33, 638-652.	3.3	21
118	Risk of serious infection among individuals with and without low count monoclonal B-cell lymphocytosis (MBL). <i>Leukemia</i> , 2021, 35, 239-244.	3.3	21
119	Relationship of blood monocytes with chronic lymphocytic leukemia aggressiveness and outcomes: a multiâ€institutional study. <i>American Journal of Hematology</i> , 2016, 91, 687-691.	2.0	20
120	The CLL International Prognostic Index predicts outcomes in monoclonal B-cell lymphocytosis and Rai 0 CLL. <i>Blood</i> , 2021, 138, 149-159.	0.6	20
121	<scp>Akt</scp> inhibitor <scp>MK</scp>2206 selectively targets <scp>CLL B</scp>â€cell receptor induced cytokines, mobilizes lymphocytes and synergizes with bendamustine to induce <scp>CLL</scp> apoptosis. <i>British Journal of Haematology</i> , 2014, 164, 146-150.	1.2	19
122	<i>IGH</i> translocations in chronic lymphocytic leukemia: Clinicopathologic features and clinical outcomes. <i>American Journal of Hematology</i> , 2019, 94, 338-345.	2.0	19
123	Differential Effect of Hemodialysis Membranes on Human Lymphocyte Natural Killer Function. <i>Artificial Organs</i> , 1987, 11, 165-167.	1.0	18
124	Combination Chemotherapy with Pentostatin, Cyclophosphamide and Rituximab Induces High Rate of Remissions Including Complete Responses and Achievement of Minimal Residual Disease in Previously Untreated B-Chronic Lymphocytic Leukemia.. <i>Blood</i> , 2004, 104, 339-339.	0.6	18
125	Ibrutinib Therapy for Chronic Lymphocytic Leukemia (CLL): An Analysis of a Large Cohort of Patients Treated in Routine Clinical Practice. <i>Blood</i> , 2015, 126, 2935-2935.	0.6	18
126	Tumor mutational load predicts time to first treatment in chronic lymphocytic leukemia (CLL) and monoclonal Bâ€cell lymphocytosis beyond the CLL international prognostic index. <i>American Journal of Hematology</i> , 2020, 95, 906-917.	2.0	17

#	ARTICLE	IF	CITATIONS
127	PD-1 Blockade with Pembrolizumab (MK-3475) in Relapsed/Refractory CLL Including Richter Transformation: An Early Efficacy Report from a Phase 2 Trial (MC1485). <i>Blood</i> , 2015, 126, 834-834.	0.6	17
128	The role of 18F-FDG-PET in detecting Richter's transformation of chronic lymphocytic leukemia in patients receiving therapy with a B-cell receptor inhibitor. <i>Haematologica</i> , 2020, 105, 2675-2678.	1.7	17
129	Ofatumumab monotherapy as a consolidation strategy in patients with previously untreated chronic lymphocytic leukaemia: a phase 2 trial. <i>Lancet Haematology</i> , 2016, 3, e407-e414.	2.2	16
130	Preneoplastic Alterations Define CLL DNA Methylome and Persist through Disease Progression and Therapy. <i>Blood Cancer Discovery</i> , 2021, 2, 54-69.	2.6	16
131	Natural history of monoclonal B-cell lymphocytosis among relatives in CLL families. <i>Blood</i> , 2021, 137, 2046-2056.	0.6	16
132	Measurable residual disease does not preclude prolonged progression-free survival in CLL treated with ibrutinib. <i>Blood</i> , 2021, 138, 2810-2827.	0.6	16
133	FISH Scoring for CLL: Comparison of Methods That Assess Round Versus Non-Round Nuclei. <i>Blood</i> , 2011, 118, 3538-3538.	0.6	16
134	Tumor Suppressor Genes and Clonal Evolution in B-CLL. <i>Leukemia and Lymphoma</i> , 1995, 18, 41-49.	0.6	15
135	Outcomes of a large cohort of individuals with clinically ascertained high-count monoclonal B-cell lymphocytosis. <i>Haematologica</i> , 2018, 103, e237-e240.	1.7	15
136	Disease Flare During Temporary Interruption of Ibrutinib Therapy in Patients with Chronic Lymphocytic Leukemia. <i>Oncologist</i> , 2020, 25, 974-980.	1.9	15
137	A laboratory-based scoring system predicts early treatment in Rai O chronic lymphocytic leukemia. <i>Haematologica</i> , 2020, 105, 1613-1620.	1.7	15
138	Incidence and risk of tumor lysis syndrome in patients with relapsed chronic lymphocytic leukemia (CLL) treated with venetoclax in routine clinical practice. <i>Leukemia and Lymphoma</i> , 2020, 61, 2383-2388.	0.6	15
139	Purine Analogue-Based Chemotherapy Regimens for Patients With Previously Untreated B-Chronic Lymphocytic Leukemia. <i>Seminars in Hematology</i> , 2006, 43, S50-S54.	1.8	14
140	Expression of TCL-1 as a potential prognostic factor for treatment outcome in B-cell chronic lymphocytic leukemia. <i>Leukemia Research</i> , 2007, 31, 1737-1740.	0.4	14
141	Pretreatment angiogenic cytokines predict response to chemoimmunotherapy in patients with chronic lymphocytic leukaemia. <i>British Journal of Haematology</i> , 2009, 146, 660-664.	1.2	14
142	Analysis of racial variations in disease characteristics, treatment patterns, and outcomes of patients with chronic lymphocytic leukemia. <i>American Journal of Hematology</i> , 2016, 91, 677-680.	2.0	14
143	Distinct immune signatures in chronic lymphocytic leukemia and Richter syndrome. <i>Blood Cancer Journal</i> , 2021, 11, 86.	2.8	14
144	Development of a Clinically Relevant Reporter for Chimeric Antigen Receptor T-cell Expansion, Trafficking, and Toxicity. <i>Cancer Immunology Research</i> , 2021, 9, 1035-1046.	1.6	14

#	ARTICLE	IF	CITATIONS
145	Comprehensive Management of the CLL Patient: A Holistic Approach. Hematology American Society of Hematology Education Program, 2007, 2007, 324-331.	0.9	14
146	Proteomic Analysis of Chronic Lymphocytic Leukemia Cells Identifies Vimentin as a Novel Prognostic Factor for Aggressive Disease.. Blood, 2005, 106, 707-707.	0.6	14
147	A recombinant IL-4-Pseudomonas exotoxin inhibits protein synthesis and overcomes apoptosis resistance in human CLL B cells. Leukemia Research, 2005, 29, 1009-1018.	0.4	13
148	N9986: a phase II trial of thalidomide in patients with relapsed chronic lymphocytic leukemia. Leukemia and Lymphoma, 2009, 50, 588-592.	0.6	13
149	Liver dysfunction in chronic lymphocytic leukemia: Prevalence, outcomes, and pathological findings. American Journal of Hematology, 2017, 92, 1362-1369.	2.0	13
150	SphK1 inhibitor potentiates the anti-cancer effect of EGCG on leukaemia cells. British Journal of Haematology, 2017, 178, 155-158.	1.2	13
151	Chronic lymphocytic leukemia international prognostic index: a systematic review and meta-analysis. Blood, 2018, 131, 365-368.	0.6	13
152	Humoral and cellular immune responses to recombinant herpes zoster vaccine in patients with chronic lymphocytic leukemia and monoclonal B cell lymphocytosis. American Journal of Hematology, 2022, 97, 90-98.	2.0	13
153	Monoclonal B-cell lymphocytosis: update on diagnosis, clinical outcome, and counseling. Clinical Advances in Hematology and Oncology, 2013, 11, 720-9.	0.3	13
154	Prognostic factors in chronic lymphocytic leukemia. Current Hematologic Malignancy Reports, 2007, 2, 49-55.	1.2	12
155	Management of patients with chronic lymphocytic leukemia with a high risk of adverse outcome: the Mayo Clinic approach. Leukemia and Lymphoma, 2011, 52, 1425-1434.	0.6	12
156	Tris (dibenzylideneacetone) dipalladium: a small-molecule palladium complex is effective in inducing apoptosis in chronic lymphocytic leukemia B-cells. Leukemia and Lymphoma, 2016, 57, 2409-2416.	0.6	12
157	Early progression of disease as a predictor of survival in chronic lymphocytic leukemia. Blood Advances, 2017, 1, 2433-2443.	2.5	12
158	The Connect CLL Registry: final analysis of 1494 patients with chronic lymphocytic leukemia across 199 US sites. Blood Advances, 2020, 4, 1407-1418.	2.5	12
159	Targeting Cancer Associated Fibroblasts in the Bone Marrow Prevents Resistance to Chimeric Antigen Receptor T Cell Therapy in Multiple Myeloma. Blood, 2019, 134, 865-865.	0.6	12
160	GM-CSF disruption in CART cells modulates T cell activation and enhances CART cell anti-tumor activity. Leukemia, 2022, 36, 1635-1645.	3.3	12
161	Renal insufficiency is an independent prognostic factor in patients with chronic lymphocytic leukemia. Haematologica, 2017, 102, e22-e25.	1.7	11
162	Cumulative experience and long term follow-up of pentostatin-based chemoimmunotherapy trials for patients with chronic lymphocytic leukemia. Expert Review of Hematology, 2018, 11, 337-349.	1.0	11

#	ARTICLE	IF	CITATIONS
163	ZAP-70 Expression Associated with Activation in Normal Human B Cells and B Cell Chronic Lymphocytic Leukemia.. Blood, 2004, 104, 2794-2794.	0.6	11
164	Recognizing Unmet Need in the Era of Targeted Therapy for CLL/SLL: "What's Past Is Prologue" (Shakespeare). Clinical Cancer Research, 2022, 28, 603-608.	3.2	11
165	Sequential Phenotyping of Myeloma Patients on Chemotherapy: Persistence of Activated T-cells and Natural Killer Cells. Leukemia and Lymphoma, 1995, 16, 351-354.	0.6	10
166	Chronic lymphocytic leukemia: Biology and current treatment. Current Oncology Reports, 2007, 9, 345-352.	1.8	10
167	Controversies in the front-line management of chronic lymphocytic leukemia. Leukemia Research, 2008, 32, 679-688.	0.4	10
168	Addition of granulocyte macrophage colony stimulating factor does not improve response to early treatment of high-risk chronic lymphocytic leukemia with alemtuzumab and rituximab. Leukemia and Lymphoma, 2013, 54, 476-482.	0.6	10
169	Chemoimmunotherapy Is Not Dead Yet in Chronic Lymphocytic Leukemia. Journal of Clinical Oncology, 2017, 35, 2989-2992.	0.8	10
170	Polygenic risk score and risk of monoclonal B-cell lymphocytosis in caucasians and risk of chronic lymphocytic leukemia (CLL) in African Americans. Leukemia, 2022, 36, 119-125.	3.3	10
171	Critical Signal Transduction Pathways in CLL. Advances in Experimental Medicine and Biology, 2013, 792, 215-239.	0.8	9
172	Association of elevated serumfree light chains with chronic lymphocytic leukemia and monoclonal B-cell lymphocytosis. Blood Cancer Journal, 2019, 9, 59.	2.8	9
173	Addition of venetoclax at time of progression in ibrutinib-treated patients with chronic lymphocytic leukemia: Combination therapy to prevent ibrutinib flare. American Journal of Hematology, 2020, 95, E57-E60.	2.0	9
174	SIRT3 overexpression and epigenetic silencing of catalase regulate ROS accumulation in CLL cells activating AXL signaling axis. Blood Cancer Journal, 2021, 11, 93.	2.8	9
175	Targeting of CD19 By Tafasitamab Does Not Impair CD19 Directed Chimeric Antigen Receptor T Cell Activity in Vitro. Blood, 2019, 134, 2859-2859.	0.6	9
176	Chronic lymphocytic leukemia (CLL) with Reed-Sternberg-like cells vs Classic Hodgkin lymphoma transformation of CLL: does this distinction matter?. Blood Cancer Journal, 2022, 12, 18.	2.8	9
177	The Emerging Role of Ofatumumab in the Treatment of Chronic Lymphocytic Leukemia. Clinical Medicine Insights: Oncology, 2011, 5, CMO.S4087.	0.6	8
178	Predictive value of the <sc>CLL</sc> "IPI" in <sc>CLL</sc> patients receiving chemoimmunotherapy as first-line treatment. European Journal of Haematology, 2018, 101, 703-706.	1.1	8
179	The Importance of Pharmacovigilance during Ibrutinib Therapy for Chronic Lymphocytic Leukemia (CLL) in Routine Clinical Practice. Blood, 2015, 126, 717-717.	0.6	8
180	PD-1 Blockade with Pembrolizumab in Relapsed CLL Including Richter's Transformation: An Updated Report from a Phase 2 Trial (MC1485). Blood, 2016, 128, 4392-4392.	0.6	8

#	ARTICLE	IF	CITATIONS
181	Chronic lymphocytic leukemia: current and emerging treatment approaches. <i>Clinical Advances in Hematology and Oncology</i> , 2006, 4, 1-10; quiz 11-2.	0.3	8
182	Venetoclax treatment of patients with relapsed T-cell prolymphocytic leukemia. <i>Blood Cancer Journal</i> , 2021, 11, 47.	2.8	7
183	Pathogenesis of Impaired Cellular Immune Function in CLL. , 2004, , 109-121.		7
184	Ibrutinib-Based Therapy Improves Anti-Tumor T Cell Killing Function Allowing Effective Pairing with Anti-PD-L1 Immunotherapy Compared to Traditional FCR Chemoimmunotherapy; Implications for Therapy and Correlative Immune Functional Data from the Phase III E1912 Trial. <i>Blood</i> , 2018, 132, 236-236.	0.6	7
185	A randomized phase II trial comparing chemoimmunotherapy with or without bevacizumab in previously untreated patients with chronic lymphocytic leukemia. <i>Oncotarget</i> , 2016, 7, 78269-78280.	0.8	7
186	Use of Artificial Intelligence Electrocardiography to Predict Atrial Fibrillation (AF) in Patients with Chronic Lymphocytic Leukemia (CLL). <i>Blood</i> , 2020, 136, 50-51.	0.6	7
187	Single-cell analysis reveals immune dysfunction from the earliest stages of CLL that can be reversed by ibrutinib. <i>Blood</i> , 2022, 139, 2252-2256.	0.6	7
188	<i>Letter to the Editor:</i> Community-Based Phase II Trial of PCR for CLL/SLL Patients. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2007, 22, 713-714.	0.7	6
189	Angiogenesis revisited in CLL. <i>Leukemia Research</i> , 2007, 31, 1459-1460.	0.4	6
190	Pentostatin, Cyclophosphamide, and Rituximab Followed by Alemtuzumab for Relapsed or Refractory Chronic Lymphocytic Leukemia: A Phase 2 Trial of the ECOG-Acrin Cancer Research Group (E2903). <i>Acta Haematologica</i> , 2019, 142, 224-232.	0.7	6
191	Role of long non-coding RNAs in disease progression of early stage unmutated chronic lymphocytic leukemia. <i>Oncotarget</i> , 2019, 10, 60-75.	0.8	6
192	Chronic lymphocytic leukemia (CLL) risk is mediated by multiple enhancer variants within CLL risk loci. <i>Human Molecular Genetics</i> , 2020, 29, 2761-2774.	1.4	6
193	Cause of death in patients with newly diagnosed chronic lymphocytic leukemia (CLL) stratified by the CLL-International Prognostic Index. <i>Blood Cancer Journal</i> , 2021, 11, 140.	2.8	6
194	Improved Anti-Tumor Response of Chimeric Antigen Receptor T Cell (CART) Therapy after GM-CSF Inhibition Is Mechanistically Supported By a Novel Direct Interaction of GM-CSF with Activated Carts. <i>Blood</i> , 2019, 134, 3868-3868.	0.6	6
195	Early intervention in asymptomatic chronic lymphocytic leukemia. <i>Clinical Advances in Hematology and Oncology</i> , 2021, 19, 92-103.	0.3	6
196	Activation of human peripheral blood T cells does not lead to increased P-glycoprotein expression. <i>Journal of Clinical Immunology</i> , 1999, 19, 239-246.	2.0	5
197	Acquired chromosomal anomalies in chronic lymphocytic leukemia patients compared with more than 50,000 quasi-normal participants. <i>Cancer Genetics</i> , 2014, 207, 19-30.	0.2	5
198	High prevalence of monoclonal gammopathy among patients with warm autoimmune hemolytic anemia. <i>American Journal of Hematology</i> , 2017, 92, E164-E166.	2.0	5

#	ARTICLE	IF	CITATIONS
199	Reasons for initiation of treatment and predictors of response for patients with Rai stage 0/1 chronic lymphocytic leukemia (CLL) receiving first-line therapy: an analysis of the Connect [®] CLL cohort study. <i>Leukemia and Lymphoma</i> , 2018, 59, 2327-2335.	0.6	5
200	Cyclophosphamide Remains An Important Component of Treatment in CLL Patients Receiving Pentostatin and Rituximab Based Chemoimmunotherapy. <i>Blood</i> , 2008, 112, 43-43.	0.6	5
201	Hodgkin Transformation Of Chronic Lymphocytic Leukemia (CLL): Mayo Clinic Experience. <i>Blood</i> , 2013, 122, 1642-1642.	0.6	5
202	Atrial Fibrillation in Patients with Chronic Lymphocytic Leukemia (CLL). <i>Blood</i> , 2015, 126, 2950-2950.	0.6	5
203	Circulating Blood B Cells in Multiple Myeloma: Analysis and Relationship to Circulating Clonal Cells and Clinical Parameters in a Cohort of Patients Entered on the Eastern Cooperative Oncology Group Phase III E9486 Clinical Trial. <i>Blood</i> , 1997, 90, 340-345.	0.6	5
204	T-cell abnormalities in patients with chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , 2006, 47, 1197-1198.	0.6	4
205	Delineation of clinical and biological factors associated with cutaneous squamous cell carcinoma among patients with chronic lymphocytic leukemia. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 1581-1589.	0.6	4
206	Chronic lymphocytic leukemia in 2020: a surfeit of riches?. <i>Leukemia</i> , 2020, 34, 1979-1983.	3.3	4
207	Chronic lymphocytic leukemia B-cell-derived TNF \pm impairs bone marrow myelopoiesis. <i>IScience</i> , 2021, 24, 101994.	1.9	4
208	Aspirin and other nonsteroidal anti-inflammatory drugs, statins and risk of non-Hodgkin lymphoma. <i>International Journal of Cancer</i> , 2021, 149, 535-545.	2.3	4
209	Measurable residual disease testing in chronic lymphocytic leukaemia: hype, hope neither or both?. <i>Leukemia</i> , 2021, 35, 3364-3370.	3.3	4
210	Alemtuzumab and Rituximab for Therapy of Patients with Early Stage High Risk CLL: Report of a Planned Interim Analysis.. <i>Blood</i> , 2006, 108, 2829-2829.	0.6	4
211	Outcomes Of Chronic Lymphocytic Leukemia Patients With Richter Syndrome. <i>Blood</i> , 2013, 122, 4179-4179.	0.6	4
212	Disease Progression and Complications Are the Main Cause of Death in Patients with Chronic Lymphocytic Leukemia (CLL) Independent of Age and Comorbidities at Diagnosis. <i>Blood</i> , 2015, 126, 5265-5265.	0.6	4
213	Outcomes of Ibrutinib Therapy By Age in Patients with CLL/SLL: Analyses from Phase 3 Trial Data (RESONATE and RESONATE-2). <i>Blood</i> , 2016, 128, 2041-2041.	0.6	4
214	Skin Cancers Among Chronic Lymphocytic Leukemia (CLL) Patients - the Effect of UV Radiation and CLL Clinical Characteristics. <i>Blood</i> , 2016, 128, 4772-4772.	0.6	4
215	Comparative Evaluation of Prognostic Factors That Assess the Natural History of Chronic Lymphocytic Leukemia. <i>Blood</i> , 2016, 128, 968-968.	0.6	4
216	Molecular Mechanisms Involved in Homing and Migration of B-Chronic Lymphocytic Leukemia (CLL) in Response to CXCR4 Stimulation and Downstream Activation of the PI3K Pathway.. <i>Blood</i> , 2004, 104, 1909-1909.	0.6	4

#	ARTICLE	IF	CITATIONS
217	MBL and MoBL - Response to Ziegler-Heitbrock. <i>British Journal of Haematology</i> , 2005, 130, 795-796.	1.2	3
218	Combination therapies for previously untreated CLL. <i>Lancet, The</i> , 2007, 370, 197-198.	6.3	3
219	CGH Protocols: Chronic Lymphocytic Leukemia. <i>Methods in Molecular Biology</i> , 2013, 973, 87-98.	0.4	3
220	Epigenetic alteration contributes to the transcriptional reprogramming in T-cell prolymphocytic leukemia. <i>Scientific Reports</i> , 2021, 11, 8318.	1.6	3
221	GM-CSF Blockade during Chimeric Antigen Receptor T Cell Therapy Reduces Cytokine Release Syndrome and Neurotoxicity and May Enhance Their Effector Functions. <i>Blood</i> , 2018, 132, 961-961.	0.6	3
222	A Randomized Phase 2 Study Comparing Acalabrutinib with or without Obinutuzumab in the Treatment of Early Stage High Risk Patients with Chronic Lymphocytic Leukemia (CLL) or Small Lymphocytic Lymphoma (SLL). <i>Blood</i> , 2019, 134, 4306-4306.	0.6	3
223	BTK and/or PLCG2 Mutations in Patients with Chronic Lymphocytic Leukemia (CLL) Treated with Ibrutinib: Characteristics and Outcomes at the Time of Progression. <i>Blood</i> , 2019, 134, 3050-3050.	0.6	3
224	Frequency of Clonal Evolution by FISH in Untreated, Early Stage Patients with CLL: A Prospective, Longitudinal Study with Long Clinical Follow-Up.. <i>Blood</i> , 2005, 106, 2098-2098.	0.6	3
225	The Pentostatin, Cyclophosphamide, and Rituximab Regimen (PCR) Is Highly Active and Well Tolerated Regardless of Patient Age, Creatinine Clearance, and Performance Status: Analysis of a Multi-Center Phase II Trial.. <i>Blood</i> , 2006, 108, 36-36.	0.6	3
226	Chronic Lymphocytic Leukemia Patients with IGHV Genes Carrying Only Silent Mutations Have A Longer Time From Diagnosis to Initial Therapy Than Patients Expressing B-Cell Receptors with No Somatic Mutations. <i>Blood</i> , 2011, 118, 288-288.	0.6	3
227	Pure Red Cell Aplasia (PRCA) in Chronic Lymphocytic Leukemia (CLL): Etiology, Therapy, and Outcomes. <i>Blood</i> , 2015, 126, 4169-4169.	0.6	3
228	Prevalence of Low Count (LC) Monoclonal B Cell Lymphocytosis (MBL) and Serious Infections in a Population-Based Cohort of U.S. Adults Participating in a Large Bio-Repository. <i>Blood</i> , 2017, 130, 831-831.	0.6	3
229	Variation in Health-Related Quality of Life by Age Among Patients with Chronic Lymphocytic Leukemia. <i>Blood</i> , 2011, 118, 2085-2085.	0.6	3
230	Favorable Modulation of Chimeric Antigen Receptor T Cells Safety and Efficacy By the Non-Covalent BTK Inhibitor Vencabrutinib. <i>Blood</i> , 2021, 138, 906-906.	0.6	3
231	Genetic Determinants and Evolutionary History of Richter's Syndrome. <i>Blood</i> , 2020, 136, 47-48.	0.6	3
232	Circulating endothelial cells in chronic lymphocytic leukemia: more evidence of disturbed angiogenesis. <i>Leukemia and Lymphoma</i> , 2009, 50, 8-9.	0.6	2
233	B-cell prolymphocytic leukemia has 3 subsets. <i>Blood</i> , 2019, 134, 1777-1778.	0.6	2
234	Longitudinal health-related quality of life in first-line treated patients with chronic lymphocytic leukemia: Results from the Connect Â® CLL Registry. <i>EJHaem</i> , 2020, 1, 188-198.	0.4	2

#	ARTICLE	IF	CITATIONS
235	Development of a Sensitive and Efficient Reporter Platform for the Detection of Chimeric Antigen Receptor T Cell Expansion, Trafficking, and Toxicity. <i>Blood</i> , 2019, 134, 53-53.	0.6	2
236	Hypoxia Inducible Factor-1 α Is over Expressed in CLL B Cells Because of an Impaired Proteasome Pathway Associated with Defective Interaction with von Hippel-Landau Protein.. <i>Blood</i> , 2005, 106, 2115-2115.	0.6	2
237	The Green Tea Extract Epigallocatechin Induces In Vitro Cell Death in Primary Human Lymphoma Cells through an ROS Dependent Mechanism.. <i>Blood</i> , 2006, 108, 234-234.	0.6	2
238	Characteristics of Familial CLL Evaluated in the CLL Research Consortium Cohort. <i>Blood</i> , 2008, 112, 3125-3125.	0.6	2
239	Family-Associated Monoclonal B Lymphocytosis Is Commonly Oligoclonal and Expresses Markers Associated with Adverse Risk in CLL. <i>Blood</i> , 2008, 112, 3144-3144.	0.6	2
240	Lenalidomide Consolidation Appears to Prolong Time to Retreatment After First-Line Chemoimmunotherapy for Patients with Previously Untreated CLL.. <i>Blood</i> , 2011, 118, 3899-3899.	0.6	2
241	Hypogammaglobulinemia In Patients With Previously Untreated Chronic Lymphocytic Leukemia: Clinical Correlates and Outcomes. <i>Blood</i> , 2013, 122, 4178-4178.	0.6	2
242	Serum B-cell maturation antigen as a prognostic marker for untreated chronic lymphocytic leukemia.. <i>Journal of Clinical Oncology</i> , 2019, 37, 7525-7525.	0.8	2
243	Cytogenetic Analysis of Normal Human B Cells Following CpG Stimulation: Implications for Interpretation of CpG Induced CLL Metaphase Analysis. <i>Blood</i> , 2008, 112, 3124-3124.	0.6	2
244	Aberrant Regulation of the LEF-1 Locus in Monoclonal B Cell Lymphocytosis (MBL) and Chronic Lymphocytic Leukemia (CLL): A Possible Role for Epigenetic Regulation.. <i>Blood</i> , 2009, 114, 669-669.	0.6	2
245	PD-1 Overexpression in Richter's Transformation (RT) and Aggressive Chronic Lymphocytic Leukemia (CLL) after Progression on Ibrutinib Increases Bcl-2 Expression Via Akt/mTOR Pathway. <i>Blood</i> , 2018, 132, 586-586.	0.6	2
246	Differential transcriptomic profiling in ibrutinib-naïve versus ibrutinib-resistant Richter syndrome. <i>Hematological Oncology</i> , 2022, 40, 302-306.	0.8	2
247	B cell receptor signaling drives APOBEC3 expression via direct enhancer regulation in chronic lymphocytic leukemia B cells. <i>Blood Cancer Journal</i> , 2022, 12, .	2.8	2
248	Reply to R.S. Go. <i>Journal of Clinical Oncology</i> , 2009, 27, e45-e45.	0.8	1
249	Biologic agent activity in chronic lymphocytic leukemia: a framework for future therapies. <i>Leukemia and Lymphoma</i> , 2011, 52, 374-386.	0.6	1
250	Predicting Clinical Outcome in B-Chronic Lymphocytic Leukemia. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2012, , 394-398.	1.8	1
251	A novel method for analysis of human T cell repertoires by real-time PCR. <i>Journal of Immunological Methods</i> , 2014, 412, 24-34.	0.6	1
252	Reply to S. Opat et al. <i>Journal of Clinical Oncology</i> , 2017, 35, 4094-4095.	0.8	1

#	ARTICLE	IF	CITATIONS
253	Upregulation of AXL and β -catenin in chronic lymphocytic leukemia cells cultured with bone marrow stroma cells is associated with enhanced drug resistance. <i>Blood Cancer Journal</i> , 2021, 11, 37.	2.8	1
254	The prognostic significance of $\text{del}6q23$ in chronic lymphocytic leukemia. <i>American Journal of Hematology</i> , 2021, 96, E203-E206.	2.0	1
255	Comprehensive Management of the CLL Patient: A Holistic Approach. <i>Hematology American Society of Hematology Education Program</i> , 2007, 2007, 324-331.	0.9	1
256	Axl-RTK Inhibition Modulates T Cell Functions and Synergizes with Chimeric Antigen Receptor T Cell Therapy in B Cell Malignancies. <i>Blood</i> , 2018, 132, 728-728.	0.6	1
257	Circulating Extracellular Vesicles Induce Chimeric Antigen Receptor T Cell Dysfunction in Chronic Lymphocytic Leukemia (CLL). <i>Blood</i> , 2019, 134, 679-679.	0.6	1
258	Venetoclax Has Modest Efficacy in the Treatment of Patients with Relapsed T-Cell Prolymphocytic Leukemia. <i>Blood</i> , 2020, 136, 39-40.	0.6	1
259	Smudge Cells on Routine Blood Smear Predict Clinical Outcome in Chronic Lymphocytic Leukemia: A Universally Available Prognostic Test.. <i>Blood</i> , 2006, 108, 2785-2785.	0.6	1
260	Alemtuzumab and Rituximab for Initial Treatment of High Risk, Early Stage Chronic Lymphocytic Leukemia (CLL).. <i>Blood</i> , 2007, 110, 2050-2050.	0.6	1
261	CD5+ Chronic B-Cell Lymphoproliferative Disorders Could Contain a Novel Disease Entity.. <i>Blood</i> , 2008, 112, 2065-2065.	0.6	1
262	Pentostatin, Alemtuzumab, and Low Dose Rituximab Is Effective Therapy for Relapsed/Refractory Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (CLL). <i>Blood</i> , 2011, 118, 1790-1790.	0.6	1
263	Resistance to Complement Dependent Cytotoxicity in CLL Cells From Patients Treated with Ofatumumab. <i>Blood</i> , 2011, 118, 2836-2836.	0.6	1
264	Axl Receptor Tyrosine Kinase Signaling Pathway and the p53 Tumor Suppressor Protein Exist In A Novel Regulatory Loop In B-Cell Chronic Lymphocytic Leukemia Cells. <i>Blood</i> , 2011, 118, 799-799.	0.6	1
265	High-Level Expression of ROR1 Associates with Early Disease Progression in Patients with Chronic Lymphocytic Leukemia. <i>Blood</i> , 2015, 126, 1713-1713.	0.6	1
266	Characteristics and Outcome of Direct Antiglobulin Test-Negative Hemolytic Anemia: A Case Series. <i>Blood</i> , 2016, 128, 2451-2451.	0.6	1
267	Role of Lncrnas in Early Stage Immunoglobulin Heavy Chain Variable Region (IGHV) Unmutated CLL Disease Progression. <i>Blood</i> , 2016, 128, 4364-4364.	0.6	1
268	CLL B Cell Interaction with Bone Biopsy Generated Marrow Stromal Elements Enhances Their Apoptosis Resistance in Association with an Angiogenic Switch.. <i>Blood</i> , 2004, 104, 1914-1914.	0.6	1
269	Leukemic B Cells from CD38 Positive but Not CD38 Negative B-CLL Patients Express Heightened Levels of Cell Cycle Related Genes.. <i>Blood</i> , 2004, 104, 4809-4809.	0.6	1
270	Tumor Cells Resistant to Alemtuzumab Complement Mediated Cytotoxicity in Patients with High Risk Previously Untreated Early Stage CLL: A Possible Mechanism of Treatment Failure.. <i>Blood</i> , 2005, 106, 2973-2973.	0.6	1

#	ARTICLE	IF	CITATIONS
271	Motexafin Gadolinium (MGd) Has Clinical Activity in Relapsed/Refractory Low Grade Lymphomas (LG) and Relapsed/Refractory Chronic Lymphocytic Leukemia (CLL).. Blood, 2005, 106, 4758-4758.	0.6	1
272	Crosstalk between Chronic Lymphocytic Leukemia (CLL) B-Cells and Marrow Stromal Cells: Implication for CLL B-Cell Activation and Survival.. Blood, 2007, 110, 337-337.	0.6	1
273	De Novo Deletion 17p13.1 Chronic Lymphocytic Leukemia Shows Significant Clinical Heterogeneity: The MD Anderson/Mayo Clinic Experience.. Blood, 2008, 112, 1056-1056.	0.6	1
274	Overexpression of the LEF-1 and TCF4 Transcription Factors in B-CLL: Further Evidence for a Role of the Wnt Signaling Pathway in B-CLL Biology and Leukemogenesis. Blood, 2008, 112, 544-544.	0.6	1
275	Ofatumumab Based Chemoimmunotherapy (CIT) for Patients with Previously Untreated CLL,. Blood, 2011, 118, 3898-3898.	0.6	1
276	Alemtuzumab Use and Survival After Reduced Intensity Allogeneic Stem Cell Transplantation in High-Risk Chronic Lymphocytic Leukemia (CLL),. Blood, 2011, 118, 4152-4152.	0.6	1
277	TRIS (DIBENZYLIDENEACETONE) Dipalladium a Small-Molecule Palladium Complex Is Effective in the Induction of Apoptosis for B-Chronic Lymphocytic Leukemia B-Cells. Blood, 2011, 118, 2851-2851.	0.6	1
278	The Impact of Race, Age, and Sex in Chronic Lymphocytic Leukemia (CLL): A Comprehensive SEER Analysis in the Pre and Post Rituximab (R) Eras.. Blood, 2012, 120, 2877-2877.	0.6	1
279	Sensitivity of Ibrutinib Exposed Chronic Lymphocytic Leukemia B-Cells to Inhibition of Axl Receptor Tyrosine Kinase. Blood, 2016, 128, 2020-2020.	0.6	1
280	Liver Biopsy in Patients with Chronic Lymphocytic Leukemia: Indications and Pathological Findings. Blood, 2016, 128, 5592-5592.	0.6	1
281	Factors That Influence Treatment Decision-Making: Perspectives of 1147 Chronic Lymphocytic Leukemia (CLL) Patients in the United States. Blood, 2018, 132, 4414-4414.	0.6	1
282	Vaccination History and Risk of Lymphoma and Its Major Subtypes. Cancer Epidemiology Biomarkers and Prevention, 2021, , cebp.0383.2021.	1.1	1
283	Vesicular Stomatitis Virus (VSV) Engineered to Express CD19 Stimulates Anti-CD19 Chimeric Antigen Receptor Modified T Cells and Promotes Their Anti-Tumor Effects. Blood, 2020, 136, 30-31.	0.6	1
284	Central Nervous System (CNS) Involvement of Richter Transformation: A Single Center Experience. Blood, 2020, 136, 3-4.	0.6	1
285	Distinct Gene Expression Signatures in Patients with Richter's Syndrome and Chronic Lymphocytic Leukemia with Prior Exposure to Ibrutinib. Blood, 2020, 136, 30-31.	0.6	1
286	Genomic Profiling Reveals Molecular Heterogeneity in Patients with Richter's Syndrome (RS) and Progressive Chronic Lymphocytic Leukemia (CLL). Blood, 2020, 136, 16-17.	0.6	1
287	Immunogenicity of a Recombinant Herpes Zoster Vaccine in Patients with Chronic Lymphocytic Leukemia. Blood, 2020, 136, 49-50.	0.6	1
288	Associations of history of vaccination and hospitalization due to infection with risk of monoclonal B-cell lymphocytosis. Leukemia, 2022, , .	3.3	1

#	ARTICLE	IF	CITATIONS
289	Serum B-Cell maturation antigen is an independent prognostic marker in previously untreated chronic lymphocytic leukemia. <i>Experimental Hematology</i> , 2022, 111, 32-40.	0.2	1
290	Usefulness of Risk Stratification in the Treatment of Patients with Chronic Lymphocytic Leukemia. <i>Clinical Leukemia</i> , 2008, 2, 46-54.	0.2	0
291	Associations of DNA Repair Gene Polymorphisms in XRCC1 and ERCC2 with Clinical Outcome in ECOG Trial E9486.. <i>Blood</i> , 2004, 104, 1475-1475.	0.6	0
292	Elevated BlyS Levels in Patients with Familial and Sporadic B-CLL: Correlation with BlyS Polymorphisms.. <i>Blood</i> , 2004, 104, 964-964.	0.6	0
293	Loss of p53 Is Due to Rearrangements in a ~6,400 kb Region of Low Copy Repeats near the Centromere of Chromosome 17 in Chronic Lymphocytic Leukemia (B-CLL).. <i>Blood</i> , 2005, 106, 3255-3255.	0.6	0
294	Molecular and Clinical Analysis of a Midwest Cohort of B-CLL Patients Utilizing the Immunoglobulin VH 1-69 Gene.. <i>Blood</i> , 2005, 106, 5016-5016.	0.6	0
295	Long Term Follow up of Allogeneic Hematopoietic Stem Cell Transplantation (ASCT) in Chronic Lymphocytic Leukemia (CLL).. <i>Blood</i> , 2005, 106, 5420-5420.	0.6	0
296	Targeting V α -4 Reduces Cell Adhesion Mediated Drug Resistance in Chronic Lymphocytic Leukemia: Rationale for Anti V α -4 Therapy.. <i>Blood</i> , 2005, 106, 1182-1182.	0.6	0
297	Submicroscopic Interstitial Deletions in 13q14 Are Detectable in Metaphase Cells by Fluorescence In Situ Hybridization (FISH) with D13S319 in Chronic Lymphocytic Leukemia (B-CLL).. <i>Blood</i> , 2005, 106, 3278-3278.	0.6	0
298	Elevated HIF-1 \pm Levels in CLL B Cells May Explain Their Autocrine VEGF Secretion.. <i>Blood</i> , 2006, 108, 583-583.	0.6	0
299	Inhibition of GSK-3 Induces Apoptosis of CLL Cells by Abrogating NF κ B Nuclear Activity.. <i>Blood</i> , 2006, 108, 2797-2797.	0.6	0
300	A Large Scale Evaluation of Genetic Variation in Immune and Inflammation Genes and Risk of Non-Hodgkin Lymphoma.. <i>Blood</i> , 2006, 108, 817-817.	0.6	0
301	Neuropilin-1 Receptor (NRP-1) Occupancy Induces Cell Death in Primary Chronic Lymphocytic Leukemia (CLL) B Cells.. <i>Blood</i> , 2006, 108, 586-586.	0.6	0
302	Expression and Functional Analysis of Activation-Induced Deaminase (AID) in Normal Human B Lymphocytes.. <i>Blood</i> , 2006, 108, 934-934.	0.6	0
303	D Gene Usage Predicts Clinical Outcome in Patients with Low Rai Risk Unmutated B-CLL.. <i>Blood</i> , 2006, 108, 2779-2779.	0.6	0
304	The Prognostic Significance of Cytopenia in Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (CLL).. <i>Blood</i> , 2007, 110, 746-746.	0.6	0
305	Dietary Products Induce Apoptosis in CLL B Cells and Reveal Potential as a Therapeutic Combination That Can Overcome Stromal Cell Mediated Protection.. <i>Blood</i> , 2007, 110, 3130-3130.	0.6	0
306	Characterization of Microvesicles in B-Cell Chronic Lymphocytic Leukemia (CLL): A Potential Mediator in CLL B Cell Disease Progression?.. <i>Blood</i> , 2007, 110, 747-747.	0.6	0

#	ARTICLE	IF	CITATIONS
307	Statin Use and Risk of Non-Hodgkin Lymphoma (NHL): Preliminary Results from the Mayo Clinic Case-Control Study.. Blood, 2007, 110, 2615-2615.	0.6	0
308	Platelet-Derived Growth Factor (PDGF) Secreted by Chronic Lymphocytic Leukemic B-Cells Is Capable of Regulating the Activation and Function of Mesenchymal Stem Cells: Implications for Leukemic Cell/Stromal Cell Crosstalk. Blood, 2008, 112, 355-355.	0.6	0
309	Validation of CLL FISH Panel Scoring by Members of the Chronic Lymphocytic Leukemia Research Consortium.. Blood, 2008, 112, 1067-1067.	0.6	0
310	Higher Intakes of Vegetables, Vitamin E, Manganese and Zinc Are Associated with a Lower Risk of Non-Hodgkin Lymphoma (NHL): Results from a Case-Control Study. Blood, 2008, 112, 3771-3771.	0.6	0
311	Whole Genome Copy Number Variation Analysis of Chronic Lymphocytic Leukemia (CLL) Cells From Early-Intermediate Stage, High Risk CLL Patients Prior to First Treatment Reveals New Loss of Heterozygosity and Duplication Events in the CLL Genome.. Blood, 2009, 114, 1265-1265.	0.6	0
312	Complex Interstitial Deletions of 11q and Copy-Neutral Loss of Heterozygosity of 11q Are Detected by Whole Genome Copy Number Variation Analysis of Early-Intermediate Stage, High Risk Chronic Lymphocytic Leukemia Patients.. Blood, 2009, 114, 1245-1245.	0.6	0
313	Longitudinal Genome Wide Analysis of Patients with Chronic Lymphocytic Leukemia Reveals Complex Evolution of Clonal Architecture At Disease Progression and At the Time of Relapse. Blood, 2011, 118, 2838-2838.	0.6	0
314	Infectious Complications Among Individuals with Monoclonal B-Cell Lymphocytosis (MBL): A Prospective Case-Control Study of Newly Diagnosed Patients,. Blood, 2011, 118, 3903-3903.	0.6	0
315	Global Genomic Status At Diagnosis Informs Clinical Outcome in B-Chronic Lymphocytic Leukemia: Stable Versus Progressive Disease. Blood, 2011, 118, 1772-1772.	0.6	0
316	Prevalence of MBL Increases Over Time In Relatives of CLL Families,. Blood, 2011, 118, 3881-3881.	0.6	0
317	Epigallocatechin-3-Gallate (EGCG) Modulates Cytokine Production When Leukemic CLL B-Cells and Marrow Stromal Cells Are Co-Cultured: Correlations with Clinical Activity in a Phase II Trial,. Blood, 2011, 118, 3882-3882.	0.6	0
318	Mesenchymal Stromal Cells Derived From Chronic Lymphocytic Leukemic Patients Express Different Genes and Produce Different Cytokines Compared to MSC Derived From Normal Subjects,. Blood, 2011, 118, 3872-3872.	0.6	0
319	The Prevalence of Serious Infectious Complications in a Cohort of Non-Referred Patients with Newly Diagnosed Chronic Lymphocytic Leukemia (CLL) Compared to Controls: Results of a Cohort Study. Blood, 2011, 118, 4610-4610.	0.6	0
320	Allosteric Akt Inhibitor MK2206 Synergizes with Bendamustine in Promoting the Apoptosis of Chronic Lymphocytic Leukemia Cells and Selectively Targets B-Cell Receptor Mediated Cytokine Production. Blood, 2012, 120, 3928-3928.	0.6	0
321	Very High Risk CLL Characterized by a "Double Hit" Clone with Both 11q22 and 17p13 Deletion.. Blood, 2012, 120, 2486-2486.	0.6	0
322	Novel Pharmacological Agents Differentially Modulate Cytokine Release On CLL B-Cell-Stromal Cell Co-Culture: Implications for Stromal Rescue of CLL B-Cells From Chemotherapy. Blood, 2012, 120, 3927-3927.	0.6	0
323	Risk of Cancer in Patients with Clinical Monoclonal B-Cell Lymphocytosis (MBL): A Cohort Study of Newly Diagnosed Patients Compared to Controls.. Blood, 2012, 120, 2893-2893.	0.6	0
324	Clonal Chromosomal Anomalies Similar to CLL and Other Hematologic Malignancies Can Be Found in "Normal" Individuals. Blood, 2012, 120, 873-873.	0.6	0

#	ARTICLE	IF	CITATIONS
325	Extramedullary Chronic Lymphocytic Leukemia: Systematic Analysis of Cases Reported Between 1975 and 2010. <i>Blood</i> , 2012, 120, 4607-4607.	0.6	0
326	Chronic Lymphocytic Leukemia in Young (â‰¥ 55 years) Patients: A Comprehensive Analysis of Prognostic Factors and Outcomes. <i>Blood</i> , 2012, 120, 2901-2901.	0.6	0
327	The Relative Significance of ZAP-70 Promoter Methylation As a Prognostic Factor in Previously Untreated Chronic Lymphocytic Leukemia: Validation of Results Using a Second Large CLL Research Consortium (CRC) Patient Data Set. <i>Blood</i> , 2012, 120, 3865-3865.	0.6	0
328	Transformation of Chronic Lymphocytic Leukemia Into Diffuse Large B-Cell Lymphoma (Richter's) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 6	0.6	0
329	Analysis of Stem Cell Transplant Referral in a Cohort of Newly Diagnosed Chronic Lymphocytic Leukemia Patients. <i>Blood</i> , 2012, 120, 4252-4252.	0.6	0
330	Genomic Landscape and Clonal Heterogeneity Underlying Progression and Relapse In Chronic Lymphocytic Leukemia (CLL). <i>Blood</i> , 2013, 122, 2855-2855.	0.6	0
331	Chronic Graft Vs Host Disease Is The Strongest Predictor Of Outcome After Reduced Intensity Conditioning Stem Cell Transplantation In Chronic Lymphocytic Leukemia and Is Associated With Pretransplant B Cell Characteristics. <i>Blood</i> , 2013, 122, 3375-3375.	0.6	0
332	The AKT Inhibitor MK2206 In Combination With Rituximab and Bendamustine Is Tolerable and Active In Relapsed Or Refractory Chronic Lymphocytic Leukemia: Results From a Phase 1 Study (NCCTG N1087) Tj ETQq0 0 0 rgBT/Overlock 10 T	0.6	0
333	Correlation Between Peripheral Blood Counts and Extent of Bone Marrow Infiltration in Chronic Lymphocytic Leukemia. <i>Blood</i> , 2015, 126, 2926-2926.	0.6	0
334	Reasons for Initiation of First-Line Therapy and Early Outcomes for Patients (Pts) with Rai 0/1 Chronic Lymphocytic Leukemia (CLL): An Analysis of the Connect CLLÂ® Cohort Study. <i>Blood</i> , 2015, 126, 3284-3284.	0.6	0
335	A Comprehensive Progression Risk Score to Predict Treatment Free Survival for Early Stage Chronic Lymphocytic Leukemia Patients. <i>Blood</i> , 2015, 126, 2930-2930.	0.6	0
336	Treatment Selection and Practice Patterns for the Management of High-Risk Chronic Lymphocytic Leukemia (CLL) in the US: An Analysis of the Impact of Risk Stratification on Treatment Selection from the Connect CLLÂ® Registry. <i>Blood</i> , 2015, 126, 4483-4483.	0.6	0
337	Mutations in Driver Genes and Changes in Clonal Dynamics Are Associated with Shorter Time to Treatment in MBL Cases. <i>Blood</i> , 2015, 126, 5264-5264.	0.6	0
338	Analysis of Early Mortality of Chronic Lymphocytic Leukemia (CLL) Patients Treated in US Practices in the Connect CLLÂ® Registry. <i>Blood</i> , 2015, 126, 5270-5270.	0.6	0
339	Novel Associations Between Mutations, Prognostic and Clinical Parameters in Untreated Progressive CLL: Data from E1912, a Randomized Phase III Study of the ECOG-ACRIN Cancer Research Group. <i>Blood</i> , 2016, 128, 4373-4373.	0.6	0
340	Liver Dysfunction in Previously Untreated Chronic Lymphocytic Leukemia: Prevalence and Outcomes in a Large Cohort. <i>Blood</i> , 2016, 128, 5585-5585.	0.6	0
341	The Role of Splenectomy in the Care and Treatment of the CLL Patient. <i>Blood</i> , 2016, 128, 5575-5575.	0.6	0
342	Characteristics of Patients (Pts) with Chronic Lymphocytic Leukemia (CLL) Receiving Rituximab Monotherapy in the ConnectÂ® CLL Registry. <i>Blood</i> , 2016, 128, 5941-5941.	0.6	0

#	ARTICLE	IF	CITATIONS
343	Epigenetic Silencing of Catalase Induces Accumulation of Reactive Oxygen Species in Chronic Lymphocytic Leukemia B Cells Leading to Activation of Axl: An Escape Strategy?. <i>Blood</i> , 2016, 128, 4363-4363.	0.6	0
344	Bone Marrow (BM) Hematopoietic Dysfunction in Chronic Lymphocytic Leukemia (CLL) - Association with Leukemic Burden and Reversibility with Therapeutic Responses.. <i>Blood</i> , 2016, 128, 2013-2013.	0.6	0
345	Clinically Ascertained Monoclonal B-Cell Lymphocytosis: Risk of Progression to Chronic Lymphocytic Leukemia Requiring Therapy and Outcomes. <i>Blood</i> , 2016, 128, 3228-3228.	0.6	0
346	Clinical and Serological Characteristics of Cold Autoimmune Hemolytic Anemia with Concomitant Cold Agglutinin and Donath-Landsteiner Antibodies. <i>Blood</i> , 2017, 130, 927-927.	0.6	0
347	Telomere Length Is Associated with Epigenetic Programming in CLL and Is a Superior Predictor of Clinical Outcome with the Ability to Bifurcate Patients with the Same CLL-IPI Score. <i>Blood</i> , 2018, 132, 1833-1833.	0.6	0
348	Clonal Hematopoiesis of Indeterminate Potential (CHIP) and Chronic Lymphocytic Leukemia (CLL) Driver Genes: Risk of CLL and Monoclonal B-Cell Lymphocytosis (MBL). <i>Blood</i> , 2018, 132, 3116-3116.	0.6	0
349	Size Matters: Identification of Larger Size CD19 Positive Extracellular Vesicles in Chronic Lymphocytic Leukemia That Inhibit Chimeric Antigen Receptor T Cell Functions. <i>Blood</i> , 2018, 132, 1865-1865.	0.6	0
350	Enhanced Expression of Beta-Catenin and Axl Receptor Tyrosine Kinase (RTK) in Chronic Lymphocytic Leukemia (CLL) B-Cells with Co-Culture on Marrow Stromal Cells: Implications for Leukemic Cell Drug Resistance. <i>Blood</i> , 2018, 132, 3125-3125.	0.6	0
351	Clinical Characteristics and Outcomes of Chronic Lymphocytic Leukemia Patients with Richter Transformation. <i>Blood</i> , 2018, 132, 1857-1857.	0.6	0
352	Bone Marrow Hematopoietic Dysfunction in Untreated Chronic Lymphocytic Leukemia Is Partially Mediated By Exposure to Constituents of the Leukemic Microenvironment. <i>Blood</i> , 2018, 132, 3132-3132.	0.6	0
353	A Laboratory Based Scoring System Predicts Early Treatment in Rai 0/Binet a CLL. <i>Blood</i> , 2018, 132, 4399-4399.	0.6	0
354	Risk Model for Overall Survival for Patients with Relapsed/Refractory Chronic Lymphocytic Leukemia: Validated for Patients on Ibrutinib, Idelalisib, Venetoclax, or Chemoimmunotherapy. <i>Blood</i> , 2018, 132, 4394-4394.	0.6	0
355	Association between the Risk of Low/High-Count Monoclonal B-Cell Lymphocytosis (MBL) and the Chronic Lymphocytic Leukemia (CLL) Polygenic Risk Score (PRS). <i>Blood</i> , 2018, 132, 5538-5538.	0.6	0
356	Developmental DNA Methylation Subtype Predicts Progression to Treatment and Survival in High-Count Monoclonal B Lymphocytosis. <i>Blood</i> , 2019, 134, 3022-3022.	0.6	0
357	A Role for TNF- α in Chronic Lymphocytic Leukemia Bone Marrow Hematopoietic Dysfunction. <i>Blood</i> , 2019, 134, 4276-4276.	0.6	0
358	β -Catenin and Axl Receptor Tyrosine Kinase Modulation in CLL B-Cells with Co-Culture on Marrow Stromal Cells: Implications for Drug Resistance. <i>Blood</i> , 2019, 134, 1739-1739.	0.6	0
359	Tumor Mutational Load and Germline Polygenic Risk Score Predicts Time-to-First Treatment in Chronic Lymphocytic Leukemia (CLL) and High-Count Monoclonal B Cell Lymphocytosis (MBL). <i>Blood</i> , 2019, 134, 852-852.	0.6	0
360	The Role of Imaging in Predicting Time to First Treatment and Overall Survival in Individuals with CLL-like High Count Monoclonal B-Cell Lymphocytosis. <i>Blood</i> , 2019, 134, 3037-3037.	0.6	0

#	ARTICLE	IF	CITATIONS
361	Optimized Inhibition of GM-CSF in Preclinical Models of Anti-CD19 Chimeric Antigen Receptor T Cell Therapy. <i>Blood</i> , 2021, 138, 2777-2777.	0.6	0
362	Pre-Existing T Cell Subsets Determine Anti-PD1 Blockade Response in Richter's Transformation. <i>Blood</i> , 2020, 136, 42-43.	0.6	0
363	Polygenic Risk Score and Risk of Chronic Lymphocytic Leukemia, Monoclonal B-Cell Lymphocytosis (MBL), and MBL Subtypes. <i>Blood</i> , 2020, 136, 35-36.	0.6	0
364	Clinical Characteristics and Outcomes of Newly Diagnosed Patients with Chronic Lymphocytic Leukemia Who Are 80 Years of Age or Older. <i>Blood</i> , 2020, 136, 26-27.	0.6	0
365	Identification of a Novel Role for PD-1 Signaling in Promotion Tumor Proliferation in B-Cell Lymphoma. <i>Blood</i> , 2020, 136, 10-12.	0.6	0
366	Axl-RTK Inhibition Modulates Monocyte Immune Response to Enhance the Anti-Tumor Effects of CD19 Redirected Chimeric Antigen Receptor T Cells in Preclinical Models. <i>Blood</i> , 2020, 136, 28-29.	0.6	0
367	Impact of Deletion6q23 Identified By FISH in Patients with Chronic Lymphocytic Leukemia. <i>Blood</i> , 2020, 136, 12-13.	0.6	0
368	Targeting Aberrant Chromatin in Chronic Lymphocytic Leukemia. <i>Blood</i> , 2020, 136, 1-1.	0.6	0