

Stephan Lau

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5244522/publications.pdf>

Version: 2024-02-01

15
papers

132
citations

1307594

7
h-index

1281871

11
g-index

15
all docs

15
docs citations

15
times ranked

160
citing authors

#	ARTICLE	IF	CITATIONS
1	Tabu Search Optimization of Magnetic Sensor Systems for Magnetocardiography. IEEE Transactions on Magnetism, 2008, 44, 1442-1445.	2.1	29
2	Skull Defects in Finite Element Head Models for Source Reconstruction from Magnetoencephalography Signals. Frontiers in Neuroscience, 2016, 10, 141.	2.8	20
3	Magnetoencephalography signals are influenced by skull defects. Clinical Neurophysiology, 2014, 125, 1653-1662.	1.5	18
4	Coupled CP Decomposition of Simultaneous MEG-EEG Signals for Differentiating Oscillators During Photic Driving. Frontiers in Neuroscience, 2020, 14, 261.	2.8	16
5	Nonlinear interactions of high-frequency oscillations in the human somatosensory system. Clinical Neurophysiology, 2008, 119, 2647-2657.	1.5	14
6	Optimal Magnetic Sensor Vests for Cardiac Source Imaging. Sensors, 2016, 16, 754.	3.8	10
7	Low HRV entropy is strongly associated with myocardial infarction. Biomedizinische Technik, 2006, 51, 186-189.	0.8	7
8	Joint MEG-EEG signal decomposition using the coupled SECSI framework: Validation on a controlled experiment. , 2017, , .		5
9	The Reproducibility of Bio-Acoustic Features is Associated With Sample Duration, Speech Task, and Gender. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2022, 30, 167-175.	4.9	5
10	T Vector and Loop Characteristics Improve Detection of Myocardial Injury After Infarction. Journal of Medical and Biological Engineering, 2015, 35, 381-386.	1.8	3
11	Spatiotemporal correlation analyses: a new procedure for standardisation of DC magnetocardiograms. Biomedizinische Technik, 2006, 51, 198-200.	0.8	2
12	Perception thresholds and qualitative perceptions for electrocutaneous stimulation. Scientific Reports, 2022, 12, 7335.	3.3	2
13	Biosignal analysis. Biomedizinische Technik, 2016, 61, 577-578.	0.8	1
14	Sensitivity of EEG/MEG-based reconstruction of neural activity to the finite element model discretization. BMC Neuroscience, 2009, 10, .	1.9	0
15	FAST-IT: <i>FAST-IT: A Simple Test for Transient Ischaemic Attack (transient ischaemic attack): a prospective cohort study to develop a multivariable prediction model for diagnosis of TIA through proteomic discovery and candidate lipid mass spectrometry, neuroimaging and machine learning</i> study protocol. BMI Open, 2022, 12, e045908.	1.9	0