

Ana Ortega Olivencia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5245505/publications.pdf>

Version: 2024-02-01

59
papers

728
citations

516215

16
h-index

580395

25
g-index

59
all docs

59
docs citations

59
times ranked

596
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Long-term progression of inbreeding depression in a Mediterranean ornithophilous shrub. <i>Plant Species Biology</i> , 2022, 37, 103. | 0.6 | 0 |
| 2 | Elaiosome-bearing plants from the Iberian Peninsula and the Balearic Islands. <i>Biodiversity and Conservation</i> , 2021, 30, 1137-1163. | 1.2 | 1 |
| 3 | Claiming a Boissierian species of <i>Asperula</i> (Rubiaceae), but under a new name: <i>Galium pierredmondii</i> . <i>Phytotaxa</i> , 2021, 487, 251-262. | 0.1 | 0 |
| 4 | Repeated jumps from Northwest Africa to the European continent: The case of peripheral populations of an annual plant. <i>Journal of Systematics and Evolution</i> , 2020, 58, 487-503. | 1.6 | 1 |
| 5 | Effects of different abiotic and biotic factors on spatial primary seed dispersal in the semachorous species <i>Scrophularia canina</i> . <i>Plant Species Biology</i> , 2019, 34, 152-165. | 0.6 | 2 |
| 6 | Reproductive system of two Mediterranean <i>Scrophularia</i> species with large, showy flowers. <i>Botany Letters</i> , 2019, 166, 467-477. | 0.7 | 2 |
| 7 | Updated checklist of <i>Poa</i> in the Iberian Peninsula and Balearic Islands. <i>PhytoKeys</i> , 2018, 103, 27-60. | 0.4 | 9 |
| 8 | Confirmed mixed insect pollination system of <i>Scrophularia trifoliata</i> L., a Tyrrhenian species with corolla spots. <i>Plant Biology</i> , 2017, 19, 460-468. | 1.8 | 5 |
| 9 | Temporal and spatial intraspecific variation of primary seed dispersal in <i>Scrophularia canina</i> L., a widespread plant with unspecialised diaspores. <i>Plant Ecology and Diversity</i> , 2017, 10, 53-63. | 1.0 | 3 |
| 10 | Peripatric speciation in an endemic Macaronesian plant after recent divergence from a widespread relative. <i>PLoS ONE</i> , 2017, 12, e0178459. | 1.1 | 8 |
| 11 | <i>Scrophularia arguta</i> , a widespread annual plant in the Canary Islands: a single recent colonization event or a more complex phylogeographic pattern?. <i>Ecology and Evolution</i> , 2016, 6, 4258-4273. | 0.8 | 19 |
| 12 | Pollinator shifts drive petal epidermal evolution on the Macaronesian Islands bird-flowered species. <i>Biology Letters</i> , 2016, 12, 20160022. | 1.0 | 23 |
| 13 | Does the <i>Scrophularia</i> Staminode Influence Female and Male Functions during Pollination?. <i>International Journal of Plant Sciences</i> , 2016, 177, 671-681. | 0.6 | 6 |
| 14 | Floral Vascular Pattern in Some <i>Scrophularia</i> Species with Special Emphasis on Staminode and Nectariferous Disk. <i>International Journal of Plant Sciences</i> , 2015, 176, 554-566. | 0.6 | 1 |
| 15 | Evolution of the staminode in a representative sample of <i>Scrophularia</i> and its role as nectar safeguard in three widespread species. <i>Die Naturwissenschaften</i> , 2015, 102, 37. | 0.6 | 8 |
| 16 | Multiple windows of colonization to Macaronesia by the dispersal-unspecialized <i>Scrophularia</i> since the Late Miocene. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2015, 17, 263-273. | 1.1 | 16 |
| 17 | Contrasting inbreeding depression in early and late stages of the life cycle of a Mediterranean shrub, <i>Anagyris foetida</i> (Leguminosae). <i>Turkish Journal of Botany</i> , 2014, 38, 334-346. | 0.5 | 2 |
| 18 | Main sugar composition of floral nectar in three species groups of <i>Scrophularia</i> (<i>Scrophulariaceae</i>) with different principal pollinators. <i>Plant Biology</i> , 2014, 16, 1075-1086. | 1.8 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Behaviour of pollinator insects within inflorescences of <i>Scrophularia</i> species from Iberian Peninsula. <i>Plant Biology</i> , 2013, 15, 328-334. | 1.8 | 22 |
| 20 | The role of birds and insects in pollination shifts of <i>Scrophularia</i> (Scrophulariaceae). <i>Molecular Phylogenetics and Evolution</i> , 2013, 69, 239-254. | 1.2 | 37 |
| 21 | Regulation of fruit and seed set in <i>Anagyris foetida</i> L. (Fabaceae): The role of intrinsic factors. <i>Plant Biosystems</i> , 2012, 146, 190-200. | 0.8 | 8 |
| 22 | Insects, birds and lizards as pollinators of the largest-flowered <i>Scrophularia</i> of Europe and Macaronesia. <i>Annals of Botany</i> , 2012, 109, 153-167. | 1.4 | 44 |
| 23 | Ephemeral and non-ephemeral structures during seed development in two <i>Cytisus</i> species (Papilionoideae, Leguminosae). <i>Plant Biosystems</i> , 2011, 145, 98-105. | 0.8 | 2 |
| 24 | Causes of Low Fruit and Seed Set in Bird-Pollinated <i>Anagyris foetida</i> (Leguminosae): Pollen Limitation and Other Extrinsic Factors. <i>Folia Geobotanica</i> , 2010, 45, 77-94. | 0.4 | 8 |
| 25 | Self-sterility in two <i>Cytisus</i> species (Leguminosae, Papilionoideae) due to early-acting inbreeding depression. <i>American Journal of Botany</i> , 2010, 97, 123-135. | 0.8 | 18 |
| 26 | Systematics and evolutionary history of the circum-Mediterranean genus <i>Anagyris</i> L. (Fabaceae) based on morphological and molecular data. <i>Taxon</i> , 2009, 58, 1290-1306. | 0.4 | 15 |
| 27 | Germination and seed bank biology in some Iberian populations of <i>Anagyris foetida</i> L. (Leguminosae). <i>Plant Systematics and Evolution</i> , 2008, 275, 231-243. | 0.3 | 12 |
| 28 | Reproductive biology in <i>Anagyris foetida</i> L. (Leguminosae), an autumn/winter flowering and ornithophilous Mediterranean shrub. <i>Botanical Journal of the Linnean Society</i> , 2008, 157, 519-532. | 0.8 | 16 |
| 29 | Nectar Production in <i>Anagyris foetida</i> (Fabaceae): Two Types of Concentration in Flowers with Hanging Droplet. <i>International Journal of Plant Sciences</i> , 2007, 168, 627-638. | 0.6 | 20 |
| 30 | Megasporogenesis, Megagametogenesis and Ontogeny of the Aril in <i>Cytisus striatus</i> and <i>C. multiflorus</i> (Leguminosae: Papilionoideae). <i>Annals of Botany</i> , 2006, 98, 777-791. | 1.4 | 24 |
| 31 | First confirmation of a native bird-pollinated plant in Europe. <i>Oikos</i> , 2005, 110, 578-590. | 1.2 | 59 |
| 32 | <i>Scabiosa galianoi</i> Devesa, Ortega Olivencia & J. Lpez, a new name for <i>S. gracilis</i> (Boiss.) Boiss. (Dipsacaceae). <i>Taxon</i> , 2004, 53, 173-175. | 0.4 | 1 |
| 33 | Two new species of <i>Galium</i> (Rubiaceae) from the Iberian Peninsula. <i>Botanical Journal of the Linnean Society</i> , 2003, 143, 177-187. | 0.8 | 3 |
| 34 | A new species of <i>Valantia</i> (Rubiaceae) from Spain. <i>Botanical Journal of the Linnean Society</i> , 2003, 143, 331-335. | 0.8 | 2 |
| 35 | (1527) Proposal to conserve the name <i>Scrophularia auriculata</i> (Scrophulariaceae) with a conserved type. <i>Taxon</i> , 2002, 51, 201-202. | 0.4 | 2 |
| 36 | POLLEN GRAIN GERMINATION, STIGMATIC RECEPTIVITY AND OVULE PENETRATION IN <i>CYTISUS MULTIFLORUS</i> (PAPILIONOIDEAE). <i>Acta Horticulturae</i> , 2001, , 95-99. | 0.1 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Production and morphology of fruit and seeds in Genisteae (Fabaceae) of south-west Spain. Botanical Journal of the Linnean Society, 2000, 132, 97-120. | 0.8 | 19 |
| 38 | Production and morphology of fruit and seeds in Genisteae (Fabaceae) of south-west Spain. Botanical Journal of the Linnean Society, 2000, 132, 97-120. | 0.8 | 2 |
| 39 | Pollination mechanisms and pollen-ovule ratios in some Genisteae (Fabaceae) from Southwestern Europe. Plant Systematics and Evolution, 1999, 216, 23-47. | 0.3 | 53 |
| 40 | Reproductive biology in two Genisteae (Papilionoideae) endemic of the western Mediterranean region: <i>Cytisus striatus</i> and <i>Retama sphaerocarpa</i> . Canadian Journal of Botany, 1999, 77, 809-820. | 1.2 | 10 |
| 41 | Reproductive phenology in three Genisteae (Fabaceae) shrub species of the W Mediterranean Region. Nordic Journal of Botany, 1999, 19, 345-354. | 0.2 | 13 |
| 42 | Types of Androecium in the Fabaceae of SW Europe. Annals of Botany, 1999, 83, 109-116. | 1.4 | 32 |
| 43 | Reproductive biology in two Genisteae (Papilionoideae) endemic of the western Mediterranean region: <i>Cytisus striatus</i> and <i>Retama sphaerocarpa</i> . Canadian Journal of Botany, 1999, 77, 809-820. | 1.2 | 23 |
| 44 | Taxonomy and breeding system in a new species of <i>Scrophularia</i> L. (Scrophulariaceae) from Morocco. Botanical Journal of the Linnean Society, 1998, 128, 185-202. | 0.8 | 0 |
| 45 | Taxonomy and breeding system in a new species of <i>Scrophularia</i> L. (Scrophulariaceae) from Morocco. Botanical Journal of the Linnean Society, 1998, 128, 185-202. | 0.8 | 6 |
| 46 | Seedling morphology in Genisteae (Fabaceae) from south-west Spain. Botanical Journal of the Linnean Society, 1998, 128, 229-250. | 0.8 | 14 |
| 47 | Modes of Self-Pollination and Absence of Cryptic Self-Incompatibility in <i>Drosophyllum lusitanicum</i> (Droseraceae). Botanica Acta, 1998, 111, 474-480. | 1.6 | 12 |
| 48 | Floral biometry, floral rewards and pollen-ovule ratios in some <i>Vicia</i> from Extremadura, Spain. Edinburgh Journal of Botany, 1997, 54, 39-53. | 0.4 | 14 |
| 49 | Seed set and germination in some wild species of <i>Vicia</i> from SW Europe (Spain). Nordic Journal of Botany, 1997, 17, 639-648. | 0.2 | 15 |
| 50 | Floral and reproductive biology of <i>Drosophyllum lusitanicum</i> (L.) Link (Droseraceae). Botanical Journal of the Linnean Society, 1995, 118, 331-351. | 0.8 | 8 |
| 51 | Floral rewards in some <i>Scrophularia</i> species (Scrophulariaceae) from the Iberian Peninsula and the Balearic Islands. Plant Systematics and Evolution, 1993, 184, 139-158. | 0.3 | 29 |
| 52 | Sexual reproduction in some <i>Scrophularia</i> species (Scrophulariaceae) from the Iberian Peninsula and the Balearic Islands. Plant Systematics and Evolution, 1993, 184, 159-174. | 0.3 | 38 |
| 53 | Novedades corológicas del género <i>Scrophularia</i> en España. Acta Botanica Malacitana, 0, 27, 269-269. | 0.0 | 2 |
| 54 | Sobre el tratamiento de <i>Galium</i> L. (Rubiaceae) en Flora Iberica. Acta Botanica Malacitana, 0, 29, 241-253. | 0.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | <i>Scrophularia arguta</i> Aiton en el occidente de la Península Ibérica.. Acta Botanica Malacitana, 0, 31, 238-240. | 0.0 | 2 |
| 56 | Nuevas combinaciones en el género <i>Galium</i> L.. Acta Botanica Malacitana, 0, 28, 206-209. | 0.0 | 0 |
| 57 | Nuevas combinaciones en Dipsacaceae.. Acta Botanica Malacitana, 0, 28, 210-215. | 0.0 | 1 |
| 58 | Sobre la identidad de <i>Scrophularia schousboei</i> Lange. Acta Botanica Malacitana, 0, 15, 69-77. | 0.0 | 1 |
| 59 | Estudio palinológico del género <i>Scrophularia</i> L. en la Península Ibérica e Islas Baleares. Acta Botanica Malacitana, 0, 17, 195-207. | 0.0 | 8 |