

Marie-Christine Boutron-Ruault

List of Publications by Year
in descending order

Source: <https://exaly.com/author-pdf/5246732/publications.pdf>

Version: 2024-02-01

591
papers

38,187
citations

2215

99
h-index

6300

158
g-index

603
all docs

603
docs citations

603
times ranked

42524
citing authors

#	ARTICLE	IF	CITATIONS
1	General and Abdominal Adiposity and Risk of Death in Europe. New England Journal of Medicine, 2008, 359, 2105-2120.	27.0	1,746
2	Meat, Fish, and Colorectal Cancer Risk: The European Prospective Investigation into Cancer and Nutrition. Journal of the National Cancer Institute, 2005, 97, 906-916.	6.3	716
3	Modified Mediterranean diet and survival: EPIC-elderly prospective cohort study. BMJ: British Medical Journal, 2005, 330, 991.	2.3	614
4	A genome-wide association study identifies pancreatic cancer susceptibility loci on chromosomes 13q22.1, 1q32.1 and 5p15.33. Nature Genetics, 2010, 42, 224-228.	21.4	539
5	Detectable clonal mosaicism and its relationship to aging and cancer. Nature Genetics, 2012, 44, 651-658.	21.4	519
6	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. European Heart Journal, 2021, 42, 2439-2454.	2.2	491
7	Body Size and Risk of Colon and Rectal Cancer in the European Prospective Investigation Into Cancer and Nutrition (EPIC). Journal of the National Cancer Institute, 2006, 98, 920-931.	6.3	485
8	Fruit and Vegetable Intake and Overall Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition (EPIC). Journal of the National Cancer Institute, 2010, 102, 529-537.	6.3	357
9	Animal Protein Intake and Risk of Inflammatory Bowel Disease: The E3N Prospective Study. American Journal of Gastroenterology, 2010, 105, 2195-2201.	0.4	343
10	Association between pre-diagnostic circulating vitamin D concentration and risk of colorectal cancer in European populations:a nested case-control study. BMJ: British Medical Journal, 2010, 340, b5500-b5500.	2.3	342
11	Meat consumption and mortality - results from the European Prospective Investigation into Cancer and Nutrition. BMC Medicine, 2013, 11, 63.	5.5	329
12	Anthropometric Measures, Body Mass Index, and Pancreatic Cancer. Archives of Internal Medicine, 2010, 170, 791.	3.8	314
13	Dietary polyphenol intake in Europe: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. European Journal of Nutrition, 2016, 55, 1359-1375.	3.9	313
14	Meat Intake and Risk of Stomach and Esophageal Adenocarcinoma Within the European Prospective Investigation Into Cancer and Nutrition (EPIC). Journal of the National Cancer Institute, 2006, 98, 345-354.	6.3	301
15	Cigarette Smoking and Pancreatic Cancer: A Pooled Analysis From the Pancreatic Cancer Cohort Consortium. American Journal of Epidemiology, 2009, 170, 403-413.	3.4	298
16	Genome-wide association study identifies multiple susceptibility loci for pancreatic cancer. Nature Genetics, 2014, 46, 994-1000.	21.4	294
17	Fruit and vegetable intake and the risk of stomach and oesophagus adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC“EURGAST). International Journal of Cancer, 2006, 118, 2559-2566.	5.1	292
18	Dietary fiber intake and risk factors for cardiovascular disease in French adults. American Journal of Clinical Nutrition, 2005, 82, 1185-1194.	4.7	257

#	ARTICLE	IF	CITATIONS
19	Fruit, vegetables, and colorectal cancer risk: the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2009, 89, 1441-1452.	4.7	251
20	Mediterranean dietary pattern and cancer risk in the EPIC cohort. <i>British Journal of Cancer</i> , 2011, 104, 1493-1499.	6.4	248
21	The natural history of hereditary pancreatitis: a national series. <i>Gut</i> , 2009, 58, 97-103.	12.1	244
22	Postmenopausal Hormone Therapy and Risk of Idiopathic Venous Thromboembolism. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 340-345.	2.4	233
23	Risk of Pancreatic Adenocarcinoma in Patients With Hereditary Pancreatitis: A National Exhaustive Series. <i>American Journal of Gastroenterology</i> , 2008, 103, 111-119.	0.4	231
24	Lifetime and baseline alcohol intake and risk of colon and rectal cancers in the European prospective investigation into cancer and nutrition (EPIC). <i>International Journal of Cancer</i> , 2007, 121, 2065-2072.	5.1	229
25	Endogenous sex hormones and endometrial cancer risk in women in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Endocrine-Related Cancer</i> , 2008, 15, 485-497.	3.1	228
26	Physical Activity and Mortality in Individuals With Diabetes Mellitus. <i>Archives of Internal Medicine</i> , 2012, 172, 1285.	3.8	226
27	Alcohol attributable burden of incidence of cancer in eight European countries based on results from prospective cohort study. <i>BMJ: British Medical Journal</i> , 2011, 342, d1584-d1584.	2.3	218
28	Association of Body Mass Index and Age With Subsequent Breast Cancer Risk in Premenopausal Women. <i>JAMA Oncology</i> , 2018, 4, e181771.	7.1	210
29	Dietary Patterns and Risk of Inflammatory Bowel Disease in Europe. <i>Inflammatory Bowel Diseases</i> , 2016, 22, 345-354.	1.9	207
30	Use of dietary supplements in the European Prospective Investigation into Cancer and Nutrition calibration study. <i>European Journal of Clinical Nutrition</i> , 2009, 63, S226-S238.	2.9	204
31	Pancreatic Cancer Risk and ABO Blood Group Alleles: Results from the Pancreatic Cancer Cohort Consortium. <i>Cancer Research</i> , 2010, 70, 1015-1023.	0.9	203
32	Association between Serum trans-Monounsaturated Fatty Acids and Breast Cancer Risk in the E3N-EPIC Study. <i>American Journal of Epidemiology</i> , 2008, 167, 1312-1320.	3.4	202
33	Adherence to a Mediterranean diet and risk of gastric adenocarcinoma within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 381-390.	4.7	198
34	Intake of Vegetables, Legumes, and Fruit, and Risk for All-Cause, Cardiovascular, and Cancer Mortality in a European Diabetic Population. <i>Journal of Nutrition</i> , 2008, 138, 775-781.	2.9	194
35	Mediterranean dietary patterns and prospective weight change in participants of the EPIC-PANACEA project. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 912-921.	4.7	194
36	Physical Activity and Risk of Colon and Rectal Cancers: The European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 2398-2407.	2.5	190

#	ARTICLE	IF	CITATIONS
37	Serum levels of IGFâ€1, IGFBPâ€3 and colorectal cancer risk: results from the EPIC cohort, plus a metaâ€analysis of prospective studies. <i>International Journal of Cancer</i> , 2010, 126, 1702-1715.	5.1	190
38	Meat consumption and prospective weight change in participants of the EPIC-PANACEA study. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 398-407.	4.7	189
39	Blood lipid and lipoprotein concentrations and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Gut</i> , 2011, 60, 1094-1102.	12.1	187
40	Combined impact of healthy lifestyle factors on colorectal cancer: a large European cohort study. <i>BMC Medicine</i> , 2014, 12, 168.	5.5	178
41	European Code against Cancer 4th Edition: 12 ways to reduce your cancer risk. <i>Cancer Epidemiology</i> , 2015, 39, S1-S10.	1.9	176
42	Inflammatory and metabolic biomarkers and risk of liver and biliary tract cancer. <i>Hepatology</i> , 2014, 60, 858-871.	7.3	175
43	Postmenopausal Breast Cancer Risk and Dietary Patterns in the E3N-EPIC Prospective Cohort Study. <i>American Journal of Epidemiology</i> , 2009, 170, 1257-1267.	3.4	171
44	Plasma carotenoids as biomarkers of intake of fruits and vegetables: individual-level correlations in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2005, 59, 1387-1396.	2.9	166
45	Dietary Lignan Intake and Postmenopausal Breast Cancer Risk by Estrogen and Progesterone Receptor Status. <i>Journal of the National Cancer Institute</i> , 2007, 99, 475-486.	6.3	166
46	Serum C-peptide, IGFBP-1 and IGFBP-2 and risk of colon and rectal cancers in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2007, 121, 368-376.	5.1	166
47	Smoking as a major risk factor for cervical cancer and pre-cancer: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 453-466.	5.1	161
48	Selenium status is associated with colorectal cancer risk in the European prospective investigation of cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2015, 136, 1149-1161.	5.1	161
49	Abdominal obesity, weight gain during adulthood and risk of liver and biliary tract cancer in a European cohort. <i>International Journal of Cancer</i> , 2013, 132, 645-657.	5.1	158
50	Use of Different Postmenopausal Hormone Therapies and Risk of Histology- and Hormone Receptorâ€Defined Invasive Breast Cancer. <i>Journal of Clinical Oncology</i> , 2008, 26, 1260-1268.	1.6	156
51	A metabolomic study of biomarkers of meat and fish intake ., <i>American Journal of Clinical Nutrition</i> , 2017, 105, 600-608.	4.7	156
52	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. <i>Journal of the National Cancer Institute</i> , 2015, 107, djv279.	6.3	152
53	Anthropometric factors and risk of endometrial cancer: the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2007, 18, 399-413.	1.8	148
54	Serum B Vitamin Levels and Risk of Lung Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2010, 303, 2377.	7.4	147

#	ARTICLE	IF	CITATIONS
55	Adherence to the Mediterranean Diet Is Associated with Lower Abdominal Adiposity in European Men and Women. <i>Journal of Nutrition</i> , 2009, 139, 1728-1737.	2.9	144
56	Energy Intake, Body Mass Index, Physical Activity, and the Colorectal Adenoma-Carcinoma Sequence. <i>Nutrition and Cancer</i> , 2001, 39, 50-57.	2.0	143
57	Long-term association of food and nutrient intakes with cognitive and functional decline: a 13-year follow-up study of elderly French women. <i>British Journal of Nutrition</i> , 2009, 102, 419-427.	2.3	142
58	Eating out of home and its correlates in 10 European countries. The European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Public Health Nutrition</i> , 2007, 10, 1515-1525.	2.2	139
59	Dietary fat and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1304-12.	4.7	139
60	Prediagnostic body fat and risk of death from amyotrophic lateral sclerosis. <i>Neurology</i> , 2013, 80, 829-838.	1.1	138
61	Dietary patterns among older Europeans: the EPIC-Elderly study. <i>British Journal of Nutrition</i> , 2005, 94, 100-113.	2.3	136
62	Dietary calcium, phosphorus, vitamin D, dairy products and the risk of colorectal adenoma and cancer among French women of the E3N-EPIC prospective study. <i>International Journal of Cancer</i> , 2005, 117, 137-144.	5.1	136
63	Mediterranean diet and colorectal cancer risk: results from a European cohort. <i>European Journal of Epidemiology</i> , 2013, 28, 317-328.	5.7	136
64	Fruit and Vegetable Consumption and Mortality. <i>American Journal of Epidemiology</i> , 2013, 178, 590-602.	3.4	135
65	Impact of Cigarette Smoking on Cancer Risk in the European Prospective Investigation into Cancer and Nutrition Study. <i>Journal of Clinical Oncology</i> , 2012, 30, 4550-4557.	1.6	129
66	Novel Common Genetic Susceptibility Loci for Colorectal Cancer. <i>Journal of the National Cancer Institute</i> , 2019, 111, 146-157.	6.3	129
67	Family history of cancer and risk of pancreatic cancer: A pooled analysis from the Pancreatic Cancer Cohort Consortium (PanScan). <i>International Journal of Cancer</i> , 2010, 127, 1421-1428.	5.1	128
68	Physical Activity and Breast Cancer Risk: The European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 36-42.	2.5	127
69	Prediagnostic 25-Hydroxyvitamin D, <i>VDR</i> and <i>CASR</i> Polymorphisms, and Survival in Patients with Colorectal Cancer in Western European Populations. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 582-593.	2.5	126
70	Metabolic Syndrome and Risks of Colon and Rectal Cancer: The European Prospective Investigation into Cancer and Nutrition Study. <i>Cancer Prevention Research</i> , 2011, 4, 1873-1883.	1.5	125
71	Plasma and dietary vitamin C levels and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Carcinogenesis</i> , 2006, 27, 2250-2257.	2.8	123
72	Estrogen-Progestagen Menopausal Hormone Therapy and Breast Cancer: Does Delay From Menopause Onset to Treatment Initiation Influence Risks?. <i>Journal of Clinical Oncology</i> , 2009, 27, 5138-5143.	1.6	123

#	ARTICLE	IF	CITATIONS
73	Dietary patterns and survival of older Europeans: The EPIC-Elderly Study (European Prospective) Tj ETQq1 1 0.784314 rgBT /Qoverlock 10	2.2	121
74	The Association between Diet and Serum Concentrations of IGF-I, IGFBP-1, IGFBP-2, and IGFBP-3 in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 1333-1340.	2.5	121
75	An Absolute Risk Model to Identify Individuals at Elevated Risk for Pancreatic Cancer in the General Population. PLoS ONE, 2013, 8, e72311.	2.5	120
76	Breast Cancer Risk After Recent Childbirth. Annals of Internal Medicine, 2019, 170, 22.	3.9	120
77	Association of selenium with thyroid volume and echostructure in 35- to 60-year-old French adults. European Journal of Endocrinology, 2003, 148, 309-315.	3.7	119
78	Dietary acid load and risk of type 2 diabetes: the E3N-EPIC cohort study. Diabetologia, 2014, 57, 313-320.	6.3	119
79	Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2010, 126, 2394-2403.	5.1	118
80	Polyphenol metabolome in human urine and its association with intake of polyphenol-rich foods across European countries. American Journal of Clinical Nutrition, 2015, 102, 905-913.	4.7	118
81	The association of pattern of lifetime alcohol use and cause of death in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. International Journal of Epidemiology, 2013, 42, 1772-1790.	1.9	117
82	Fruit and vegetable consumption and lung cancer risk: Updated information from the European Prospective Investigation into Cancer and Nutrition (EPIC). International Journal of Cancer, 2007, 121, 1103-1114.	5.1	115
83	CagA+Helicobacter pyloriinfection and gastric cancer risk in the EPIC-EURGAST study. International Journal of Cancer, 2007, 120, 859-867.	5.1	114
84	Serum 25(OH) Vitamin D and Risk of Breast Cancer: A Nested Case-Control Study from the French E3N Cohort. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2341-2350.	2.5	114
85	Diabetes and risk of pancreatic cancer: a pooled analysis from the pancreatic cancer cohort consortium. Cancer Causes and Control, 2013, 24, 13-25.	1.8	114
86	Diabetes mellitus, insulin treatment, diabetes duration, and risk of biliary tract cancer and hepatocellular carcinoma in a European cohort. Annals of Oncology, 2013, 24, 2449-2455.	1.2	114
87	Physical activity and gain in abdominal adiposity and body weight: prospective cohort study in 288,498 men and women. American Journal of Clinical Nutrition, 2011, 93, 826-835.	4.7	112
88	Active and passive cigarette smoking and breast cancer risk: Results from the EPIC cohort. International Journal of Cancer, 2014, 134, 1871-1888.	5.1	112
89	Plasma and dietary carotenoid, retinol and tocopherol levels and the risk of gastric adenocarcinomas in the European prospective investigation into cancer and nutrition. British Journal of Cancer, 2006, 95, 406-415.	6.4	111
90	Plasma carotenoids as biomarkers of intake of fruits and vegetables: ecological-level correlations in the European Prospective Investigation into Cancer and Nutrition (EPIC). European Journal of Clinical Nutrition, 2005, 59, 1397-1408.	2.9	109

#	ARTICLE	IF	CITATIONS
91	Assessment of Lung Cancer Risk on the Basis of a Biomarker Panel of Circulating Proteins. JAMA Oncology, 2018, 4, e182078.	7.1	109
92	Region-Specific Nutrient Intake Patterns Exhibit a Geographical Gradient within and between European Countries. Journal of Nutrition, 2010, 140, 1280-1286.	2.9	108
93	Estimation of the intake of anthocyanidins and their food sources in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. British Journal of Nutrition, 2011, 106, 1090-1099.	2.3	108
94	European Code against Cancer 4th Edition: Diet and cancer. Cancer Epidemiology, 2015, 39, S56-S66.	1.9	108
95	Circulating C-Reactive Protein Concentrations and Risks of Colon and Rectal Cancer: A Nested Case-Control Study Within the European Prospective Investigation into Cancer and Nutrition. American Journal of Epidemiology, 2010, 172, 407-418.	3.4	107
96	Anthropometry, Physical Activity, and the Risk of Pancreatic Cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 879-885.	2.5	106
97	European Code against Cancer 4th Edition: Obesity, body fatness and cancer. Cancer Epidemiology, 2015, 39, S34-S45.	1.9	106
98	Metabolic syndrome, plasma lipid, lipoprotein and glucose levels, and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). Endocrine-Related Cancer, 2007, 14, 755-767.	3.1	104
99	Body size and risk of differentiated thyroid carcinomas: Findings from the EPIC study. International Journal of Cancer, 2012, 131, E1004-14.	5.1	104
100	Serological markers predict inflammatory bowel disease years before the diagnosis. Gut, 2013, 62, 683-688.	12.1	104
101	Healthy lifestyle index and risk of gastric adenocarcinoma in the EPIC cohort study. International Journal of Cancer, 2015, 137, 598-606.	5.1	104
102	Long-Term Exposure to Ambient Air Pollution and Incidence of Postmenopausal Breast Cancer in 15 European Cohorts within the ESCAPE Project. Environmental Health Perspectives, 2017, 125, 107005.	6.0	104
103	Consumption of Meat, Fish, Dairy Products, and Eggs and Risk of Ischemic Heart Disease. Circulation, 2019, 139, 2835-2845.	1.6	103
104	Pathway analysis of genome-wide association study data highlights pancreatic development genes as susceptibility factors for pancreatic cancer. Carcinogenesis, 2012, 33, 1384-1390.	2.8	102
105	Helicobacter pylori infection assessed by ELISA and by immunoblot and noncardia gastric cancer risk in a prospective study: the Eurgast-EPIC project. Annals of Oncology, 2012, 23, 1320-1324.	1.2	102
106	European Code against Cancer 4th Edition: Physical activity and cancer. Cancer Epidemiology, 2015, 39, S46-S55.	1.9	102
107	Heterogeneity of Colorectal Cancer Risk Factors by Anatomical Subsite in 10 European Countries: A Multinational Cohort Study. Clinical Gastroenterology and Hepatology, 2019, 17, 1323-1331.e6.	4.4	99
108	Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. American Journal of Clinical Nutrition, 2009, 90, 602-612.	4.7	98

#	ARTICLE	IF	CITATIONS
109	Glycemic index, glycemic load, dietary carbohydrate, and dietary fiber intake and risk of liver and biliary tract cancers in Western Europeans. <i>Annals of Oncology</i> , 2013, 24, 543-553.	1.2	98
110	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; Results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007, 120, 2656-2664.	5.1	96
111	Patterns of Ultraviolet Radiation Exposure and Skin Cancer Risk: the E3N-SunExp Study. <i>Journal of Epidemiology</i> , 2018, 28, 27-33.	2.4	95
112	Pre-diagnostic copper and zinc biomarkers and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Carcinogenesis</i> , 2017, 38, 699-707.	2.8	94
113	Modified Mediterranean diet and survival after myocardial infarction: the EPIC-Elderly study. <i>European Journal of Epidemiology</i> , 2007, 22, 871-881.	5.7	93
114	Metabolomic profiles of hepatocellular carcinoma in a European prospective cohort. <i>BMC Medicine</i> , 2015, 13, 242.	5.5	93
115	Dietary Fat Intake and Development of Specific Breast Cancer Subtypes. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	6.3	92
116	Prediagnostic circulating vitamin D levels and risk of hepatocellular carcinoma in European populations: A nested case-control study. <i>Hepatology</i> , 2014, 60, 1222-1230.	7.3	91
117	Dietary Patterns and Risk of Colorectal Tumors: A Cohort of French Women of the National Education System (E3N). <i>American Journal of Epidemiology</i> , 2006, 164, 1085-1093.	3.4	90
118	Low exposure to sunlight is a risk factor for Crohn's disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2011, 33, 940-945.	3.7	90
119	Alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1266-1275.	4.7	90
120	Intake estimation of total and individual flavan-3-ols, proanthocyanidins and theaflavins, their food sources and determinants in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>British Journal of Nutrition</i> , 2012, 108, 1095-1108.	2.3	90
121	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014, 23, 6616-6633.	2.9	90
122	Foods as risk factors for colorectal cancer: a case-control study in Burgundy (France). <i>European Journal of Cancer Prevention</i> , 1999, 8, 229-235.	1.3	89
123	Physical activity and risk of endometrial cancer: The European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007, 121, 347-355.	5.1	89
124	Estimated dietary intakes of flavonols, flavanones and flavones in the European Prospective Investigation into Cancer and Nutrition (EPIC) 24 hour dietary recall cohort. <i>British Journal of Nutrition</i> , 2011, 106, 1915-1925.	2.3	89
125	Dual Association of β -Carotene With Risk of Tobacco-Related Cancers in a Cohort of French Women. <i>Journal of the National Cancer Institute</i> , 2005, 97, 1338-1344.	6.3	88
126	Carbohydrate intake, glycemic index, glycemic load, and risk of postmenopausal breast cancer in a prospective study of French women. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1384-1391.	4.7	88

#	ARTICLE	IF	CITATIONS
127	Three new pancreatic cancer susceptibility signals identified on chromosomes 1q32.1, 5p15.33 and 8q24.21. <i>Oncotarget</i> , 2016, 7, 66328-66343.	1.8	88
128	European Code against Cancer 4th Edition: Alcohol drinking and cancer. <i>Cancer Epidemiology</i> , 2015, 39, S67-S74.	1.9	87
129	WHO Consensus statement on the role of nutrition in colorectal cancer*. <i>European Journal of Cancer Prevention</i> , 1999, 8, 57-62.	1.3	84
130	Thyroid-Stimulating Hormone, Thyroglobulin, and Thyroid Hormones and Risk of Differentiated Thyroid Carcinoma: The EPIC Study. <i>Journal of the National Cancer Institute</i> , 2014, 106, dju097.	6.3	84
131	Variety in vegetable and fruit consumption and the risk of gastric and esophageal cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2012, 131, E963-73.	5.1	83
132	Plasma carotenoids, vitamin C, tocopherols, and retinol and the risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 454-464.	4.7	83
133	Risk of breast cancer after stopping menopausal hormone therapy in the E3N cohort. <i>Breast Cancer Research and Treatment</i> , 2014, 145, 535-543.	2.5	82
134	Socioeconomic position and the risk of gastric and oesophageal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>International Journal of Epidemiology</i> , 2007, 36, 66-76.	1.9	81
135	Diet and risk of diabetic retinopathy: a systematic review. <i>European Journal of Epidemiology</i> , 2018, 33, 141-156.	5.7	81
136	A Prospective Evaluation of Early Detection Biomarkers for Ovarian Cancer in the European EPIC Cohort. <i>Clinical Cancer Research</i> , 2016, 22, 4664-4675.	7.0	80
137	Fruit and vegetable consumption and prospective weight change in participants of the European Prospective Investigation into Cancer and Nutrition—Physical Activity, Nutrition, Alcohol, Cessation of Smoking, Eating Out of Home, and Obesity study. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 184-193.	4.7	79
138	Fibre intake and the development of inflammatory bowel disease: A European prospective multi-centre cohort study (EPIC-IBD). <i>Journal of Crohn's and Colitis</i> , 2018, 12, 129-136.	1.3	79
139	Long-term low-level ambient air pollution exposure and risk of lung cancer – A pooled analysis of 7 European cohorts. <i>Environment International</i> , 2021, 146, 106249.	10.0	79
140	Variations in Plasma Phytoestrogen Concentrations in European Adults. <i>Journal of Nutrition</i> , 2007, 137, 1294-1300.	2.9	78
141	Proteins, Dietary Acid Load, and Calcium and Risk of Postmenopausal Fractures in the E3N French Women Prospective Study. <i>Journal of Bone and Mineral Research</i> , 2008, 23, 1915-1922.	2.8	78
142	Variant ABO Blood Group Alleles, Secretor Status, and Risk of Pancreatic Cancer: Results from the Pancreatic Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 3140-3149.	2.5	78
143	Polymorphisms in fatty acid metabolism-related genes are associated with colorectal cancer risk. <i>Carcinogenesis</i> , 2010, 31, 466-472.	2.8	77
144	Alteration of amino acid and biogenic amine metabolism in hepatobiliary cancers: Findings from a prospective cohort study. <i>International Journal of Cancer</i> , 2016, 138, 348-360.	5.1	77

#	ARTICLE	IF	CITATIONS
145	Consumption and portion sizes of tree nuts, peanuts and seeds in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohorts from 10 European countries. British Journal of Nutrition, 2006, 96, S12-S23.	2.3	76
146	Body Mass Index, Diabetes, and Mortality in French Women. Epidemiology, 2014, 25, 10-14.	2.7	76
147	Risks of Endometrial Cancer Associated With Different Hormone Replacement Therapies in the E3N Cohort, 1992-2008. American Journal of Epidemiology, 2014, 180, 508-517.	3.4	76
148	A Nested Case-Control Study of Metabolically Defined Body Size Phenotypes and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). PLoS Medicine, 2016, 13, e1001988.	8.4	76
149	Fruits and vegetables consumption and the risk of histological subtypes of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Causes and Control, 2010, 21, 357-371.	1.8	75
150	Coffee, tea and decaffeinated coffee in relation to hepatocellular carcinoma in a European population: Multicentre, prospective cohort study. International Journal of Cancer, 2015, 136, 1899-1908.	5.1	75
151	European Code against Cancer 4th Edition: Alcohol drinking and cancer. Cancer Epidemiology, 2016, 45, 181-188.	1.9	75
152	Factors associated with breast cancer recurrences or mortality and dynamic prediction of death using history of cancer recurrences: the French E3N cohort. BMC Cancer, 2018, 18, 171.	2.6	75
153	Diet Quality Scores and Prediction of All-Cause, Cardiovascular and Cancer Mortality in a Pan-European Cohort Study. PLoS ONE, 2016, 11, e0159025.	2.5	75
154	Dairy Products, Dietary Calcium, and Risk of Inflammatory Bowel Disease. Inflammatory Bowel Diseases, 2016, 22, 1403-1411.	1.9	74
155	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. Clinical Gastroenterology and Hepatology, 2020, 18, 654-666.e6.	4.4	74
156	Vitamin D Receptor and Calcium Sensing Receptor Polymorphisms and the Risk of Colorectal Cancer in European Populations. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 2485-2491.	2.5	73
157	Variety in Fruit and Vegetable Consumption and the Risk of Lung Cancer in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2278-2286.	2.5	73
158	Dietary total antioxidant capacity and gastric cancer risk in the European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2012, 131, E544-54.	5.1	73
159	Plasma Folate, Related Genetic Variants, and Colorectal Cancer Risk in EPIC. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1328-1340.	2.5	72
160	A cross-sectional analysis of the associations between adult height, BMI and serum concentrations of IGF-I and IGFBP-1 -2 and -3 in the European Prospective Investigation into Cancer and Nutrition (EPIC). Annals of Human Biology, 2011, 38, 194-202.	1.0	72
161	Consumption of fish and meats and risk of hepatocellular carcinoma: the European Prospective Investigation into Cancer and Nutrition (EPIC). Annals of Oncology, 2013, 24, 2166-2173.	1.2	72
162	Differential effects of coffee on the risk of type 2 diabetes according to meal consumption in a French cohort of women: the E3N/EPIC cohort study. American Journal of Clinical Nutrition, 2010, 91, 1002-1012.	4.7	71

#	ARTICLE	IF	CITATIONS
163	Physical Activity and Ovarian Cancer Risk: the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 351-354.	2.5	70
164	Prediagnostic selenium status and hepatobiliary cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 406-414.	4.7	70
165	Risk factors for onset of menopausal symptoms. <i>Maturitas</i> , 2008, 60, 108-121.	2.4	69
166	Fruit and vegetable consumption and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009, 124, 1926-1934.	5.1	69
167	Reproductive and menstrual factors and risk of differentiated thyroid carcinoma: The EPIC study. <i>International Journal of Cancer</i> , 2015, 136, 1218-1227.	5.1	69
168	Association of <i>CRP</i> genetic variants with blood concentrations of C-reactive protein and colorectal cancer risk. <i>International Journal of Cancer</i> , 2015, 136, 1181-1192.	5.1	69
169	Urinary excretions of 34 dietary polyphenols and their associations with lifestyle factors in the EPIC cohort study. <i>Scientific Reports</i> , 2016, 6, 26905.	3.3	69
170	Prediagnostic Plasma Bile Acid Levels and Colon Cancer Risk: A Prospective Study. <i>Journal of the National Cancer Institute</i> , 2020, 112, 516-524.	6.3	69
171	High Dietary Iron and Copper and Risk of Colorectal Cancer: A Case-Control Study in Burgundy, France. <i>Nutrition and Cancer</i> , 2004, 49, 66-71.	2.0	68
172	Glycosylated Hemoglobin and Risk of Colorectal Cancer in Men and Women, the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3108-3115.	2.5	67
173	Dietary glycemic index and glycemic load and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2012, 96, 345-355.	4.7	67
174	Plasma Alkylresorcinols, Biomarkers of Whole-Grain Wheat and Rye Intake, and Incidence of Colorectal Cancer. <i>Journal of the National Cancer Institute</i> , 2014, 106, djt352.	6.3	67
175	Combined effects of smoking and HPV16 in oropharyngeal cancer. <i>International Journal of Epidemiology</i> , 2016, 45, 752-761.	1.9	67
176	Cross-Sectional Study on Acrylamide Hemoglobin Adducts in Subpopulations from the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 6046-6053.	5.2	66
177	Circulating Biomarkers of Tryptophan and the Kynurenine Pathway and Lung Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 461-468.	2.5	66
178	Pre-diagnostic concordance with the WCRF/AICR guidelines and survival in European colorectal cancer patients: a cohort study. <i>BMC Medicine</i> , 2015, 13, 107.	5.5	66
179	Folate, vitamin B12 and postmenopausal breast cancer in a prospective study of French women. <i>Cancer Causes and Control</i> , 2006, 17, 1209-1213.	1.8	65
180	Leptin and Soluble Leptin Receptor in Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Cancer Research</i> , 2012, 72, 5328-5337.	0.9	65

#	ARTICLE	IF	CITATIONS
181	Dietary flavonoid, lignan and antioxidant capacity and risk of hepatocellular carcinoma in the European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2013, 133, 2429-2443.	5.1	65
182	Dietary antioxidant capacity and risk of type 2 diabetes in the large prospective E3N-EPIC cohort. Diabetologia, 2018, 61, 308-316.	6.3	65
183	Menopausal hormone therapy and new-onset diabetes in the French Etude Epidemiologique de Femmes de la Mutuelle G�n�rale de l'�ducation Nationale (E3N) cohort. Diabetologia, 2009, 52, 2092-2100.	6.3	64
184	Macronutrient Composition of the Diet and Prospective Weight Change in Participants of the EPIC-PANACEA Study. PLoS ONE, 2013, 8, e57300.	2.5	64
185	Effects of a 3-mo Consumption of Short-Chain Fructo-Oligosaccharides on Parameters of Colorectal Carcinogenesis in Patients With or Without Small or Large Colorectal Adenomas. Nutrition and Cancer, 2005, 53, 160-168.	2.0	63
186	Flavonoid intake and incident hypertension in women. American Journal of Clinical Nutrition, 2016, 103, 1091-1098.	4.7	63
187	Nutritional quality of food as represented by the FSA-m-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. PLoS Medicine, 2018, 15, e1002651.	8.4	63
188	Physical activity and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition Cohort. International Journal of Cancer, 2006, 119, 2389-2397.	5.1	62
189	Cigarette Smoking and Colorectal Cancer Risk in the European Prospective Investigation Into Cancer and Nutrition Study. Clinical Gastroenterology and Hepatology, 2011, 9, 137-144.	4.4	61
190	Tumor necrosis factor (TNF)-�, soluble TNF receptors and endometrial cancer risk: The EPIC study. International Journal of Cancer, 2011, 129, 2032-2037.	5.1	61
191	Processed and unprocessed red meat consumption and hypertension in women , ,. American Journal of Clinical Nutrition, 2014, 100, 948-952.	4.7	61
192	The Association of Gastric Cancer Risk with Plasma Folate, Cobalamin, and Methylenetetrahydrofolate Reductase Polymorphisms in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 2416-2424.	2.5	60
193	Joint Effects of Dietary Vitamin D and Sun Exposure on Breast Cancer Risk: Results from the French E3N Cohort. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 187-198.	2.5	60
194	Perfluorinated alkylated substances serum concentration and breast cancer risk: Evidence from a nested case�control study in the French E3N cohort. International Journal of Cancer, 2020, 146, 917-928.	5.1	60
195	Plasma Vitamins B2, B6, and B12, and Related Genetic Variants as Predictors of Colorectal Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 2549-2561.	2.5	59
196	Genetic Polymorphisms in 15q25 and 19q13 Loci, Cotinine Levels, and Risk of Lung Cancer in EPIC. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 2250-2261.	2.5	59
197	Dietary reporting errors on 24�h recalls and dietary questionnaires are associated with BMI across six European countries as evaluated with recovery biomarkers for protein and potassium intake. British Journal of Nutrition, 2012, 107, 910-920.	2.3	59
198	Genome-wide association study of survival in patients with pancreatic adenocarcinoma. Gut, 2014, 63, 152-160.	12.1	59

#	ARTICLE	IF	CITATIONS
199	Dietary inflammatory index and type 2 diabetes risk in a prospective cohort of 70,991 women followed for 20 years: the mediating role of BMI. <i>Diabetologia</i> , 2019, 62, 2222-2232.	6.3	59
200	Risk of differentiated thyroid cancer in relation to adult weight, height and body shape over life: The French E3N cohort. <i>International Journal of Cancer</i> , 2010, 126, 2984-2990.	5.1	58
201	Dairy products and risk of hepatocellular carcinoma: The European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2014, 135, 1662-1672.	5.1	58
202	Meal patterns across ten European countries – results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2016, 19, 2769-2780.	2.2	58
203	Nut intake and 5-year changes in body weight and obesity risk in adults: results from the EPIC-PANACEA study. <i>European Journal of Nutrition</i> , 2018, 57, 2399-2408.	3.9	58
204	Association between physical activity and risk of hepatobiliary cancers: A multinational cohort study. <i>Journal of Hepatology</i> , 2019, 70, 885-892.	3.7	58
205	Polymorphisms in Metabolic Genes Related to Tobacco Smoke and the Risk of Gastric Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 2427-2434.	2.5	57
206	Prospective study of physical activity and risk of primary adenocarcinomas of the oesophagus and stomach in the EPIC (European Prospective Investigation into Cancer and nutrition) cohort. <i>Cancer Causes and Control</i> , 2010, 21, 657-669.	1.8	57
207	Fruit and vegetable intake and cause-specific mortality in the EPIC study. <i>European Journal of Epidemiology</i> , 2014, 29, 639-652.	5.7	56
208	Biomarker patterns of inflammatory and metabolic pathways are associated with risk of colorectal cancer: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Epidemiology</i> , 2014, 29, 261-275.	5.7	56
209	Plasma and dietary carotenoids and vitamins A, C and E and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2014, 135, 2930-2939.	5.1	55
210	Endogenous Androgens and Risk of Epithelial Ovarian Cancer: Results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 23-29.	2.5	54
211	C-reactive protein and postmenopausal breast cancer risk: results from the E3N cohort study. <i>Cancer Causes and Control</i> , 2014, 25, 533-539.	1.8	54
212	Association between nutritional profiles of foods underlying Nutri-Score front-of-pack labels and mortality: EPIC cohort study in 10 European countries. <i>BMJ</i> , The, 2020, 370, m3173.	6.0	54
213	Dietary Carbohydrates, Glycemic Index, Glycemic Load, and Endometrial Cancer Risk within the European Prospective Investigation into Cancer and Nutrition Cohort. <i>American Journal of Epidemiology</i> , 2007, 166, 912-923.	3.4	53
214	Human Papillomavirus Antibodies and Future Risk of Anogenital Cancer: A Nested Case-Control Study in the European Prospective Investigation into Cancer and Nutrition Study. <i>Journal of Clinical Oncology</i> , 2015, 33, 877-884.	1.6	53
215	Circulating copper and zinc levels and risk of hepatobiliary cancers in Europeans. <i>British Journal of Cancer</i> , 2017, 116, 688-696.	6.4	53
216	No association of alcohol use and the risk of ulcerative colitis or Crohn's disease: data from a European Prospective cohort study (EPIC). <i>European Journal of Clinical Nutrition</i> , 2017, 71, 512-518.	2.9	53

#	ARTICLE	IF	CITATIONS
217	Dietary patterns and the risk of colorectal adenoma recurrence in a European intervention trial. <i>European Journal of Cancer Prevention</i> , 2005, 14, 21-29.	1.3	52
218	Insulin-like growth factor I and risk of breast cancer by age and hormone receptor status: A prospective study within the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 134, 2683-2690.	5.1	52
219	Blood pressure and risk of cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020, 146, 2680-2693.	5.1	52
220	Eating out, weight and weight gain. A cross-sectional and prospective analysis in the context of the EPIC-PANACEA study. <i>International Journal of Obesity</i> , 2011, 35, 416-426.	3.4	51
221	Menopausal hormone therapy and risk of ovarian cancer in the European prospective investigation into cancer and nutrition. <i>Cancer Causes and Control</i> , 2011, 22, 1075-1084.	1.8	51
222	Dietary factors and <i>in situ</i> and invasive cervical cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2011, 129, 449-459.	5.1	51
223	Cutaneous Melanoma and Endogenous Hormonal Factors: A Large French Prospective Study. <i>American Journal of Epidemiology</i> , 2011, 173, 1192-1202.	3.4	51
224	Thyroid dysfunction and cancer incidence: a systematic review and meta-analysis. <i>Endocrine-Related Cancer</i> , 2020, 27, 245-259.	3.1	51
225	Weight change in later life and risk of death amongst the elderly: the European Prospective Investigation into Cancer and Nutrition-Elderly Network on Ageing and Health study. <i>Journal of Internal Medicine</i> , 2010, 268, 133-144.	6.0	50
226	Body shape throughout life and the risk for breast cancer at adulthood in the French E3N cohort. <i>European Journal of Cancer Prevention</i> , 2013, 22, 29-37.	1.3	50
227	Dietary flavonoid intake and colorectal cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2017, 140, 1836-1844.	5.1	50
228	Inflammatory potential of the diet and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2018, 107, 607-616.	4.7	50
229	Cereal fiber intake may reduce risk of gastric adenocarcinomas: The EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2007, 121, 1618-1623.	5.1	49
230	Exposure to bacterial products lipopolysaccharide and flagellin and hepatocellular carcinoma: a nested case-control study. <i>BMC Medicine</i> , 2017, 15, 72.	5.5	49
231	Consumption of fruits, vegetables and fruit juices and differentiated thyroid carcinoma risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Cancer</i> , 2018, 142, 449-459.	5.1	49
232	Influence of dietary factors on colorectal cancer survival. <i>Gut</i> , 2003, 52, 868-873.	12.1	48
233	Ethanol intake and the risk of pancreatic cancer in the European prospective investigation into cancer and nutrition (EPIC). <i>Cancer Causes and Control</i> , 2009, 20, 785-794.	1.8	48
234	Comparison of standardised dietary folate intake across ten countries participating in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Nutrition</i> , 2012, 108, 552-569.	2.3	48

#	ARTICLE	IF	CITATIONS
235	Hip circumference is associated with the risk of premenopausal ER ⁺ /PR ⁺ breast cancer. International Journal of Obesity, 2012, 36, 431-439.	3.4	48
236	Dietary acrylamide intake of adults in the European Prospective Investigation into Cancer and Nutrition differs greatly according to geographical region. European Journal of Nutrition, 2013, 52, 1369-1380.	3.9	48
237	Consumption of soft drinks and juices and risk of liver and biliary tract cancers in a European cohort. European Journal of Nutrition, 2016, 55, 7-20.	3.9	48
238	Plasma microRNAs as biomarkers of pancreatic cancer risk in a prospective cohort study. International Journal of Cancer, 2017, 141, 905-915.	5.1	48
239	Consumption of ultra-processed foods associated with weight gain and obesity in adults: A multi-national cohort study. Clinical Nutrition, 2021, 40, 5079-5088.	5.0	48
240	Association between Five Lifestyle Habits and Cancer Risk: Results from the E3N Cohort. Cancer Prevention Research, 2014, 7, 516-525.	1.5	47
241	Genetic association of gastric cancer with miRNA clusters including the cancer-related genes <i>MIR29</i> , <i>MIR25</i> , <i>MIR93</i> and <i>MIR106</i> : Results from the EPIC ^{EUR} GAST study. International Journal of Cancer, 2014, 135, 2065-2076.	5.1	47
242	Exposure to Ambient Air Pollution and the Risk of Inflammatory Bowel Disease: A European Nested Case-Control Study. Digestive Diseases and Sciences, 2016, 61, 2963-2971.	2.3	47
243	Risk of endometrial cancer in relationship to cigarette smoking: Results from the EPIC study. International Journal of Cancer, 2007, 121, 2741-2747.	5.1	46
244	Correlation Between Serum Phospholipid Fatty Acids and Dietary Intakes Assessed a Few Years Earlier. Nutrition and Cancer, 2009, 61, 500-509.	2.0	46
245	Oral contraceptives, reproductive history and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. British Journal of Cancer, 2010, 103, 1755-1759.	6.4	46
246	Heme Iron Intake, Dietary Antioxidant Capacity, and Risk of Colorectal Adenomas in a Large Cohort Study of French Women. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 640-647.	2.5	46
247	Nonlinear associations between dietary exposures to perfluorooctanoic acid (PFOA) or perfluorooctane sulfonate (PFOS) and type 2 diabetes risk in women: Findings from the E3N cohort study. International Journal of Hygiene and Environmental Health, 2018, 221, 1054-1060.	4.3	46
248	Endometriosis risk in relation to naevi, freckles and skin sensitivity to sun exposure: the French E3N cohort. International Journal of Epidemiology, 2009, 38, 1143-1153.	1.9	45
249	A U-shaped relationship between plasma folate and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. European Journal of Cancer, 2011, 47, 1808-1816.	2.8	45
250	Red Meat, Dietary Nitrosamines, and Heme Iron and Risk of Bladder Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 555-559.	2.5	45
251	Insulin-like Growth Factor-I and Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 976-985.	2.5	45
252	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2015, 137, 2705-2714.	5.1	45

#	ARTICLE	IF	CITATIONS
253	Dietary antioxidant capacity and all-cause and cause-specific mortality in the E3N/EPIC cohort study. <i>European Journal of Nutrition</i> , 2017, 56, 1233-1243.	3.9	45
254	Metabolic perturbations prior to hepatocellular carcinoma diagnosis: Findings from a prospective observational cohort study. <i>International Journal of Cancer</i> , 2021, 148, 609-625.	5.1	45
255	Dietary patterns associated with vitamin/mineral supplement use and smoking among women of the E3N-EPIC cohort. <i>European Journal of Clinical Nutrition</i> , 2009, 63, 39-47.	2.9	44
256	Birth Weight, Body Silhouette Over the Life Course, and Incident Diabetes in 91,453 Middle-Aged Women From the French Etude Epidemiologique de Femmes de la Mutuelle G�n�rale de l'Education Nationale (E3N) Cohort. <i>Diabetes Care</i> , 2010, 33, 298-303.	8.6	44
257	Nutrient Patterns and Their Food Sources in an International Study Setting: Report from the EPIC Study. <i>PLoS ONE</i> , 2014, 9, e98647.	2.5	44
258	Prospective seroepidemiologic study on the role of Human Papillomavirus and other infections in cervical carcinogenesis: Evidence from the EPIC cohort. <i>International Journal of Cancer</i> , 2014, 135, 440-452.	5.1	44
259	Modifiable causes of premature death in middle-age in Western Europe: results from the EPIC cohort study. <i>BMC Medicine</i> , 2016, 14, 87.	5.5	44
260	Associations among body size across the life course, adult height and endometriosis. <i>Human Reproduction</i> , 2017, 32, 1732-1742.	0.9	44
261	Genetic architectures of proximal and distal colorectal cancer are partly distinct. <i>Gut</i> , 2021, 70, 1325-1334.	12.1	44
262	No Association between Dietary Phytoestrogens and Risk of Premenopausal Breast Cancer in a French Cohort Study: Table 1.. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 2574-2576.	2.5	43
263	The association of circulating adiponectin levels with pancreatic cancer risk: A study within the prospective EPIC cohort. <i>International Journal of Cancer</i> , 2012, 130, 2428-2437.	5.1	43
264	Dietary patterns and the adenomacarcinoma sequence of colorectal cancer. <i>European Journal of Nutrition</i> , 2005, 44, 311-318.	3.9	42
265	Mortality Rate and Risk Factors in Patients With Hereditary Pancreatitis: Uni- and Multidimensional Analyses. <i>American Journal of Gastroenterology</i> , 2009, 104, 2312-2317.	0.4	42
266	Consumption of vegetables and fruit and the risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2009, 125, 2643-2651.	5.1	42
267	Pre-diagnostic anthropometry and survival after colorectal cancer diagnosis in Western European populations. <i>International Journal of Cancer</i> , 2014, 135, 1949-1960.	5.1	42
268	Investigation of Dietary Factors and Endometrial Cancer Risk Using a Nutrient-wide Association Study Approach in the EPIC and Nurses' Health Study (NHS) and NHSII. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 466-471.	2.5	42
269	Lifetime and baseline alcohol intakes and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2018, 143, 801-812.	5.1	42
270	Adipokines and inflammation markers and risk of differentiated thyroid carcinoma: The EPIC study. <i>International Journal of Cancer</i> , 2018, 142, 1332-1342.	5.1	42

#	ARTICLE	IF	CITATIONS
271	Anthropometric Factors in Adulthood and Risk of Colorectal Adenomas: The French E3N-EPIC Prospective Cohort. <i>American Journal of Epidemiology</i> , 2010, 172, 1166-1180.	3.4	41
272	Plasma phospholipid fatty acid concentrations and risk of gastric adenocarcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>American Journal of Clinical Nutrition</i> , 2011, 94, 1304-1313.	4.7	41
273	Adiposity, mediating biomarkers and risk of colon cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014, 134, 612-621.	5.1	41
274	Circulating Osteopontin and Prediction of Hepatocellular Carcinoma Development in a Large European Population. <i>Cancer Prevention Research</i> , 2016, 9, 758-765.	1.5	41
275	Dietary intake of total polyphenol and polyphenol classes and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Epidemiology</i> , 2018, 33, 1063-1075.	5.7	41
276	No association between coffee, tea or caffeine consumption and breast cancer risk in a prospective cohort study. <i>Public Health Nutrition</i> , 2011, 14, 1315-1320.	2.2	40
277	Educational level and risk of colorectal cancer in EPIC with specific reference to tumor location. <i>International Journal of Cancer</i> , 2012, 130, 622-630.	5.1	40
278	Vitamin C transporter gene (SLC23A1 and SLC23A2) polymorphisms, plasma vitamin C levels, and gastric cancer risk in the EPIC cohort. <i>Genes and Nutrition</i> , 2013, 8, 549-560.	2.5	40
279	Fruit and vegetable consumption in relation to hepatocellular carcinoma in a multi-centre, European cohort study. <i>British Journal of Cancer</i> , 2015, 112, 1273-1282.	6.4	40
280	Polymorphisms of genes coding for ghrelin and its receptor in relation to anthropometry, circulating levels of IGF-I and IGFBP-3, and breast cancer risk: a case-control study nested within the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Carcinogenesis</i> , 2008, 29, 1360-1366.	2.8	39
281	Vitamins B2 and B6 and Genetic Polymorphisms Related to One-Carbon Metabolism as Risk Factors for Gastric Adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 28-38.	2.5	39
282	Fish consumption and mortality in the European Prospective Investigation into Cancer and Nutrition cohort. <i>European Journal of Epidemiology</i> , 2015, 30, 57-70.	5.7	39
283	Coffee, tea and melanoma risk: findings from the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2017, 140, 2246-2255.	5.1	39
284	Passive smoking in childhood increases the risk of developing rheumatoid arthritis. <i>Rheumatology</i> , 2019, 58, 1154-1162.	1.9	39
285	Associations Between Migraine and Type 2 Diabetes in Women. <i>JAMA Neurology</i> , 2019, 76, 257.	9.0	39
286	Association of nut and seed intake with colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 1595-603.	2.5	39
287	Tea and coffee consumption and risk of esophageal cancer: The European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2014, 135, 1470-1479.	5.1	38
288	High Residential Sun Exposure Is Associated With a Low Risk of Incident Crohn's Disease in the Prospective E3N Cohort. <i>Inflammatory Bowel Diseases</i> , 2014, 20, 75-81.	1.9	38

#	ARTICLE	IF	CITATIONS
289	Polymorphisms of <i>Helicobacter pylori</i> signaling pathway genes and gastric cancer risk in the European prospective investigation into cancer (EURGAST) cohort. International Journal of Cancer, 2014, 134, 92-101.	5.1	38
290	Dietary fat, fat subtypes and hepatocellular carcinoma in a large European cohort. International Journal of Cancer, 2015, 137, 2715-2728.	5.1	38
291	Prospective association of liver function biomarkers with development of hepatobiliary cancers. Cancer Epidemiology, 2016, 40, 179-187.	1.9	38
292	Prediagnostic Serum Vitamin D Levels and the Risk of Crohn's Disease and Ulcerative Colitis in European Populations: A Nested Case-Control Study. Inflammatory Bowel Diseases, 2018, 24, 633-640.	1.9	38
293	Determinants of age at menarche and time to menstrual cycle regularity in the French E3N cohort. Annals of Epidemiology, 2012, 22, 723-730.	1.9	37
294	Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. International Journal of Cancer, 2012, 130, 2654-2663.	5.1	37
295	Isotretinoin and Risk of Inflammatory Bowel Disease: A French Nationwide Study. American Journal of Gastroenterology, 2014, 109, 563-569.	0.4	37
296	Plasma carotenoids, vitamin C, retinol and tocopherols levels and pancreatic cancer risk within the European Prospective Investigation into Cancer and Nutrition: A nested case-control study. International Journal of Cancer, 2015, 136, E665-76.	5.1	37
297	Proportion of premenopausal and postmenopausal breast cancers attributable to known risk factors: Estimates from the E3N-EPIC cohort. International Journal of Cancer, 2016, 138, 2415-2427.	5.1	37
298	Oral progestagens before menopause and breast cancer risk. British Journal of Cancer, 2007, 96, 841-844.	6.4	36
299	Serum carotenoid, tocopherol and retinol concentrations and breast cancer risk in the E3N-EPIC study. International Journal of Cancer, 2010, 127, 1188-1196.	5.1	36
300	Childhood and Adolescent Exposures and the Risk of Endometriosis. Epidemiology, 2013, 24, 261-269.	2.7	36
301	Adherence to the Mediterranean diet and risk of bladder cancer in the EPIC cohort study. International Journal of Cancer, 2014, 134, 2504-2511.	5.1	36
302	Leukocyte Telomere Length in Relation to Pancreatic Cancer Risk: A Prospective Study. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2447-2454.	2.5	36
303	Fine mapping of chromosome 5p15.33 based on a targeted deep sequencing and high density genotyping identifies novel lung cancer susceptibility loci. Carcinogenesis, 2016, 37, 96-105.	2.8	36
304	Biomarkers of folate and vitamin B12 and breast cancer risk: report from the EPIC cohort. International Journal of Cancer, 2017, 140, 1246-1259.	5.1	36
305	A prospective evaluation of plasma phospholipid fatty acids and breast cancer risk in the EPIC study. Annals of Oncology, 2017, 28, 2836-2842.	1.2	36
306	Vitamin and Mineral Inadequacy in the French Population: Estimation and Application for the Optimization of Food Fortification. International Journal for Vitamin and Nutrition Research, 2006, 76, 343-351.	1.5	35

#	ARTICLE	IF	CITATIONS
307	Coffee and tea consumption, genotype-based CYP1A2 and NAT2 activity and colorectal cancer risk-Results from the EPIC cohort study. International Journal of Cancer, 2014, 135, 401-412.	5.1	35
308	Recent Recreational Physical Activity and Breast Cancer Risk in Postmenopausal Women in the E3N Cohort. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 1893-1902.	2.5	35
309	Dietary Polyphenols in the Aetiology of Crohn's Disease and Ulcerative Colitis A Multicenter European Prospective Cohort Study (EPIC). Inflammatory Bowel Diseases, 2017, 23, 2072-2082.	1.9	35
310	High dietary total antioxidant capacity is associated with a reduced risk of hypertension in French women. Nutrition Journal, 2019, 18, 31.	3.4	35
311	Long-term exposure to air pollution and liver cancer incidence in six European cohorts. International Journal of Cancer, 2021, 149, 1887-1897.	5.1	35
312	Alcohol dehydrogenase and aldehyde dehydrogenase gene polymorphisms, alcohol intake and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. European Journal of Clinical Nutrition, 2012, 66, 1303-1308.	2.9	34
313	Macronutrient intake and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2013, 132, 635-644.	5.1	34
314	Menopausal hormone therapy and risk of cholecystectomy: a prospective study based on the French E3N cohort. Cmaj, 2013, 185, 555-561.	2.0	34
315	Associations between serum lipids and breast cancer incidence and survival in the E3N prospective cohort study. Cancer Causes and Control, 2017, 28, 77-88.	1.8	34
316	Validation study of a French version of the modified telephone interview for cognitive status (FATICS-m) in elderly women. International Journal of Geriatric Psychiatry, 2010, 25, 1142-1149.	2.7	33
317	A prospective evaluation of plasma polyphenol levels and colon cancer risk. International Journal of Cancer, 2018, 143, 1620-1631.	5.1	33
318	Dietary and cancer-related behaviors of vitamin/mineral dietary supplement users in a large cohort of French women. European Journal of Nutrition, 2006, 45, 205-214.	3.9	32
319	Personal History of Endometriosis and Risk of Cutaneous Melanoma in a Large Prospective Cohort of French Women. Archives of Internal Medicine, 2007, 167, 2061.	3.8	32
320	Egg and cholesterol intake and incident type 2 diabetes among French women. British Journal of Nutrition, 2015, 114, 1667-1673.	2.3	32
321	Alcohol consumption and the risk of renal cancers in the European prospective investigation into cancer and nutrition (EPIC). International Journal of Cancer, 2015, 137, 1953-1966.	5.1	32
322	Circulating Metabolites Associated with Alcohol Intake in the European Prospective Investigation into Cancer and Nutrition Cohort. Nutrients, 2018, 10, 654.	4.1	32
323	Foods as Risk Factors for Colorectal Adenomas: A Case-Control Study in Burgundy (France). Nutrition and Cancer, 2002, 44, 7-15.	2.0	31
324	Serum cholesterol level, use of a cholesterol-lowering drug, and breast cancer: results from the prospective E3N cohort. European Journal of Cancer Prevention, 2010, 19, 120-125.	1.3	31

#	ARTICLE	IF	CITATIONS
325	N-acetyltransferase 2 Phenotype, Occupation, and Bladder Cancer Risk: Results from the EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 2055-2065.	2.5	31
326	Alcohol consumption and breast cancer risk subtypes in the E3N-EPIC cohort. European Journal of Cancer Prevention, 2015, 24, 209-214.	1.3	31
327	Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). American Journal of Clinical Nutrition, 2016, 104, 760-768.	4.7	31
328	Circulating vitamin D in relation to cancer incidence and survival of the head and neck and oesophagus in the EPIC cohort. Scientific Reports, 2016, 6, 36017.	3.3	31
329	Domestic exposure to irritant cleaning agents and asthma in women. Environment International, 2020, 144, 106017.	10.0	31
330	Smoking, Secondhand Smoke, and Cotinine Levels in a Subset of EPIC Cohort. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 869-875.	2.5	30
331	Dietary Intake of Vitamin D and Calcium and Breast Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. Nutrition and Cancer, 2013, 65, 178-187.	2.0	30
332	The Association between Glyceraldehyde-Derived Advanced Glycation End-Products and Colorectal Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1855-1863.	2.5	30
333	Pre-diagnostic meat and fibre intakes in relation to colorectal cancer survival in the European Prospective Investigation into Cancer and Nutrition. British Journal of Nutrition, 2016, 116, 316-325.	2.3	30
334	Chronic Consumption of Artificial Sweetener in Packets or Tablets and Type 2 Diabetes Risk: Evidence from the E3N-European Prospective Investigation into Cancer and Nutrition Study. Annals of Nutrition and Metabolism, 2017, 70, 51-58.	1.9	30
335	Dietary exposure to brominated flame retardants and risk of type 2 diabetes in the French E3N cohort. Environment International, 2019, 123, 54-60.	10.0	30
336	Predicted basal metabolic rate and cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2020, 147, 648-661.	5.1	30
337	Nutrient-wide association study of 92 foods and nutrients and breast cancer risk. Breast Cancer Research, 2020, 22, 5.	5.0	30
338	Mediterranean Diet and Risk of Rheumatoid Arthritis: Findings From the French E3N-EPIC Cohort Study. Arthritis and Rheumatology, 2021, 73, 69-77.	5.6	30
339	Meat and heme iron intake and esophageal adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2013, 133, n/a-n/a.	5.1	29
340	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. British Journal of Nutrition, 2014, 111, 1881-1890.	2.3	29
341	European Code against Cancer 4th Edition: Breastfeeding and cancer. Cancer Epidemiology, 2015, 39, S101-S106.	1.9	29
342	Nutrient-wide association study of 57 foods/nutrients and epithelial ovarian cancer in the European Prospective Investigation into Cancer and Nutrition study and the Netherlands Cohort Study. American Journal of Clinical Nutrition, 2016, 103, 161-167.	4.7	29

#	ARTICLE	IF	CITATIONS
343	Circulating RANKL and RANKL/OPG and Breast Cancer Risk by ER and PR Subtype: Results from the EPIC Cohort. <i>Cancer Prevention Research</i> , 2017, 10, 525-534.	1.5	29
344	Accuracy of two geocoding methods for geographic information system-based exposure assessment in epidemiological studies. <i>Environmental Health</i> , 2017, 16, 15.	4.0	29
345	Dietary Fatty Acids, Macronutrient Substitutions, Food Sources and Incidence of Coronary Heart Disease: Findings From the EPIC-CVD Case-Cohort Study Across Nine European Countries. <i>Journal of the American Heart Association</i> , 2021, 10, e019814.	3.7	29
346	Ethanol Intake and Risk of Lung Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Epidemiology</i> , 2006, 164, 1103-1114.	3.4	28
347	Menopausal hormone therapy and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2011, 128, 1881-1889.	5.1	28
348	Body iron status and gastric cancer risk in the <scp>EURGAST</scp> study. <i>International Journal of Cancer</i> , 2015, 137, 2904-2914.	5.1	28
349	Variation at <i>ABO</i> histo-blood group and <i>FUT</i> loci and diffuse and intestinal gastric cancer risk in a European population. <i>International Journal of Cancer</i> , 2015, 136, 880-893.	5.1	28
350	Serum Endotoxins and Flagellin and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 291-301.	2.5	28
351	Endometrial cancer risk prediction including serum-based biomarkers: results from the EPIC cohort. <i>International Journal of Cancer</i> , 2017, 140, 1317-1323.	5.1	28
352	Endometriosis and the risk of skin cancer: a prospective cohort study. <i>Cancer Causes and Control</i> , 2017, 28, 1011-1019.	1.8	28
353	CDH1 gene polymorphisms, smoking, <i>Helicobacter pylori</i> infection and the risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>European Journal of Cancer</i> , 2008, 44, 774-780.	2.8	27
354	Combined Impact of Lifestyle Factors on Prospective Change in Body Weight and Waist Circumference in Participants of the EPIC-PANACEA Study. <i>PLoS ONE</i> , 2012, 7, e50712.	2.5	27
355	Circulating 25-Hydroxyvitamin D3 in Relation to Renal Cell Carcinoma Incidence and Survival in the EPIC Cohort. <i>American Journal of Epidemiology</i> , 2014, 180, 810-820.	3.4	27
356	Plasma Elaidic Acid Level as Biomarker of Industrial Trans Fatty Acids and Risk of Weight Change: Report from the EPIC Study. <i>PLoS ONE</i> , 2015, 10, e0118206.	2.5	27
357	Confirmatory Factor Analysis Compared with Principal Component Analysis to Derive Dietary Patterns: A Longitudinal Study in Adult Women. <i>Journal of Nutrition</i> , 2015, 145, 1559-1568.	2.9	27
358	Acrylamide and Glycidamide Hemoglobin Adducts and Epithelial Ovarian Cancer: A Nested Case-Control Study in Nonsmoking Postmenopausal Women from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 127-134.	2.5	27
359	Mediterranean diet and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>British Journal of Cancer</i> , 2017, 116, 811-820.	6.4	27
360	High dietary phosphorus intake is associated with an increased risk of type 2 diabetes in the large prospective E3N cohort study. <i>Clinical Nutrition</i> , 2018, 37, 1625-1630.	5.0	27

#	ARTICLE	IF	CITATIONS
361	Circulating plasma phospholipid fatty acids and risk of pancreatic cancer in a large European cohort. International Journal of Cancer, 2018, 143, 2437-2448.	5.1	27
362	A Metabolomic Study of Biomarkers of Habitual Coffee Intake in Four European Countries. Molecular Nutrition and Food Research, 2019, 63, e1900659.	3.3	27
363	Genetically predicted circulating concentrations of micronutrients and risk of colorectal cancer among individuals of European descent: a Mendelian randomization study. American Journal of Clinical Nutrition, 2021, 113, 1490-1502.	4.7	27
364	Investigation of circulating metabolites associated with breast cancer risk by untargeted metabolomics: a case-control study nested within the French E3N cohort. British Journal of Cancer, 2021, 124, 1734-1743.	6.4	27
365	Meat Intake Is Associated with a Higher Risk of Ulcerative Colitis in a Large European Prospective Cohort Study. Journal of Crohn's and Colitis, 2022, 16, 1187-1196.	1.3	27
366	Variety in vegetable and fruit consumption and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2011, 128, 2971-2979.	5.1	26
367	Prediagnostic Circulating Parathyroid Hormone Concentration and Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 767-778.	2.5	26
368	Longitudinal changes in weight in relation to smoking cessation in participants of the EPIC-PANACEA study. Preventive Medicine, 2012, 54, 183-192.	3.4	26
369	Challenges in estimating the validity of dietary acrylamide measurements. European Journal of Nutrition, 2013, 52, 1503-1512.	3.9	26
370	Erythrocyte Membrane Phospholipid Fatty Acid Concentrations and Risk of Colorectal Adenomas: A Case-Control Nested in the French E3N-EPIC Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 1417-1427.	2.5	26
371	Anthropometric measures and bladder cancer risk: A prospective study in the EPIC cohort. International Journal of Cancer, 2014, 135, 2918-2929.	5.1	26
372	Estimated dietary dioxin exposure and breast cancer risk among women from the French E3N prospective cohort. Breast Cancer Research, 2015, 17, 39.	5.0	26
373	Main nutrient patterns and colorectal cancer risk in the European Prospective Investigation into Cancer and Nutrition study. British Journal of Cancer, 2016, 115, 1430-1440.	6.4	26
374	Added Value of Serum Hormone Measurements in Risk Prediction Models for Breast Cancer for Women Not Using Exogenous Hormones: Results from the EPIC Cohort. Clinical Cancer Research, 2017, 23, 4181-4189.	7.0	26
375	Metabolic signature of healthy lifestyle and its relation with risk of hepatocellular carcinoma in a large European cohort. American Journal of Clinical Nutrition, 2018, 108, 117-126.	4.7	26
376	Serologic markers of Chlamydia trachomatis and other sexually transmitted infections and subsequent ovarian cancer risk: Results from the EPIC cohort. International Journal of Cancer, 2020, 147, 2042-2052.	5.1	26
377	No Association between Polymorphisms in CYP2E1, GSTM1, NAT1, NAT2 and the Risk of Gastric Adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 1043-1045.	2.5	25
378	No Association of Consumption of Animal Foods with Risk of Ovarian Cancer. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 852-855.	2.5	25

#	ARTICLE	IF	CITATIONS
379	Dietary intake of iron, heme-iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. <i>International Journal of Cancer</i> , 2012, 131, E1134-47.	5.1	25
380	Prospective evaluation of antibody response to <i>Streptococcus gallolyticus</i> and risk of colorectal cancer. <i>International Journal of Cancer</i> , 2018, 143, 245-252.	5.1	25
381	Prediagnostic circulating markers of inflammation and risk of oesophageal adenocarcinoma: a study within the National Cancer Institute Cohort Consortium. <i>Gut</i> , 2019, 68, 960-968.	12.1	25
382	Dietary intake of acrylamide and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Annals of Oncology</i> , 2013, 24, 2645-2651.	1.2	24
383	Energy and macronutrient intake and risk of differentiated thyroid carcinoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2016, 138, 65-73.	5.1	24
384	Ovarian cancer early detection by circulating CA ₁₂₅ in the context of anti-CA ₁₂₅ autoantibody levels: Results from the EPIC cohort. <i>International Journal of Cancer</i> , 2018, 142, 1355-1360.	5.1	24
385	Circulating Biomarkers of One-Carbon Metabolism in Relation to Renal Cell Carcinoma Incidence and Survival. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	6.3	23
386	Wine consumption throughout life is inversely associated with type 2 diabetes risk, but only in overweight individuals: results from a large female French cohort study. <i>European Journal of Epidemiology</i> , 2014, 29, 831-839.	5.7	23
387	Anthropometry and the Risk of Lung Cancer in EPIC. <i>American Journal of Epidemiology</i> , 2016, 184, 129-139.	3.4	23
388	The Premenopausal Breast Cancer Collaboration: A Pooling Project of Studies Participating in the National Cancer Institute Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 1360-1369.	2.5	23
389	<i>Helicobacter pylori</i> infection, chronic corpus atrophic gastritis and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort: A nested case-control study. <i>International Journal of Cancer</i> , 2017, 140, 1727-1735.	5.1	23
390	Identification of Urinary Polyphenol Metabolite Patterns Associated with Polyphenol-Rich Food Intake in Adults from Four European Countries. <i>Nutrients</i> , 2017, 9, 796.	4.1	23
391	Are Metabolic Signatures Mediating the Relationship between Lifestyle Factors and Hepatocellular Carcinoma Risk? Results from a Nested Case-Control Study in EPIC. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 531-540.	2.5	23
392	Environment and Lifestyle: Their Influence on the Risk of RA. <i>Journal of Clinical Medicine</i> , 2020, 9, 3109.	2.4	23
393	Weight change in middle adulthood and risk of cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2021, 148, 1637-1651.	5.1	23
394	Metabolic Signatures of Healthy Lifestyle Patterns and Colorectal Cancer Risk in a European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, e1061-e1082.	4.4	23
395	Consequences of iron depletion on health in menstruating women. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 1169-1175.	2.9	22
396	Smoking and body fatness measurements: A cross-sectional analysis in the EPIC-PANACEA study. <i>Preventive Medicine</i> , 2009, 49, 365-373.	3.4	22

#	ARTICLE	IF	CITATIONS
397	Bias in protein and potassium intake collected with 24-h recalls (EPIC-Soft) is rather comparable across European populations. <i>European Journal of Nutrition</i> , 2012, 51, 997-1010.	3.9	22
398	Menopausal hormone therapy and risks of colorectal adenomas and cancers in the French E3N prospective cohort: true associations or bias?. <i>European Journal of Epidemiology</i> , 2012, 27, 439-452.	5.7	22
399	Correlates of circulating ovarian cancer early detection markers and their contribution to discrimination of early detection models: results from the EPIC cohort. <i>Journal of Ovarian Research</i> , 2017, 10, 20.	3.0	22
400	Mediterranean dietary pattern and skin cancer risk: A prospective cohort study in French women. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 993-1002.	4.7	22
401	Association of Selenoprotein and Selenium Pathway Genotypes with Risk of Colorectal Cancer and Interaction with Selenium Status. <i>Nutrients</i> , 2019, 11, 935.	4.1	22
402	Raising Milk Energy Content Retards Gastric Emptying of Lactose in Lactose-Intolerant Humans with Little Effect on Lactose Digestion. <i>Journal of Nutrition</i> , 1997, 127, 2316-2320.	2.9	21
403	Regional dietary habits of French women born between 1925 and 1950. <i>European Journal of Nutrition</i> , 2005, 44, 285-292.	3.9	21
404	Intake of Coffee, Decaffeinated Coffee, or Tea Does Not Affect Risk for Pancreatic Cancer: Results From the European Prospective Investigation into Nutrition and Cancer Study. <i>Clinical Gastroenterology and Hepatology</i> , 2013, 11, 1486-1492.	4.4	21
405	A prospective study of one-carbon metabolism biomarkers and cancer of the head and neck and esophagus. <i>International Journal of Cancer</i> , 2015, 136, 915-927.	5.1	21
406	Acrylamide and glycidamide hemoglobin adduct levels and endometrial cancer risk: A nested case-control study in nonsmoking postmenopausal women from the EPIC cohort. <i>International Journal of Cancer</i> , 2016, 138, 1129-1138.	5.1	21
407	Osteoprotegerin and breast cancer risk by hormone receptor subtype: a nested case-control study in the EPIC cohort. <i>BMC Medicine</i> , 2017, 15, 26.	5.5	21
408	The association between adult attained height and sitting height with mortality in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS ONE</i> , 2017, 12, e0173117.	2.5	21
409	Oral contraceptive use and cutaneous melanoma risk: a French prospective cohort study. <i>International Journal of Cancer</i> , 2018, 143, 2390-2399.	5.1	21
410	Agnostic Pathway/Gene Set Analysis of Genome-Wide Association Data Identifies Associations for Pancreatic Cancer. <i>Journal of the National Cancer Institute</i> , 2019, 111, 557-567.	6.3	21
411	Drinking patterns in French adult men. <i>European Journal of Nutrition</i> , 2004, 43, 69-76.	3.9	20
412	Genetic variation in genes of the fatty acid synthesis pathway and breast cancer risk. <i>Breast Cancer Research and Treatment</i> , 2009, 118, 565-574.	2.5	20
413	Menstrual and reproductive factors in women, genetic variation in <i>CYP17A1</i> , and pancreatic cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2013, 132, 2164-2175.	5.1	20
414	Dietary intake of acrylamide and esophageal cancer risk in the European Prospective Investigation into Cancer and Nutrition cohort. <i>Cancer Causes and Control</i> , 2014, 25, 639-646.	1.8	20

#	ARTICLE	IF	CITATIONS
415	Plasma fetuin-A concentration, genetic variation in the <i>AHSG</i> gene and risk of colorectal cancer. International Journal of Cancer, 2015, 137, 911-920.	5.1	20
416	Meat and fish consumption and the risk of renal cell carcinoma in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2015, 136, E423-31.	5.1	20
417	Baseline and lifetime alcohol consumption and risk of differentiated thyroid carcinoma in the EPIC study. British Journal of Cancer, 2015, 113, 840-847.	6.4	20
418	Polyphenol intake and differentiated thyroid cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. International Journal of Cancer, 2020, 146, 1841-1850.	5.1	20
419	Fecal primary bile acids and serum cholesterol are associated with colorectal adenomas. Digestive Diseases and Sciences, 2003, 48, 1751-1757.	2.3	19
420	Progestagens Use Before Menopause and Breast Cancer Risk According to Histology and Hormone Receptors. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 2723-2728.	2.5	19
421	Prospective study of the association between grapefruit intake and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). Cancer Causes and Control, 2009, 20, 803-809.	1.8	19
422	Consumption of Fish Is Not Associated with Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition (EPIC) Study. Journal of Nutrition, 2017, 147, 1366-1373.	2.9	19
423	Validity and reproducibility of a short food frequency questionnaire among patients with chronic kidney disease. BMC Nephrology, 2017, 18, 297.	1.8	19
424	High iodine dietary intake is associated with type 2 diabetes among women of the E3N-EPIC cohort study. Clinical Nutrition, 2019, 38, 1651-1656.	5.0	19
425	Glycemic index, glycemic load, and risk of coronary heart disease: a pan-European cohort study. American Journal of Clinical Nutrition, 2020, 112, 631-643.	4.7	19
426	Association of Pre-diagnostic Antibody Responses to Escherichia coli and Bacteroides fragilis Toxin Proteins with Colorectal Cancer in a European Cohort. Gut Microbes, 2021, 13, 1-14.	9.8	19
427	Vitamin C supplement intake and postmenopausal breast cancer risk: interaction with dietary vitamin C. American Journal of Clinical Nutrition, 2016, 104, 228-234.	4.7	18
428	Tumor-associated autoantibodies as early detection markers for ovarian cancer? A prospective evaluation. International Journal of Cancer, 2018, 143, 515-526.	5.1	18
429	Results from the European Prospective Investigation into Cancer and Nutrition Link Vitamin B6 Catabolism and Lung Cancer Risk. Cancer Research, 2018, 78, 302-308.	0.9	18
430	Prediagnostic circulating insulin-like growth factor and bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2018, 143, 2351-2358.	5.1	18
431	Relative Validity and Reproducibility of a New 44-Item Diet and Food Frequency Questionnaire Among Adults: Online Assessment. Journal of Medical Internet Research, 2018, 20, e227.	4.3	18
432	Prediagnostic alterations in circulating bile acid profiles in the development of hepatocellular carcinoma. International Journal of Cancer, 2022, 150, 1255-1268.	5.1	18

#	ARTICLE	IF	CITATIONS
433	Alcohol and Atherosclerotic Vascular Disease Risk Factors in French Men: Relationships Are Linear, J-Shaped, and U-Shaped. Alcoholism: Clinical and Experimental Research, 2005, 29, 84-88.	2.4	17
434	Risk of Osteoporotic Fractures After Discontinuation of Menopausal Hormone Therapy: Results From the E3N Cohort. American Journal of Epidemiology, 2011, 174, 12-21.	3.4	17
435	Height, Sitting Height, and Leg Length in Relation with Breast Cancer Risk in the E3N Cohort. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 1171-1175.	2.5	17
436	Fish consumption and subsequent change in body weight in European women and men. British Journal of Nutrition, 2013, 109, 353-362.	2.3	17
437	Anthropometric features and cutaneous melanoma risk: A prospective cohort study in French women. Cancer Epidemiology, 2014, 38, 357-363.	1.9	17
438	Total, caffeinated and decaffeinated coffee and tea intake and gastric cancer risk: Results from the EPIC cohort study. International Journal of Cancer, 2015, 136, E720-30.	5.1	17
439	A Prospective Study of the Immune System Activation Biomarker Neopterin and Colorectal Cancer Risk. Journal of the National Cancer Institute, 2015, 107, .	6.3	17
440	Dietary and lifestyle determinants of acrylamide and glycidamide hemoglobin adducts in non-smoking postmenopausal women from the EPIC cohort. European Journal of Nutrition, 2017, 56, 1157-1168.	3.9	17
441	Genetic variation in the ADIPOQ gene, adiponectin concentrations and risk of colorectal cancer: a Mendelian Randomization analysis using data from three large cohort studies. European Journal of Epidemiology, 2017, 32, 419-430.	5.7	17
442	Evaluation of urinary resveratrol as a biomarker of dietary resveratrol intake in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. British Journal of Nutrition, 2017, 117, 1596-1602.	2.3	17
443	Multimorbidity medications and poor asthma prognosis. European Respiratory Journal, 2018, 51, 1702114.	6.7	17
444	Syringol metabolites as new biomarkers for smoked meat intake. American Journal of Clinical Nutrition, 2019, 110, 1424-1433.	4.7	17
445	Antibody Responses to <i>Fusobacterium nucleatum</i> Proteins in Prediagnostic Blood Samples are not Associated with Risk of Developing Colorectal Cancer. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 1552-1555.	2.5	17
446	Use of dietary supplements containing soy isoflavones and breast cancer risk among women aged >50Åy: a prospective study. American Journal of Clinical Nutrition, 2019, 109, 597-605.	4.7	17
447	Improving accuracy of self-reported diagnoses of rheumatoid arthritis in the French prospective E3N-EPIC cohort: a validation study. BMJ Open, 2019, 9, e033536.	1.9	17
448	Gallstones and incident colorectal cancer in a large pan-European cohort study. International Journal of Cancer, 2019, 145, 1510-1516.	5.1	17
449	Haem iron intake and risk of lung cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. European Journal of Clinical Nutrition, 2019, 73, 1122-1132.	2.9	17
450	Plasma polyphenols associated with lower high-sensitivity C-reactive protein concentrations: a cross-sectional study within the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. British Journal of Nutrition, 2020, 123, 198-208.	2.3	17

#	ARTICLE	IF	CITATIONS
451	Inflammatory potential of the diet and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2020, 147, 1027-1039.	5.1	17
452	Adult weight change and premenopausal breast cancer risk: A prospective pooled analysis of data from 628,463 women. <i>International Journal of Cancer</i> , 2020, 147, 1306-1314.	5.1	17
453	Long-term Air Pollution Exposure and Pneumonia-related Mortality in a Large Pooled European Cohort. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2022, 205, 1429-1439.	5.6	17
454	Latitude and ultraviolet radiation dose in the birthplace in relation to menarcheal age in a large cohort of French women. <i>International Journal of Epidemiology</i> , 2013, 42, 590-600.	1.9	16
455	Circulating concentrations of vitamin D in relation to pancreatic cancer risk in European populations. <i>International Journal of Cancer</i> , 2018, 142, 1189-1201.	5.1	16
456	Postmenopausal hormone use and cutaneous melanoma risk: A French prospective cohort study. <i>International Journal of Cancer</i> , 2019, 145, 1754-1767.	5.1	16
457	Methodological issues in a prospective study on plasma concentrations of persistent organic pollutants and pancreatic cancer risk within the EPIC cohort. <i>Environmental Research</i> , 2019, 169, 417-433.	7.5	16
458	Chronic diarrhoea and risk of rheumatoid arthritis: findings from the French E3N-EPIC Cohort Study. <i>Rheumatology</i> , 2020, 59, 3767-3775.	1.9	16
459	Mitochondrial DNA Copy-Number Variation and Pancreatic Cancer Risk in the Prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 681-686.	2.5	16
460	Female hormonal exposures and risk of rheumatoid arthritis in the French E3N-EPIC cohort study. <i>Rheumatology</i> , 2021, 60, 4790-4800.	1.9	16
461	The association of education with long-term weight change in the EPIC-PANACEA cohort. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 957-963.	2.9	15
462	Determinants of non-response to a second assessment of lifestyle factors and body weight in the EPIC-PANACEA study. <i>BMC Medical Research Methodology</i> , 2012, 12, 148.	3.1	15
463	A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. <i>European Journal of Epidemiology</i> , 2013, 28, 677-688.	5.7	15
464	Fatty acid consumption and incident type 2 diabetes: an 18-year follow-up in the female E3N (Etude Tj ETQq0 0 0 rgBT /Overlock 10 Tf cohort study. <i>British Journal of Nutrition</i> , 2016, 116, 1807-1815.	2.3	15
465	Main nutrient patterns are associated with prospective weight change in adults from 10 European countries. <i>European Journal of Nutrition</i> , 2016, 55, 2093-2104.	3.9	15
466	Population attributable fractions of the main type 2 diabetes mellitus risk factors in women: Findings from the French E3N cohort. <i>Journal of Diabetes</i> , 2019, 11, 242-253.	1.8	15
467	Timing of eating across ten European countries – results from the European Prospective Investigation into Cancer and Nutrition (EPIC) calibration study. <i>Public Health Nutrition</i> , 2019, 22, 324-335.	2.2	15
468	Dietary and Circulating Fatty Acids and Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1739-1749.	2.5	15

#	ARTICLE	IF	CITATIONS
469	Dietary Inflammatory Index and Differentiated Thyroid Carcinoma Risk: A Population-Based Case-Control Study in New Caledonia. <i>American Journal of Epidemiology</i> , 2020, 189, 95-107.	3.4	14
470	Exogenous hormone use and cutaneous melanoma risk in women: The European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020, 146, 3267-3280.	5.1	14
471	Dietary inflammatory index, risk of incident hypertension, and effect modification from BMI. <i>Nutrition Journal</i> , 2020, 19, 62.	3.4	14
472	Household Cleaning and Poor Asthma Control Among Elderly Women. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 2358-2365.e4.	3.8	14
473	Plasma concentration of brominated flame retardants and postmenopausal breast cancer risk: a nested case-control study in the French E3N cohort. <i>Environmental Health</i> , 2020, 19, 54.	4.0	14
474	Colonoscopy reduced distal colorectal cancer risk and excess cancer risk associated with family history. <i>Cancer Causes and Control</i> , 2014, 25, 1329-1336.	1.8	13
475	Use of Bisphosphonates and Risk of Breast Cancer in a French Cohort of Postmenopausal Women. <i>Journal of Clinical Oncology</i> , 2017, 35, 3230-3239.	1.6	13
476	Efficacy and Safety of Regular Vitamin and Mineral Supplement Use in France: Results from the ECCA Study. <i>International Journal for Vitamin and Nutrition Research</i> , 2005, 75, 201-209.	1.5	13
477	Genetically Determined Reproductive Aging and Coronary Heart Disease: A Bidirectional 2-sample Mendelian Randomization. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e2952-e2961.	3.6	13
478	Association between Melanocytic Nevi and Risk of Breast Diseases: The French E3N Prospective Cohort. <i>PLoS Medicine</i> , 2014, 11, e1001660.	8.4	12
479	Postmenopausal breast cancer risk and interactions between body mass index, menopausal hormone therapy use, and vitamin D supplementation: Evidence from the E3N cohort. <i>International Journal of Cancer</i> , 2016, 139, 2193-2200.	5.1	12
480	Blood polyphenol concentrations and differentiated thyroid carcinoma in women from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 162-171.	4.7	12
481	Genetic variants in the <i>IL1A</i> gene region contribute to intestinal-type gastric carcinoma susceptibility in European populations. <i>International Journal of Cancer</i> , 2014, 135, 1343-1355.	5.1	11
482	Interaction between current vitamin D supplementation and menopausal hormone therapy use on breast cancer risk: evidence from the E3N cohort. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 966-973.	4.7	11
483	Measured Adiposity in Relation to Head and Neck Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 895-904.	2.5	11
484	Micronutrient dietary patterns associated with type 2 diabetes mellitus among women of the E3N-EPIC (Etude Epidémiologique auprès de femmes de l'Education Nationale) cohort study. <i>Journal of Diabetes</i> , 2018, 10, 665-674.	1.8	11
485	Use of benzodiazepines and cardiovascular mortality in a cohort of women aged over 50 years. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 1475-1484.	1.9	11
486	Nonsteroidal anti-inflammatory drug use and breast cancer risk in a European prospective cohort study. <i>International Journal of Cancer</i> , 2018, 143, 1688-1695.	5.1	11

#	ARTICLE	IF	CITATIONS
487	Antibody Responses to <i>Helicobacter pylori</i> and Risk of Developing Colorectal Cancer in a European Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1475-1481.	2.5	11
488	Cholesterol and Egg Intakes, and Risk of Hypertension in a Large Prospective Cohort of French Women. <i>Nutrients</i> , 2020, 12, 1350.	4.1	11
489	Dairy product consumption and hypertension risk in a prospective French cohort of women. <i>Nutrition Journal</i> , 2020, 19, 12.	3.4	11
490	Associations between early-life food deprivation during World War II and risk of hypertension and type 2 diabetes at adulthood. <i>Scientific Reports</i> , 2020, 10, 5741.	3.3	11
491	Multiethnic genome-wide association study of differentiated thyroid cancer in the EPITHYR consortium. <i>International Journal of Cancer</i> , 2021, 148, 2935-2946.	5.1	11
492	The associations of the Palaeolithic diet alone and in combination with lifestyle factors with type 2 diabetes and hypertension risks in women in the E3N prospective cohort. <i>European Journal of Nutrition</i> , 2021, 60, 3935-3945.	3.9	11
493	BMI in the Associations of Plant-Based Diets with Type 2 Diabetes and Hypertension Risks in Women: The E3N Prospective Cohort Study. <i>Journal of Nutrition</i> , 2021, 151, 2731-2740.	2.9	11
494	Physical activity and stroke among women – A non-linear relationship. <i>Preventive Medicine</i> , 2021, 150, 106485.	3.4	11
495	Diet and Risk of Cholecystectomy: A Prospective Study Based on the French E3N Cohort. <i>American Journal of Gastroenterology</i> , 2017, 112, 1448-1456.	0.4	11
496	Incidence of Parkinson's disease in French women from the E3N cohort study over 27 years of follow-up. <i>European Journal of Epidemiology</i> , 2022, 37, 513-523.	5.7	11
497	Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2012, 131, 997-1002.	5.1	10
498	A comparison between different prediction models for invasive breast cancer occurrence in the French E3N cohort. <i>Breast Cancer Research and Treatment</i> , 2015, 150, 415-426.	2.5	10
499	New cancer cases attributable to diet among adults aged 30–84 years in France in 2015. <i>British Journal of Nutrition</i> , 2018, 120, 1171-1180.	2.3	10
500	Relation between hysterectomy, oophorectomy and the risk of incident differentiated thyroid cancer: The E3N cohort. <i>Clinical Endocrinology</i> , 2019, 90, 360-368.	2.4	10
501	Profiles of Polyphenol Intake and Type 2 Diabetes Risk in 60,586 Women Followed for 20 Years: Results from the E3N Cohort Study. <i>Nutrients</i> , 2020, 12, 1934.	4.1	10
502	Red Blood Cell Fatty Acids and Risk of Colorectal Cancer in The European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 874-885.	2.5	10
503	Association of Migraine With Incident Hypertension After Menopause. <i>Neurology</i> , 2021, 97, e34-e41.	1.1	10
504	Menopausal hormone therapy and risk of incident hypertension: role of the route of estrogen administration and progestogens in the E3N cohort. <i>Menopause</i> , 2021, 28, 1204-1208.	2.0	10

#	ARTICLE	IF	CITATIONS
505	Comparison of fecal sample collection methods for microbial analysis embedded within colorectal cancer screening programs. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, , cebp.0188.2021.	2.5	10
506	Risks of colon and rectal adenomas are differentially associated with anthropometry throughout life: the French E3N prospective cohort. <i>International Journal of Epidemiology</i> , 2011, 40, 1269-1279.	1.9	9
507	Cellular immune activity biomarker neopterin is associated hyperlipidemia: results from a large population-based study. <i>Immunity and Ageing</i> , 2016, 13, 5.	4.2	9
508	Comparison of abdominal adiposity and overall obesity in relation to risk of small intestinal cancer in a European Prospective Cohort. <i>Cancer Causes and Control</i> , 2016, 27, 919-927.	1.8	9
509	Functional gastrointestinal disorders and incidence of type 2 diabetes: Evidence from the E3N-EPIC cohort study. <i>Diabetes and Metabolism</i> , 2016, 42, 178-183.	2.9	9
510	Socio-economic factors associated with a healthy diet: results from the E3N study. <i>Public Health Nutrition</i> , 2017, 20, 1574-1583.	2.2	9
511	Meat Consumption and Health Outcomes. , 2017, , 197-214.		9
512	Influence of a cancer diagnosis on changes in fruit and vegetable consumption according to cancer site, stage at diagnosis and socioeconomic factors: Results from the large E3N-EPIC study. <i>International Journal of Cancer</i> , 2018, 143, 1678-1687.	5.1	9
513	Socio-economic factors associated with an increase in fruit and vegetable consumption: a 12-year study in women from the E3N-EPIC study. <i>Public Health Nutrition</i> , 2018, 21, 740-755.	2.2	9
514	Factors Associated with Sunbed use in Women: the E3N-SunExp Study. <i>American Journal of Health Behavior</i> , 2018, 42, 85-98.	1.4	9
515	Adherence to the mediterranean diet and lymphoma risk in the european prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019, 145, 122-131.	5.1	9
516	Coffee and tea drinking in relation to the risk of differentiated thyroid carcinoma: results from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>European Journal of Nutrition</i> , 2019, 58, 3303-3312.	3.9	9
517	Consumption of nuts and seeds and pancreatic ductal adenocarcinoma risk in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2020, 146, 76-84.	5.1	9
518	Associations Between Physical Activity and Incident Hypertension Across Strata of Body Mass Index: A Prospective Investigation in a Large Cohort of French Women. <i>Journal of the American Heart Association</i> , 2020, 9, e015121.	3.7	9
519	Association between anthropometry and lifestyle factors and risk of B-cell lymphoma: An exposome-wide analysis. <i>International Journal of Cancer</i> , 2021, 148, 2115-2128.	5.1	9
520	Dietary Copper/Zinc Ratio and Type 2 Diabetes Risk in Women: The E3N Cohort Study. <i>Nutrients</i> , 2021, 13, 2502.	4.1	9
521	Hysterectomy, non-malignant gynecological diseases, and the risk of incident hypertension: The E3N prospective cohort. <i>Maturitas</i> , 2021, 150, 22-29.	2.4	9
522	Association Between Handedness and Type 2 Diabetes: The E3N Study: Table 1. <i>Diabetes Care</i> , 2015, 38, e199-e199.	8.6	8

#	ARTICLE	IF	CITATIONS
523	Low socioeconomic position and neighborhood deprivation are associated with uncontrolled asthma in elderly. <i>Respiratory Medicine</i> , 2019, 158, 70-77.	2.9	8
524	Inflammatory potential of diet and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>European Journal of Nutrition</i> , 2020, 59, 813-823.	3.9	8
525	Drinking patterns are associated with variations in atherosclerotic risk factors in French men. <i>European Journal of Nutrition</i> , 2006, 45, 79-87.	3.9	7
526	Serum thyrotropin and free thyroxine reference ranges as defined in a disease-free sample of French middle-aged adults. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 1497-505.	2.3	7
527	Prediagnostic body size and breast cancer survival in the E3N cohort study. <i>International Journal of Cancer</i> , 2016, 139, 1053-1064.	5.1	7
528	Nevi, Ambient Ultraviolet Radiation, and Thyroid Cancer Risk. <i>Epidemiology</i> , 2017, 28, 694-702.	2.7	7
529	Prediagnostic circulating concentrations of plasma insulin-like growth factor-I and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2017, 140, 1111-1118.	5.1	7
530	Patterns of cleaning product exposures using a novel clustering approach for data with correlated variables. <i>Annals of Epidemiology</i> , 2018, 28, 563-569.e6.	1.9	7
531	How do self and proxy dependency evaluations agree? Results from a large cohort of older women. <i>Age and Ageing</i> , 2018, 47, 619-624.	1.6	7
532	Soluble Receptor for Advanced Glycation End-products (sRAGE) and Colorectal Cancer Risk: A Case-Control Study Nested within a European Prospective Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 182-192.	2.5	7
533	Lifetime alcohol intake, drinking patterns over time and risk of stomach cancer: A pooled analysis of data from two prospective cohort studies. <i>International Journal of Cancer</i> , 2021, 148, 2759-2773.	5.1	7
534	Pepper Alkaloids and Processed Meat Intake: Results from a Randomized Trial and the European Prospective Investigation into Cancer and Nutrition (EPIC) Cohort. <i>Molecular Nutrition and Food Research</i> , 2021, 65, e2001141.	3.3	7
535	Gene network and biological pathways associated with susceptibility to differentiated thyroid carcinoma. <i>Scientific Reports</i> , 2021, 11, 8932.	3.3	7
536	Chronic Low-Dose Exposure to Xenoestrogen Ambient Air Pollutants and Breast Cancer Risk: XENAIR Protocol for a Case-Control Study Nested Within the French E3N Cohort. <i>JMIR Research Protocols</i> , 2020, 9, e15167.	1.0	7
537	Probiotic Intake and Inflammation in Patients With Chronic Kidney Disease: An Analysis of the CKD-REIN Cohort. <i>Frontiers in Nutrition</i> , 2022, 9, 772596.	3.7	7
538	Breast Cancer and Hormonal Therapy in Postmenopausal Women. <i>New England Journal of Medicine</i> , 2009, 360, 2366-2367.	27.0	6
539	Is melanoma survival influenced by month of diagnosis?. <i>Cancer Epidemiology</i> , 2015, 39, 727-733.	1.9	6
540	Cross-sectional association of coffee and caffeine consumption with sex hormone-binding globulin in healthy nondiabetic women. <i>Clinical Endocrinology</i> , 2017, 87, 475-483.	2.4	6

#	ARTICLE	IF	CITATIONS
541	Anti-CA15.3 and Anti-CA125 Antibodies and Ovarian Cancer Risk: Results from the EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 790-804.	2.5	6
542	Life course evolution of body size and breast cancer survival in the E3N cohort. <i>International Journal of Cancer</i> , 2018, 142, 1542-1553.	5.1	6
543	One-carbon metabolism biomarkers and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019, 145, 2349-2359.	5.1	6
544	Socioeconomic Effect of Education on Pancreatic Cancer Risk in Western Europe: An Update on the EPIC Cohorts Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 1089-1092.	2.5	6
545	Dietary folate intake and pancreatic cancer risk: Results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019, 144, 1511-1521.	5.1	6
546	Fine-mapping of two differentiated thyroid carcinoma susceptibility loci at 2q35 and 8p12 in Europeans, Melanesians and Polynesians. <i>Oncotarget</i> , 2021, 12, 493-506.	1.8	6
547	Plasma Phospholipid Long-Chain n-3 Polyunsaturated Fatty Acids and Body Weight Change. <i>Obesity Facts</i> , 2011, 4, 312-318.	3.4	5
548	Re: "Dairy-food, Calcium, Magnesium, and Vitamin D Intake and Endometriosis: A Prospective Cohort Study". <i>American Journal of Epidemiology</i> , 2013, 178, 664-665.	3.4	5
549	Modifiable risk factors for advanced vs . early breast cancer in the French E3N cohort. <i>International Journal of Cancer</i> , 2020, 146, 850-860.	5.1	5
550	Colorectal cancer risk following appendectomy: a pooled analysis of three large prospective cohort studies. <i>Cancer Communications</i> , 2022, 42, 486-489.	9.2	5
551	Fish Consumption and Risk of Rheumatoid Arthritis: Findings from the E3N Cohort Study. <i>Nutrients</i> , 2022, 14, 861.	4.1	5
552	Passive smoking in childhood and adulthood and risk of rheumatoid arthritis in women: results from the French E3N cohort study. <i>RMD Open</i> , 2022, 8, e001980.	3.8	5
553	Differential Dietary Nutrient Intake according to Hormone Replacement Therapy Use: An Underestimated Confounding Factor in Epidemiologic Studies?. <i>American Journal of Epidemiology</i> , 2007, 166, 1451-1460.	3.4	4
554	Risk of onset of menopausal symptoms in periods surrounding menopause. <i>Maturitas</i> , 2007, 58, 340-347.	2.4	4
555	Dietary Fatty Acids and Recurrence of Colorectal Adenomas in a European Intervention Trial. <i>Nutrition and Cancer</i> , 2008, 60, 560-567.	2.0	4
556	Performance of a short dietary questionnaire to assess nutrient intake using regression-based weights. <i>Public Health Nutrition</i> , 2009, 12, 547.	2.2	4
557	Polymorphisms in genes related to one-carbon metabolism are not related to pancreatic cancer in PanScan and PanC4. <i>Cancer Causes and Control</i> , 2013, 24, 595-602.	1.8	4
558	Educational level and family structure influence the dietary changes after the diagnosis of type 2 diabetes: evidence from the E3N study. <i>Nutrition Research</i> , 2017, 44, 9-17.	2.9	4

#	ARTICLE	IF	CITATIONS
559	Increased risk of type 2 diabetes in antidepressant users: evidence from a 6-year longitudinal study in the E3N cohort. <i>Diabetic Medicine</i> , 2020, 37, 1866-1873.	2.3	4
560	Healthy lifestyle and the risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2020, 147, 1649-1656.	5.1	4
561	Consumption of cocoa-containing foods and risk of hypertension in French women. <i>European Journal of Epidemiology</i> , 2020, 35, 465-469.	5.7	4
562	Statin Use and Skin Cancer Risk: A Prospective Cohort Study. <i>Journal of Investigative Dermatology</i> , 2022, 142, 1318-1325.e5.	0.7	4
563	Adapted dietary inflammatory index and differentiated thyroid carcinoma risk in two French population-based case-control studies. <i>European Journal of Nutrition</i> , 2021, , 1.	3.9	4
564	Pre-diagnosis insulin-like growth factor-I and risk of epithelial invasive ovarian cancer by histological subtypes: A collaborative re-analysis from the Ovarian Cancer Cohort Consortium. <i>Cancer Causes and Control</i> , 2017, 28, 429-435.	1.8	3
565	Asthma Medication Ratio Phenotypes in Elderly Women. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018, 6, 897-906.e5.	3.8	3
566	Fertility drugs and cutaneous melanoma risk: a French prospective cohort study. <i>European Journal of Cancer Prevention</i> , 2020, 29, 182-185.	1.3	3
567	Association between cardiovascular risk-factors and venous thromboembolism in a large longitudinal study of French women. <i>Thrombosis Journal</i> , 2021, 19, 58.	2.1	3
568	Are Circulating Immune Cells a Determinant of Pancreatic Cancer Risk? A Prospective Study Using Epigenetic Cell Count Measures. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 2179-2187.	2.5	3
569	Inflammatory potential of diet and pancreatic cancer risk in the EPIC study. <i>European Journal of Nutrition</i> , 2022, 61, 2313-2320.	3.9	3
570	Healthy diet associated with better asthma outcomes in elderly women of the French Asthma-E3N study. <i>European Journal of Nutrition</i> , 2022, 61, 2555-2569.	3.9	3
571	Lifetime female hormonal exposure and risk of rheumatoid arthritis in postmenopausal women: Results from the French E3N cohort. <i>Joint Bone Spine</i> , 2022, 89, 105374.	1.6	3
572	Alcohol consumption and the risk of renal cancers in the European Prospective Investigation into Cancer and Nutrition (EPIC). Wozniak MB, Brennan P, Brenner DR, Overvad K, Olsen A, Tjønneland A, Boutron-Ruault MC, Clavel-Chapelon F, Fagherazzi G, Katzke V, Kühn T, Boeing H, Bergmann MM, Steffen A, Naska A, Trichopoulou A, Trichopoulos D, Saieva C, Grioni S, Panico S, Tumino R, Vineis P, Bueno-de-Mesquita HB, Peeters PH, Hjørtskær A, Weiderpass E, Arriola L, Molina-Montes E, Duell EJ, Santiuste C, Alonso de. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 117.	1.6	2
573	Prediagnostic Serum Vitamin D Levels and Risk of Inflammatory Bowel Disease: A Pan-European, Nested Case-control Study. <i>Gastroenterology</i> , 2017, 152, S59.	1.3	2
574	Premenopausal Use of Progestogens and Cutaneous Melanoma Risk: A French Prospective Cohort Study. <i>American Journal of Epidemiology</i> , 2020, 189, 314-329.	3.4	2
575	RE: "CONTROLS WHO EXPERIENCED HYPOTHETICAL CAUSAL INTERMEDIATES SHOULD NOT BE EXCLUDED FROM CASE-CONTROL STUDIES". <i>American Journal of Epidemiology</i> , 2000, 151, 436-436.	3.4	1
576	Unsuspected Consequences of the Adolescent Overweight Epidemic. <i>Pediatrics</i> , 2007, 120, 924-925.	2.1	1

#	ARTICLE	IF	CITATIONS
577	Chronic Pain and Risk of Falls in Older Adults. JAMA - Journal of the American Medical Association, 2010, 303, 1147.	7.4	1
578	Author's Response * On the roles of skin type and sun exposure in the risk of endometriosis and melanoma. International Journal of Epidemiology, 2011, 40, 515-516.	1.9	1
579	Response to Dai et al.. American Journal of Gastroenterology, 2014, 109, 1494-1495.	0.4	1
580	E-Cigarettes and Toxin Exposure. Annals of Internal Medicine, 2017, 167, 524.	3.9	1
581	OP0253â€¦Passive smoking in childhood and history of chronic diarrhea increases the risk of developing rheumatoid arthritis (RA). , 2017, , .		1
582	Determinants of 20â€¦year nonâ€¦progression to Type 2 diabetes in women at very high risk: the E3N cohort study. Diabetic Medicine, 2018, 35, 1716-1721.	2.3	1
583	Dietary antioxidant supplements and risk of keratinocyte cancers in women: a prospective cohort study. European Journal of Nutrition, 2022, 61, 2825-2836.	3.9	1
584	Response to Comment on Bonnet et al. Association Between Handedness and Type 2 Diabetes: The E3N Study. Diabetes Care 2015;38:e199. Diabetes Care, 2016, 39, e47-e47.	8.6	0
585	P722 Prediagnostic serum vitamin D levels and risk of inflammatory bowel disease: a pan-European, nested case-control study. Journal of Crohn's and Colitis, 2017, 11, S449-S450.	1.3	0
586	What are the determinants of a concerned vision of the future when living with type 2 diabetes? Results from the E3N-AfterDiab study. Chronic Illness, 2019, 15, 236-241.	1.5	0
587	ObÃ©sitÃ© et cancer. , 2021, , 295-299.		0
588	Abstract P389: Flavonoid intake and incident hypertension in French women. Circulation, 2014, 129, .	1.6	0
589	Domestic exposure to irritant cleaning agents and asthma in women. , 2018, , .		0
590	Incidence of asthma progression towards asthma-COPD overlap in old women. , 2018, , .		0
591	Anthropometric Measures and Risk of Rheumatoid Arthritis in the French E3N Cohort Study. Nutrients, 2022, 14, 934.	4.1	0