

Gholamreza Niknam

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5247421/publications.pdf>

Version: 2024-02-01

24

papers

196

citations

1163117

8

h-index

1058476

14

g-index

24

all docs

24

docs citations

24

times ranked

200

citing authors

#	ARTICLE	IF	CITATIONS
1	New insights into the identity of <i>Discolaimum dubium</i> Das, Khan and Loof, 1969 (Dorylaimida) as derived from its morphological and molecular characterization, with the proposal of its transference to <i>Aporcella</i> Andrăjssy, 2002. <i>Journal of Nematology</i> , 2021, 53, 1-12.	0.9	0
2	Description of <i>Aporcella minor</i> sp. n. (Dorylaimida: Aporcelaimidae) from Iran, with an updated taxonomy of the genus. <i>Nematology</i> , 2020, 23, 495-506.	0.6	2
3	Study of two species, one new and one known, of the genus <i>Aporcella</i> Andrăjssy, 2002 (Dorylaimida,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.0	1
4	Interaction between the entomopathogenic nematode, <i>Steinernema feltiae</i> and selected chemical insecticides for management of the tomato leafminer, <i>Tuta absoluta</i> . <i>BioControl</i> , 2019, 64, 709-721.	2.0	9
5	Morphological and molecular characterisation of <i>Tylencholaimellus zeinabadensis</i> sp. n. (Dorylaimida: Tylencholaimellidae) from Iran, with additional data on five known species of the genus. <i>Nematology</i> , 2019, 21, 597-612.	0.6	0
6	Morphological and molecular characterisation of two species of <i>Aporcella</i> Andrăjssy, 2002 (Nematoda: Dorylaimida: Aporcelaimidae) from Iran, with new insights into the phylogeny of the genus. <i>Nematology</i> , 2019, 21, 655-665.	0.6	3
7	Description of a new dagger nematode, <i>Xiphinema barooghi</i> n. sp. (Nematoda: Longidoridae) and additional data on the three known species of the genus from northwest of Iran. <i>Journal of Nematology</i> , 2019, 51, 1-18.	0.9	1
8	Two new species of the rare genus <i>Nygolaimoides</i> Meyl in Andrăjssy, 1960 (Nematoda, Dorylaimida,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.5	0
9	Compatibility and interaction between <i>Bacillus thuringiensis</i> and certain insecticides: perspective in management of <i>Tuta absoluta</i> (Lepidoptera: Gelechiidae). <i>Biocontrol Science and Technology</i> , 2015, 25, 671-684.	1.3	15
10	<i>Margollus bokanicus</i> n. sp. from Iran, the Fourth Species of a Rare Nematode Genus (Dorylaimida,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.9	0
11	An updated and annotated checklist of the Dolichodoridae
(Nematoda: Tylenchoidea) of Iran. <i>Zootaxa</i> , 2014, 3784, 445-68.	0.5	10
12	Phylogenetic relationships of Telotylenchidae Siddiqi, 1960 and Merliniidae Siddiqi, 1971 (Nematoda:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 sequences. <i>Nematology</i> , 2014, 16, 863-877.	0.6	18
13	Effect of an entomopathogenic nematode, <i>Steinernema carpocapsae</i> on haemocyte profile and phenoloxidase activity of the Colorado potato beetle, <i>Leptinotarsa decemlineata</i> . <i>Biocontrol Science and Technology</i> , 2014, 24, 1383-1393.	1.3	6
14	Introduction of some new endophytic bacteria from <i>Bacillus</i> and <i>Streptomyces</i> genera as successful biocontrol agents against <i>Sclerotium rolfsii</i> . <i>Archives of Phytopathology and Plant Protection</i> , 2014, 47, 122-130.	1.3	18
15	<p> <i>Metaxonchium persicum</i> sp. n. from Iran (Nematoda,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 2014, 3785, 501.	0.5	4
16	Lethal and sublethal effects of Iranian isolates of <i>Steinernema feltiae</i> and <i>Heterorhabditis bacteriophora</i> on the Colorado potato beetle, <i>Leptinotarsa decemlineata</i> . <i>BioControl</i> , 2011, 56, 781-788.	2.0	19
17	Diversity of entomopathogenic nematodes (Nematoda: Steinernematidae, Heterorhabditidae) from Arasbaran forests and rangelands in north-west Iran. <i>Nematology</i> , 2010, 12, 767-773.	0.6	17
18	First Record of <i>Trichodorus primitivus</i> and Morphological and Molecular Identification of <i>Longidorus elongatus</i> from Canada. <i>Plant Disease</i> , 2010, 94, 782-782.	1.4	2

#	ARTICLE	IF	CITATIONS
19	Morphological and molecular characterisation of <i>Enchodelus babakicus</i> n. sp. and <i>E. macrodorus</i> Thorne, 1939 (Nematoda: Nordiidae) from Iran. <i>Nematology</i> , 2009, 11, 895-907.	0.6	7
20	A survey of entomopathogenic nematodes of the families Steinernematidae and Heterorhabditidae (Nematoda: Rhabditida) in the north-west of Iran. <i>Nematology</i> , 2009, 11, 107-116.	0.6	36
21	<i>Trichodorus arasbaranensis</i> n. sp. (Nematoda: Trichodoridae) from a natural forest in Arasbaran, north-west Iran. <i>Nematology</i> , 2009, 11, 243-252.	0.6	8
22	Additional data on <i>Enchodelus veletensis</i> Guerrero, Liñán & Peña-Santiago, 2007 (Dorylaimida: Tj ETQq0.0 0 rgBT ₄ /Overlock	0.6	
23	<i>Longidorus kheirii</i> n. sp. (Nematoda: Longidoridae) from Iran. <i>Systematic Parasitology</i> , 2008, 71, 199-211.	1.1	16
24	A new species of <i>Xiphinema americanum</i> group (Nematoda: Longidoridae) from Iran, with additional data on three known species. <i>Systematic Parasitology</i> , 0, ,.	1.1	0