

Edil Ergozhin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5248200/edil-ergozhin-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69
papers

99
citations

4
h-index

9
g-index

69
ext. papers

103
ext. citations

1
avg, IF

1.42
L-index

#	Paper	IF	Citations
69	Performance of anion exchangers based on aniline, epichlorohydrin, and polyamines in sorption of molybdenum(VI) ions. <i>Russian Journal of Applied Chemistry</i> , 2017 , 90, 769-774	0.8	1
68	Electro and Baromembrane Methods of Petrochemical Enterprises Wastewater Treatment 2015 , 25, 111-126		
67	Oxidative hydroxylation of phosphine in aqueous alcohol solutions of p-benzoquinone. <i>Russian Journal of Physical Chemistry A</i> , 2014 , 88, 764-767	0.7	5
66	Crude oil and its products as feedstock for producing ion-exchange materials. <i>Petroleum Chemistry</i> , 2012 , 52, 49-54	1.1	
65	Sorption rules of chromium(VI) ions by wood-based polyampholytes. <i>Theoretical Foundations of Chemical Engineering</i> , 2010 , 44, 619-622	0.9	1
64	New polyfunctional anion exchangers for platinum metal sorption. <i>Russian Journal of Applied Chemistry</i> , 2010 , 83, 941-944	0.8	1
63	New phosphorus-containing sorbents based on wheat straw and glycidyl methacrylate for Hg ²⁺ removal. <i>Russian Journal of Applied Chemistry</i> , 2010 , 83, 965-968	0.8	
62	Sorption of perrhenate anions by lignin anion exchangers. <i>Solid Fuel Chemistry</i> , 2009 , 43, 99-102	0.7	4
61	Kinetics of polycondensation of allyl bromide and monoethanolamine vinyl ether with resorcinol diglycidyl ether. <i>Russian Journal of Applied Chemistry</i> , 2009 , 82, 871-874	0.8	
60	Nitrogen-and phosphorus-containing polyampholyte based on lignin. <i>Chemistry of Natural Compounds</i> , 2008 , 44, 69-73	0.7	1
59	Synthesis of graft copolymers of wood and N-vinylpyrrolidone. <i>Chemistry of Natural Compounds</i> , 2008 , 44, 220-223	0.7	1
58	Detoxification of biological fluids by lignocellulose ion-exchangers. <i>Chemistry of Natural Compounds</i> , 2008 , 44, 497-502	0.7	1
57	Heterogeneous emulsion graft polymerization of glycidyl methacrylate on a wood matrix. <i>Fibre Chemistry</i> , 2008 , 40, 420-424	0.6	1
56	A wood-based fibrous chemisorbent. <i>Fibre Chemistry</i> , 2008 , 40, 522-528	0.6	
55	Sorption of Pt(IV) chloride complexes with a chelating resin based on modified lignin. <i>Russian Journal of Applied Chemistry</i> , 2008 , 81, 231-235	0.8	1
54	Sorption properties of nitrogen-containing ion exchangers. <i>Russian Journal of Applied Chemistry</i> , 2008 , 81, 399-402	0.8	
53	Sorption capacity of new cation exchangers based on oil residue and epoxy resin for chromium(III) ions. <i>Russian Journal of Applied Chemistry</i> , 2008 , 81, 1356-1359	0.8	1

52	The Kinetics of Sorption of Lead Ions on Clinoptilolite in the H-Form. <i>Russian Journal of Physical Chemistry A</i> , 2008 , 82, 397-400	0.7	1
51	Estimation of structural and sorption characteristics of activated bentonite. <i>Colloid Journal</i> , 2007 , 69, 401-406	1.1	12
50	Synthesis and study of physicochemical, acid-base, and complexing properties of ion exchangers based on glycidyl derivatives of aromatic compounds and polyamines. <i>Russian Journal of Applied Chemistry</i> , 2007 , 80, 472-476	0.8	
49	Ion exchangers based on homo-and copolymers of vinyloxyethylamine and epoxy compounds. <i>Russian Journal of Applied Chemistry</i> , 2007 , 80, 643-646	0.8	
48	Activity of mono-and disubstituted derivatives of 1,4-benzoquinone and allylamine in cationic polymerization. <i>Russian Journal of Applied Chemistry</i> , 2007 , 80, 1012-1014	0.8	
47	Anion exchangers based on modified shungites. <i>Russian Journal of Applied Chemistry</i> , 2007 , 80, 1309-1315	0.8	
46	Ion exchangers based on vinyloxyethylamine and epoxy-phenol-aldehyde compounds. <i>Russian Journal of Applied Chemistry</i> , 2007 , 80, 1432-1434	0.8	
45	Mechanism of polycondensation of allyl bromide, epichlorohydrin oligomer, and polyethylenimine. <i>Russian Journal of Applied Chemistry</i> , 2007 , 80, 1902-1905	0.8	
44	Bentonite-based phosphoric acid organomineral cationite. <i>Russian Journal of Applied Chemistry</i> , 2006 , 79, 225-228	0.8	
43	Ion exchangers based on homo-and copolymers of vinyloxyethylamine and glycidyl methacrylate. <i>Russian Journal of Applied Chemistry</i> , 2006 , 79, 733-735	0.8	
42	Aminovinylpyridine ion-exchange resins. <i>Russian Journal of Applied Chemistry</i> , 2006 , 79, 1297-1300	0.8	
41	Cationic polymerization of redox monomers derived from monoethanolamine vinyl ether and various quinones. <i>Russian Journal of Applied Chemistry</i> , 2006 , 79, 1374-1377	0.8	
40	Cationic polymerization of a derivative of allylamine and 1,2-naphthoquinone. <i>Russian Journal of Applied Chemistry</i> , 2006 , 79, 1506-1508	0.8	
39	Diagnostics of porous structure and assessment of catalytic activity of natural zeolite in styrene polymerization reaction. <i>Petroleum Chemistry</i> , 2006 , 46, 182-190	1.1	1
38	Polyfunctional ion-exchangers based on wood. <i>Chemistry of Natural Compounds</i> , 2006 , 42, 596-599	0.7	
37	New oxidation-reduction monomers and polymers on the basis of monoethanolamine vinyl ether, allylamine and some quinones. <i>Reactive and Functional Polymers</i> , 2005 , 65, 103-112	4.6	
36	New oxidation-reduction polymers on the basis of pyridine nitriles. <i>Reactive and Functional Polymers</i> , 2005 , 65, 93-101	4.6	
35	New method of the synthesis of aminophenolic ionites and study of ion sorption of non-ferrous metals and iodine. <i>Reactive and Functional Polymers</i> , 2005 , 65, 113-119	4.6	

34	Ion-Exchange Polymers Based on Dihydroxydiphenylpropane Diglycidyl Ether, Allyl Halides, and Amines. <i>Russian Journal of Applied Chemistry</i> , 2005 , 78, 144-148	0.8	
33	Derivatives of ortho- and para-Naphthoquinones and Monoethanolamine Vinyl Ether in Radical Copolymerization with Acrylic Acid. <i>Russian Journal of Applied Chemistry</i> , 2005 , 78, 149-152	0.8	
32	Effect of Initiator on the Microstructure of Copolymers of Acrylic Acid with a Disubstituted Derivative of Monoethanolamine Vinyl Ether and Chloranil. <i>Russian Journal of Applied Chemistry</i> , 2005 , 78, 1549-1551	0.8	1
31	Epichlorohydrin-Based Polyfunctional Ion Exchangers. <i>Russian Journal of Applied Chemistry</i> , 2005 , 78, 1600-1604	0.8	
30	Polymers Based on Polyglycidyl Aromatic Amines. <i>Russian Journal of Applied Chemistry</i> , 2005 , 78, 1687-1690	0.8	
29	Radical Copolymerization of Allyl and Vinyl Monomers Derived from 1,4-Benzoquinone with Acrylic Acid. <i>Russian Journal of Applied Chemistry</i> , 2005 , 78, 2010-2013	0.8	1
28	Polyfunctional Anion Exchangers Based on Copolymers of Allyl Glycidyl Ether and Polyamines. <i>Russian Journal of Applied Chemistry</i> , 2004 , 77, 458-462	0.8	
27	NMR Study of the Structure of Polymers Based on 2,3-Epoxypropyl Methacrylate. <i>Russian Journal of Applied Chemistry</i> , 2004 , 77, 813-816	0.8	3
26	Redox Ion Exchangers Based on Pyridinecarbonitriles. <i>Russian Journal of Applied Chemistry</i> , 2004 , 77, 988-993	0.8	
25	Radical polymerization of the quinone derived from monoethanolamine vinyl ether and chloranil. <i>Russian Journal of Applied Chemistry</i> , 2004 , 77, 1376-1378	0.8	
24	Radical copolymerization of acrylic acid with derivatives of monoethanolamine vinyl ether and o- and p-chloranil. <i>Russian Journal of Applied Chemistry</i> , 2004 , 77, 1675-1678	0.8	1
23	Complexation of anion exchangers based on polyimines and allyl and epoxy compounds with transition metal cations. <i>Russian Journal of Applied Chemistry</i> , 2004 , 77, 1679-1684	0.8	
22	Sorption of gold(III) ions from hydrochloric acid solutions by aminated shungite. <i>Russian Journal of Applied Chemistry</i> , 2004 , 77, 1754-1756	0.8	2
21	Influence of the Structure of Anion-Exchange Resin on Complexation with Transition Metal Ions. <i>Russian Journal of Applied Chemistry</i> , 2003 , 76, 207-210	0.8	
20	Preparation of Phosphoric-Carboxylic Cation Exchangers from Wood Cellulose. <i>Chemistry of Natural Compounds</i> , 2003 , 39, 299-302	0.7	2
19	Kinetics of Radical Polymerization of a Monomer Derived from Monoethanolamine Vinyl Ether and 1,4-Benzoquinone: A Polarographic Study. <i>Russian Journal of Applied Chemistry</i> , 2003 , 76, 460-463	0.8	1
18	¹³ C NMR Study of Polycondensation of Allyl Bromide, Diglycidyl Resorcinol Ether, and Polyethylenepolyamine. <i>Russian Journal of Applied Chemistry</i> , 2002 , 75, 102-105	0.8	1
17	Polyfunctional Anion Exchanger as Sorbent of Copper(II) and Vanadium(V) Ions. <i>Russian Journal of Applied Chemistry</i> , 2002 , 75, 385-388	0.8	

- 16 Anion Exchangers Based on Glycidyl Derivatives of Aromatic Diamines and Some Allyl Halides. *Russian Journal of Applied Chemistry*, **2002**, 75, 1791-1794 0.8
- 15 2-Propen-1-ol hydrogenation and isomerisation on polymer-palladium complexes Effect of polymer matrix. *Journal of Molecular Catalysis A*, **2001**, 177, 165-170 33
- 14 New Monomer Derived from Monoethanolamine Vinyl Ether and 2,3-Dichloro-5,6-dicyano-1,4-benzoquinone, and Redox Resin Thereof. *Russian Journal of Applied Chemistry*, **2001**, 74, 1907-1909 0.8
- 13 Synthesis and Physicochemical Study of Polyfunctional Ion Exchangers Based on Dextramine Waste from Levomycetin Production. *Russian Journal of Applied Chemistry*, **2001**, 74, 36-38 0.8
- 12 Anion Exchangers Based on Allyl Compounds and Some Nitrogen- and Oxygen-Containing Monomers and Oligomers. *Russian Journal of Applied Chemistry*, **2001**, 74, 649-652 0.8
- 11 Soluble polyelectrolytes based on copolymers of styrene with benzonitrile. *Polymer*, **1993**, 34, 3096-3104.9 1
- 10 Redox polymers based on polyamines. *Reactive & Functional Polymers*, **1992**, 16, 321-334 4
- 9 Amphoteric polyelectrolytes based on poly-p-aminophenylene thiocyanate. *Reactive & Functional Polymers*, **1992**, 18, 15-23 2
- 8 Selective chelating ion exchange resins containing Dithiol groups part 1. Synthesis. *Reactive & Functional Polymers*, **1991**, 14, 187-191 15
- 7 Synthesis of new chelate ionites and some details of their metal ion interaction. *Makromolekulare Chemie Macromolecular Symposia*, **1989**, 26, 233-247
- 6 Polyampholytes from chloromethylated diphenyl oxide-formaldehyde oligomer, polyamines, and pyridinecarboxylic acids and their nitriles. *Bulletin of the Academy of Sciences of the USSR Division of Chemical Science*, **1978**, 27, 1443-1445
- 5 Properties of macromolecules with weakly acid carboxyl groups. *Bulletin of the Academy of Sciences of the USSR Division of Chemical Science*, **1975**, 24, 1733-1735
- 4 Phosphorylation of copolymers of styrene with some divinyl compounds. *Bulletin of the Academy of Sciences of the USSR Division of Chemical Science*, **1975**, 24, 1736-1739
- 3 Sulfonation of styrene copolymers with some diisopropenylbenzenes. *Bulletin of the Academy of Sciences of the USSR Division of Chemical Science*, **1975**, 24, 872-874
- 2 Use of Gabriel reaction to obtain anionites. *Bulletin of the Academy of Sciences of the USSR Division of Chemical Science*, **1975**, 24, 605-607
- 1 Investigation of the complex-forming properties of soluble anion exchange resins based on chloromethylated polystyrenes and cyanopyridines. *Bulletin of the Academy of Sciences of the USSR Division of Chemical Science*, **1975**, 24, 1435-1438