

# Claus K HÃ¸gdall

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5248307/publications.pdf>

Version: 2024-02-01

89  
papers

2,585  
citations

218381

26  
h-index

233125

45  
g-index

90  
all docs

90  
docs citations

90  
times ranked

5401  
citing authors

| #  | ARTICLE                                                                                                                                                                                                                                                                           | IF  | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1  | MCM3 is a novel proliferation marker associated with longer survival for patients with tubo-ovarian high-grade serous carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 855-871.                                | 1.4 | 8         |
| 2  | Polygenic risk modeling for prediction of epithelial ovarian cancer risk. <i>European Journal of Human Genetics</i> , 2022, 30, 349-362.                                                                                                                                          | 1.4 | 23        |
| 3  | Residual tumor and primary debulking surgery vs interval debulking surgery in stage IV epithelial ovarian cancer. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2022, 101, 334-343.                                                                                       | 1.3 | 5         |
| 4  | Assessment of recurrence rate and risk factors of relapse in stage in IA vulvar carcinoma. <i>Gynecologic Oncology</i> , 2022, 164, 543-549.                                                                                                                                      | 0.6 | 2         |
| 5  | CA-125 Levels Are Predictive of Survival in Low-Grade Serous Ovarian Cancer—A Multicenter Analysis. <i>Cancers</i> , 2022, 14, 1954.                                                                                                                                              | 1.7 | 3         |
| 6  | Preoperative predictors of inguinal lymph node metastases in vulvar cancer — A nationwide study. <i>Gynecologic Oncology</i> , 2022, 165, 420-427.                                                                                                                                | 0.6 | 2         |
| 7  | First-in-Humans PET Imaging of Tissue Factor in Patients with Primary and Metastatic Cancers Using <sup>18</sup> F-labeled Active-Site Inhibited Factor VII ( <sup>18</sup> F-ASIS): Potential as Companion Diagnostic. <i>Journal of Nuclear Medicine</i> , 2022, 63, 1871-1879. | 2.8 | 3         |
| 8  | Real-life data on treatment and outcomes in advanced ovarian cancer: An observational, multinational cohort study (RESPONSE trial). <i>Cancer</i> , 2022, 128, 3080-3089.                                                                                                         | 2.0 | 7         |
| 9  | Cross-Cancer Genome-Wide Association Study of Endometrial Cancer and Epithelial Ovarian Cancer Identifies Genetic Risk Regions Associated with Risk of Both Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 217-228.                                    | 1.1 | 12        |
| 10 | Noncoding RNA (ncRNA) Profile Association with Patient Outcome in Epithelial Ovarian Cancer Cases. <i>Reproductive Sciences</i> , 2021, 28, 757-765.                                                                                                                              | 1.1 | 7         |
| 11 | Postoperative mobilisation as an indicator for the quality of surgical nursing care. <i>British Journal of Nursing</i> , 2021, 30, S4-S15.                                                                                                                                        | 0.3 | 1         |
| 12 | Gene expression profile association with poor prognosis in epithelial ovarian cancer patients. <i>Scientific Reports</i> , 2021, 11, 5438.                                                                                                                                        | 1.6 | 11        |
| 13 | Next Generation Sequencing Technology in the Clinic and Its Challenges. <i>Cancers</i> , 2021, 13, 1751.                                                                                                                                                                          | 1.7 | 17        |
| 14 | DNA Methylation in Ovarian Tumors—a Comparison Between Fresh Tissue and FFPE Samples. <i>Reproductive Sciences</i> , 2021, 28, 3212-3218.                                                                                                                                         | 1.1 | 7         |
| 15 | Pleiotropy-guided transcriptome imputation from normal and tumor tissues identifies candidate susceptibility genes for breast and ovarian cancer. <i>Human Genetics and Genomics Advances</i> , 2021, 2, 100042.                                                                  | 1.0 | 6         |
| 16 | Predictive value of the new ESGO-ESTRO-ESP endometrial cancer risk classification on survival and recurrence in the Danish population. <i>International Journal of Gynecological Cancer</i> , 2021, 31, 1116-1124.                                                                | 1.2 | 6         |
| 17 | Prognostic impact of histological review of high-grade endometrial carcinomas in a large Danish cohort. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 479, 507-514.                                                         | 1.4 | 4         |
| 18 | Integrated microRNA and mRNA signatures associated with overall survival in epithelial ovarian cancer. <i>PLoS ONE</i> , 2021, 16, e0255142.                                                                                                                                      | 1.1 | 4         |

| #  | ARTICLE                                                                                                                                                                                                                                                                                      | IF  | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | The 10-year results after national introduction of pelvic lymph node staging in Danish intermediate-risk endometrial cancer patients not given postoperative radiotherapy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 263, 239-246.                  | 0.5 | 2         |
| 20 | Analysis of HOXA9 methylated ctDNA in ovarian cancer using sense-antisense measurement. <i>Clinica Chimica Acta</i> , 2021, 522, 152-157.                                                                                                                                                    | 0.5 | 7         |
| 21 | Genomic Sub-Classification of Ovarian Clear Cell Carcinoma Revealed by Distinct Mutational Signatures. <i>Cancers</i> , 2021, 13, 5242.                                                                                                                                                      | 1.7 | 10        |
| 22 | OncoPrint Comprehensive Assay v3 vs. OncoPrint Comprehensive Assay Plus. <i>Cancers</i> , 2021, 13, 5230.                                                                                                                                                                                    | 1.7 | 19        |
| 23 | Organoids and epithelial ovarian cancer – a future tool for personalized treatment decisions?. <i>Molecular and Clinical Oncology</i> , 2021, 16, 29.                                                                                                                                        | 0.4 | 2         |
| 24 | Recurrence and survival rates in node negative patients after sentinel node biopsy for early-stage vulva cancer – A nationwide study. <i>Gynecologic Oncology</i> , 2020, 156, 124-130.                                                                                                      | 0.6 | 7         |
| 25 | Impact of PD-L1 and T-cell inflamed gene expression profile on survival in advanced ovarian cancer. <i>International Journal of Gynecological Cancer</i> , 2020, 30, 1034-1042.                                                                                                              | 1.2 | 6         |
| 26 | Survival after a nationwide adoption of robotic minimally invasive surgery for early-stage cervical cancer – A population-based study. <i>European Journal of Cancer</i> , 2020, 128, 47-56.                                                                                                 | 1.3 | 31        |
| 27 | Clinical and pathological associations of PTEN expression in ovarian cancer: a multicentre study from the Ovarian Tumour Tissue Analysis Consortium. <i>British Journal of Cancer</i> , 2020, 123, 793-802.                                                                                  | 2.9 | 35        |
| 28 | Survival and recurrence in stage II endometrial cancers in relation to uterine risk stratification after introduction of lymph node resection and omission of postoperative radiotherapy: a Danish Gynecological Cancer Group Study. <i>Journal of Gynecologic Oncology</i> , 2020, 31, e22. | 1.0 | 11        |
| 29 | Risk factors for early death among ovarian cancer patients: a nationwide cohort study. <i>Journal of Gynecologic Oncology</i> , 2020, 31, e30.                                                                                                                                               | 1.0 | 4         |
| 30 | Genetic Data from Nearly 63,000 Women of European Descent Predicts DNA Methylation Biomarkers and Epithelial Ovarian Cancer Risk. <i>Cancer Research</i> , 2019, 79, 505-517.                                                                                                                | 0.4 | 49        |
| 31 | Examining validity evidence for a simulation-based assessment tool for basic robotic surgical skills. <i>Journal of Robotic Surgery</i> , 2019, 13, 99-106.                                                                                                                                  | 1.0 | 10        |
| 32 | Endometrial cancer does not increase the 30-day risk of venous thromboembolism following hysterectomy compared to benign disease. A Danish National Cohort Study. <i>Gynecologic Oncology</i> , 2019, 155, 112-118.                                                                          | 0.6 | 11        |
| 33 | Annexin A2 and S100A10 as Candidate Prognostic Markers in Epithelial Ovarian Cancer. <i>Anticancer Research</i> , 2019, 39, 2475-2482.                                                                                                                                                       | 0.5 | 9         |
| 34 | The prevalence of EBV and CMV DNA in epithelial ovarian cancer. <i>Infectious Agents and Cancer</i> , 2019, 14, 7.                                                                                                                                                                           | 1.2 | 15        |
| 35 | Methylation and ovarian cancer: Can DNA methylation be of diagnostic use? (Review). <i>Molecular and Clinical Oncology</i> , 2019, 10, 323-330.                                                                                                                                              | 0.4 | 26        |
| 36 | Location of recurrences in high-risk stage I endometrial cancer patients not given postoperative radiotherapy: A Danish gynecological cancer group study. <i>International Journal of Gynecological Cancer</i> , 2019, 29, 497-504.                                                          | 1.2 | 5         |

| #  | ARTICLE                                                                                                                                                                                                                                          | IF  | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Diagnostic plasma miRNA-profiles for ovarian cancer in patients with pelvic mass. PLoS ONE, 2019, 14, e0225249.                                                                                                                                  | 1.1 | 24        |
| 38 | Impact of residual disease on overall survival in women with Federation of Gynecology and Obstetrics stage III&IV vs stage IV epithelial ovarian cancer after primary surgery. Acta Obstetrica Et Gynecologica Scandinavica, 2019, 98, 34-43.    | 1.3 | 20        |
| 39 | The effect of introducing pelvic lymphadenectomy on survival and recurrence rates in Danish endometrial cancer patients at high risk: a Danish Gynecological Cancer Group study. International Journal of Gynecological Cancer, 2019, 29, 68-76. | 1.2 | 6         |
| 40 | Association of CD31 and p53 With Survival of Ovarian Cancer Patients. Anticancer Research, 2019, 39, 567-576.                                                                                                                                    | 0.5 | 10        |
| 41 | Lymph-vascular space invasion (LVSI) as a strong and independent predictor for non-locoregional recurrences in endometrial cancer: a Danish Gynecological Cancer Group Study. Journal of Gynecologic Oncology, 2019, 30, e84.                    | 1.0 | 35        |
| 42 | The prospect of discovering new biomarkers for ovarian cancer based on current knowledge of susceptibility loci and genetic variation (Review). International Journal of Molecular Medicine, 2019, 44, 1599-1608.                                | 1.8 | 2         |
| 43 | Annexin A2 and cancer: A systematic review. International Journal of Oncology, 2018, 52, 5-18.                                                                                                                                                   | 1.4 | 82        |
| 44 | Confounders other than comorbidity explain survival differences in Danish and Swedish ovarian cancer patients – a comparative cohort study. Acta Oncologica, 2018, 57, 1100-1108.                                                                | 0.8 | 6         |
| 45 | Adult height is associated with increased risk of ovarian cancer: a Mendelian randomisation study. British Journal of Cancer, 2018, 118, 1123-1129.                                                                                              | 2.9 | 15        |
| 46 | International Study of Primary Mucinous Ovarian Carcinomas Managed at Tertiary Medical Centers. International Journal of Gynecological Cancer, 2018, 28, 915-924.                                                                                | 1.2 | 17        |
| 47 | Improved migration of tumor ascites lymphocytes to ovarian cancer microenvironment by CXCR2 transduction. Oncoimmunology, 2018, 7, e1412029.                                                                                                     | 2.1 | 27        |
| 48 | Risk of recurrence, prognosis, and follow-up for Danish women with cervical cancer in 2005–2013: A national cohort study. Cancer, 2018, 124, 943-951.                                                                                            | 2.0 | 29        |
| 49 | Identification and validation of potential prognostic and predictive miRNAs of epithelial ovarian cancer. PLoS ONE, 2018, 13, e0207319.                                                                                                          | 1.1 | 35        |
| 50 | A Transcriptome-Wide Association Study Among 97,898 Women to Identify Candidate Susceptibility Genes for Epithelial Ovarian Cancer Risk. Cancer Research, 2018, 78, 5419-5430.                                                                   | 0.4 | 54        |
| 51 | Enrichment of putative PAX8 target genes at serous epithelial ovarian cancer susceptibility loci. British Journal of Cancer, 2017, 116, 524-535.                                                                                                 | 2.9 | 23        |
| 52 | Ovarian Cancer and Comorbidity: Is Poor Survival Explained by Choice of Primary Treatment or System Delay?. International Journal of Gynecological Cancer, 2017, 27, 1123-1133.                                                                  | 1.2 | 12        |
| 53 | Identification of 12 new susceptibility loci for different histotypes of epithelial ovarian cancer. Nature Genetics, 2017, 49, 680-691.                                                                                                          | 9.4 | 356       |
| 54 | Predictors of pretreatment CA125 at ovarian cancer diagnosis: a pooled analysis in the Ovarian Cancer Association Consortium. Cancer Causes and Control, 2017, 28, 459-468.                                                                      | 0.8 | 20        |

| #  | ARTICLE                                                                                                                                                                                                                                  | IF  | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Searching for new biomarkers in ovarian cancer patients: Rationale and design of a retrospective study under the Mermaid III project. <i>Contemporary Clinical Trials Communications</i> , 2017, 8, 167-174.                             | 0.5 | 14        |
| 56 | No Evidence That Genetic Variation in the Myeloid-Derived Suppressor Cell Pathway Influences Ovarian Cancer Survival. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 420-424.                                          | 1.1 | 3         |
| 57 | Clinical validation of chemotherapy predictors developed on global microRNA expression in the NCI60 cell line panel tested in ovarian cancer. <i>PLoS ONE</i> , 2017, 12, e0174300.                                                      | 1.1 | 11        |
| 58 | Adjustment of serum HE4 to reduced glomerular filtration and its use in biomarker-based prediction of deep myometrial invasion in endometrial cancer. <i>Oncotarget</i> , 2017, 8, 108213-108222.                                        | 0.8 | 5         |
| 59 | Danish Gynecological Cancer Database. <i>Clinical Epidemiology</i> , 2016, Volume 8, 485-490.                                                                                                                                            | 1.5 | 51        |
| 60 | Adult body mass index and risk of ovarian cancer by subtype: a Mendelian randomization study. <i>International Journal of Epidemiology</i> , 2016, 45, 884-895.                                                                          | 0.9 | 71        |
| 61 | Current status on microRNAs as biomarkers for ovarian cancer. <i>Apmis</i> , 2016, 124, 337-355.                                                                                                                                         | 0.9 | 30        |
| 62 | Does stage of cancer, comorbidity or lifestyle factors explain educational differences in survival after endometrial cancer? A cohort study among Danish women diagnosed 2005-2009. <i>Acta Oncologica</i> , 2016, 55, 680-685.          | 0.8 | 17        |
| 63 | Assessing the genetic architecture of epithelial ovarian cancer histological subtypes. <i>Human Genetics</i> , 2016, 135, 741-756.                                                                                                       | 1.8 | 19        |
| 64 | A new clinically applicable age-specific comorbidity index for preoperative risk assessment of ovarian cancer patients. <i>Gynecologic Oncology</i> , 2016, 141, 471-478.                                                                | 0.6 | 15        |
| 65 | Association of vitamin D levels and risk of ovarian cancer: a Mendelian randomization study. <i>International Journal of Epidemiology</i> , 2016, 45, 1619-1630.                                                                         | 0.9 | 111       |
| 66 | Survival of ovarian cancer patients in Denmark: Results from the Danish gynaecological cancer group (DGCG) database, 1995-2012. <i>Acta Oncologica</i> , 2016, 55, 36-43.                                                                | 0.8 | 22        |
| 67 | HE4 as a predictor of adjuvant chemotherapy resistance and survival in patients with epithelial ovarian cancer. <i>Apmis</i> , 2016, 124, 1038-1045.                                                                                     | 0.9 | 10        |
| 68 | Relapse and disease specific survival in 1143 Danish women diagnosed with borderline ovarian tumours (BOT). <i>Gynecologic Oncology</i> , 2016, 142, 50-53.                                                                              | 0.6 | 33        |
| 69 | A novel index for preoperative, non-invasive prediction of macro-radical primary surgery in patients with stage III-IV ovarian cancer: a part of the Danish prospective pelvic mass study. <i>Tumor Biology</i> , 2016, 37, 12619-12626. | 0.8 | 19        |
| 70 | Genome-Wide Meta-Analyses of Breast, Ovarian, and Prostate Cancer Association Studies Identify Multiple New Susceptibility Loci Shared by at Least Two Cancer Types. <i>Cancer Discovery</i> , 2016, 6, 1052-1067.                       | 7.7 | 157       |
| 71 | Functional mechanisms underlying pleiotropic risk alleles at the 19p13.1 breast-ovarian cancer susceptibility locus. <i>Nature Communications</i> , 2016, 7, 12675.                                                                      | 5.8 | 78        |
| 72 | No clinical utility of KRAS variant rs61764370 for ovarian or breast cancer. <i>Gynecologic Oncology</i> , 2016, 141, 386-401.                                                                                                           | 0.6 | 18        |

| #  | ARTICLE                                                                                                                                                                                                                                  | IF  | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | The Influence of Cyst Emptying, Lymph Node Resection and Chemotherapy on Survival in Stage IA and IC1 Epithelial Ovarian Cancer. <i>Anticancer Research</i> , 2016, 36, 5373-5380.                                                       | 0.5 | 4         |
| 74 | The prognostic value of dividing epithelial ovarian cancer into type I and type II tumors based on pathologic characteristics. <i>Gynecologic Oncology</i> , 2015, 136, 205-211.                                                         | 0.6 | 30        |
| 75 | Serous ovarian, fallopian tube and primary peritoneal cancers: A common disease or separate entities â€” A systematic review. <i>Gynecologic Oncology</i> , 2015, 136, 571-581.                                                          | 0.6 | 27        |
| 76 | A novel diagnostic index combining HE4, CA125 and age may improve triage of women with suspected ovarian cancer â€” An international multicenter study in women with an ovarian mass. <i>Gynecologic Oncology</i> , 2015, 138, 640-646.  | 0.6 | 78        |
| 77 | Do stage of disease, comorbidity or access to treatment explain socioeconomic differences in survival after ovarian cancer? â€” A cohort study among Danish women diagnosed 2005â€”2010. <i>Cancer Epidemiology</i> , 2015, 39, 353-359. | 0.8 | 26        |
| 78 | Genome-wide Analysis Identifies Novel Loci Associated with Ovarian Cancer Outcomes: Findings from the Ovarian Cancer Association Consortium. <i>Clinical Cancer Research</i> , 2015, 21, 5264-5276.                                      | 3.2 | 33        |
| 79 | Survival outcomes in patients with cervical cancer after inclusion of PET/CT in staging procedures. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 1833-1839.                                             | 3.3 | 11        |
| 80 | PAPP-A proteolytic activity enhances IGF bioactivity in ascites from women with ovarian carcinoma. <i>Oncotarget</i> , 2015, 6, 32266-32278.                                                                                             | 0.8 | 28        |
| 81 | HE4 Tissue Expression and Serum HE4 Levels in Healthy Individuals and Patients with Benign or Malignant Tumors: A Systematic Review. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2285-2295.                         | 1.1 | 65        |
| 82 | Valid and complete data on endometrial cancer in the Danish Gynaecological Cancer Database. <i>Danish Medical Journal</i> , 2014, 61, A4864.                                                                                             | 0.5 | 10        |
| 83 | Comorbidity is an independent prognostic factor for the survival of ovarian cancer: A Danish register-based cohort study from a clinical database. <i>Gynecologic Oncology</i> , 2013, 129, 97-102.                                      | 0.6 | 46        |
| 84 | MRI, PET/CT and ultrasound in the preoperative staging of endometrial cancer â€” A multicenter prospective comparative study. <i>Gynecologic Oncology</i> , 2013, 128, 300-308.                                                          | 0.6 | 183       |
| 85 | Centralized treatment of advanced stages of ovarian cancer improves survival: a nationwide Danish survey. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 273-279.                                                       | 1.3 | 37        |
| 86 | CA125 expression pattern, prognosis and correlation with serum CA125 in ovarian tumor patients. <i>Gynecologic Oncology</i> , 2007, 104, 508-515.                                                                                        | 0.6 | 122       |
| 87 | Serum tetranectin is an independent prognostic marker in colorectal cancer and weakly correlated with plasma suPAR, plasma PAI-1 and serum CEA. <i>Apmis</i> , 2002, 110, 630-638.                                                       | 0.9 | 14        |
| 88 | The prognostic value of pre-operative serum tetranectin, CA-125 and a combined index in women with primary ovarian cancer. <i>Anticancer Research</i> , 2002, 22, 1765-8.                                                                | 0.5 | 17        |
| 89 | Postpartum hematoma and vaginal packing with a blood pressure cuff. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2000, 79, 887-889.                                                                                             | 1.3 | 7         |