

# Gabriela RodrÃ-iguez-Manzo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5248711/publications.pdf>

Version: 2024-02-01

70  
papers

1,678  
citations

279798

23  
h-index

345221

36  
g-index

71  
all docs

71  
docs citations

71  
times ranked

736  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Mast cells and histamine are involved in the neuronal damage observed in a quinolinic acid-induced model of Huntington's disease. <i>Journal of Neurochemistry</i> , 2022, 160, 256-270.  | 3.9 | 4         |
| 2  | Endocannabinoids Released in the Ventral Tegmental Area During Copulation to Satiety Modulate Changes in Glutamate Receptors Associated With Synaptic Plasticity Processes. <i>Frontiers in Synaptic Neuroscience</i> , 2021, 13, 701290. | 2.5 | 3         |
| 3  | Endocannabinoids mediate long-lasting behavioural and physiological changes in male rats induced by the repeated activation of the mesolimbic system by copulation to satiety. <i>Behavioural Brain Research</i> , 2020, 383, 112510.     | 2.2 | 7         |
| 4  | Endocannabinoids. , 2020, , 1-8.  |     | 0         |
| 5  | Sexual behaviour is impaired by the abused inhalant toluene in adolescent male rats. <i>European Journal of Neuroscience</i> , 2019, 50, 2113-2123.   | 2.6 | 5         |
| 6  | Endocannabinoids Interact With the Dopaminergic System to Increase Sexual Motivation: Lessons From the Sexual Satiety Phenomenon. <i>Frontiers in Behavioral Neuroscience</i> , 2019, 13, 184.  | 2.0 | 16        |
| 7  | TLR4 Receptor Induces 2-AG-Dependent Tolerance to Lipopolysaccharide and Trafficking of CB2 Receptor in Mast Cells. <i>Journal of Immunology</i> , 2019, 202, 2360-2371.  | 0.8 | 23        |
| 8  | Sexual interaction is essential for the transformation of non-copulating rats into sexually active animals by the endocannabinoid anandamide. <i>Behavioural Brain Research</i> , 2019, 359, 418-427.                                     | 2.2 | 12        |
| 9  | Nucleus accumbens dopamine increases sexual motivation in sexually satiated male rats. <i>Psychopharmacology</i> , 2019, 236, 1303-1312.  | 3.1 | 14        |
| 10 | Opioid receptor and $\beta$ -arrestin2 densities and distribution change after sexual experience in the ventral tegmental area of male rats. <i>Physiology and Behavior</i> , 2018, 189, 107-115.   | 2.1 | 5         |
| 11 | A new role for GABAergic transmission in the control of male rat sexual behavior expression. <i>Behavioural Brain Research</i> , 2017, 320, 21-29.  | 2.2 | 13        |
| 12 | Ejaculatory training lengthens the ejaculation latency and facilitates the functioning of the spinal generator for ejaculation of rats with rapid ejaculation. <i>International Journal of Impotence Research</i> , 2017, 29, 35-42.      | 1.8 | 7         |
| 13 | Male Sexual Behavior. , 2017, , .   |     | 1         |
| 14 | Male Sexual Behavior. , 2017, , 1-57.   |     | 19        |
| 15 | Intra-VTA anandamide infusion produces dose-based biphasic effects on male rat sexual behavior expression. <i>Pharmacology Biochemistry and Behavior</i> , 2016, 150-151, 182-189.  | 2.9 | 12        |
| 16 | Biphasic effects of anandamide on behavioural responses. <i>Behavioural Pharmacology</i> , 2015, 26, 607-615.   | 1.7 | 18        |
| 17 | Unraveling the modulatory actions of serotonin on male rat sexual responses. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 55, 234-246.   | 6.1 | 27        |
| 18 | Anandamide Reduces the Ejaculatory Threshold of Sexually Sluggish Male Rats: Possible Relevance for Human Lifelong Delayed Ejaculation Disorder. <i>Journal of Sexual Medicine</i> , 2015, 12, 1128-1135.                                 | 0.6 | 14        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Glutamatergic transmission is involved in the long lasting sexual inhibition of sexually exhausted male rats. <i>Pharmacology Biochemistry and Behavior</i> , 2015, 131, 64-70.   | 2.9 | 11        |
| 20 | A Role for Learning and Memory in the Expression of an Innate Behavior. , 2014, , 135-147.  |     | 8         |
| 21 | Rhythmic motor patterns accompanying ejaculation in spinal cord-transected male rats. <i>International Journal of Impotence Research</i> , 2014, 26, 191-195.   | 1.8 | 7         |
| 22 | Effects of bupropion on the ejaculatory response of male rats. <i>International Journal of Impotence Research</i> , 2014, 26, 205-212.  | 1.8 | 3         |
| 23 | Dopamine receptors play distinct roles in sexual behavior expression of rats with a different sexual motivational tone. <i>Behavioural Pharmacology</i> , 2014, 25, 684-694.  | 1.7 | 14        |
| 24 | Low anandamide doses facilitate male rat sexual behaviour through the activation of CB1 receptors. <i>Psychopharmacology</i> , 2014, 231, 4071-4080.  | 3.1 | 22        |
| 25 | Different amounts of ejaculatory activity, a natural rewarding behavior, induce differential mu and delta opioid receptor internalization in the rat's ventral tegmental area. <i>Brain Research</i> , 2013, 1541, 22-32.   | 2.2 | 12        |
| 26 | Anandamide Transforms Noncopulating Rats into Sexually Active Animals. <i>Journal of Sexual Medicine</i> , 2013, 10, 686-693.   | 0.6 | 20        |
| 27 | The mesolimbic system participates in the naltrexone-induced reversal of sexual exhaustion: Opposite effects of intra-VTA naltrexone administration on copulation of sexually experienced and sexually exhausted male rats. <i>Behavioural Brain Research</i> , 2013, 256, 64-71.   | 2.2 | 11        |
| 28 | Endogenous opioids mediate the sexual inhibition but not the drug hypersensitivity induced by sexual satiation in male rats.. <i>Behavioral Neuroscience</i> , 2013, 127, 458-464.  | 1.2 | 11        |
| 29 | Fluoxetine Chronic Treatment Inhibits Male Rat Sexual Behavior by Affecting Both Copulatory Behavior and the Genital Motor Pattern of Ejaculation. <i>Journal of Sexual Medicine</i> , 2012, 9, 1015-1026.  | 0.6 | 13        |
| 30 | Recovery from sexual exhaustion-induced copulatory inhibition and drug hypersensitivity follow a same time course: Two expressions of a same process?. <i>Behavioural Brain Research</i> , 2011, 217, 253-260.  | 2.2 | 24        |
| 31 | Electrical stimulation of dorsal and ventral striatum differentially alters the copulatory behavior of male rats.. <i>Behavioral Neuroscience</i> , 2010, 124, 686-694.   | 1.2 | 22        |
| 32 | DMI-induced sexual effects in male rats: Analysis of DMI's acute and chronic actions on copulatory behavior and on the genital motor pattern of ejaculation. <i>Pharmacology Biochemistry and Behavior</i> , 2010, 94, 423-430.   | 2.9 | 4         |
| 33 | Participation of Endogenous Opioids in the Inhibition of the Spinal Generator for Ejaculation in Rats. <i>Journal of Sexual Medicine</i> , 2009, 6, 3045-3055.  | 0.6 | 21        |
| 34 | Male Sexual Behavior. , 2009, , 5-66.   |     | 90        |
| 35 | The spinal pattern generator for ejaculation. <i>Brain Research Reviews</i> , 2008, 58, 106-120.  | 9.0 | 80        |
| 36 | Role of nociceptin/orphanin FQ and the pseudopeptide [Phe1 <sup>Î</sup> (CH <sub>2</sub> NH)Gly <sub>2</sub> ]-nociceptin(1â€“13)-NH <sub>2</sub> and their interaction with classic opioids in the modulation of thermnociception in the land snail <i>Helix aspersa</i> . <i>European Journal of Pharmacology</i> , 2008, 581, 77-85. | 3.5 | 11        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Relationship between Sexual Satiety and Brain Androgen Receptors. <i>Neuroendocrinology</i> , 2007, 85, 16-26.  | 2.5 | 26        |
| 38 | Electrical stimulation of the ventral tegmental area exerts opposite effects on male rat sexual behaviour expression depending on the stimulated sub region. <i>Behavioural Brain Research</i> , 2007, 179, 310-313.                      | 2.2 | 16        |
| 39 | Î±-Adrenergic agents modulate the activity of the spinal pattern generator for ejaculation. <i>International Journal of Impotence Research</i> , 2006, 18, 32-38.   | 1.8 | 20        |
| 40 | Evidence for the presence of the spinal pattern generator involved in the control of the genital ejaculatory pattern in the female rat. <i>Brain Research</i> , 2006, 1084, 54-60.  | 2.2 | 8         |
| 41 | Role of genital sensory information in the control of the functioning of the spinal generator for ejaculation. <i>International Journal of Impotence Research</i> , 2005, 17, 114-120.  | 1.8 | 23        |
| 42 | Evidence for the presence and functioning of the spinal generator for ejaculation in the neonatal male rat. <i>International Journal of Impotence Research</i> , 2005, 17, 270-276.   | 1.8 | 21        |
| 43 | Ejaculation induces long-lasting behavioural changes in male rats in the forced swimming test: evidence for an increased sensitivity to the antidepressant desipramine. <i>Brain Research Bulletin</i> , 2005, 65, 323-329.               | 3.0 | 15        |
| 44 | Aphrodisiac properties of <i>Montanoa tomentosa</i> aqueous crude extract in male rats. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 78, 129-134.  | 2.9 | 61        |
| 45 | Self-injury behaviour induced by intraplantar carrageenan infiltration: a model of tonic nociception. <i>Brain Research Protocols</i> , 2004, 13, 37-44.  | 1.6 | 7         |
| 46 | Sexual behavior reduces hypothalamic androgen receptor immunoreactivity. <i>Psychoneuroendocrinology</i> , 2003, 28, 501-512.   | 2.7 | 46        |
| 47 | Evidence for the involvement of a spinal pattern generator in the control of the genital motor pattern of ejaculation. <i>Brain Research</i> , 2003, 975, 222-228.  | 2.2 | 65        |
| 48 | Pharmacological and physiological aspects of sexual exhaustion in male rats. <i>Scandinavian Journal of Psychology</i> , 2003, 44, 257-263.   | 1.5 | 33        |
| 49 | Yohimbine reverses the exhaustion of the coital reflex in spinal male rats. <i>Behavioural Brain Research</i> , 2003, 141, 43-50.   | 2.2 | 34        |
| 50 | Evidence for changes in brain enkephalin contents associated to male rat sexual activity. <i>Behavioural Brain Research</i> , 2002, 131, 47-55.   | 2.2 | 37        |
| 51 | Participation of 5-HT1B receptors in the inhibitory actions of serotonin on masculine sexual behaviour of mice: pharmacological analysis in 5-HT1B receptor knockout mice. <i>British Journal of Pharmacology</i> , 2002, 136, 1127-1134. | 5.4 | 28        |
| 52 | Exhaustion of the coital reflex in spinal male rats is reversed by the serotonergic agonist 8-OH-DPAT. <i>Behavioural Brain Research</i> , 2001, 118, 161-168.  | 2.2 | 14        |
| 53 | Stimulation of the medial preoptic area facilitates sexual behavior but does not reverse sexual satiation.. <i>Behavioral Neuroscience</i> , 2000, 114, 553-560.  | 1.2 | 55        |
| 54 | Gender differences in the cardiovascular responses to morphine and naloxone in spinal rats. <i>European Journal of Pharmacology</i> , 2000, 397, 121-128.   | 3.5 | 15        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Sensory and motor aspects of the coital reflex in the spinal male rat. Behavioural Brain Research, 2000, 108, 97-103.   | 2.2 | 36        |
| 56 | Stimulation of the medial preoptic area facilitates sexual behavior but does not reverse sexual satiation.. Behavioral Neuroscience, 2000, 114, 553-560.  | 1.2 | 1         |
| 57 | Stimulation of the medical preoptic area facilitates sexual behavior but does not reverse sexual satiation. Behavioral Neuroscience, 2000, 114, 553-60.   | 1.2 | 11        |
| 58 | Yohimbine interacts with the dopaminergic system to reverse sexual satiation: further evidence for a role of sexual motivation in sexual exhaustion. European Journal of Pharmacology, 1999, 372, 1-8.                    | 3.5 | 45        |
| 59 | Blockade of the establishment of the sexual inhibition resulting from sexual exhaustion by the Coolidge effect. Behavioural Brain Research, 1999, 100, 245-254.   | 2.2 | 30        |
| 60 | Anxiolytic-Like Effect of Ejaculation Under Various Sexual Behavior Conditions in the Male Rat. Physiology and Behavior, 1999, 67, 651-657.   | 2.1 | 50        |
| 61 | Reversal of progesterone-induced sequential inhibition by progesterone metabolites. Journal of Physiology (Paris), 1997, 91, 57-62.   | 2.1 | 0         |
| 62 | 8-OH-DPAT and Male Rat Sexual Behavior: Partial Blockade by Noradrenergic Lesion and Sexual Exhaustion. Pharmacology Biochemistry and Behavior, 1997, 56, 111-116.  | 2.9 | 30        |
| 63 | Opioid antagonists and the sexual satiation phenomenon. Psychopharmacology, 1995, 122, 131-136.   | 3.1 | 63        |
| 64 | Participation of the central noradrenergic system in the reestablishment of copulatory behavior of sexually exhausted rats by yohimbine, naloxone, and 8-OH-DPAT. Brain Research Bulletin, 1995, 38, 399-404.             | 3.0 | 62        |
| 65 | Reversal of sexual exhaustion by serotonergic and noradrenergic agents. Behavioural Brain Research, 1994, 62, 127-134.  | 2.2 | 110       |
| 66 | Further evidence showing that the inhibitory action of serotonin on rat masculine sexual behavior is mediated after the stimulation of 5-HT1B receptors. Pharmacology Biochemistry and Behavior, 1992, 42, 529-533.       | 2.9 | 34        |
| 67 | Facilitation of lordosis behavior in ovariectomized estrogen-primed rats by medial preoptic implantation of 5Î², 3Î², pregnanolone: A ring A reduced progesterone metabolite. Physiology and Behavior, 1986, 36, 277-281. | 2.1 | 19        |
| 68 | Effect of progesterone upon adenylate cyclase activity and cAMP levels on brain areas. Pharmacology Biochemistry and Behavior, 1985, 23, 501-504.   | 2.9 | 33        |
| 69 | Effect of guanine derivatives on lordosis behavior in estrogen primed rats. Physiology and Behavior, 1983, 31, 589-92.  | 2.1 | 25        |
| 70 | Induction of female sexual behavior by GTP in ovariectomized estrogen primed rats. Physiology and Behavior, 1982, 28, 1073-1076.  | 2.1 | 19        |