

Ronaldo Sousa

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5249078/ronaldo-sousa-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125
papers

5,670
citations

35
h-index

73
g-index

133
ext. papers

6,891
ext. citations

4
avg, IF

5.72
L-index

#	Paper	IF	Citations
125	Impacts of biological invasions: what's what and the way forward. <i>Trends in Ecology and Evolution</i> , 2013 , 28, 58-66	10.9	1694
124	Conservation status of freshwater mussels in Europe: state of the art and future challenges. <i>Biological Reviews</i> , 2017 , 92, 572-607	13.5	284
123	Non-indigenous invasive bivalves as ecosystem engineers. <i>Biological Invasions</i> , 2009 , 11, 2367-2385	2.7	264
122	Ecology of the invasive Asian clam <i>Corbicula fluminea</i> (Müller, 1774) in aquatic ecosystems: an overview. <i>Annales De Limnologie</i> , 2008 , 44, 85-94	0.7	193
121	Invasive bivalves in fresh waters: impacts from individuals to ecosystems and possible control strategies. <i>Hydrobiologia</i> , 2014 , 735, 233-251	2.4	156
120	Conservation of freshwater bivalves at the global scale: diversity, threats and research needs. <i>Hydrobiologia</i> , 2018 , 810, 1-14	2.4	146
119	Biology and conservation of freshwater bivalves: past, present and future perspectives. <i>Hydrobiologia</i> , 2014 , 735, 1-13	2.4	107
118	Phylogeny of the most species-rich freshwater bivalve family (Bivalvia: Unionida: Unionidae): Defining modern subfamilies and tribes. <i>Molecular Phylogenetics and Evolution</i> , 2017 , 106, 174-191	4.1	99
117	Impacts of climate change and land-use scenarios on Margaritifera margaritifera, an environmental indicator and endangered species. <i>Science of the Total Environment</i> , 2015 , 511, 477-88	10.2	88
116	Research priorities for freshwater mussel conservation assessment. <i>Biological Conservation</i> , 2019 , 231, 77-87	6.2	88
115	Secondary production as a tool for better understanding of aquatic ecosystems. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2012 , 69, 1230-1253	2.4	79
114	Diversity, biogeography and conservation of freshwater mussels (Bivalvia: Unionida) in East and Southeast Asia. <i>Hydrobiologia</i> , 2018 , 810, 29-44	2.4	77
113	Growth and extremely high production of the non-indigenous invasive species <i>Corbicula fluminea</i> (Müller, 1774): Possible implications for ecosystem functioning. <i>Estuarine, Coastal and Shelf Science</i> , 2008 , 80, 289-295	2.9	76
112	Molluscan fauna in the freshwater tidal area of the River Minho estuary, NW of Iberian Peninsula. <i>Annales De Limnologie</i> , 2005 , 41, 141-147	0.7	75
111	Abiotic impacts on spatial and temporal distribution of <i>Corbicula fluminea</i> (Müller, 1774) in the River Minho estuary, Portugal. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2008 , 18, 98-110	2.6	70
110	Subtidal macrozoobenthic assemblages along the River Minho estuarine gradient (north-west Iberian Peninsula). <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2008 , 18, 1063-1077	2.6	68
109	Distribution of <i>Corbicula fluminea</i> (Müller, 1774) in the invaded range: a geographic approach with notes on species traits variability. <i>Biological Invasions</i> , 2015 , 17, 2087-2101	2.7	65

108	Massive die-offs of freshwater bivalves as resource pulses. <i>Annales De Limnologie</i> , 2012 , 48, 105-112	0.7	65
107	Fish and mussels: Importance of fish for freshwater mussel conservation. <i>Fish and Fisheries</i> , 2018 , 19, 244-259	6	62
106	Fouling of European freshwater bivalves (Unionidae) by the invasive zebra mussel (<i>Dreissena polymorpha</i>). <i>Freshwater Biology</i> , 2011 , 56, 867-876	3.1	61
105	Factors driving changes in freshwater mussel (<i>Bivalvia</i> , <i>Unionida</i>) diversity and distribution in Peninsular Malaysia. <i>Science of the Total Environment</i> , 2016 , 571, 1069-78	10.2	60
104	Minho River tidal freshwater wetlands: threats to faunal biodiversity. <i>Aquatic Biology</i> , 2008 , 3, 237-250	2	58
103	Spatial Subtidal Macrobenthic Distribution in Relation to Abiotic Conditions in the Lima Estuary, NW of Portugal. <i>Hydrobiologia</i> , 2006 , 559, 135-148	2.4	50
102	Massive mortality of the Asian clam <i>Corbicula fluminea</i> in a highly invaded area. <i>Biological Invasions</i> , 2011 , 13, 277-280	2.7	49
101	Who lives where? Molecular and morphometric analyses clarify which <i>Unio</i> species (<i>Unionida</i> , <i>Mollusca</i>) inhabit the southwestern Palearctic. <i>Organisms Diversity and Evolution</i> , 2016 , 16, 597-611	1.7	47
100	Biotic homogenization as a threat to native affiliate species: fish introductions dilute freshwater mussel's host resources. <i>Diversity and Distributions</i> , 2013 , 19, 933-942	5	46
99	Genetic and shell morphological variability of the invasive bivalve <i>Corbicula fluminea</i> (Müller, 1774) in two Portuguese estuaries. <i>Estuarine, Coastal and Shelf Science</i> , 2007 , 74, 166-174	2.9	46
98	Species composition and monthly variation of the Molluscan fauna in the freshwater subtidal area of the River Minho estuary. <i>Estuarine, Coastal and Shelf Science</i> , 2007 , 75, 90-100	2.9	45
97	Negative effects of <i>Corbicula fluminea</i> over native freshwater mussels. <i>Hydrobiologia</i> , 2018 , 810, 85-95	2.4	44
96	Starting a DNA barcode reference library for shallow water polychaetes from the southern European Atlantic coast. <i>Molecular Ecology Resources</i> , 2016 , 16, 298-313	8.4	44
95	Biological invasions and ecosystem functioning: time to merge. <i>Biological Invasions</i> , 2011 , 13, 1055-1058	2.7	42
94	Genetic diversity of the pan-European freshwater mussel <i>Anodonta anatina</i> (<i>Bivalvia</i> : <i>Unionoida</i>) based on CO1: new phylogenetic insights and implications for conservation. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2014 , 24, 561-574	2.6	38
93	Expansion and systematics redefinition of the most threatened freshwater mussel family, the Margaritiferidae. <i>Molecular Phylogenetics and Evolution</i> , 2018 , 127, 98-118	4.1	37
92	Associated macrozoobenthos with the invasive Asian clam <i>Corbicula fluminea</i> . <i>Journal of Sea Research</i> , 2012 , 72, 113-120	1.9	36
91	Invasive Chinese pond mussel <i>Sinanodonta woodiana</i> threatens native mussel reproduction by inducing cross-resistance of host fish. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2017 , 27, 1325-1333	2.6	35

90	Reproductive cycle and strategy of <i>Anodonta anatina</i> (L., 1758): notes on hermaphroditism. <i>Journal of Experimental Zoology</i> , 2013 , 319, 378-90		34
89	Factors influencing the occurrence and distribution of <i>Corbicula fluminea</i> (Müller, 1774) in the River Lima estuary. <i>Annales De Limnologie</i> , 2006 , 42, 165-171	0.7	34
88	Influence of the invasive Asian clam <i>Corbicula fluminea</i> (Bivalvia: Corbiculidae) on estuarine epibenthic assemblages. <i>Estuarine, Coastal and Shelf Science</i> , 2014 , 143, 12-19	2.9	33
87	Massive mortality of invasive bivalves as a potential resource subsidy for the adjacent terrestrial food web. <i>Hydrobiologia</i> , 2014 , 735, 253-262	2.4	33
86	Toward an integrated ecosystem perspective of invasive species impacts. <i>Acta Oecologica</i> , 2014 , 54, 131-138	1.7	31
85	Empty native and invasive bivalve shells as benthic habitat modifiers in a large river. <i>Limnologica</i> , 2014 , 49, 1-9	2	30
84	Ecology of southern European pearl mussels (<i>Margaritifera margaritifera</i>): first record of two new populations on the rivers Terva and Beil (Portugal). <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2013 , 23, 374-389	2.6	30
83	Conservation status of the freshwater pearl mussel <i>Margaritifera margaritifera</i> in Portugal. <i>Limnologica</i> , 2015 , 50, 4-10	2	29
82	Towards a taxonomically unbiased European Union biodiversity strategy for 2030. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020 , 287, 20202166	4.4	28
81	Die-offs of the endangered pearl mussel <i>Margaritifera margaritifera</i> during an extreme drought. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2018 , 28, 1244-1248	2.6	28
80	Phylogeny, phylogeography, and evolution in the Mediterranean region: News from a freshwater mussel (<i>Potomida</i> , Unionida). <i>Molecular Phylogenetics and Evolution</i> , 2016 , 100, 322-332	4.1	27
79	Changes and drivers of freshwater mussel diversity and distribution in northern Borneo. <i>Biological Conservation</i> , 2018 , 219, 126-137	6.2	25
78	Impact of <i>Dreissena</i> fouling on the physiological condition of native and invasive bivalves: interspecific and temporal variations. <i>Biological Invasions</i> , 2014 , 16, 1373-1386	2.7	24
77	Pearl mussels (<i>Margaritifera marocana</i>) in Morocco: Conservation status of the rarest bivalve in African fresh waters. <i>Science of the Total Environment</i> , 2016 , 547, 405-412	10.2	23
76	Lifting the curtain on the freshwater mussel diversity of the Italian Peninsula and Croatian Adriatic coast. <i>Biodiversity and Conservation</i> , 2017 , 26, 3255-3274	3.4	23
75	Contrasting morphological and DNA barcode-suggested species boundaries among shallow-water amphipod fauna from the southern European Atlantic coast. <i>Genome</i> , 2017 , 60, 147-157	2.4	23
74	Factors influencing epibenthic assemblages in the Minho Estuary (NW Iberian Peninsula). <i>Marine Pollution Bulletin</i> , 2010 , 61, 240-6	6.7	23
73	Non-native freshwater fauna in Portugal: A review. <i>Science of the Total Environment</i> , 2019 , 650, 1923-1934	14.2	23

72	Low Genetic Diversity and High Invasion Success of <i>Corbicula fluminea</i> (Bivalvia, Corbiculidae) (Müller, 1774) in Portugal. <i>PLoS ONE</i> , 2016 , 11, e0158108	3.7	21
71	Rapid decline of the greater European peaclam at the periphery of its distribution. <i>Annales De Limnologie</i> , 2011 , 47, 211-219	0.7	20
70	Freshwater mollusc assemblages and habitat associations in the Danube River drainage, Hungary. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2016 , 26, 319-332	2.6	20
69	Effects of the invasive clam <i>Corbicula fluminea</i> (Müller, 1774) on an estuarine microbial community. <i>Science of the Total Environment</i> , 2016 , 566-567, 1168-1175	10.2	19
68	From water to land: How an invasive clam may function as a resource pulse to terrestrial invertebrates. <i>Science of the Total Environment</i> , 2015 , 538, 664-71	10.2	18
67	Contrasting decay rates of freshwater bivalves shells: Aquatic versus terrestrial habitats. <i>Limnologica</i> , 2015 , 51, 8-14	2	18
66	Ecological quality assessment of the lower Lima Estuary. <i>Marine Pollution Bulletin</i> , 2010 , 61, 234-9	6.7	18
65	The male and female complete mitochondrial genome sequences of the Endangered freshwater mussel <i>Potomida littoralis</i> (Cuvier, 1798) (Bivalvia: Unionidae). <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2016 , 27, 3571-2	1.3	17
64	Current and future effects of global change on a hotspot's freshwater diversity. <i>Science of the Total Environment</i> , 2018 , 635, 750-760	10.2	17
63	Habitat modifications by sea lampreys (<i>Petromyzon marinus</i>) during the spawning season: effects on sediments. <i>Journal of Applied Ichthyology</i> , 2012 , 28, 766-771	0.9	17
62	Ecological status of a <i>Margaritifera margaritifera</i> (Linnaeus, 1758) population at the southern edge of its distribution (River Paiva, Portugal). <i>Environmental Management</i> , 2013 , 52, 1230-8	3.1	17
61	Fine-scale determinants of conservation value of river reaches in a hotspot of native and non-native species diversity. <i>Science of the Total Environment</i> , 2017 , 574, 455-466	10.2	17
60	Physical legacy of freshwater bivalves: Effects of habitat complexity on the taxonomical and functional diversity of invertebrates. <i>Science of the Total Environment</i> , 2018 , 634, 1398-1405	10.2	16
59	Inter- and intraspecific variation of carbon and nitrogen stable isotope ratios in freshwater bivalves. <i>Hydrobiologia</i> , 2016 , 765, 149-158	2.4	16
58	Facilitation in the low intertidal: effects of an invasive species on the structure of an estuarine macrozoobenthic assemblage. <i>Marine Ecology - Progress Series</i> , 2015 , 522, 157-167	2.6	16
57	The first <i>Margaritifera</i> male (M-type) mitogenome: mitochondrial gene order as a potential character for determining higher-order phylogeny within Unionida (Bivalvia). <i>Journal of Molluscan Studies</i> , 2017 , 83, 249-252	1.1	15
56	Potential impacts of the invasive species <i>Corbicula fluminea</i> on the survival of glochidia. <i>Science of the Total Environment</i> , 2019 , 673, 157-164	10.2	15
55	Newly developed microsatellite markers for the pan-European duck mussel, <i>Anodonta anatina</i> : revisiting the main mitochondrial lineages. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2016 , 26, 307-318	2.6	15

54	Spatial distribution of bivalves in relation to environmental conditions (middle Danube catchment, Hungary). <i>Community Ecology</i> , 2011 , 12, 210-219	1.2	15
53	A tale of shells and claws: The signal crayfish as a threat to the pearl mussel <i>Margaritifera margaritifera</i> in Europe. <i>Science of the Total Environment</i> , 2019 , 665, 329-337	10.2	15
52	Invasive crayfishes as a threat to freshwater bivalves: Interspecific differences and conservation implications. <i>Science of the Total Environment</i> , 2019 , 649, 938-948	10.2	15
51	Factors Affecting <i>Pisidium amnicum</i> (Müller, 1774; Bivalvia: Sphaeriidae) Distribution in the River Minho Estuary: Consequences for its Conservation. <i>Estuaries and Coasts</i> , 2008 , 31, 1198-1207	2.8	14
50	Salinity tolerance of marbled crayfish <i>Procambarus fallaxf.virginialis</i> . <i>Knowledge and Management of Aquatic Ecosystems</i> , 2017 , 21	1.4	13
49	Small hydropower plants as a threat to the endangered pearl mussel <i>Margaritifera margaritifera</i> . <i>Science of the Total Environment</i> , 2020 , 719, 137361	10.2	13
48	Direct and indirect effects of an invasive omnivore crayfish on leaf litter decomposition. <i>Science of the Total Environment</i> , 2016 , 541, 714-720	10.2	13
47	Assessing the morphological variability of <i>Unio delphinus</i> Spengler, 1783 (Bivalvia: Unionidae) using geometric morphometry. <i>Journal of Molluscan Studies</i> , 2014 , 80, 17-23	1.1	13
46	Mesozoic mitogenome rearrangements and freshwater mussel (Bivalvia: Unionoidea) macroevolution. <i>Heredity</i> , 2020 , 124, 182-196	3.6	13
45	Freshwater conservation assessments in (semi-)arid regions: Testing river intermittence and buffer strategies using freshwater mussels (Bivalvia, Unionida) in Morocco. <i>Biological Conservation</i> , 2019 , 236, 420-434	6.2	12
44	Mass Mortality Events of Invasive Freshwater Bivalves: Current Understanding and Potential Directions for Future Research. <i>Frontiers in Ecology and Evolution</i> , 2019 , 7,	3.7	11
43	Oued Bouhrou: A new hope for the Moroccan pearl mussel. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2018 , 28, 247-251	2.6	10
42	Is the body condition of the invasive zebra mussel (<i>Dreissena polymorpha</i>) enhanced through attachment to native freshwater mussels (Bivalvia, Unionidae)? <i>Science of the Total Environment</i> , 2016 , 553, 243-249	10.2	10
41	Seasonal changes in fish assemblages in the River Minho tidal freshwater wetlands, NW of the Iberian Peninsula. <i>Annales De Limnologie</i> , 2014 , 50, 185-198	0.7	10
40	Development and multiplexing of microsatellite loci for the near threatened freshwater mussel <i>Potomida littoralis</i> (Cuvier, 1798) using 454 sequencing. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2013 , 23, 619-623	2.6	10
39	Growth and production of <i>Pisidium amnicum</i> in the freshwater tidal area of the River Minho estuary. <i>Estuarine, Coastal and Shelf Science</i> , 2008 , 79, 467-474	2.9	10
38	Decay and persistence of empty bivalve shells in a temperate riverine system. <i>Science of the Total Environment</i> , 2019 , 683, 185-192	10.2	9
37	Differences in the macrozoobenthic fauna colonising empty bivalve shells before and after invasion by <i>Corbicula fluminea</i> . <i>Marine and Freshwater Research</i> , 2015 , 66, 549	2.2	9

36	Invasive dynamics of the crayfish <i>Procambarus clarkii</i> (Girard, 1852) in the international section of the River Minho (NW of the Iberian Peninsula). <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2013 , 23, n/a-n/a	2.6	9
35	Refuge in the sãya: Irrigation canals as habitat for one of the world's 100 most threatened species. <i>Biological Conservation</i> , 2019 , 238, 108209	6.2	8
34	Small-scale spatial variation of meiofaunal communities in Lima estuary (NW Portugal) assessed through metabarcoding. <i>Estuarine, Coastal and Shelf Science</i> , 2020 , 238, 106683	2.9	8
33	First results on the genetic diversity of the invasive signal crayfish <i>Pacifastacus leniusculus</i> (Dana, 1852) in Europe using novel microsatellite loci. <i>Journal of Applied Genetics</i> , 2015 , 56, 375-80	2.5	8
32	Spatial and temporal dynamics of <i>Corbicula fluminea</i> (Müller, 1774) in relation to environmental variables in the Mondego Estuary (Portugal). <i>Journal of Molluscan Studies</i> , 2013 , 79, 302-309	1.1	7
31	Setting the stage for new ecological indicator species: A holistic case study on the Iberian dolphin freshwater mussel <i>Unio delphinus</i> Spengler, 1793. <i>Ecological Indicators</i> , 2020 , 111, 105987	5.8	7
30	Effects of invasive aquatic carrion on soil chemistry and terrestrial microbial communities. <i>Biological Invasions</i> , 2017 , 19, 2491-2502	2.7	6
29	Water mill canals as habitat for <i>Margaritifera margaritifera</i> : Stable refuge or an ecological trap?. <i>Ecological Indicators</i> , 2019 , 106, 105469	5.8	6
28	First record of the freshwater jellyfish <i>Craspedacusta sowerbii</i> Lankester, 1880 in Greece suggests distinct European invasion events. <i>Limnology</i> , 2015 , 16, 171-177	1.7	6
27	Major shortfalls impairing knowledge and conservation of freshwater molluscs. <i>Hydrobiologia</i> , 2021 , 848, 2831-2867	2.4	6
26	Sensitivity of <i>Pseudunio auricularius</i> to metals and ammonia: first evaluation. <i>Hydrobiologia</i> , 2021 , 848, 2977-2992	2.4	6
25	The strange case of the tetragenous <i>Anodonta anatina</i> . <i>Journal of Experimental Zoology</i> , 2016 , 325, 52-6		5
24	Mitogenomic phylogeny and fossil-calibrated mutation rates for all F- and M-type mtDNA genes of the largest freshwater mussel family, the Unionidae (Bivalvia). <i>Zoological Journal of the Linnean Society</i> ,	2.4	5
23	The role of anthropogenic habitats in freshwater mussel conservation. <i>Global Change Biology</i> , 2021 , 27, 2298-2314	11.4	5
22	Assessment of a terrestrial protected area for the conservation of freshwater biodiversity. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2021 , 31, 520-530	2.6	5
21	Time travelling through local ecological knowledge regarding an endangered species. <i>Science of the Total Environment</i> , 2020 , 739, 140047	10.2	4
20	The male and female complete mitochondrial genomes of the threatened freshwater pearl mussel <i>Margaritifera margaritifera</i> (Linnaeus, 1758) (Bivalvia: Margaritiferidae). <i>Mitochondrial DNA Part B: Resources</i> , 2019 , 4, 1417-1420	0.5	3
19	Riparian vegetation subsidizes sea lamprey ammocoetes in a nursery area. <i>Aquatic Sciences</i> , 2019 , 81, 1	2.5	3

18	Origin and history of Phoxinus (Cyprinidae) introductions in the Douro Basin (Iberian Peninsula): an update inferred from genetic data. <i>Biological Invasions</i> , 2020 , 22, 2409-2419	2.7	3
17	Meiofauna metabarcoding in Lima estuary (Portugal) suggests high taxon replacement within a background of network stability. <i>Regional Studies in Marine Science</i> , 2020 , 38, 101341	1.5	3
16	Effects of intrapopulation phenotypic traits of invasive crayfish on leaf litter processing. <i>Hydrobiologia</i> , 2018 , 819, 67-75	2.4	3
15	Palatability of the Asian clam <i>Corbicula fluminea</i> (Müller 1774) in an invaded system. <i>Hydrobiologia</i> , 2018 , 810, 97-108	2.4	3
14	Trophic niche overlap between native freshwater mussels (Order: Unionida) and the invasive <i>Corbicula fluminea</i> . <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2021 , 31, 2058-2071	2.6	3
13	Fish hosts of the freshwater mussel <i>Unio foucauldianus</i> Pallary, 1936. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2019 , 29, 2176-2184	2.6	2
12	From the lab to the river: Determination of ecological hosts of <i>Anodonta anatina</i> . <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2020 , 30, 988-999	2.6	2
11	Effects of an extreme drought on the endangered pearl mussel <i>Margaritifera margaritifera</i> : a before/after assessment. <i>Hydrobiologia</i> , 2021 , 848, 3003-3013	2.4	2
10	Captive breeding of <i>Margaritifera auricularia</i> (Spengler, 1793) and its conservation importance. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2019 , 29, 1771-1784	2.6	1
9	A massive freshwater mussel bed (Bivalvia: Unionidae) in a small river in Ukraine. <i>Folia Malacologica</i> , 2015 , 23, 273-277	0.5	1
8	and low-cost monitoring of particles falling from freshwater animals: from microplastics to parasites 2020 , 8, coaa088		1
7	The Portuguese Coast 2019 , 189-208		1
6	<i>Microcondylaea bonellii</i> as a new host for the European bitterling <i>Rhodeus amarus</i> . <i>Knowledge and Management of Aquatic Ecosystems</i> , 2020 , 4	1.4	1
5	Alarming decline of freshwater trigger species in western Mediterranean key biodiversity areas. <i>Conservation Biology</i> , 2021 , 35, 1367-1379	6	1
4	Combined per-capita and abundance effects of an invasive species on native invertebrate diversity and a key ecosystem process. <i>Freshwater Biology</i> , 2022 , 67, 828-841	3.1	1
3	Spatio-temporal and intra-specific variations in the physiological and biochemical condition of the invasive bivalve <i>Corbicula fluminea</i> . <i>Hydrobiologia</i> , 1	2.4	0
2	Predicting climatic threats to an endangered freshwater mussel in Europe: The need to account for fish hosts. <i>Freshwater Biology</i> , 2022 , 67, 842-856	3.1	0
1	S204 MIA-INDUCED OSTEOARTHRITIS SHOWS DOSE-DEPENDENT EXPRESSION OF NEURONAL INJURY MARKERS. <i>European Journal of Pain Supplements</i> , 2011 , 5, 224-224		

