
Iris Leister

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5249796/publications.pdf Version: 2024-02-01



DIC FICTED

#	Article	IF	CITATIONS
1	Biomarkers in Traumatic Spinal Cord Injury—Technical and Clinical Considerations: A Systematic Review. Neurorehabilitation and Neural Repair, 2020, 34, 95-110.	2.9	34
2	Return to Sports after Anterior Cruciate Ligament Injury: aÂMatched-Pair Analysis of Repair with Internal Brace and Reconstruction Using Hamstring or Quadriceps Tendons. Sportverletzung-Sportschaden, 2021, 35, 36-44.	0.9	21
3	Reference values for fatigued versus non-fatigued limb symmetry index measured by a newly designed single-leg hop test battery in healthy subjects: a pilot study. Sport Sciences for Health, 2018, 14, 105-113.	1.3	18
4	The Leukotriene Receptor Antagonist Montelukast Reduces Alpha-Synuclein Load and Restores Memory in an Animal Model of Dementia with Lewy Bodies. Neurotherapeutics, 2020, 17, 1061-1074.	4.4	17
5	Functional performance testing and return to sport criteria in patients after anterior cruciate ligament injury 12–18 months after index surgery: A cross-sectional observational study. Physical Therapy in Sport, 2019, 37, 1-9.	1.9	13
6	Serum Levels of Glial Fibrillary Acidic Protein and Neurofilament Light Protein Are Related to the Neurological Impairment and Spinal Edema after Traumatic Spinal Cord Injury. Journal of Neurotrauma, 2021, 38, 3431-3439.	3.4	9
7	Routine Blood Chemistry Predicts Functional Recovery After Traumatic Spinal Cord Injury: A Post Hoc Analysis. Neurorehabilitation and Neural Repair, 2021, 35, 321-333.	2.9	7
8	Clinical and radiological results after Internal Brace suture versus theÂall-inside reconstruction technique in anterior cruciate ligament tears 12 to 18 months after index surgery. Sportverletzung-Sportschaden, 2021, 35, 103-114.	0.9	7
9	The effect of extracorporeal shock wave therapy in acute traumatic spinal cord injury on motor and sensory function within 6 months post-injury: a study protocol for a two-arm three-stage adaptive, prospective, multi-center, randomized, blinded, placebo-controlled clinical trial. Trials, 2022, 23, 245.	1.6	6
10	Minimally invasive surgery for intra-articular calcaneus fractures: a 9-year, single-center, retrospective study of a standardized technique using a 2-point distractor. BMC Musculoskeletal Disorders, 2020, 21, 753.	1.9	3
11	Systemic Immune Profile Predicts the Development of Infections in Patients with Spinal Cord Injuries. Journal of Neurotrauma, 2022, 39, 1678-1686.	3.4	2