

# Stephanie Stiel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5249872/publications.pdf>

Version: 2024-02-01

71  
papers

1,339  
citations

430874

18  
h-index

414414

32  
g-index

100  
all docs

100  
docs citations

100  
times ranked

1200  
citing authors

#	ARTICLE	IF	CITATIONS
1	“She Can’t Support Me Because She’s so Old”: A Mixed-Methods Study of Support Experiences and Needs in Adult Child-Parent Dyads at the End of Life. <i>Omega: Journal of Death and Dying</i> , 2023, 86, 1371-1387.	1.0	2
2	The frequency and time point of outpatient palliative care integration for people before death: an analysis of health insurance data in Lower Saxony, Germany. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2023, 31, 1351-1359.	1.6	1
3	“Mums are sacred, and mums don’t die”: A mixed-methods study of adult child-parent dyadic relationships at the end of life. <i>Journal of Psychosocial Oncology</i> , 2022, 40, 152-168.	1.2	5
4	Consensus-based recommendations for psychosocial support measures for parents and adult children at the end of life: results of a Delphi study in Germany. <i>Supportive Care in Cancer</i> , 2022, 30, 669-676.	2.2	0
5	Improving primary palliative care – a Delphi consensus study on measures for general practice in Germany. , 2022, 23, 12.		0
6	Neuropsychiatric Symptoms in Parkinson’s Disease Patients Are Associated with Reduced Health-Related Quality of Life and Increased Caregiver Burden. <i>Brain Sciences</i> , 2022, 12, 89.	2.3	17
7	Perceived stress and study-related behavior and experience patterns of medical students: a cross-sectional study. <i>BMC Medical Education</i> , 2022, 22, 122.	2.4	12
8	Quality of end-of-life care in general practice – a pre-post comparison of a two-tiered intervention. , 2022, 23, 90.		5
9	Intercountry and intracountry variations in opinions of palliative care specialist physicians in Germany, Italy, Japan and UK about continuous use of sedatives: an international cross-sectional survey. <i>BMJ Open</i> , 2022, 12, e060489.	1.9	4
10	Long-distance caregiving at the end of life: a protocol for an exploratory qualitative study in Germany. <i>BMC Palliative Care</i> , 2022, 21, 69.	1.8	2
11	Analysis of Parkinson’s Disease Outpatient Counselling for Advance Directive Creation: A Cross-Sectional Questionnaire-Based Survey of German General Practitioners and Neurologists. <i>Brain Sciences</i> , 2022, 12, 749.	2.3	3
12	Methodological Reflections on the Recruitment of Adult Child-Parent Dyads for End-of-Life Research in Germany: Experiences From the Dy@EoL Study. <i>Journal of Pain and Symptom Management</i> , 2021, 61, 1196-1204.e1.	1.2	4
13	One Year Trajectory of Caregiver Burden in Parkinson’s Disease and Analysis of Gender-Specific Aspects. <i>Brain Sciences</i> , 2021, 11, 295.	2.3	19
14	Communication in dyads of adult children at the end of life with their parents and parents at the end of life with their adult children: Findings from a mixed-methods study. <i>Psycho-Oncology</i> , 2021, 30, 1535-1543.	2.3	2
15	Exploring the status of and demand for palliative day-care clinics and day hospices in Germany: a protocol for a mixed-methods study. <i>BMC Palliative Care</i> , 2021, 20, 94.	1.8	5
16	Status, demand and practice models of palliative day-care clinics and day hospices: a scoping review. <i>BMJ Supportive and Palliative Care</i> , 2021, , bmjspcare-2021-003171.	1.6	4
17	Experiences, challenges and perspectives for ensuring end-of-life patient care: A national online survey with general practitioners in Germany. <i>PLoS ONE</i> , 2021, 16, e0254056.	2.5	13
18	Analysing the administration of an intermediate level of outpatient palliative care in Germany and developing recommendations for improvement (Polite): A study protocol for a mixed-methods study. <i>PLoS ONE</i> , 2021, 16, e0256467.	2.5	4

#	ARTICLE	IF	CITATIONS
19	Analysis of Transition of Patients with Parkinson's Disease into Institutional Care: A Retrospective Pilot Study. <i>Brain Sciences</i> , 2021, 11, 1470.	2.3	9
20	„... and then no more kisses!“ Exploring patients' experiences on multidrug-resistant bacterial microorganisms and hygiene measures in end-of-life care A mixed-methods study. <i>Palliative Medicine</i> , 2020, 34, 219-230.	3.1	5
21	Caring for frail older patients in the last phase of life. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2020, 53, 763-769.	1.8	18
22	Assessment of the quality of end-of-life care: translation and validation of the German version of the „Care of the Dying Evaluation“ (CODE-GER) - a questionnaire for bereaved relatives. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 311.	2.4	7
23	Quality indicators for the evaluation of end-of-life care in Germany – a retrospective cross-sectional analysis of statutory health insurance data. <i>BMC Palliative Care</i> , 2020, 19, 187.	1.8	18
24	Adult Child-Parent Dyadic Interactions at the End of Life: A Scoping Review. <i>BMJ Supportive and Palliative Care</i> , 2020, 10, 175-185.	1.6	9
25	The quality of care of the dying in hospital – next-of-kin perspectives. <i>Supportive Care in Cancer</i> , 2020, 28, 4527-4537.	2.2	5
26	Consensus-Based Recommendations for Advance Directives of People with Parkinson's Disease in Regard to Typical Complications by German Movement Disorder Specialists. <i>Journal of Clinical Medicine</i> , 2020, 9, 449.	2.4	7
27	Hospital end-of-life care: families' free-text notes. <i>BMJ Supportive and Palliative Care</i> , 2020, , bmjspcare-2020-00239.	1.6	4
28	Postgraduate palliative care education and curricular issues in Central Asia, Eastern and South-Eastern Europe: Results from a quantitative study. <i>Palliative Medicine in Practice</i> , 2020, 14, 81-88.	0.1	6
29	What do positive and negative experiences of patients, relatives, general practitioners, medical assistants, and nurses tell us about barriers and supporting factors in outpatient palliative care? A critical incident interview study. <i>GMS German Medical Science</i> , 2020, 18, Doc08.	2.7	1
30	GPs' perspective on End-of-Life Care - an evaluation based on the German version of the General Practice End of Life Care Index. <i>GMS German Medical Science</i> , 2020, 18, Doc10.	2.7	1
31	Optimal care at the end of life (OPAL): study protocol of a prospective interventional mixed-methods study with pretest-posttest-design in a primary health care setting considering the view of general practitioners, relatives of deceased patients and health care stakeholders. <i>BMC Health Services Research</i> , 2019, 19, 486.	2.2	18
32	Identifying the need for specialized palliative care in adult cancer patients – development and validation of a screening procedure based on proxy assessment by physicians and filter questions. <i>BMC Cancer</i> , 2019, 19, 646.	2.6	26
33	Advance Directives of German People with Parkinson's Disease Are Unspecific in regard to Typical Complications. <i>Parkinson's Disease</i> , 2019, 2019, 1-8.	1.1	7
34	Development of empirical recommendations for regional hospice and palliative care networks in Germany: A qualitative study. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2019, 140, 35-42.	0.9	3
35	Palliative Care Patients' Quality of Dying and Circumstances of Death – Comparison of Informal Caregivers' and Health-Care Professionals' Estimates. <i>American Journal of Hospice and Palliative Medicine</i> , 2018, 35, 1023-1029.	1.4	6
36	Exploring end-of-life interaction in dyads of parents and adult children: a protocol for a mixed-methods study. <i>BMC Palliative Care</i> , 2018, 17, 68.	1.8	9

#	ARTICLE	IF	CITATIONS
37	Multidrug-resistant bacterial microorganisms (MDRO) in end-of-life care: development of recommendations for hospitalized patients using a mixed-methods approach. <i>Supportive Care in Cancer</i> , 2018, 26, 3021-3027.	2.2	10
38	Caring for patients with brain tumors compared to patients with non-brain tumors: Experiences and needs of informal caregivers in home care settings. <i>Journal of Psychosocial Oncology</i> , 2018, 36, 189-202.	1.2	12
39	Staff members' ambivalence on caring for patients with multidrug-resistant bacteria at their end of life: A qualitative study. <i>Journal of Clinical Nursing</i> , 2018, 27, 3115-3122.	3.0	7
40	Primary palliative Care in General Practice – study protocol of a three-stage mixed-methods organizational health services research study. <i>BMC Palliative Care</i> , 2018, 17, 21.	1.8	15
41	Palliative sedation in Germany: factors and treatment practices associated with different sedation rate estimates in palliative and hospice care services. <i>BMC Palliative Care</i> , 2018, 17, 48.	1.8	11
42	Early palliative care: current status of integration within German comprehensive cancer centers. <i>Supportive Care in Cancer</i> , 2017, 25, 2577-2580.	2.2	4
43	Interference Between Family Caregivers' Mental Disorders and Their Estimates of Quality of Dying and Death (QODD) of Their Loved Ones. <i>Journal of Palliative Care</i> , 2017, 32, 34-39.	1.0	3
44	Effects of Methicillin-Resistant <i>Staphylococcus aureus</i> /Multiresistant Gram-Negative Bacteria Colonization or Infection and Isolation Measures in End of Life on Family Caregivers: Results of a Qualitative Study. <i>Journal of Palliative Medicine</i> , 2017, 20, 273-281.	1.1	13
45	Nasal carriage of methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) at a palliative care unit: A prospective single service analysis. <i>PLoS ONE</i> , 2017, 12, e0188940.	2.5	12
46	Understanding institutional stakeholders' perspectives on multidrug-resistant bacterial organism at the end of life: a qualitative study. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 1605-1613.	2.9	5
47	Integrating Palliative Care Into Comprehensive Cancer Centers: Consensus-Based Development of Best Practice Recommendations. <i>Oncologist</i> , 2016, 21, 1241-1249.	3.7	23
48	Validation of the German Version of the Quality of Dying and Death Questionnaire for Health Professionals. <i>American Journal of Hospice and Palliative Medicine</i> , 2016, 33, 760-769.	1.4	12
49	In-service documentation tools and statements on palliative sedation in Germany – do they meet the EAPC framework recommendations? A qualitative document analysis. <i>Supportive Care in Cancer</i> , 2016, 24, 459-467.	2.2	11
50	The Role of Specifically Tailored Communication Training Among Factors Influencing Consent for Cornea Donation Requested Via Telephone. <i>Transplantation</i> , 2015, 99, 2223-2229.	1.0	7
51	The desire to hasten death: Using Grounded Theory for a better understanding – When perception of time tends to be a slippery slope – <i>Palliative Medicine</i> , 2015, 29, 711-719.	3.1	36
52	Care trajectories and survival after discharge from specialized inpatient palliative care – results from an observational follow-up study. <i>Supportive Care in Cancer</i> , 2015, 23, 627-634.	2.2	15
53	End-of-life care research with bereaved informal caregivers – analysis of recruitment strategy and participation rate from a multi-centre validation study. <i>BMC Palliative Care</i> , 2015, 14, 21.	1.8	22
54	Validation of the German Version of the Quality of Dying and Death Questionnaire for Informal Caregivers (QODD-D-Ang). <i>Journal of Pain and Symptom Management</i> , 2015, 50, 402-413.	1.2	35

#	ARTICLE	IF	CITATIONS
55	Comparison of terminally ill cancer- vs. non-cancer patients in specialized palliative home care in Germany â€” a single service analysis. BMC Palliative Care, 2015, 14, 34.	1.8	33
56	Smell and taste in palliative care: a systematic analysis of literature. European Archives of Oto-Rhino-Laryngology, 2015, 272, 279-288.	1.6	19
57	Trends in specialized palliative care for non-cancer patients in Germany â€”Data from the National Hospice and Palliative Care Evaluation (HOPE). European Journal of Internal Medicine, 2014, 25, 187-192.	2.2	68
58	Life threatening illness in popular movies-a first descriptive analysis. SpringerPlus, 2014, 3, 411.	1.2	7
59	The EAPC framework on palliative sedation and clinical practiceâ€”a questionnaire-based survey in Germany. Supportive Care in Cancer, 2014, 22, 2621-2628.	2.2	25
60	Symptoms and Problem Clusters in Cancer and Non-Cancer Patients in Specialized Palliative Careâ€”Is There a Difference?. Journal of Pain and Symptom Management, 2014, 48, 26-35.	1.2	39
61	Subcutaneous Administration of Drugs in Palliative Care: Results of a Systematic Observational Study. Journal of Pain and Symptom Management, 2014, 48, 540-547.	1.2	37
62	Palliative care needs, symptoms, and treatment intensity along the disease trajectory in medical oncology outpatients: a retrospective chart review. Supportive Care in Cancer, 2013, 21, 1743-1750.	2.2	18
63	Dying of brain tumours. Current Opinion in Supportive and Palliative Care, 2013, 7, 417-423.	1.3	7
64	A systematic review on the role of fish oil for the treatment of cachexia in advanced cancer: An EPCRC cachexia guidelines project. Palliative Medicine, 2012, 26, 294-304.	3.1	104
65	Outcome assessment instruments in palliative and hospice careâ€”a review of the literature. Supportive Care in Cancer, 2012, 20, 2879-2893.	2.2	57
66	Validation of the Symptom and Problem Checklist of the German Hospice and Palliative Care Evaluation (HOPE). Journal of Pain and Symptom Management, 2012, 43, 593-605.	1.2	48
67	Antibiotics in palliative medicineâ€”results from a prospective epidemiological investigation from the HOPE survey. Supportive Care in Cancer, 2012, 20, 325-333.	2.2	47
68	Assessment of Quality of Life in Patients Receiving Palliative Care: Comparison of Measurement Tools and Single Item on Subjective Well-Being. Journal of Palliative Medicine, 2011, 14, 599-606.	1.1	30
69	Subjective Definitions of Problems and Symptoms in Palliative Care. Palliative Care, 2011, 5, PCRT.S6081.	2.6	1
70	Evaluation and comparison of two prognostic scores and the physiciansâ€™ estimate of survival in terminally ill patients. Supportive Care in Cancer, 2010, 18, 43-49.	2.2	62
71	The Use of Grounded Theory in Palliative Care: Methodological Challenges and Strategies. Journal of Palliative Medicine, 2010, 13, 997-1003.	1.1	28