## Byung Tae Choi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5250890/publications.pdf

Version: 2024-02-01

257450 345221 1,681 72 24 36 h-index citations g-index papers 75 75 75 2351 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Protective effect of the phosphodiesterase III inhibitor cilostazol on amyloid $\hat{l}^2$ -induced cognitive deficits associated with decreased amyloid $\hat{l}^2$ accumulation. Biochemical and Biophysical Research Communications, 2011, 408, 602-608.	2.1	88
2	AIM2 inflammasome contributes to brain injury and chronic post-stroke cognitive impairment in mice. Brain, Behavior, and Immunity, 2020, 87, 765-776.	4.1	86
3	Electroacupuncture Promotes Post-Stroke Functional Recovery via Enhancing Endogenous Neurogenesis in Mouse Focal Cerebral Ischemia. PLoS ONE, 2014, 9, e90000.	2.5	79
4	Anthocyanins Downregulate Lipopolysaccharide-Induced Inflammatory Responses in BV2 Microglial Cells by Suppressing the NF-κB and Akt/MAPKs Signaling Pathways. International Journal of Molecular Sciences, 2013, 14, 1502-1515.	4.1	78
5	Modulation of neurogenesis via neurotrophic factors in acupuncture treatments for neurological diseases. Biochemical Pharmacology, 2017, 141, 132-142.	4.4	57
6	Electroacupuncture preconditioning reduces ROS generation with NOX4 down-regulation and ameliorates blood-brain barrier disruption after ischemic stroke. Journal of Biomedical Science, 2016, 23, 32.	7.0	50
7	Emodin from Polygonum multiflorum ameliorates oxidative toxicity in HT22 cells and deficits in photothrombotic ischemia. Journal of Ethnopharmacology, 2016, 188, 13-20.	4.1	46
8	Lowâ€level light emitting diode (LED) therapy suppresses inflammasomeâ€mediated brain damage in experimental ischemic stroke. Journal of Biophotonics, 2017, 10, 1502-1513.	2.3	46
9	Electroacupuncture preconditioning reduces cerebral ischemic injury via BDNF and SDF- $\hat{\Pi}$ ± in mice. BMC Complementary and Alternative Medicine, 2013, 13, 22.	3.7	44
10	Partially purified components of Nardostachys chinensis suppress melanin synthesis through ERK and Akt signaling pathway with cAMP down-regulation in B16F10 cells. Journal of Ethnopharmacology, 2011, 137, 1207-1214.	4.1	41
11	Apoptosis Induction of Human Prostate Carcinoma DU145 Cells by Diallyl Disulfide via Modulation of JNK and PI3K/AKT Signaling Pathways. International Journal of Molecular Sciences, 2012, 13, 14158-14171.	4.1	41
12	Pre-conditioning with transcranial low-level light therapy reduces neuroinflammation and protects blood-brain barrier after focal cerebral ischemia in mice. Restorative Neurology and Neuroscience, 2016, 34, 201-214.	0.7	40
13	Probucol inhibits LPS-induced microglia activation and ameliorates brain ischemic injury in normal and hyperlipidemic mice. Acta Pharmacologica Sinica, 2016, 37, 1031-1044.	6.1	40
14	Electroacupuncture ameliorates memory impairments by enhancing oligodendrocyte regeneration in a mouse model of prolonged cerebral hypoperfusion. Scientific Reports, 2016, 6, 28646.	3.3	37
15	Aqueous fraction from Cuscuta japonica seed suppresses melanin synthesis through inhibition of the p38 mitogen-activated protein kinase signaling pathway in B16F10 cells. Journal of Ethnopharmacology, 2012, 141, 338-344.	4.1	32
16	Hexane extract from Polygonum multiflorum attenuates glutamate-induced apoptosis in primary cultured cortical neurons. Journal of Ethnopharmacology, 2013, 145, 261-268.	4.1	32
17	Neuroprotective effects of 2,3,5,4′-tetrahydoxystilbene-2-O-β-D-glucoside from Polygonum multiflorum against glutamate-induced oxidative toxicity in HT22 cells. Journal of Ethnopharmacology, 2017, 195, 64-70.	4.1	32
18	Isolinderalactone regulates the BCL-2/caspase-3/PARP pathway and suppresses tumor growth in a human glioblastoma multiforme xenograft mouse model. Cancer Letters, 2019, 443, 25-33.	7.2	32

#	Article	IF	CITATIONS
19	Potential benefits of mesenchymal stem cells and electroacupuncture on the trophic factors associated with neurogenesis in mice with ischemic stroke. Scientific Reports, 2018, 8, 2044.	3.3	30
20	Anti-depressant effects of phosphodiesterase 3 inhibitor cilostazol in chronic mild stress-treated mice after ischemic stroke. Psychopharmacology, 2016, 233, 1055-1066.	3.1	29
21	Studies on the animal model of post-stroke depression and application of antipsychotic aripiprazole. Behavioural Brain Research, 2015, 287, 294-303.	2.2	27
22	Pretreatment with light-emitting diode therapy reduces ischemic brain injury in mice through endothelial nitric oxide synthase-dependent mechanisms. Biochemical and Biophysical Research Communications, 2017, 486, 945-950.	2.1	27
23	Protease activated receptorâ€1 antagonist ameliorates the clinical symptoms of experimental autoimmune encephalomyelitis via inhibiting breakdown of blood–brain barrier. Journal of Neurochemistry, 2015, 135, 577-588.	3.9	26
24	Indoleamine 2,3-Dioxygenase-Dependent Neurotoxic Kynurenine Metabolism Contributes to Poststroke Depression Induced in Mice by Ischemic Stroke along with Spatial Restraint Stress. Oxidative Medicine and Cellular Longevity, 2018, 2018, 1-15.	4.0	26
25	Therapeutic Potential of a Combination of Electroacupuncture and TrkB-Expressing Mesenchymal Stem Cells for Ischemic Stroke. Molecular Neurobiology, 2019, 56, 157-173.	4.0	26
26	Effects of electroacupuncture on apoptotic pathways in a rat model of focal cerebral ischemia. International Journal of Molecular Medicine, 2013, 32, 1303-1310.	4.0	25
27	Neuroprotective effects of Polygonum multiflorum extract against glutamate-induced oxidative toxicity in HT22 hippocampal cells. Journal of Ethnopharmacology, 2013, 150, 108-115.	4.1	23
28	Ethanol extract of Cnidium officinale exhibits anti-inflammatory effects in BV2 microglial cells by suppressing NF- $\hat{l}^{\circ}$ B nuclear translocation and the activation of the PI3K/Akt signaling pathway. International Journal of Molecular Medicine, 2013, 32, 876-882.	4.0	23
29	Anti-Neuroinflammatory Effects of <i>Uncaria sinensis</i> in LPS-Stimulated BV2 Microglia Cells and Focal Cerebral Ischemic Mice. The American Journal of Chinese Medicine, 2015, 43, 1099-1115.	3.8	23
30	Studies on medicinal herbs for cognitive enhancement based on the text mining of Dongeuibogam and preliminary evaluation of its effects. Journal of Ethnopharmacology, 2016, 179, 383-390.	4.1	23
31	Combined therapy involving electroacupuncture and treadmill exercise attenuates demyelination in the corpus callosum by stimulating oligodendrogenesis in a rat model of neonatal hypoxia-ischemia. Experimental Neurology, 2018, 300, 222-231.	4.1	23
32	Electroacupuncture inhibits phosphorylation of spinal phosphatidylinositol 3-kinase/Akt in a carrageenan-induced inflammatory rat model. Brain Research Bulletin, 2012, 87, 199-204.	3.0	22
33	Anti-photoaging properties of the phosphodiesterase 3 inhibitor cilostazol in ultraviolet B-irradiated hairless mice. Scientific Reports, 2016, 6, 31169.	3.3	22
34	Beneficial Effects of <i>Polygonum multiflorum </i> on Hippocampal Neuronal Cells and Mouse Focal Cerebral Ischemia. The American Journal of Chinese Medicine, 2015, 43, 637-651.	3.8	21
35	Positive effects of $\hat{l}\pm$ -asarone on transplanted neural progenitor cells in a murine model of ischemic stroke. Phytomedicine, 2018, 51, 151-161.	5.3	21
36	Establishment of a Comprehensive List of Candidate Antiaging Medicinal Herb Used in Korean Medicine by Text Mining of the Classical Korean Medical Literature, "∢i>Dongeuibogam∢/i>,―and Preliminary Evaluation of the Antiaging Effects of These Herbs. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-29.	1.2	19

3

#	Article	IF	CITATIONS
37	Photobiomodulation using a low-level light-emitting diode improves cognitive dysfunction in the 5XFAD mouse model of Alzheimer's disease. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 75, 631-639.	3.6	19
38	PMC-12, a traditional herbal medicine, enhances learning memory and hippocampal neurogenesis in mice. Neuroscience Letters, 2016, 617, 254-263.	2.1	18
39	Comparative analysis of the beneficial effects of treadmill training and electroacupuncture in a rat model of neonatal hypoxia-ischemia. International Journal of Molecular Medicine, 2017, 39, 1393-1402.	4.0	18
40	Lowâ€level light emitting diode therapy promotes longâ€"term functional recovery after experimental stroke in mice. Journal of Biophotonics, 2017, 10, 1761-1771.	2.3	18
41	Isolinderalactone suppresses human glioblastoma growth and angiogenic activity in 3D microfluidic chip and in vivo mouse models. Cancer Letters, 2020, 478, 71-81.	7.2	18
42	Neuroprotective Effects of a Novel Single Compound 1-Methoxyoctadecan-1-ol Isolated from Uncaria sinensis in Primary Cortical Neurons and a Photothrombotic Ischemia Model. PLoS ONE, 2014, 9, e85322.	2.5	16
43	Hexane extracts of Polygonum multiflorum improve tissue and functional outcome following focal cerebral ischemia in mice. Molecular Medicine Reports, 2014, 9, 1415-1421.	2.4	16
44	Contralesional Application of Transcranial Direct Current Stimulation on Functional Improvement in Ischemic Stroke Mice. Stroke, 2020, 51, 2208-2218.	2.0	16
45	Protective effect of hexane extracts of Uncaria sinensis against photothrombotic ischemic injury in mice. Journal of Ethnopharmacology, 2011, 138, 774-779.	4.1	15
46	Therapeutic effects of anodal transcranial direct current stimulation in a rat model of ADHD. ELife, 2020, 9, .	6.0	15
47	Benefits of a Skullâ€Interfaced Flexible and Implantable Multilight Emitting Diode Array for Photobiomodulation in Ischemic Stroke. Advanced Science, 2022, 9, e2104629.	11.2	14
48	Probucol plus cilostazol attenuate hypercholesterolemia-induced exacerbation in ischemic brain injury via anti-inflammatory effects. International Journal of Molecular Medicine, 2014, 34, 687-694.	4.0	13
49	Sargassum horneri methanol extract rescues C2C12 murine skeletal muscle cells from oxidative stress-induced cytotoxicity through Nrf2-mediated upregulation of heme oxygenase-1. BMC Complementary and Alternative Medicine, 2015, 15, 17.	3.7	13
50	Neuroprotection and spatial memory enhancement of four herbal mixture extract in HT22 hippocampal cells and a mouse model of focal cerebral ischemia. BMC Complementary and Alternative Medicine, 2015, 15, 202.	3.7	13
51	Partially purified components of Uncaria sinensis attenuate blood brain barrier disruption after ischemic brain injury in mice. BMC Complementary and Alternative Medicine, 2015, 15, 157.	3.7	10
52	Combination of Constraint-Induced Movement Therapy with Electroacupuncture Improves Functional Recovery following Neonatal Hypoxic-Ischemic Brain Injury in Rats. BioMed Research International, 2018, 2018, 1-11.	1.9	10
53	Neuroprotective effect of 1-methoxyoctadecan-1-ol from Uncaria sinensis on glutamate-induced hippocampal neuronal cell death. Journal of Ethnopharmacology, 2014, 155, 293-299.	4.1	9
54	Antidepressant Effects of Aripiprazole Augmentation for Cilostazol-Treated Mice Exposed to Chronic Mild Stress after Ischemic Stroke. International Journal of Molecular Sciences, 2017, 18, 355.	4.1	9

#	Article	IF	CITATIONS
55	Herbal Prescriptions and Medicinal Herbs for Parkinson-Related Rigidity in Korean Medicine: Identification of Candidates Using Text Mining. Journal of Alternative and Complementary Medicine, 2018, 24, 733-740.	2.1	9
56	Histological and functional assessment of the efficacy of constraint-induced movement therapy in rats following neonatal hypoxic-ischemic brain injury. Experimental and Therapeutic Medicine, 2017, 13, 2775-2782.	1.8	8
57	Electroacupuncture therapy ameliorates motor dysfunction via brain-derived neurotrophic factor and glial cell line-derived neurotrophic factor in a mouse model of Parkinson's disease. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 75, 712-721.	3.6	8
58	A single fraction from <i>Uncaria sinensis </i> exerts neuroprotective effects against glutamate-induced neurotoxicity in primary cultured cortical neurons. Anatomy and Cell Biology, 2015, 48, 95.	1.0	7
59	PMC-12, a Prescription of Traditional Korean Medicine, Improves Amyloid $\hat{1}^2$ -Induced Cognitive Deficits through Modulation of Neuroinflammation. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-10.	1.2	6
60	Cognitive-Enhancing Herbal Formulae in Korean Medicine: Identification of Candidates by Text Mining and Literature Review. Journal of Alternative and Complementary Medicine, 2016, 22, 413-418.	2.1	6
61	Effects of $\hat{l}_{\pm}$ -asarone on Proliferation and Differentiation of Neural Progenitor Cells. Korean Journal of Physical Anthropology, 2018, 31, 41.	0.2	6
62	Electroacupuncture confers beneficial effects through ionotropic glutamate receptors involving phosphatidylinositol-3 kinase/Akt signaling pathway in focal cerebral ischemia in rats. European Journal of Integrative Medicine, 2012, 4, e413-e420.	1.7	5
63	An Analysis of the Combination Frequencies of Constituent Medicinal Herbs in Prescriptions for the Treatment of Stroke in Korean Medicine: Determination of a Group of Candidate Prescriptions for Universal Use. Evidence-based Complementary and Alternative Medicine, 2016, 2016, 1-17.	1.2	5
64	Beneficial effects of Jiawei Shenqi-wan and treadmill training on deficits associated with neonatal hypoxic-ischemia in rats. Experimental and Therapeutic Medicine, 2017, 13, 2134-2142.	1.8	4
65	Beneficial Effects of Gagam-Palmultang on Scopolamine-Induced Memory Deficits in Mice. Evidence-based Complementary and Alternative Medicine, 2018, 2018, 1-11.	1.2	4
66	Effects of electroacupuncture on the functionality of NG2-expressing cells in perilesional brain tissue of mice following ischemic stroke. Neural Regeneration Research, 2022, 17, 1556.	3.0	4
67	Pretreatment with Shuanghe-Tang Extract Attenuates Postischemic Brain Injury and Edema in a Mouse Model of Stroke: An Analysis of Medicinal Herbs Listed in Dongui Bogam. Oxidative Medicine and Cellular Longevity, 2018, 2018, 1-14.	4.0	3
68	Transcranial alternating current stimulation rescues motor deficits in a mouse model of Parkinson's disease via the production of glial cell line-derived neurotrophic factor. Brain Stimulation, 2022, 15, 645-653.	1.6	3
69	Selecting Effective Herbal Medicines for Attention-Deficit/Hyperactivity Disorder via Text Mining of Donguibogam. Evidence-based Complementary and Alternative Medicine, 2019, 2019, 1-9.	1.2	2
70	Weisheng-Tang Ameliorates Acute Ischemic Brain Damage in Mice by Maintaining Blood-Brain Barrier Integrity. Oxidative Medicine and Cellular Longevity, 2019, 2019, 1-11.	4.0	2
71	Electroacupuncture on the Scalp over the Motor Cortex Ameliorates Behavioral Deficits Following Neonatal Hypoxia-Ischemia in Rats via the Activation of Neural Stem Cells. Life, 2020, 10, 240.	2.4	0
72	Selection of Effective Herbal Medicines for Parkinson's Disease Based on the Text Mining of the Classical Korean Medical Literature Donguibogam. Journal of Korean Medicine, 2021, 42, 120-132.	0.4	0