

Kadambot Siddique

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/525099/publications.pdf>

Version: 2024-02-01

625
papers

31,498
citations

4641

85
h-index

11288

136
g-index

633
all docs

633
docs citations

633
times ranked

19123
citing authors

#	ARTICLE	IF	CITATIONS
1	Heat Stress in Wheat during Reproductive and Grain-Filling Phases. <i>Critical Reviews in Plant Sciences</i> , 2011, 30, 491-507.	2.7	686
2	Neglecting legumes has compromised human health and sustainable food production. <i>Nature Plants</i> , 2016, 2, 16112.	4.7	529
3	Polyamines: Natural and engineered abiotic and biotic stress tolerance in plants. <i>Biotechnology Advances</i> , 2011, 29, 300-311.	6.0	465
4	Salt stress in maize: effects, resistance mechanisms, and management. A review. <i>Agronomy for Sustainable Development</i> , 2015, 35, 461-481.	2.2	459
5	Ridge-Furrow Mulching Systems—An Innovative Technique for Boosting Crop Productivity in Semiarid Rain-Fed Environments. <i>Advances in Agronomy</i> , 2013, , 429-476.	2.4	453
6	Rice direct seeding: Experiences, challenges and opportunities. <i>Soil and Tillage Research</i> , 2011, 111, 87-98.	2.6	443
7	Drought Stress in Wheat during Flowering and Grain-filling Periods. <i>Critical Reviews in Plant Sciences</i> , 2014, 33, 331-349.	2.7	438
8	Drought or/and Heat-Stress Effects on Seed Filling in Food Crops: Impacts on Functional Biochemistry, Seed Yields, and Nutritional Quality. <i>Frontiers in Plant Science</i> , 2018, 9, 1705.	1.7	371
9	Morphological and Physiological Traits Associated with Wheat Yield Increases in Mediterranean Environments. <i>Advances in Agronomy</i> , 1994, 52, 229-276.	2.4	340
10	Regulated deficit irrigation for crop production under drought stress. A review. <i>Agronomy for Sustainable Development</i> , 2016, 36, 1.	2.2	340
11	Biochar for crop production: potential benefits and risks. <i>Journal of Soils and Sediments</i> , 2017, 17, 685-716.	1.5	331
12	Root:shoot ratios of old and modern, tall and semi-dwarf wheats in a mediterranean environment. <i>Plant and Soil</i> , 1990, 121, 89-98.	1.8	316
13	The role of allelopathy in agricultural pest management. <i>Pest Management Science</i> , 2011, 67, 493-506.	1.7	303
14	Drought Stress in Grain Legumes during Reproduction and Grain Filling. <i>Journal of Agronomy and Crop Science</i> , 2017, 203, 81-102.	1.7	293
15	Water use and water use efficiency of old and modern wheat cultivars in a Mediterranean-type environment. <i>Australian Journal of Agricultural Research</i> , 1990, 41, 431.	1.5	271
16	Drought Stress in Plants: An Overview. , 2012, , 1-33.		227
17	Ear: Stem ratio in old and modern wheat varieties; relationship with improvement in number of grains per ear and yield. <i>Field Crops Research</i> , 1989, 21, 59-78.	2.3	225
18	Resequencing of 429 chickpea accessions from 45 countries provides insights into genome diversity, domestication and agronomic traits. <i>Nature Genetics</i> , 2019, 51, 857-864.	9.4	219

#	ARTICLE	IF	CITATIONS
19	Micronutrient application through seed treatments: a review. <i>Journal of Soil Science and Plant Nutrition</i> , 2012, 12, 125-142.	1.7	214
20	Individual and combined effects of transient drought and heat stress on carbon assimilation and seed filling in chickpea. <i>Functional Plant Biology</i> , 2014, 41, 1148.	1.1	214
21	Arsenic toxicity in plants: Cellular and molecular mechanisms of its transport and metabolism. <i>Environmental and Experimental Botany</i> , 2016, 132, 42-52.	2.0	213
22	A comprehensive resource of drought- and salinity- responsive ESTs for gene discovery and marker development in chickpea (<i>Cicer arietinum</i> L.). <i>BMC Genomics</i> , 2009, 10, 523.	1.2	199
23	Effects of Drought, Heat and Their Interaction on the Growth, Yield and Photosynthetic Function of Lentil (<i>Lens culinaris</i> Medikus) Genotypes Varying in Heat and Drought Sensitivity. <i>Frontiers in Plant Science</i> , 2017, 8, 1776.	1.7	199
24	Physiological responses of chickpea genotypes to terminal drought in a Mediterranean-type environment. <i>European Journal of Agronomy</i> , 1999, 11, 279-291.	1.9	194
25	Salt sensitivity in chickpea. <i>Plant, Cell and Environment</i> , 2010, 33, 490-509.	2.8	194
26	Flower numbers, pod production, pollen viability, and pistil function are reduced and flower and pod abortion increased in chickpea (<i>Cicer arietinum</i> L.) under terminal drought. <i>Journal of Experimental Botany</i> , 2010, 61, 335-345.	2.4	193
27	Adaptation and seed yield of cool season grain legumes in Mediterranean environments of south-western Australia. <i>Australian Journal of Agricultural Research</i> , 1999, 50, 375.	1.5	189
28	Crop yield and weed management in rainfed conservation agriculture. <i>Soil and Tillage Research</i> , 2011, 117, 172-183.	2.6	187
29	Sequencing of Cultivated Peanut, <i>Arachis hypogaea</i> , Yields Insights into Genome Evolution and Oil Improvement. <i>Molecular Plant</i> , 2019, 12, 920-934.	3.9	185
30	Water use and water use efficiency of cool season grain legumes in low rainfall Mediterranean-type environments. <i>European Journal of Agronomy</i> , 2001, 15, 267-280.	1.9	180
31	Corrigenda - Growth, development and light interception of old and modern wheat cultivars in a Mediterranean-type environment. <i>Australian Journal of Agricultural Research</i> , 1989, 40, 473.	1.5	179
32	Heat-stress-induced reproductive failures in chickpea (<i>Cicer arietinum</i>) are associated with impaired sucrose metabolism in leaves and anthers. <i>Functional Plant Biology</i> , 2013, 40, 1334.	1.1	179
33	Ascochyta blight of chickpea (<i>Cicer arietinum</i> L.): a review of biology, pathogenicity, and disease management. <i>Australian Journal of Agricultural Research</i> , 2005, 56, 317.	1.5	178
34	Moderate Drought Stress Affected Root Growth and Grain Yield in Old, Modern and Newly Released Cultivars of Winter Wheat. <i>Frontiers in Plant Science</i> , 2017, 8, 672.	1.7	178
35	Advances in Drought Resistance of Rice. <i>Critical Reviews in Plant Sciences</i> , 2009, 28, 199-217.	2.7	177
36	Recovery, regeneration and sustainable management of spent adsorbents from wastewater treatment streams: A review. <i>Science of the Total Environment</i> , 2022, 822, 153555.	3.9	174

#	ARTICLE	IF	CITATIONS
37	Effects, tolerance mechanisms and management of salt stress in grain legumes. <i>Plant Physiology and Biochemistry</i> , 2017, 118, 199-217.	2.8	171
38	A review of the potential of <i>Lathyrus sativus</i> L. and <i>L. cicera</i> L. grain for use as animal feed. <i>Animal Feed Science and Technology</i> , 2000, 87, 1-27.	1.1	165
39	Faba bean breeding for drought-affected environments: A physiological and agronomic perspective. <i>Field Crops Research</i> , 2010, 115, 279-286.	2.3	160
40	Chilling tolerance in maize: agronomic and physiological approaches. <i>Crop and Pasture Science</i> , 2009, 60, 501.	0.7	159
41	Innovations in agronomy for food legumes. A review. <i>Agronomy for Sustainable Development</i> , 2012, 32, 45-64.	2.2	158
42	Zinc nutrition in wheat-based cropping systems. <i>Plant and Soil</i> , 2018, 422, 283-315.	1.8	152
43	Large variation in salinity tolerance in chickpea is explained by differences in sensitivity at the reproductive stage. <i>Field Crops Research</i> , 2007, 104, 123-129.	2.3	146
44	Thermal stress impacts reproductive development and grain yield in rice. <i>Plant Physiology and Biochemistry</i> , 2017, 115, 57-72.	2.8	146
45	Food Legumes and Rising Temperatures: Effects, Adaptive Functional Mechanisms Specific to Reproductive Growth Stage and Strategies to Improve Heat Tolerance. <i>Frontiers in Plant Science</i> , 2017, 8, 1658.	1.7	146
46	Variation in pod production and abortion among chickpea cultivars under terminal drought. <i>European Journal of Agronomy</i> , 2006, 24, 236-246.	1.9	144
47	Seed priming in field crops: potential benefits, adoption and challenges. <i>Crop and Pasture Science</i> , 2019, 70, 731.	0.7	141
48	Low-Temperature Stress: Implications for Chickpea (<i>Cicer arietinum</i> L.) Improvement. <i>Critical Reviews in Plant Sciences</i> , 2003, 22, 185-219.	2.7	135
49	Chickpea molecular breeding: New tools and concepts. <i>Euphytica</i> , 2006, 147, 81-103.	0.6	135
50	The carboxylate-releasing phosphorus-mobilizing strategy can be proxied by foliar manganese concentration in a large set of chickpea germplasm under low phosphorus supply. <i>New Phytologist</i> , 2018, 219, 518-529.	3.5	130
51	Response of chickpea genotypes to low temperature stress during reproductive development. <i>Field Crops Research</i> , 2004, 90, 323-334.	2.3	127
52	Multi-site assessment of the effects of plastic-film mulch on the soil organic carbon balance in semiarid areas of China. <i>Agricultural and Forest Meteorology</i> , 2016, 228-229, 42-51.	1.9	126
53	Antimony contamination and its risk management in complex environmental settings: A review. <i>Environment International</i> , 2022, 158, 106908.	4.8	125
54	ABA-Mediated Stomatal Response in Regulating Water Use during the Development of Terminal Drought in Wheat. <i>Frontiers in Plant Science</i> , 2017, 8, 1251.	1.7	124

#	ARTICLE	IF	CITATIONS
55	Water-Saving Innovations in Chinese Agriculture. <i>Advances in Agronomy</i> , 2014, , 149-201.	2.4	120
56	Five decades of selection for yield reduced root length density and increased nitrogen uptake per unit root length in Australian wheat varieties. <i>Plant and Soil</i> , 2017, 413, 181-192.	1.8	118
57	Multi-site assessment of the effects of plastic-film mulch on dryland maize productivity in semiarid areas in China. <i>Agricultural and Forest Meteorology</i> , 2016, 220, 160-169.	1.9	117
58	Maize yield and water balance is affected by nitrogen application in a film-mulching ridge-furrow system in a semiarid region of China. <i>European Journal of Agronomy</i> , 2014, 52, 103-111.	1.9	116
59	Influence of rice straw biochar on growth, antioxidant capacity and copper uptake in ramie (<i>Boehmeria nivea</i> L.) grown as forage in aged copper-contaminated soil. <i>Plant Physiology and Biochemistry</i> , 2019, 138, 121-129.	2.8	114
60	28-homobrassinolide regulates antioxidant enzyme activities and gene expression in response to salt- and temperature-induced oxidative stress in <i>Brassica juncea</i> . <i>Scientific Reports</i> , 2018, 8, 8735.	1.6	113
61	Cropping systems in agriculture and their impact on soil health-A review. <i>Global Ecology and Conservation</i> , 2020, 23, e01118.	1.0	113
62	Effect of organic manure and fertilizer on soil water and crop yields in newly-built terraces with loess soils in a semi-arid environment. <i>Agricultural Water Management</i> , 2013, 117, 123-132.	2.4	111
63	Investigating Drought Tolerance in Chickpea Using Genome-Wide Association Mapping and Genomic Selection Based on Whole-Genome Resequencing Data. <i>Frontiers in Plant Science</i> , 2018, 9, 190.	1.7	111
64	Management options for minimizing the damage by ascochyta blight (<i>Ascochyta rabiei</i>) in chickpea (<i>Cicer arietinum</i> L.). <i>Field Crops Research</i> , 2006, 97, 121-134.	2.3	110
65	Variation in morphological and physiological parameters in herbaceous perennial legumes in response to phosphorus supply. <i>Plant and Soil</i> , 2010, 331, 241-255.	1.8	110
66	Water relations, gas exchange and growth of cool-season grain legumes in a Mediterranean-type environment. <i>European Journal of Agronomy</i> , 1998, 9, 295-303.	1.9	108
67	Genotype by environment studies demonstrate the critical role of phenology in adaptation of chickpea (<i>Cicer arietinum</i> L.) to high and low yielding environments of India. <i>Field Crops Research</i> , 2006, 98, 230-244.	2.3	107
68	Developing Climate-Resilient Chickpea Involving Physiological and Molecular Approaches With a Focus on Temperature and Drought Stresses. <i>Frontiers in Plant Science</i> , 2019, 10, 1759.	1.7	107
69	Food crops face rising temperatures: An overview of responses, adaptive mechanisms, and approaches to improve heat tolerance. <i>Cogent Food and Agriculture</i> , 2016, 2, .	0.6	106
70	A chickpea genetic variation map based on the sequencing of 3,366 genomes. <i>Nature</i> , 2021, 599, 622-627.	18.7	106
71	Exogenous application of calcium to 24-epibrassinosteroid pre-treated tomato seedlings mitigates NaCl toxicity by modifying ascorbate-glutathione cycle and secondary metabolites. <i>Scientific Reports</i> , 2018, 8, 13515.	1.6	105
72	Salicylic acid enhances nickel stress tolerance by up-regulating antioxidant defense and glyoxalase systems in mustard plants. <i>Ecotoxicology and Environmental Safety</i> , 2019, 180, 575-587.	2.9	105

#	ARTICLE	IF	CITATIONS
73	Genotype by environment studies across Australia reveal the importance of phenology for chickpea (<i>Cicer arietinum</i> L.) improvement. <i>Australian Journal of Agricultural Research</i> , 2004, 55, 1071.	1.5	105
74	Adaptation of faba bean (<i>Vicia faba</i> L.) to dryland Mediterranean-type environments I. Seed yield and yield components. <i>Field Crops Research</i> , 1997, 52, 17-28.	2.3	104
75	Contribution of Stem Dry Matter to Grain Yield in Wheat Cultivars. <i>Functional Plant Biology</i> , 1991, 18, 53.	1.1	102
76	Pulse production in Australia past, present and future. <i>Australian Journal of Experimental Agriculture</i> , 1997, 37, 103.	1.0	101
77	Identification of High-Temperature Tolerant Lentil (<i>Lens culinaris</i> Medik.) Genotypes through Leaf and Pollen Traits. <i>Frontiers in Plant Science</i> , 2017, 8, 744.	1.7	101
78	Grain legume species in low rainfall mediterranean-type environments I. Phenology and seed yield. <i>Field Crops Research</i> , 1997, 54, 173-187.	2.3	100
79	Long non-coding RNAs: emerging players regulating plant abiotic stress response and adaptation. <i>BMC Plant Biology</i> , 2020, 20, 466.	1.6	100
80	Interactive effects of salinity and nitrogen forms on plant growth, photosynthesis and osmotic adjustment in maize. <i>Plant Physiology and Biochemistry</i> , 2019, 139, 171-178.	2.8	99
81	Nature's pulse power: legumes, food security and climate change. <i>Journal of Experimental Botany</i> , 2017, 68, 1815-1818.	2.4	97
82	Wheat yield improvements in China: Past trends and future directions. <i>Field Crops Research</i> , 2015, 177, 117-124.	2.3	96
83	Unwrapping the rhizosheath. <i>Plant and Soil</i> , 2017, 418, 129-139.	1.8	94
84	Effect of Cold Stress on Photosynthetic Traits, Carbohydrates, Morphology, and Anatomy in Nine Cultivars of <i>Stevia rebaudiana</i> . <i>Frontiers in Plant Science</i> , 2018, 9, 1430.	1.7	94
85	Utilisation of wild <i>Cicer</i> in chickpea improvement – progress, constraints, and prospects. <i>Australian Journal of Agricultural Research</i> , 2003, 54, 429.	1.5	94
86	Physiological responses to drought stress in wild relatives of wheat: implications for wheat improvement. <i>Acta Physiologiae Plantarum</i> , 2017, 39, 1.	1.0	93
87	Application of zinc improves the productivity and biofortification of fine grain aromatic rice grown in dry seeded and puddled transplanted production systems. <i>Field Crops Research</i> , 2018, 216, 53-62.	2.3	93
88	GABA (γ -aminobutyric acid), as a thermo-protectant, to improve the reproductive function of heat-stressed mungbean plants. <i>Scientific Reports</i> , 2019, 9, 7788.	1.6	93
89	Effect of water stress during floral initiation, flowering and podding on the growth and yield of faba bean (<i>Vicia faba</i> L.). <i>European Journal of Agronomy</i> , 1999, 11, 1-11.	1.9	92
90	Salt sensitivity in chickpea: Growth, photosynthesis, seed yield components and tissue ion regulation in contrasting genotypes. <i>Journal of Plant Physiology</i> , 2015, 182, 1-12.	1.6	92

#	ARTICLE	IF	CITATIONS
91	Grain growth and development of old and modern Australian wheats. <i>Field Crops Research</i> , 1989, 21, 131-146.	2.3	90
92	Mapping a major gene for growth habit and QTLs for ascochyta blight resistance and flowering time in a population between chickpea and <i>Cicer reticulatum</i> . <i>Euphytica</i> , 2010, 173, 307-319.	0.6	90
93	Assessment of ICCV 2—JG 62 chickpea progenies shows sensitivity of reproduction to salt stress and reveals QTL for seed yield and yield components. <i>Molecular Breeding</i> , 2012, 30, 9-21.	1.0	90
94	Can elevated CO ₂ combined with high temperature ameliorate the effect of terminal drought in wheat?. <i>Functional Plant Biology</i> , 2013, 40, 160.	1.1	90
95	Quinolizidine Alkaloid Biosynthesis in Lupins and Prospects for Grain Quality Improvement. <i>Frontiers in Plant Science</i> , 2017, 8, 87.	1.7	89
96	Drought and heat stress-related proteins: an update about their functional relevance in imparting stress tolerance in agricultural crops. <i>Theoretical and Applied Genetics</i> , 2019, 132, 1607-1638.	1.8	89
97	Metabolomics and Molecular Approaches Reveal Drought Stress Tolerance in Plants. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9108.	1.8	89
98	Salinity tolerance and ion accumulation in chickpea (<i>Cicer arietinum</i> L.) subjected to salt stress. <i>Plant and Soil</i> , 2013, 365, 347-361.	1.8	88
99	Accelerating genetic gains in legumes for the development of prosperous smallholder agriculture: integrating genomics, phenotyping, systems modelling and agronomy. <i>Journal of Experimental Botany</i> , 2018, 69, 3293-3312.	2.4	87
100	Genotype by environment interactions of Indian mustard (<i>Brassica juncea</i> L.) and canola (<i>B. napus</i> L.) in Mediterranean-type environments. <i>European Journal of Agronomy</i> , 2006, 25, 1-12.	1.9	86
101	Variation in seedling growth of 11 perennial legumes in response to phosphorus supply. <i>Plant and Soil</i> , 2010, 328, 133-143.	1.8	86
102	Salt sensitivity of the vegetative and reproductive stages in chickpea (<i>Cicer arietinum</i> L.): Podding is a particularly sensitive stage. <i>Environmental and Experimental Botany</i> , 2011, 71, 260-268.	2.0	86
103	Influence of drought and heat stress, applied independently or in combination during seed development, on qualitative and quantitative aspects of seeds of lentil (<i>Lens culinaris</i> L.). <i>Journal of Agricultural Science</i> , 2019, 159, 198-211.	2.8	86
104	Climate change in south-west Australia and north-west China: challenges and opportunities for crop production. <i>Crop and Pasture Science</i> , 2011, 62, 445.	0.7	85
105	Ridge-furrow mulching with black plastic film improves maize yield more than white plastic film in dry areas with adequate accumulated temperature. <i>Agricultural and Forest Meteorology</i> , 2018, 262, 206-214.	1.9	85
106	Soil organic carbon, total nitrogen, available nutrients, and yield under different straw returning methods. <i>Soil and Tillage Research</i> , 2021, 214, 105171.	2.6	85
107	A comparison of seed yields of winter grain legumes in Western Australia. <i>Australian Journal of Experimental Agriculture</i> , 1993, 33, 915.	1.0	84
108	Trigenomic Bridges for <i>Brassica</i> Improvement. <i>Critical Reviews in Plant Sciences</i> , 2011, 30, 524-547.	2.7	83

#	ARTICLE	IF	CITATIONS
109	Physiological and agronomic approaches for improving water-use efficiency in crop plants. <i>Agricultural Water Management</i> , 2019, 219, 95-108.	2.4	83
110	Integrated farming with intercropping increases food production while reducing environmental footprint. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	83
111	Integrating genomics for chickpea improvement: achievements and opportunities. <i>Theoretical and Applied Genetics</i> , 2020, 133, 1703-1720.	1.8	82
112	Fast-forward breeding for a food-secure world. <i>Trends in Genetics</i> , 2021, 37, 1124-1136.	2.9	82
113	Chickpea (<i>Cicer arietinum</i> L.), a potential grain legume for South-Western Australia: Seasonal growth and yield. <i>Australian Journal of Agricultural Research</i> , 1986, 37, 245.	1.5	82
114	Heat Stress at Reproductive Stage Disrupts Leaf Carbohydrate Metabolism, Impairs Reproductive Function, and Severely Reduces Seed Yield in Lentil. <i>Journal of Crop Improvement</i> , 2016, 30, 118-151.	0.9	79
115	Changes in Rice Grain Quality of Indica and Japonica Type Varieties Released in China from 2000 to 2014. <i>Frontiers in Plant Science</i> , 2017, 8, 1863.	1.7	79
116	Grazing exclusion—An effective approach for naturally restoring degraded grasslands in Northern China. <i>Land Degradation and Development</i> , 2018, 29, 4439-4456.	1.8	79
117	Root architecture alteration of narrow-leaved lupin and wheat in response to soil compaction. <i>Field Crops Research</i> , 2014, 165, 61-70.	2.3	77
118	Beneficial elements for agricultural crops and their functional relevance in defence against stresses. <i>Archives of Agronomy and Soil Science</i> , 2016, 62, 905-920.	1.3	77
119	Seed priming improves chilling tolerance in chickpea by modulating germination metabolism, trehalose accumulation and carbon assimilation. <i>Plant Physiology and Biochemistry</i> , 2017, 111, 274-283.	2.8	77
120	Rice—wheat cropping systems in South Asia: issues, options and opportunities. <i>Crop and Pasture Science</i> , 2019, 70, 395.	0.7	77
121	Improving/maintaining water-use efficiency and yield of wheat by deficit irrigation: A global meta-analysis. <i>Agricultural Water Management</i> , 2020, 228, 105906.	2.4	77
122	Albinism in Plants: A Major Bottleneck in Wide Hybridization, Androgenesis and Doubled Haploid Culture. <i>Critical Reviews in Plant Sciences</i> , 2009, 28, 393-409.	2.7	76
123	Impact of drought on growth, photosynthesis, osmotic adjustment, and cell wall elasticity in Damask rose. <i>Plant Physiology and Biochemistry</i> , 2020, 150, 133-139.	2.8	76
124	Regulation of photosynthesis under salt stress and associated tolerance mechanisms. <i>Plant Physiology and Biochemistry</i> , 2022, 178, 55-69.	2.8	76
125	Growth responses of cool-season grain legumes to transient waterlogging. <i>Australian Journal of Agricultural Research</i> , 2007, 58, 406.	1.5	74
126	Development of a novel semi-hydroponic phenotyping system for studying root architecture. <i>Functional Plant Biology</i> , 2011, 38, 355.	1.1	73

#	ARTICLE	IF	CITATIONS
127	Title is missing!. <i>Euphytica</i> , 1999, 110, 45-60.	0.6	72
128	Seed growth of desi and kabuli chickpea (<i>Cicer arietinum</i> L.) in a short-season Mediterranean-type environment. <i>Australian Journal of Experimental Agriculture</i> , 1999, 39, 181.	1.0	71
129	Addressing the yield gap in rainfed crops: a review. <i>Agronomy for Sustainable Development</i> , 2016, 36, 1.	2.2	70
130	Heat stress in grain legumes during reproductive and grain-filling phases. <i>Crop and Pasture Science</i> , 2017, 68, 985.	0.7	70
131	Alfalfa forage yield, soil water and P availability in response to plastic film mulch and P fertilization in a semiarid environment. <i>Field Crops Research</i> , 2018, 215, 94-103.	2.3	70
132	Heat stress effects on the reproductive physiology and yield of wheat. <i>Journal of Agronomy and Crop Science</i> , 2022, 208, 1-17.	1.7	70
133	Cooking quality of faba bean after storage at high temperature and the role of lignins and other phenolics in bean hardening. <i>LWT - Food Science and Technology</i> , 2008, 41, 1260-1267.	2.5	69
134	Chickpea evolution has selected for contrasting phenological mechanisms among different habitats. <i>Euphytica</i> , 2011, 180, 1-15.	0.6	69
135	Quantitative Trait Loci for Thermal Time to Flowering and Photoperiod Responsiveness Discovered in Summer Annual-Type <i>Brassica napus</i> L. <i>PLoS ONE</i> , 2014, 9, e102611.	1.1	69
136	Salt sensitivity in chickpea (<i>Cicer arietinum</i>): ions in reproductive tissues and yield components in contrasting genotypes. <i>Plant, Cell and Environment</i> , 2015, 38, 1565-1577.	2.8	69
137	Allelic Variations of a Light Harvesting Chlorophyll A/B-Binding Protein Gene (<i>Lhcb1</i>) Associated with Agronomic Traits in Barley. <i>PLoS ONE</i> , 2012, 7, e37573.	1.1	69
138	STABILITYSOFT: A new online program to calculate parametric and nonparametric stability statistics for crop traits. <i>Applications in Plant Sciences</i> , 2019, 7, e01211.	0.8	68
139	Integrating different stability models to investigate genotype×environment interactions and identify stable and high-yielding barley genotypes. <i>Euphytica</i> , 2019, 215, 1.	0.6	68
140	Pollen selection for chilling tolerance at hybridisation leads to improved chickpea cultivars. <i>Euphytica</i> , 2004, 139, 65-74.	0.6	67
141	Two key genomic regions harbour QTLs for salinity tolerance in ICCV 2JG 11 derived chickpea (<i>Cicer</i>)	1.6	67
142	Response of chickpea (<i>Cicer arietinum</i> L.) to terminal drought: leaf stomatal conductance, pod abscisic acid concentration, and seed set. <i>Journal of Experimental Botany</i> , 2017, 68, erw153.	2.4	67
143	Potential for increasing early vigour and total biomass in spring wheat. II. Characteristics associated with early vigour. <i>Australian Journal of Agricultural Research</i> , 1992, 43, 541.	1.5	66
144	Extraction and identification methods of microplastics and nanoplastics in agricultural soil: A review. <i>Journal of Environmental Management</i> , 2021, 294, 112997.	3.8	66

#	ARTICLE	IF	CITATIONS
145	Abiotic stresses.. , 2007, , 474-496.		66
146	Toward Doubled Haploid Production in the Fabaceae: Progress, Constraints, and Opportunities. <i>Critical Reviews in Plant Sciences</i> , 2006, 25, 139-157.	2.7	65
147	Both Male and Female Malfunction Contributes to Yield Reduction under Water Stress during Meiosis in Bread Wheat. <i>Frontiers in Plant Science</i> , 2016, 7, 2071.	1.7	65
148	Soil microbial community and network changes after long-term use of plastic mulch and nitrogen fertilization on semiarid farmland. <i>Geoderma</i> , 2021, 396, 115086.	2.3	65
149	Treatment processes to eliminate potential environmental hazards and restore agronomic value of sewage sludge: A review. <i>Environmental Pollution</i> , 2022, 293, 118564.	3.7	63
150	Effect of canopy structure on efficiency of radiation interception and use in spring wheat cultivars during the pre-anthesis period in a mediterranean-type environment. <i>Field Crops Research</i> , 1993, 35, 113-122.	2.3	62
151	A water deficit during pod development in lentils reduces flower and pod numbers but not seed size. <i>Australian Journal of Agricultural Research</i> , 2006, 57, 427.	1.5	62
152	Genotypic Variation in Yield, Yield Components, Root Morphology and Architecture, in Soybean in Relation to Water and Phosphorus Supply. <i>Frontiers in Plant Science</i> , 2017, 8, 1499.	1.7	62
153	Neglected and Underutilized Crop Species: The Key to Improving Dietary Diversity and Fighting Hunger and Malnutrition in Asia and the Pacific. <i>Frontiers in Nutrition</i> , 2020, 7, 593711.	1.6	62
154	Growth, yield and neurotoxin (ODAP) concentration of three Lathyrus species in mediterranean-type environments of Western Australia. <i>Australian Journal of Experimental Agriculture</i> , 1996, 36, 209.	1.0	61
155	Effects of individual and combined heat and drought stress during seed filling on the oxidative metabolism and yield of chickpea (<i>Cicer arietinum</i>) genotypes differing in heat and drought tolerance. <i>Crop and Pasture Science</i> , 2017, 68, 823.	0.7	61
156	Boron nutrition of rice in different production systems. A review. <i>Agronomy for Sustainable Development</i> , 2018, 38, 1.	2.2	61
157	Grain legume species in low rainfall Mediterranean-type environments II. Canopy development, radiation interception, and dry-matter production. <i>Field Crops Research</i> , 1997, 54, 189-199.	2.3	60
158	Effect of no-tillage on soil bacterial and fungal community diversity: A meta-analysis. <i>Soil and Tillage Research</i> , 2020, 204, 104721.	2.6	60
159	Grain development in wheat under combined heat and drought stress: Plant responses and management. <i>Environmental and Experimental Botany</i> , 2021, 188, 104517.	2.0	60
160	Film fully-mulched ridge-furrow cropping affects soil biochemical properties and maize nutrient uptake in a rainfed semi-arid environment. <i>Soil Science and Plant Nutrition</i> , 2014, 60, 486-498.	0.8	59
161	Phosphorus acquisition and utilisation in crop legumes under global change. <i>Current Opinion in Plant Biology</i> , 2018, 45, 248-254.	3.5	58
162	From mine to mind and mobiles “ Lithium contamination and its risk management. <i>Environmental Pollution</i> , 2021, 290, 118067.	3.7	58

#	ARTICLE	IF	CITATIONS
163	Characterising root trait variability in chickpea (<i>Cicer arietinum</i> L.) germplasm. <i>Journal of Experimental Botany</i> , 2017, 68, erw368.	2.4	57
164	Phenotypic variability in bread wheat root systems at the early vegetative stage. <i>BMC Plant Biology</i> , 2020, 20, 185.	1.6	56
165	Water Deficit during the Reproductive Period of Grass Pea (<i>Lathyrus sativus</i> L.) Reduced Grain Yield but Maintained Seed Size. <i>Journal of Agronomy and Crop Science</i> , 2012, 198, 430-441.	1.7	55
166	Comparing responses of grain legumes, wheat and canola to applications of superphosphate. <i>Nutrient Cycling in Agroecosystems</i> , 1999, 53, 157-175.	1.1	54
167	Vegetative and reproductive growth of salt-stressed chickpea are carbon-limited: sucrose infusion at the reproductive stage improves salt tolerance. <i>Journal of Experimental Botany</i> , 2017, 68, 2001-2011.	2.4	54
168	Soil disturbance and water stress interact to influence arbuscular mycorrhizal fungi, rhizosphere bacteria and potential for N and C cycling in an agricultural soil. <i>Biology and Fertility of Soils</i> , 2019, 55, 53-66.	2.3	54
169	Identification and Characterization of Contrasting Genotypes/Cultivars for Developing Heat Tolerance in Agricultural Crops: Current Status and Prospects. <i>Frontiers in Plant Science</i> , 2020, 11, 587264.	1.7	54
170	Remobilisation of carbon and nitrogen supports seed filling in chickpea subjected to water deficit. <i>Australian Journal of Agricultural Research</i> , 2000, 51, 855.	1.5	53
171	Genotype by environment interactions of Indian mustard (<i>Brassica juncea</i> L.) and canola (<i>Brassica</i>) Tj ETQq1 1 0.784314 rgBT ₅₃ /Overlo	1.9	53
172	Application of compost and clay under water-stressed conditions influences functional diversity of rhizosphere bacteria. <i>Biology and Fertility of Soils</i> , 2018, 54, 55-70.	2.3	53
173	Forage yield, soil water depletion, shoot nitrogen and phosphorus uptake and concentration, of young and old stands of alfalfa in response to nitrogen and phosphorus fertilisation in a semiarid environment. <i>Field Crops Research</i> , 2016, 198, 247-257.	2.3	52
174	Effects of drought stress on morphological, physiological and biochemical characteristics of wheat species differing in ploidy level. <i>Functional Plant Biology</i> , 2017, 44, 219.	1.1	52
175	Application of zinc and biochar help to mitigate cadmium stress in bread wheat raised from seeds with high intrinsic zinc. <i>Chemosphere</i> , 2020, 260, 127652.	4.2	52
176	Productivity and water use of alfalfa and subsequent crops in the semiarid Loess Plateau with different stand ages of alfalfa and crop sequences. <i>Field Crops Research</i> , 2009, 114, 58-65.	2.3	51
177	<i>Didymella pinodes</i> and its management in field pea: Challenges and opportunities. <i>Field Crops Research</i> , 2013, 148, 61-77.	2.3	51
178	Agronomic, physiological and molecular characterisation of rice mutants revealed the key role of reactive oxygen species and catalase in high-temperature stress tolerance. <i>Functional Plant Biology</i> , 2020, 47, 440.	1.1	50
179	Botrytis grey mould of chickpea: a review of biology, epidemiology, and disease management. <i>Australian Journal of Agricultural Research</i> , 2006, 57, 1137.	1.5	49
180	Maize yield improvements in China: past trends and future directions. <i>Plant Breeding</i> , 2016, 135, 166-176.	1.0	49

#	ARTICLE	IF	CITATIONS
181	Root system architecture, physiological and transcriptional traits of soybean (<sc><i>Glycine</i> Tj ETQq1 1 0.784314rgBT /Overlock 10 Tf .	2.6	49
182	Studies on Sowing Depth for Chickpea (<i>Cicer arietinum</i> L.), Faba Bean(<i>Vicia faba</i> L.) and Lentil (<i>Lens</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf . Agronomy and Crop Science, 1999, 182, 105-112.	1.7	48
183	Geographical patterns of genetic variation in the world collections of wild annual <i>Cicer</i> characterized by amplified fragment length polymorphisms. Theoretical and Applied Genetics, 2005, 110, 381-391.	1.8	48
184	Effects of transient subsurface waterlogging on root growth, plant biomass and yield of chickpea. Agricultural Water Management, 2010, 97, 1469-1476.	2.4	48
185	Phenotypic variability and modelling of root structure of wild <i>Lupinus angustifolius</i> genotypes. Plant and Soil, 2011, 348, 345-364.	1.8	48
186	Assessing variability in root traits of wild <i>Lupinus angustifolius</i> germplasm: basis for modelling root system structure. Plant and Soil, 2012, 354, 141-155.	1.8	48
187	Desi chickpea genotypes tolerate drought stress better than kabuli types by modulating germination metabolism, trehalose accumulation, and carbon assimilation. Plant Physiology and Biochemistry, 2018, 126, 47-54.	2.8	48
188	Impact of heat stress during seed filling on seed quality and seed yield in lentil (<i>Lens culinaris</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf .	1.7	48
189	Characterization of Root and Shoot Traits in Wheat Cultivars with Putative Differences in Root System Size. Agronomy, 2018, 8, 109.	1.3	48
190	Comparative proteomics and gene expression analyses revealed responsive proteins and mechanisms for salt tolerance in chickpea genotypes. BMC Plant Biology, 2019, 19, 300.	1.6	48
191	Breeding customâ€designed crops for improved drought adaptation. Genetics & Genomics Next, 2021, 2, e202100017.	0.8	48
192	Faba bean genomics: current status and future prospects. Euphytica, 2012, 186, 609-624.	0.6	47
193	Wild relatives of wheat: <i>Aegilops</i> â€Triticum accessions disclose differential antioxidative and physiological responses to water stress. Acta Physiologiae Plantarum, 2018, 40, 1.	1.0	47
194	Modelling predicts that soybean is poised to dominate crop production across <sc>A</sc>frica. Plant, Cell and Environment, 2019, 42, 373-385.	2.8	47
195	A PCR-based molecular marker applicable for marker-assisted selection for anthracnose disease resistance in lupin breeding. Cellular and Molecular Biology Letters, 2005, 10, 123-34.	2.7	47
196	Crop growth and relative growth rates of old and modern wheat cultivars. Australian Journal of Agricultural Research, 1991, 42, 13.	1.5	46
197	Growth, seed yield and water use of faba bean (<i>Vicia faba</i> L.) in a short-season Mediterranean-type environment. Australian Journal of Experimental Agriculture, 1998, 38, 171.	1.0	46
198	Deficit irrigation improves maize yield and water use efficiency in a semi-arid environment. Agricultural Water Management, 2021, 243, 106483.	2.4	46

#	ARTICLE	IF	CITATIONS
199	Nanobiotechnology for Agriculture: Smart Technology for Combating Nutrient Deficiencies with Nanotoxicity Challenges. <i>Sustainability</i> , 2021, 13, 1781.	1.6	46
200	Impact of climate change on biology and management of wheat pests. <i>Crop Protection</i> , 2020, 137, 105304.	1.0	45
201	Benefits and limitations of straw mulching and incorporation on maize yield, water use efficiency, and nitrogen use efficiency. <i>Agricultural Water Management</i> , 2021, 256, 107128.	2.4	45
202	Osmotic adjustment of chickpea (<i>Cicer arietinum</i>) is not associated with changes in carbohydrate composition or leaf gas exchange under drought. <i>Annals of Applied Biology</i> , 2007, 150, 217-225.	1.3	44
203	Impact of Abiotic Stresses on Grain Composition and Quality in Food Legumes. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 8887-8897.	2.4	44
204	Adaptation of lentil (<i>Lens culinaris</i> Medik.) to Mediterranean-type environments: effect of time of sowing on growth, yield, and water use. <i>Australian Journal of Agricultural Research</i> , 1998, 49, 613.	1.5	44
205	Embryo rescue and plant regeneration in vitro of selfed chickpea (<i>Cicer arietinum</i> L.) and its wild annual relatives. <i>Plant Cell, Tissue and Organ Culture</i> , 2006, 85, 197-204.	1.2	43
206	Phosphorus starvation boosts carboxylate secretion in P-deficient genotypes of <i>Lupinus angustifolius</i> with contrasting root structure. <i>Crop and Pasture Science</i> , 2013, 64, 588.	0.7	43
207	High intrinsic seed Zn concentration improves abiotic stress tolerance in wheat. <i>Plant and Soil</i> , 2019, 437, 195-213.	1.8	43
208	Phosphorus (P) use efficiency in rice is linked to tissue-specific biomass and P allocation patterns. <i>Scientific Reports</i> , 2020, 10, 4278.	1.6	43
209	Mobilization of contaminants: Potential for soil remediation and unintended consequences. <i>Science of the Total Environment</i> , 2022, 839, 156373.	3.9	43
210	Adaptation of faba bean (<i>Vicia faba</i> L.) to dryland Mediterranean-type environments III. Water use and water-use efficiency. <i>Field Crops Research</i> , 1997, 54, 153-162.	2.3	42
211	Consistent Variation Across Soil Types in Salinity Resistance of a Diverse Range of Chickpea (<i>Cicer</i>) Tj ETQq1 1 0.784314 rgBT /Overlo	1.7	42
212	Cool-season grain legume improvement in Australia—Use of genetic resources. <i>Crop and Pasture Science</i> , 2013, 64, 347.	0.7	42
213	Effects of Drought Stress on Morphophysiological Traits, Biochemical Characteristics, Yield, and Yield Components in Different Ploidy Wheat. <i>Advances in Agronomy</i> , 2017, , 139-173.	2.4	42
214	Supplementary Calcium Restores Peanut (<i>Arachis hypogaea</i>) Growth and Photosynthetic Capacity Under Low Nocturnal Temperature. <i>Frontiers in Plant Science</i> , 2019, 10, 1637.	1.7	42
215	Adaptation of chickpea (<i>Cicer arietinum</i> L.) and faba bean (<i>Vicia faba</i> L.) to Australia. <i>Current Plant Science and Biotechnology in Agriculture</i> , 2000, , 289-303.	0.0	42
216	Responses of soil microorganisms, carbon and nitrogen to freeze-thaw cycles in diverse land-use types. <i>Applied Soil Ecology</i> , 2018, 124, 211-217.	2.1	41

#	ARTICLE	IF	CITATIONS
217	Zinc nutrition in chickpea (<i>Cicer arietinum</i>): a review. <i>Crop and Pasture Science</i> , 2020, 71, 199.	0.7	41
218	Drought responses of profile plant-available water and fine-root distributions in apple (<i>Malus pumila</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 137739.	3.9	41
219	Rediscovering Asia's forgotten crops to fight chronic and hidden hunger. <i>Nature Plants</i> , 2021, 7, 116-122.	4.7	41
220	Early sowing with wheat cultivars of suitable maturity increases grain yield of spring wheat in a short season environment. <i>Australian Journal of Experimental Agriculture</i> , 1992, 32, 717.	1.0	41
221	Breeding More Crops in Less Time: A Perspective on Speed Breeding. <i>Biology</i> , 2022, 11, 275.	1.3	41
222	Modelling root plasticity and response of narrow-leafed lupin to heterogeneous phosphorus supply. <i>Plant and Soil</i> , 2013, 372, 319-337.	1.8	40
223	Leaf transpiration plays a role in phosphorus acquisition among a large set of chickpea genotypes. <i>Plant, Cell and Environment</i> , 2018, 41, 2069-2079.	2.8	40
224	The Effect of Grain Position on Genetic Improvement of Grain Number and Thousand Grain Weight in Winter Wheat in North China. <i>Frontiers in Plant Science</i> , 2018, 9, 129.	1.7	40
225	<sc><i>PASTIC</i></sc>: An online toolkit to estimate plant abiotic stress indices. <i>Applications in Plant Sciences</i> , 2019, 7, e11278.	0.8	40
226	The effects of straw incorporation with plastic film mulch on soil properties and bacterial community structure on the loess plateau. <i>European Journal of Soil Science</i> , 2021, 72, 979-994.	1.8	40
227	Resilience achieved via multiple compensating subsystems: The immediate impacts of COVID-19 control measures on the agri-food systems of Australia and New Zealand. <i>Agricultural Systems</i> , 2021, 187, 103025.	3.2	40
228	Responses of faba bean (<i>Vicia faba</i> L.) to sowing rate in south-western Australia. I. Seed yield and economic optimum plant density. <i>Australian Journal of Agricultural Research</i> , 1998, 49, 989.	1.5	40
229	Environmental implications, potential value, and future of food-waste anaerobic digestate management: A review. <i>Journal of Environmental Management</i> , 2022, 318, 115519.	3.8	40
230	Commensalism in an agroecosystem: hydraulic redistribution by deep-rooted legumes improves survival of a droughted shallow-rooted legume companion. <i>Physiologia Plantarum</i> , 2013, 149, 79-90.	2.6	39
231	Evolving gene banks: improving diverse populations of crop and exotic germplasm with optimal contribution selection. <i>Journal of Experimental Botany</i> , 2017, 68, erw406.	2.4	39
232	Genetic variations of HvP5CS1 and their association with drought tolerance related traits in barley (<i>Hordeum vulgare</i> L.). <i>Scientific Reports</i> , 2017, 7, 7870.	1.6	39
233	Salinity and Low Phosphorus Differentially Affect Shoot and Root Traits in Two Wheat Cultivars with Contrasting Tolerance to Salt. <i>Agronomy</i> , 2018, 8, 155.	1.3	39
234	Plant-Growth-Promoting Rhizobacteria Emerging as an Effective Bioinoculant to Improve the Growth, Production, and Stress Tolerance of Vegetable Crops. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12245.	1.8	39

#	ARTICLE	IF	CITATIONS
235	Effects of water management with plastic film in a semi-arid agricultural system on available soil carbon fractions. <i>European Journal of Soil Biology</i> , 2013, 57, 9-12.	1.4	38
236	Effect of zeolite application on phenology, grain yield and grain quality in rice under water stress. <i>Agricultural Water Management</i> , 2018, 206, 241-251.	2.4	38
237	Dissecting root trait variability in maize genotypes using the semi-hydroponic phenotyping platform. <i>Plant and Soil</i> , 2019, 439, 75-90.	1.8	38
238	Genetic Dissection and Identification of Candidate Genes for Salinity Tolerance Using Axiom®CicerSNP Array in Chickpea. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5058.	1.8	38
239	Precipitation dominates the transpiration of both the economic forest (<i>Malus pumila</i>) and ecological forest (<i>Robinia pseudoacacia</i>) on the Loess Plateau after about 15 years of water depletion in deep soil. <i>Agricultural and Forest Meteorology</i> , 2021, 297, 108244.	1.9	38
240	Anthropogenic drivers of soil microbial communities and impacts on soil biological functions in agroecosystems. <i>Global Ecology and Conservation</i> , 2021, 27, e01521.	1.0	38
241	Canopy development modifies the water economy of chickpea (<i>Cicer arietinum</i> L.) in south-western Australia. <i>Australian Journal of Agricultural Research</i> , 1986, 37, 599.	1.5	37
242	Variation in skikelet initiation and ear development of old and modern Australian wheat varieties. <i>Field Crops Research</i> , 1989, 20, 113-128.	2.3	37
243	Adaptation of faba bean (<i>Vicia faba</i> L.) to dryland Mediterranean-type environments II. Phenology, canopy development, radiation absorbtion and biomass partitioning. <i>Field Crops Research</i> , 1997, 52, 29-41.	2.3	37
244	Non-invasive pressure probes magnetically clamped to leaves to monitor the water status of wheat. <i>Plant and Soil</i> , 2013, 369, 257-268.	1.8	37
245	Development of screening techniques and identification of new sources of resistance to <i>Ascochyta</i> blight disease of chickpea. <i>Australasian Plant Pathology</i> , 2011, 40, 149-156.	0.5	36
246	Contrasting stomatal regulation and leaf ABA concentrations in wheat genotypes when split root systems were exposed to terminal drought. <i>Field Crops Research</i> , 2014, 162, 77-86.	2.3	36
247	Does Plastic Mulch Improve Crop Yield in Semiarid Farmland at High Altitude?. <i>Agronomy Journal</i> , 2015, 107, 1724-1732.	0.9	36
248	Development of EST-SSR markers in flowering Chinese cabbage (<i>Brassica campestris</i> L. ssp. <i>chinensis</i>) Tj ETQq0 0 0 rgBT /Overlock 10 T	1.1	36
249	The member wears Four Hats: A member identification framework for co-operative enterprises. <i>Journal of Co-operative Organization and Management</i> , 2018, 6, 20-33.	0.9	36
250	Screening wild progenitors of wheat for salinity stress at early stages of plant growth: insight into potential sources of variability for salinity adaptation in wheat. <i>Crop and Pasture Science</i> , 2018, 69, 649.	0.7	36
251	White Mustard (<i>Sinapis alba</i> L.) Oil in Biodiesel Production: A Review. <i>Frontiers in Plant Science</i> , 2020, 11, 299.	1.7	36
252	Optimum plant density of desi chickpea (<i>Cicer arietinum</i> L.) increases with increasing yield potential in south-western Australia. <i>Australian Journal of Agricultural Research</i> , 1999, 50, 1017.	1.5	36

#	ARTICLE	IF	CITATIONS
253	Screening wheat germplasm for seedling root architectural traits under contrasting water regimes: potential sources of variability for drought adaptation. Archives of Agronomy and Soil Science, 2018, 64, 1351-1365.	1.3	35
254	Harnessing the Plant Microbiome for Improved Abiotic Stress Tolerance. Microorganisms for Sustainability, 2018, , 21-43.	0.4	35
255	Plant growth-regulating molecules as thermoprotectants: functional relevance and prospects for improving heat tolerance in food crops. Journal of Experimental Botany, 2020, 71, 569-594.	2.4	35
256	The conversion of tropical forests to rubber plantations accelerates soil acidification and changes the distribution of soil metal ions in topsoil layers. Science of the Total Environment, 2019, 696, 134082.	3.9	35
257	Effects, tolerance mechanisms and management of salt stress in lucerne (<i>Medicago sativa</i>). Crop and Pasture Science, 2020, 71, 411.	0.7	35
258	Contrasting patterns in biomass allocation, root morphology and mycorrhizal symbiosis for phosphorus acquisition among 20 chickpea genotypes with different amounts of rhizosphere carboxylates. Functional Ecology, 2020, 34, 1311-1324.	1.7	35
259	Assessment of biochemical and physiological parameters of durum wheat genotypes at the seedling stage during polyethylene glycol-induced water stress. Plant Growth Regulation, 2020, 92, 81-93.	1.8	35
260	Integrated transcriptomics and metabolomics analysis to characterize alkali stress responses in canola (<i>Brassica napus</i> L.). Plant Physiology and Biochemistry, 2021, 166, 605-620.	2.8	35
261	Grain yield and water use efficiency of early maturing wheat in low rainfall Mediterranean environments. Australian Journal of Agricultural Research, 1997, 48, 595.	1.5	35
262	The effect of reduced branching on yield and water use of chickpea (<i>Cicer arietinum</i> L.) in a Mediterranean type environment. Field Crops Research, 1985, 12, 251-269.	2.3	34
263	Physiological and seed yield responses to water deficits among lentil genotypes from diverse origins. Australian Journal of Agricultural Research, 2006, 57, 903.	1.5	34
264	Contrasting responses to drought stress in herbaceous perennial legumes. Plant and Soil, 2011, 348, 299-314.	1.8	34
265	Large-scale density-based screening for pea weevil resistance in advanced backcross lines derived from cultivated field pea (<i>Pisum sativum</i>) and <i>Pisum fulvum</i> . Crop and Pasture Science, 2012, 63, 612.	0.7	34
266	Selenium biofortification in lentil (<i>Lens culinaris</i> Medikus subsp. <i>culinaris</i>): Farmers' field survey and genotype–environment effect. Food Research International, 2013, 54, 1596-1604.	2.9	34
267	Salt Stress Delayed Flowering and Reduced Reproductive Success of Chickpea (<i>Cicer arietinum</i>) Tj ETQq1 1 0.784314 rgBT /Over Crop Science, 2016, 202, 125-138.	1.7	34
268	Pattern of Water Use and Seed Yield under Terminal Drought in Chickpea Genotypes. Frontiers in Plant Science, 2017, 8, 1375.	1.7	34
269	Using Biotechnology-Led Approaches to Uplift Cereal and Food Legume Yields in Dryland Environments. Frontiers in Plant Science, 2018, 9, 1249.	1.7	34
270	Future Smart Food: Harnessing the potential of neglected and underutilized species for Zero Hunger. Maternal and Child Nutrition, 2020, 16, e13008.	1.4	34

#	ARTICLE	IF	CITATIONS
271	Adaptation of lentil (<i>Lens culinaris</i> Medik) to short season Mediterranean-type environments: response to sowing rates. <i>Australian Journal of Agricultural Research</i> , 1998, 49, 1057.	1.5	34
272	<i>Beijerinckia fluminensis</i> BFC-33, a novel multi-stress-tolerant soil bacterium: Deciphering the stress amelioration, phytopathogenic inhibition and growth promotion in <i>Triticum aestivum</i> (L.). <i>Chemosphere</i> , 2022, 295, 133843.	4.2	34
273	Physical, chemical, and microbial contaminants in food waste management for soil application: A review. <i>Environmental Pollution</i> , 2022, 300, 118860.	3.7	34
274	Salinity stress tolerance and omics approaches: revisiting the progress and achievements in major cereal crops. <i>Heredity</i> , 2022, 128, 497-518.	1.2	34
275	Nitrogen retards and oxygen accelerates colour darkening in faba bean (<i>Vicia faba</i> L.) during storage. <i>Postharvest Biology and Technology</i> , 2008, 47, 113-118.	2.9	33
276	Characterization and genetic dissection of resistance to spotted alfalfa aphid (<i>Therioaphis trifolii</i>) in <i>Medicago truncatula</i> . <i>Journal of Experimental Botany</i> , 2013, 64, 5157-5172.	2.4	33
277	Temperature sensitivity of food legumes: a physiological insight. <i>Acta Physiologiae Plantarum</i> , 2017, 39, 1.	1.0	33
278	Response of Wheat to a Multiple Species Microbial Inoculant Compared to Fertilizer Application. <i>Frontiers in Plant Science</i> , 2018, 9, 1601.	1.7	33
279	Phenology and sowing time affect water use in four warm-season annual grasses under a semi-arid environment. <i>Agricultural and Forest Meteorology</i> , 2019, 269-270, 257-269.	1.9	33
280	Combined ditch buried straw return technology in a ridge-furrow plastic film mulch system: Implications for crop yield and soil organic matter dynamics. <i>Soil and Tillage Research</i> , 2020, 199, 104596.	2.6	33
281	Reduced groundwater use and increased grain production by optimized irrigation scheduling in winter wheat–summer maize double cropping system—A 16-year field study in North China Plain. <i>Field Crops Research</i> , 2022, 275, 108364.	2.3	33
282	Narbon bean (<i>Vicia narbonensis</i> L.): a promising grain legume for low rainfall areas of south-western Australia. <i>Australian Journal of Experimental Agriculture</i> , 1996, 36, 53.	1.0	32
283	Growth and seed yield of lentil (<i>Lens culinaris</i> Medikus) genotypes of West Asian and South Asian origin and crossbreds between the two under rainfed conditions in Nepal. <i>Australian Journal of Agricultural Research</i> , 2005, 56, 971.	1.5	32
284	Characterization of the genetic factors affecting quinolizidine alkaloid biosynthesis and its response to abiotic stress in narrow-leaved lupin (<i>Lupinus angustifolius</i> L.). <i>Plant, Cell and Environment</i> , 2018, 41, 2155-2168.	2.8	32
285	Phosphorus application increases root growth, improves daily water use during the reproductive stage, and increases grain yield in soybean subjected to water shortage. <i>Environmental and Experimental Botany</i> , 2019, 166, 103816.	2.0	32
286	Enhanced efficiency nitrogen fertilizers maintain yields and mitigate global warming potential in an intensified spring wheat system. <i>Field Crops Research</i> , 2019, 244, 107624.	2.3	32
287	Non-coding RNAs: Functional roles in the regulation of stress response in Brassica crops. <i>Genomics</i> , 2020, 112, 1419-1424.	1.3	32
288	Non-Coding RNAs in Legumes: Their Emerging Roles in Regulating Biotic/Abiotic Stress Responses and Plant Growth and Development. <i>Cells</i> , 2021, 10, 1674.	1.8	31

#	ARTICLE	IF	CITATIONS
289	The nutritional value of <i>Lathyrus cicera</i> and <i>Lupinus angustifolius</i> grain for sheep. <i>Animal Feed Science and Technology</i> , 2002, 99, 45-64.	1.1	30
290	Carbon Isotope Discrimination is not Correlated with Transpiration Efficiency in Three Cool-Season Grain Legumes (Pulses). <i>Journal of Integrative Plant Biology</i> , 2007, 49, 1478-1483.	4.1	30
291	Physiological and morphological adaptations of herbaceous perennial legumes allow differential access to sources of varying soluble phosphate. <i>Physiologia Plantarum</i> , 2015, 154, 511-525.	2.6	30
292	Salt sensitivity in chickpea is determined by sodium toxicity. <i>Planta</i> , 2016, 244, 623-637.	1.6	30
293	Identification and validation of a major chromosome region for high grain number per spike under meiotic stage water stress in wheat (<i>Triticum aestivum</i> L.). <i>PLoS ONE</i> , 2018, 13, e0194075.	1.1	30
294	Ameliorative effects of potassium on drought-induced decreases in fiber length of cotton (<i>Gossypium</i>) Tj ETQq0 0 0 rgBT /Overlock 10 T 619-634.	2.3	30
295	Maize genotypes with deep root systems tolerate salt stress better than those with shallow root systems during early growth. <i>Journal of Agronomy and Crop Science</i> , 2020, 206, 711-721.	1.7	30
296	Omics and CRISPR-Cas9 Approaches for Molecular Insight, Functional Gene Analysis, and Stress Tolerance Development in Crops. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1292.	1.8	30
297	Application of bio and chemical fertilizers improves yield, and essential oil quantity and quality of Moldavian balm (<i>Dracocephalum moldavica</i> L.) intercropped with mung bean (<i>Vigna</i>) Tj ETQq1 1 0.7843 14 rgBT /Overlock 10 T 619-634.	1.7	30
298	Diversified crop rotations enhance groundwater and economic sustainability of food production. <i>Food and Energy Security</i> , 2021, 10, e311.	2.0	30
299	Effect of fertilizer management on the soil bacterial community in agroecosystems across the globe. <i>Agriculture, Ecosystems and Environment</i> , 2022, 326, 107795.	2.5	30
300	Role of Glycine Betaine in the Thermotolerance of Plants. <i>Agronomy</i> , 2022, 12, 276.	1.3	30
301	Ammoniated straw incorporation increases wheat yield, yield stability, soil organic carbon and soil total nitrogen content. <i>Field Crops Research</i> , 2022, 284, 108558.	2.3	30
302	Film antitranspirants increase yield in drought stressed wheat plants by maintaining high grain number. <i>Agricultural Water Management</i> , 2015, 159, 11-18.	2.4	29
303	Soil P availability, inorganic P fractions and yield effect in a calcareous soil with plastic-film-mulched spring wheat. <i>Field Crops Research</i> , 2012, 137, 221-229.	2.3	28
304	Uptake and Distribution of Stable Strontium in 26 Cultivars of Three Crop Species: Oats, Wheat, and Barley for Their Potential Use in Phytoremediation. <i>International Journal of Phytoremediation</i> , 2015, 17, 264-271.	1.7	28
305	Photosynthesis is Reduced, and Seeds Fail to Set and Fill at Similar Soil Water Contents in Grass Pea (<i>Lathyrus sativus</i> L.) Subjected to Terminal Drought. <i>Journal of Agronomy and Crop Science</i> , 2015, 201, 241-252.	1.7	28
306	Proteomic responses to progressive dehydration stress in leaves of chickpea seedlings. <i>BMC Genomics</i> , 2020, 21, 523.	1.2	28

#	ARTICLE	IF	CITATIONS
307	The economicâ€“environmental trade-off of growing apple trees in the drylands of China: A conceptual framework for sustainable intensification. <i>Journal of Cleaner Production</i> , 2021, 296, 126497.	4.6	28
308	Agricultural ecosystem management in dry areas: challenges and solutions. <i>Plant and Soil</i> , 2011, 347, 1-6.	1.8	27
309	Single Nucleotide Polymorphisms in HSP17.8 and Their Association with Agronomic Traits in Barley. <i>PLoS ONE</i> , 2013, 8, e56816.	1.1	27
310	Salt tolerance of <i>Beta macrocarpa</i> is associated with efficient osmotic adjustment and increased apoplastic water content. <i>Plant Biology</i> , 2016, 18, 369-375.	1.8	27
311	Nondestructive Phenomic Tools for the Prediction of Heat and Drought Tolerance at Anthesis in <i>Brassica</i> Species. <i>Plant Phenomics</i> , 2019, 2019, 3264872.	2.5	27
312	Identification of conserved and novel miRNAs responsive to heat stress in flowering Chinese cabbage using high-throughput sequencing. <i>Scientific Reports</i> , 2019, 9, 14922.	1.6	26
313	Crop root systems and rhizosphere interactions. <i>Plant and Soil</i> , 2019, 439, 1-5.	1.8	26
314	Spatial-temporal distribution of winter wheat (<i>Triticum aestivum</i> L.) roots and water use efficiency under ridgeâ€“furrow dual mulching. <i>Agricultural Water Management</i> , 2020, 240, 106301.	2.4	26
315	Effect of natural factors and management practices on agricultural water use efficiency under drought: A meta-analysis of global drylands. <i>Journal of Hydrology</i> , 2021, 594, 125977.	2.3	26
316	Differential Physio-Biochemical and Metabolic Responses of Peanut (<i>Arachis hypogaea</i> L.) under Multiple Abiotic Stress Conditions. <i>International Journal of Molecular Sciences</i> , 2022, 23, 660.	1.8	26
317	<i>WUSCHEL</i> -related homeobox family genes in rice control lateral root primordium size. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	3.3	26
318	Response of soil microbial community parameters to plastic film mulch: A meta-analysis. <i>Geoderma</i> , 2022, 418, 115851.	2.3	26
319	Effect of plant density on growth and harvest index of branches in chickpea (<i>Cicer arietinum</i> L.). <i>Field Crops Research</i> , 1984, 9, 193-203.	2.3	25
320	Growth and seed yield of vetches (<i>Vicia</i> spp.) in south-western Australia. <i>Australian Journal of Experimental Agriculture</i> , 1996, 36, 587.	1.0	25
321	Identification of genome regions controlling cotyledon, pod wall/seed coat and pod wall resistance to pea weevil through QTL mapping. <i>Theoretical and Applied Genetics</i> , 2014, 127, 489-497.	1.8	25
322	Reserving winter snow for the relief of spring drought by film mulching in northeast China. <i>Field Crops Research</i> , 2017, 209, 58-64.	2.3	25
323	Introduction of a leguminous shrub to a rubber plantation changed the soil carbon and nitrogen fractions and ameliorated soil environments. <i>Scientific Reports</i> , 2018, 8, 17324.	1.6	25
324	Rainfall affects leaching of pre-emergent herbicide from wheat residue into the soil. <i>PLoS ONE</i> , 2019, 14, e0210219.	1.1	25

#	ARTICLE	IF	CITATIONS
325	Reducing N ₂ O emissions with enhanced efficiency nitrogen fertilizers (EENFs) in a high-yielding spring maize system. <i>Environmental Pollution</i> , 2021, 273, 116422.	3.7	25
326	Photosynthesis, Chlorophyll Fluorescence, and Yield of Peanut in Response to Biochar Application. <i>Frontiers in Plant Science</i> , 2021, 12, 650432.	1.7	25
327	Omics™ approaches in developing combined drought and heat tolerance in food crops. <i>Plant Cell Reports</i> , 2022, 41, 699-739.	2.8	25
328	Water Use Efficiency. , 2013, , 225-268.		24
329	Changes in yield and agronomic traits of soybean cultivars released in China in the last 60 years. <i>Crop and Pasture Science</i> , 2017, 68, 973.	0.7	24
330	An Assessment of Vulnerability to Poverty in Punjab, Pakistan: Subjective Choices of Poverty Indicators. <i>Social Indicators Research</i> , 2017, 134, 117-152.	1.4	24
331	Modeling crop breeding for global food security during climate change. <i>Food and Energy Security</i> , 2019, 8, e00157.	2.0	24
332	Genome-Wide Analysis and Characterization of the Proline-Rich Extensin-like Receptor Kinases (PERKs) Gene Family Reveals Their Role in Different Developmental Stages and Stress Conditions in Wheat (<i>Triticum aestivum</i> L.). <i>Plants</i> , 2022, 11, 496.	1.6	24
333	Effect of film mulching on crop yield and water use efficiency in drip irrigation systems: A meta-analysis. <i>Soil and Tillage Research</i> , 2022, 221, 105392.	2.6	24
334	Self-Help Groups in Indian Agriculture: A Case Study of Farmer Groups in Punjab, Northern India. <i>Agroecology and Sustainable Food Systems</i> , 2013, 37, 509-530.	1.0	23
335	Comparative effect of drought duration on growth, photosynthesis, water relations, and solute accumulation in wild and cultivated barley species. <i>Journal of Plant Nutrition and Soil Science</i> , 2016, 179, 327-335.	1.1	23
336	Optimum water and nitrogen supply regulates root distribution and produces high grain yields in spring wheat (<i>Triticum aestivum</i> L.) under permanent raised bed tillage in arid northwest China. <i>Soil and Tillage Research</i> , 2018, 181, 117-126.	2.6	23
337	Nitrogen removal efficiencies and pathways from unsaturated and saturated zones in a laboratory-scale vertical flow constructed wetland. <i>Journal of Environmental Management</i> , 2018, 228, 466-474.	3.8	23
338	Gobi agriculture: an innovative farming system that increases energy and water use efficiencies. A review. <i>Agronomy for Sustainable Development</i> , 2018, 38, 1.	2.2	23
339	Early Season Drought Largely Reduces Grain Yield in Wheat Cultivars with Smaller Root Systems. <i>Plants</i> , 2019, 8, 305.	1.6	23
340	Influence of seed priming techniques on grain yield and economic returns of bread wheat planted at different spacings. <i>Crop and Pasture Science</i> , 2020, 71, 725.	0.7	23
341	Influence of straw incorporation on soil water utilization and summer maize productivity: A five-year field study on the Loess Plateau of China. <i>Agricultural Water Management</i> , 2020, 233, 106106.	2.4	23
342	Cross-tolerance for drought, heat and salinity stresses in chickpea (<i>Cicer arietinum</i> L.). <i>Journal of Agronomy and Crop Science</i> , 2020, 206, 405-419.	1.7	23

#	ARTICLE	IF	CITATIONS
343	Soil Type Influences Relative Yield of Barley and Wheat in a Mediterranean-type Environment. <i>Journal of Agronomy and Crop Science</i> , 1994, 172, 147-160.	1.7	22
344	RESPONSES OF COOL-SEASON GRAIN LEGUMES AND WHEAT TO SOIL-APPLIED ZINC. <i>Journal of Plant Nutrition</i> , 2001, 24, 727-741.	0.9	22
345	Wheat and white lupin differ in root proliferation and phosphorus use efficiency under heterogeneous soil P supply. <i>Crop and Pasture Science</i> , 2011, 62, 467.	0.7	22
346	Using Sorghum to suppress weeds in dry seeded aerobic and puddled transplanted rice. <i>Field Crops Research</i> , 2017, 214, 211-218.	2.3	22
347	Ex vivo and in vitro assessment of anti-inflammatory activity of seed Î²-conglutin proteins from <i>Lupinus angustifolius</i> . <i>Journal of Functional Foods</i> , 2018, 40, 510-519.	1.6	22
348	Role of Phytohormones in Regulating Heat Stress Acclimation in Agricultural Crops. <i>Journal of Plant Growth Regulation</i> , 2022, 41, 1041-1064.	2.8	22
349	Quantifying the interaction of water and radiation use efficiency under plastic film mulch in winter wheat. <i>Science of the Total Environment</i> , 2021, 794, 148704.	3.9	22
350	Phenology determines water use strategies of three economic tree species in the semi-arid Loess Plateau of China. <i>Agricultural and Forest Meteorology</i> , 2022, 312, 108716.	1.9	22
351	Elevated CO ₂ Reduced Floret Death in Wheat Under Warmer Average Temperatures and Terminal Drought. <i>Frontiers in Plant Science</i> , 2015, 6, 1010.	1.7	21
352	Root biomass in the upper layer of the soil profile is related to the stomatal response of wheat as the soil dries. <i>Functional Plant Biology</i> , 2016, 43, 62.	1.1	21
353	Reproductive fitness in common bean (<i>Phaseolus vulgaris</i> L.) under drought stress is associated with root length and volume. <i>Indian Journal of Plant Physiology</i> , 2018, 23, 796-809.	0.8	21
354	Crop Phenomics for Abiotic Stress Tolerance in Crop Plants. , 2018, , 277-296.		21
355	Alien chromosome segment from <i>Aegilops speltoides</i> and <i>Dasypyrum villosum</i> increases drought tolerance in wheat via profuse and deep root system. <i>BMC Plant Biology</i> , 2019, 19, 242.	1.6	21
356	Securing reproductive function in mungbean grown under high temperature environment with exogenous application of proline. <i>Plant Physiology and Biochemistry</i> , 2019, 140, 136-150.	2.8	21
357	Comparative Analysis of miRNA Expression Profiles between Heat-Tolerant and Heat-Sensitive Genotypes of Flowering Chinese Cabbage Under Heat Stress Using High-Throughput Sequencing. <i>Genes</i> , 2020, 11, 264.	1.0	21
358	Increasing maize production and preventing water deficits in semi-arid areas: A study matching fertilization with regional precipitation under mulch planting. <i>Agricultural Water Management</i> , 2020, 241, 106347.	2.4	21
359	Transient daily heat stress during the early reproductive phase disrupts pod and seed development in <i>Brassica napus</i> L.. <i>Food and Energy Security</i> , 2021, 10, e262.	2.0	21
360	Cool season grain legumes for Mediterranean environments: species × environment interaction in seed quality traits and anti-nutritional factors in the genus <i>Vicia</i> . <i>Australian Journal of Agricultural Research</i> , 1999, 50, 389.	1.5	21

#	ARTICLE	IF	CITATIONS
361	Nitrogen supply improved plant growth and Cd translocation in maize at the silking and physiological maturity under moderate Cd stress. <i>Ecotoxicology and Environmental Safety</i> , 2022, 230, 113137.	2.9	21
362	Diversifying crop rotations enhances agroecosystem services and resilience. <i>Advances in Agronomy</i> , 2022, , 299-335.	2.4	21
363	Enhancing selenium concentration in lentil (<i>Lens culinaris</i> subsp. <i>culinaris</i>) through foliar application. <i>Journal of Agricultural Science</i> , 2015, 153, 656-665.	0.6	20
364	Root trait diversity, molecular marker diversity, and trait-marker associations in a core collection of <i>Lupinus angustifolius</i> . <i>Journal of Experimental Botany</i> , 2016, 67, 3683-3697.	2.4	20
365	Wheat Cultivars With Contrasting Root System Size Responded Differently to Terminal Drought. <i>Frontiers in Plant Science</i> , 2020, 11, 1285.	1.7	20
366	Straw incorporation with ridge-furrow plastic film mulch alters soil fungal community and increases maize yield in a semiarid region of China. <i>Applied Soil Ecology</i> , 2021, 167, 104038.	2.1	20
367	Diallel analyses reveal the genetic control of resistance to ascochyta blight in diverse chickpea and wild Cicer species. <i>Euphytica</i> , 2007, 154, 195-205.	0.6	19
368	An Epidemiological Model for Externally Sourced Vector-Borne Viruses Applied to <i>Bean yellow mosaic virus</i> in Lupin Crops in a Mediterranean-Type Environment. <i>Phytopathology</i> , 2008, 98, 1280-1290.	1.1	19
369	Sowing soil water content effects on chickpea (<i>Cicer arietinum</i> L.): Seedling emergence and early growth interaction with genotype and seed size. <i>Agricultural Water Management</i> , 2009, 96, 1732-1736.	2.4	19
370	Photosynthesis of barley awns does not play a significant role in grain yield under terminal drought. <i>Crop and Pasture Science</i> , 2012, 63, 489.	0.7	19
371	Flour quality and disproportionation of bubbles in bread doughs. <i>Food Research International</i> , 2014, 64, 587-597.	2.9	19
372	Biochemical and Metabolic Changes in Arsenic Contaminated <i>Boehmeria nivea</i> L.. <i>BioMed Research International</i> , 2016, 2016, 1-8.	0.9	19
373	Impact of the TaMATE1B gene on above and below-ground growth of durum wheat grown on an acid and Al ³⁺ -toxic soil. <i>Plant and Soil</i> , 2020, 447, 73-84.	1.8	19
374	Rainwater collection and infiltration (RWCI) systems promote deep soil water and organic carbon restoration in water-limited sloping orchards. <i>Agricultural Water Management</i> , 2020, 242, 106400.	2.4	19
375	Exogenous Calcium Alleviates Nocturnal Chilling-Induced Feedback Inhibition of Photosynthesis by Improving Sink Demand in Peanut (<i>Arachis hypogaea</i>). <i>Frontiers in Plant Science</i> , 2020, 11, 607029.	1.7	19
376	Responses of faba bean (<i>Vicia faba</i> L.) to sowing rate in south-western Australia II Canopy development, radiation absorption and dry matter partitioning. <i>Australian Journal of Agricultural Research</i> , 1998, 49, 999.	1.5	19
377	Grain yield responses of faba bean (<i>Vicia faba</i> L.) to applications of fertiliser phosphorus and zinc.. <i>Australian Journal of Experimental Agriculture</i> , 2000, 40, 849.	1.0	19
378	Association mapping of drought tolerance and agronomic traits in rice (<i>Oryza sativa</i> L.) landraces. <i>BMC Plant Biology</i> , 2021, 21, 484.	1.6	19

#	ARTICLE	IF	CITATIONS
379	Biochar incorporation increases winter wheat (<i>Triticum aestivum</i> L.) production with significantly improving soil enzyme activities at jointing stage. <i>Catena</i> , 2022, 211, 105979.	2.2	19
380	Increasing sustainability for rice production systems. <i>Journal of Cereal Science</i> , 2022, 103, 103400.	1.8	19
381	Characterization of Root System Architecture Traits in Diverse Soybean Genotypes Using a Semi-Hydroponic System. <i>Plants</i> , 2021, 10, 2781.	1.6	19
382	Graded Moisture Deficit Effect on Secondary Metabolites, Antioxidant, and Inhibitory Enzyme Activities in Leaf Extracts of <i>Rosa damascena</i> Mill. var. <i>trigentipetala</i> . <i>Horticulturae</i> , 2022, 8, 177.	1.2	19
383	Poorly formed chloroplasts are barriers to successful interspecific hybridization in chickpea following in vitro embryo rescue. <i>Plant Cell, Tissue and Organ Culture</i> , 2011, 106, 465-473.	1.2	18
384	Cutting improves the productivity of lucerne-rich stands used in the revegetation of degraded arable land in a semi-arid environment. <i>Scientific Reports</i> , 2015, 5, 12130.	1.6	18
385	Response of wheat restricted tillering and vigorous growth traits to variables of climate change. <i>Global Change Biology</i> , 2015, 21, 857-873.	4.2	18
386	Identification and validation of QTL and their associated genes for pre-emergent metribuzin tolerance in hexaploid wheat (<i>Triticum aestivum</i> L.). <i>BMC Genetics</i> , 2018, 19, 102.	2.7	18
387	Efficient root systems for enhancing tolerance of crops to water and phosphorus limitation. <i>Indian Journal of Plant Physiology</i> , 2018, 23, 689-696.	0.8	18
388	Phenotypic and genotypic characterization of near-isogenic lines targeting a major 4BL QTL responsible for pre-harvest sprouting in wheat. <i>BMC Plant Biology</i> , 2019, 19, 348.	1.6	18
389	Integrated model and field experiment to determine the optimum planting density in plastic film mulched rainfed agriculture. <i>Agricultural and Forest Meteorology</i> , 2019, 268, 331-340.	1.9	18
390	Effects of zinc fertilizer on maize yield and water-use efficiency under different soil water conditions. <i>Field Crops Research</i> , 2020, 248, 107718.	2.3	18
391	Wheat cultivars with small root length density in the topsoil increased post-anthesis water use and grain yield in the semi-arid region on the Loess Plateau. <i>European Journal of Agronomy</i> , 2021, 124, 126243.	1.9	18
392	Biochar, Compost, and Biochar-Compost Blend Applications Modulate Growth, Photosynthesis, Osmolytes, and Antioxidant System of Medicinal Plant <i>Alpinia zerumbet</i> . <i>Frontiers in Plant Science</i> , 2021, 12, 707061.	1.7	18
393	Root morphology and rhizosphere acid phosphatase activity in legume and graminoid species respond differently to low phosphorus supply. <i>Rhizosphere</i> , 2021, 19, 100391.	1.4	18
394	Can genomics assist the phenological adaptation of canola to new and changing environments?. <i>Crop and Pasture Science</i> , 2016, 67, 284.	0.7	17
395	Adoption of Conservation Tillage on the Semi-Arid Loess Plateau of Northwest China. <i>Sustainability</i> , 2018, 10, 2621.	1.6	17
396	Polymer-coated rock mineral fertilizer has potential to substitute soluble fertilizer for increasing growth, nutrient uptake, and yield of wheat. <i>Biology and Fertility of Soils</i> , 2020, 56, 381-394.	2.3	17

#	ARTICLE	IF	CITATIONS
397	Dynamic within-season irrigation scheduling for maize production in Northwest China: A Method Based on Weather Data Fusion and yield prediction by DSSAT. <i>Agricultural and Forest Meteorology</i> , 2020, 285-286, 107928.	1.9	17
398	Understanding drought tolerance in plants. <i>Physiologia Plantarum</i> , 2021, 172, 286-288.	2.6	17
399	Genome-wide transcriptome analysis and physiological variation modulates gene regulatory networks acclimating salinity tolerance in chickpea. <i>Environmental and Experimental Botany</i> , 2021, 187, 104478.	2.0	17
400	Rapid delivery systems for future food security. <i>Nature Biotechnology</i> , 2021, 39, 1179-1181.	9.4	17
401	Cool season grain legumes for Mediterranean environments: the effect of environment on non-protein amino acids in <i>Vicia</i> and <i>Lathyrus</i> species. <i>Australian Journal of Agricultural Research</i> , 1999, 50, 403.	1.5	17
402	Foliar Spray of Micronutrients Alleviates Heat and Moisture Stress in Lentil (<i>Lens culinaris</i> Medik) Grown Under Rainfed Field Conditions. <i>Frontiers in Plant Science</i> , 2022, 13, 847743.	1.7	17
403	Response of vetch (<i>Vicia</i> spp.) to plant density in south-western Australia. <i>Australian Journal of Experimental Agriculture</i> , 2002, 42, 1043.	1.0	16
404	Genotypic Variation in the Concentration of \hat{I}^2 - <i>N</i> -Oxalyl- \hat{I}^2 -diaminopropionic Acid (\hat{I}^2 -ODAP) in Grass Pea (<i>Lathyrus sativus</i> L.) Seeds Is Associated with an Accumulation of Leaf and Pod \hat{I}^2 -ODAP during Vegetative and Reproductive Stages at Three Levels of Water Stress. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 6133-6141.	2.4	16
405	Using the Animal Model to Accelerate Response to Selection in a Self-Pollinating Crop. <i>G3: Genes, Genomes, Genetics</i> , 2015, 5, 1419-1428.	0.8	16
406	Stomatal behaviour under terminal drought affects post-anthesis water use in wheat. <i>Functional Plant Biology</i> , 2017, 44, 279.	1.1	16
407	Molecular breeding approaches involving physiological and reproductive traits for heat tolerance in food crops. <i>Indian Journal of Plant Physiology</i> , 2018, 23, 697-720.	0.8	16
408	Influence of Zeolite and Phosphorus Applications on Water Use, P Uptake and Yield in Rice under Different Irrigation Managements. <i>Agronomy</i> , 2019, 9, 537.	1.3	16
409	Agricultural Innovation and the Protection of Traditional Rice Varieties: Kerala a Case Study. <i>Frontiers in Sustainable Food Systems</i> , 2020, 3, .	1.8	16
410	Quantifying the compensatory effect of increased soil temperature under plastic film mulching on crop growing degree days in a wheat-maize rotation system. <i>Field Crops Research</i> , 2021, 260, 107993.	2.3	16
411	Watershed Drought and Ecosystem Services: Spatiotemporal Characteristics and Gray Relational Analysis. <i>ISPRS International Journal of Geo-Information</i> , 2021, 10, 43.	1.4	16
412	Na ⁺ and/or Cl ⁻ Toxicities Determine Salt Sensitivity in Soybean (<i>Glycine max</i> (L.) Merr.), Mungbean (<i>Vigna radiata</i> (L.) R. Wilczek), Cowpea (<i>Vigna unguiculata</i> (L.) Walp.), and Common Bean (<i>Phaseolus</i>) Tj ETQq0 0 0.8gBT /Over block 10 T	0.8	16
413	Disruption of carbohydrate and proline metabolism in anthers under low temperature causes pollen sterility in chickpea. <i>Environmental and Experimental Botany</i> , 2021, 188, 104500.	2.0	16
414	Arbuscular mycorrhizal symbioses alleviating salt stress in maize is associated with a decline in root-to-leaf gradient of Na ⁺ /K ⁺ ratio. <i>BMC Plant Biology</i> , 2021, 21, 457.	1.6	16

#	ARTICLE	IF	CITATIONS
415	Limited irrigation and fertilization in sand-layered soil increases nitrogen use efficiency and economic benefits under film mulched ridge-furrow irrigation in arid areas. <i>Agricultural Water Management</i> , 2022, 262, 107406.	2.4	16
416	Effect of different straw returning measures on resource use efficiency and spring maize yield under a plastic film mulch system. <i>European Journal of Agronomy</i> , 2022, 134, 126461.	1.9	16
417	Physiological and Molecular Approaches for Developing Thermotolerance in Vegetable Crops: A Growth, Yield and Sustenance Perspective. <i>Frontiers in Plant Science</i> , 0, 13, .	1.7	16
418	Soil phosphorus supply affects nodulation and N:P ratio in 11 perennial legume seedlings. <i>Crop and Pasture Science</i> , 2011, 62, 992.	0.7	15
419	The effect of tillage on nitrogen use efficiency in maize (<i>Zea mays</i> L.) in a ridge-furrow plastic film mulch system. <i>Soil and Tillage Research</i> , 2019, 195, 104409.	2.6	15
420	Sensitivity of chickpea and faba bean to root-zone hypoxia, elevated ethylene, and carbon dioxide. <i>Plant, Cell and Environment</i> , 2019, 42, 85-97.	2.8	15
421	A significant increase in rhizosphere carboxylates and greater specific root length in response to terminal drought is associated with greater relative phosphorus acquisition in chickpea. <i>Plant and Soil</i> , 2021, 460, 51-68.	1.8	15
422	Novel Genes and Genetic Loci Associated With Root Morphological Traits, Phosphorus-Acquisition Efficiency and Phosphorus-Use Efficiency in Chickpea. <i>Frontiers in Plant Science</i> , 2021, 12, 636973.	1.7	15
423	Alkaline Salt Inhibits Seed Germination and Seedling Growth of Canola More Than Neutral Salt. <i>Frontiers in Plant Science</i> , 2022, 13, 814755.	1.7	15
424	Integrated crop management of chickpea in environments of Bangladesh prone to <i>Botrytis</i> grey mould. <i>Field Crops Research</i> , 2008, 108, 238-249.	2.3	14
425	Comparison of the responses of two Indian mustard (<i>Brassica juncea</i> L.) genotypes to post-flowering soil water deficit with the response of canola (<i>B. napus</i> L.) cv. Monty. <i>Crop and Pasture Science</i> , 2009, 60, 251.	0.7	14
426	An epidemiological model for externally acquired vector-borne viruses applied to Beet western yellows virus in <i>Brassica napus</i> crops in a Mediterranean-type environment. <i>Crop and Pasture Science</i> , 2010, 61, 132.	0.7	14
427	Albinism does not correlate with biparental inheritance of plastid DNA in interspecific hybrids in <i>Cicer</i> species. <i>Plant Science</i> , 2011, 180, 628-633.	1.7	14
428	Drying the surface soil reduces the nitrogen content of faba bean (<i>Vicia faba</i> L.) through a reduction in nitrogen fixation. <i>Plant and Soil</i> , 2011, 339, 351-362.	1.8	14
429	Isolated microspore culture of chickpea (<i>Cicer arietinum</i> L.): induction of androgenesis and cytological analysis of early haploid divisions. <i>In Vitro Cellular and Developmental Biology - Plant</i> , 2011, 47, 357-368.	0.9	14
430	An early transient water deficit reduces flower number and pod production but increases seed size in chickpea (<i>Cicer arietinum</i> L.). <i>Crop and Pasture Science</i> , 2011, 62, 481.	0.7	14
431	Distribution of soil carbon and grain yield of spring wheat under a permanent raised bed planting system in an arid area of northwest China. <i>Soil and Tillage Research</i> , 2016, 163, 274-281.	2.6	14
432	24-epibrassinolide increases growth, grain yield and β -ODAP production in seeds of well-watered and moderately water-stressed grass pea. <i>Plant Growth Regulation</i> , 2016, 78, 217-231.	1.8	14

#	ARTICLE	IF	CITATIONS
433	Molecular divergence of fungal communities in soil, roots and hyphae highlight the importance of sampling strategies. <i>Rhizosphere</i> , 2017, 4, 104-111.	1.4	14
434	Facility Cultivation Systems – A Chinese Model for the Planet. <i>Advances in Agronomy</i> , 2017, 145, 1-44.	2.4	14
435	Historical genetic responses of yield and root traits in winter wheat in the yellow-Huai-Hai River valley region of China due to modern breeding (1948–2012). <i>Plant and Soil</i> , 2019, 439, 7-18.	1.8	14
436	Cold priming the chickpea seeds imparts reproductive cold tolerance by reprogramming the turnover of carbohydrates, osmo-protectants and redox components in leaves. <i>Scientia Horticulturae</i> , 2020, 261, 108929.	1.7	14
437	Differential heat sensitivity of two cool-season legumes, chickpea and lentil, at the reproductive stage, is associated with responses in pollen function, photosynthetic ability and oxidative damage. <i>Journal of Agronomy and Crop Science</i> , 2020, 206, 734-758.	1.7	14
438	Using sorghum to suppress weeds in autumn planted maize. <i>Crop Protection</i> , 2020, 133, 105162.	1.0	14
439	Responses of canopy characteristics and water use efficiency to ammoniated straw incorporation for summer maize (<i>Zea mays</i> L.) in the Loess Plateau, China. <i>Agricultural Water Management</i> , 2021, 254, 106948.	2.4	14
440	Wheat Proteomics for Abiotic Stress Tolerance and Root System Architecture: Current Status and Future Prospects. <i>Proteomes</i> , 2022, 10, 17.	1.7	14
441	Effect of crop residues on interception and activity of prosulfocarb, pyroxasulfone, and trifluralin. <i>PLoS ONE</i> , 2018, 13, e0208274.	1.1	13
442	Arbuscular Mycorrhizas Regulate Photosynthetic Capacity and Antioxidant Defense Systems to Mediate Salt Tolerance in Maize. <i>Plants</i> , 2020, 9, 1430.	1.6	13
443	Novel approaches to mitigate heat stress impacts on crop growth and development. <i>Plant Physiology Reports</i> , 2020, 25, 627-644.	0.7	13
444	Growth and nutrient uptake of temperate perennial pastures are influenced by grass species and fertilisation with a microbial consortium inoculant. <i>Journal of Plant Nutrition and Soil Science</i> , 2020, 183, 530-538.	1.1	13
445	The Journey from Two-Step to Multi-Step Phosphorelay Signaling Systems. <i>Current Genomics</i> , 2021, 22, 59-74.	0.7	13
446	Growth and Antioxidant Responses in Iron-Biofortified Lentil under Cadmium Stress. <i>Toxics</i> , 2021, 9, 182.	1.6	13
447	Matching fertilization with water availability enhances maize productivity and water use efficiency in a semi-arid area: Mechanisms and solutions. <i>Soil and Tillage Research</i> , 2021, 214, 105164.	2.6	13
448	First Report of <i>Bituminaria</i> Witches'-Broom in Australia Caused by a 16SrII Phytoplasma. <i>Plant Disease</i> , 2011, 95, 226-226.	0.7	13
449	Multivariate genomic analysis and optimal contributions selection predicts high genetic gains in cooking time, iron, zinc, and grain yield in common beans in East Africa. <i>Plant Genome</i> , 2021, 14, e20156.	1.6	13
450	Zeolite increases paddy soil potassium fixation, partial factor productivity, and potassium balance under alternate wetting and drying irrigation. <i>Agricultural Water Management</i> , 2022, 260, 107294.	2.4	13

#	ARTICLE	IF	CITATIONS
451	Optimizing nitrogen fertilizer inputs and plant populations for greener wheat production with high yields and high efficiency in dryland areas. <i>Field Crops Research</i> , 2022, 276, 108374.	2.3	13
452	Changes in the essential oil, fixed oil constituents, and phenolic compounds of ajowan and fenugreek in intercropping with pea affected by fertilizer sources. <i>Industrial Crops and Products</i> , 2022, 178, 114587.	2.5	13
453	Application of humic acid and biofertilizers changes oil and phenolic compounds of fennel and fenugreek in intercropping systems. <i>Scientific Reports</i> , 2022, 12, 5946.	1.6	13
454	Inter-simple sequence repeat (ISSR)-based diversity assessment among faba bean genotypes. <i>Crop and Pasture Science</i> , 2011, 62, 755.	0.7	12
455	Yield-increase effects via improving soil phosphorus availability by applying K ₂ SO ₄ fertilizer in calcareous alkaline soils in a semi-arid agroecosystem. <i>Field Crops Research</i> , 2013, 144, 69-76.	2.3	12
456	Reprint of "Contrasting stomatal regulation and leaf ABA concentrations in wheat genotypes when split root systems were exposed to terminal drought". <i>Field Crops Research</i> , 2014, 165, 5-14.	2.3	12
457	Identification of new metribuzin-tolerant wheat (<i>Triticum</i> spp.) genotypes. <i>Crop and Pasture Science</i> , 2017, 68, 401.	0.7	12
458	Development of near-isogenic lines targeting a major QTL on 3AL for pre-harvest sprouting resistance in bread wheat. <i>Crop and Pasture Science</i> , 2018, 69, 864.	0.7	12
459	The impact of biodegradable carbon sources on microbial clogging of vertical up-flow sand filters treating inorganic nitrogen wastewater. <i>Science of the Total Environment</i> , 2019, 691, 360-366.	3.9	12
460	Inheritance of pre-emergent metribuzin tolerance and putative gene discovery through high-throughput SNP array in wheat (<i>Triticum aestivum</i> L.). <i>BMC Plant Biology</i> , 2019, 19, 457.	1.6	12
461	Above- and belowground dry matter partitioning of four warm-season annual crops sown on different dates in a semiarid region. <i>European Journal of Agronomy</i> , 2019, 109, 125918.	1.9	12
462	The effects of introducing <i>Flemingia macrophylla</i> to rubber plantations on soil water content and exchangeable cations. <i>Catena</i> , 2019, 172, 480-487.	2.2	12
463	Effect of traditional soybean breeding on water use strategy in arid and semi-arid areas. <i>European Journal of Agronomy</i> , 2020, 120, 126128.	1.9	12
464	Measurements and modeling of hydrological responses to summer pruning in dryland apple orchards. <i>Journal of Hydrology</i> , 2021, 594, 125651.	2.3	12
465	Agricultural Innovation and Sustainable Development: A Case Study of Rice-Wheat Cropping Systems in South Asia. <i>Sustainability</i> , 2021, 13, 1965.	1.6	12
466	Comparative transcriptome analyses for metribuzin tolerance provide insights into key genes and mechanisms restoring photosynthetic efficiency in bread wheat (<i>Triticum aestivum</i> L.). <i>Genomics</i> , 2021, 113, 910-918.	1.3	12
467	Zeolite increases grain yield and potassium balance in paddy fields. <i>Geoderma</i> , 2022, 405, 115397.	2.3	12
468	Seasonal variation and controlling factors of evapotranspiration over dry semi-humid cropland in Guanzhong Plain, China. <i>Agricultural Water Management</i> , 2022, 259, 107242.	2.4	12

#	ARTICLE	IF	CITATIONS
469	Response of kabuli chickpea (<i>Cicer arietinum</i> L.) to sowing rate in Mediterranean-type environments of south-western Australia. <i>Australian Journal of Experimental Agriculture</i> , 2003, 43, 87.	1.0	11
470	Successful stem cutting propagation of chickpea, its wild relatives and their interspecific hybrids. <i>Australian Journal of Experimental Agriculture</i> , 2006, 46, 1349.	1.0	11
471	Efficient Root System for Abiotic Stress Tolerance in Crops. <i>Procedia Environmental Sciences</i> , 2015, 29, 295.	1.3	11
472	Light grazing of crop residues by sheep in a Mediterranean-type environment has little impact on following no-tillage crops. <i>European Journal of Agronomy</i> , 2016, 77, 70-80.	1.9	11
473	“Decoupling” land productivity and greenhouse gas footprints: A review. <i>Land Degradation and Development</i> , 2018, 29, 4348-4361.	1.8	11
474	Drought and salinity: A comparison of their effects on the ammonium preferring species <i>Spartina alterniflora</i> . <i>Physiologia Plantarum</i> , 2021, 172, 431-440.	2.6	11
475	Socio-cognitive constraints and opportunities for sustainable intensification in South Asia: insights from fuzzy cognitive mapping in coastal Bangladesh. <i>Environment, Development and Sustainability</i> , 2021, 23, 16588-16616.	2.7	11
476	Trade-Off between Root Efficiency and Root Size Is Associated with Yield Performance of Soybean under Different Water and Phosphorus Levels. <i>Agriculture (Switzerland)</i> , 2021, 11, 481.	1.4	11
477	Co-inoculation of Phosphate-Solubilizing Bacteria and Mycorrhizal Fungi: Effect on Seed Yield, Physiological Variables, and Fixed Oil and Essential Oil Productivity of Ajowan (<i>Carum copticum</i> L.) Under Water Deficit. <i>Journal of Soil Science and Plant Nutrition</i> , 2021, 21, 3159-3179.	1.7	11
478	Assessing the performance of conservation measures for controlling slope runoff and erosion using field scouring experiments. <i>Agricultural Water Management</i> , 2022, 259, 107212.	2.4	11
479	Selenium supplementation to lentil (<i>Lens culinaris</i> Medik.) under combined heat and drought stress improves photosynthetic ability, antioxidant systems, reproductive function and yield traits. <i>Plant and Soil</i> , 2023, 486, 7-23.	1.8	11
480	Transcriptomic and metabolomics-based analysis of key biological pathways reveals the role of lipid metabolism in response to salt stress in the root system of <i>Brassica napus</i> . <i>Plant Growth Regulation</i> , 2022, 97, 127-141.	1.8	11
481	Comparative Proteomic Analysis of Genotypic Variation in Germination and Early Seedling Growth of Chickpea under Suboptimal Soil “Water Conditions. <i>Journal of Proteome Research</i> , 2012, 11, 4289-4307.	1.8	10
482	The trade-off in the establishment of artificial plantations by evaluating soil properties at the margins of oases. <i>Catena</i> , 2017, 157, 363-371.	2.2	10
483	Crop rotation options for dryland agriculture: An assessment of grain yield response in cool-season grain legumes and canola to variation in rainfall totals. <i>Agricultural and Forest Meteorology</i> , 2019, 275, 277-282.	1.9	10
484	The number of cultivars in varietal winter-wheat mixtures influence aboveground biomass and grain yield in North China. <i>Plant and Soil</i> , 2019, 439, 131-143.	1.8	10
485	The role of jasmonate signalling in quinolizidine alkaloid biosynthesis, wounding and aphid predation response in narrow-leafed lupin. <i>Functional Plant Biology</i> , 2019, 46, 443.	1.1	10
486	Heat stress resilient crops for future hotter environments. <i>Plant Physiology Reports</i> , 2020, 25, 529-532.	0.7	10

#	ARTICLE	IF	CITATIONS
487	Rubber-leguminous shrub systems stimulate soil N ₂ O but reduce CO ₂ and CH ₄ emissions. <i>Forest Ecology and Management</i> , 2021, 480, 118665.	1.4	10
488	Rootomics for drought tolerance in cool-season grain legumes. <i>Physiologia Plantarum</i> , 2021, 172, 629-644.	2.6	10
489	Lentil. , 2021, , 408-428.		10
490	Identification of Candidate Genes for Root Traits Using Genotype-Phenotype Association Analysis of Near-Isogenic Lines in Hexaploid Wheat (<i>Triticum aestivum</i> L.). <i>International Journal of Molecular Sciences</i> , 2021, 22, 3579.	1.8	10
491	In addition to foliar manganese concentration, both iron and zinc provide proxies for rhizosheath carboxylates in chickpea under low phosphorus supply. <i>Plant and Soil</i> , 2021, 465, 31-46.	1.8	10
492	Cross tolerance to phosphorus deficiency and drought stress in mungbean is regulated by improved antioxidant capacity, biological N ₂ -fixation, and differential transcript accumulation. <i>Plant and Soil</i> , 2021, 466, 337-356.	1.8	10
493	Response of Mungbean (cvs. Celera II-AU and Jade-AU) and Blackgram (cv. Onyx-AU) to Transient Waterlogging. <i>Frontiers in Plant Science</i> , 2021, 12, 709102.	1.7	10
494	A clear trade-off between leaf hydraulic efficiency and safety in an aridland shrub during regrowth. <i>Plant, Cell and Environment</i> , 2021, 44, 3347-3357.	2.8	10
495	Stomata coordinate with plant hydraulics to regulate transpiration response to vapour pressure deficit in wheat. <i>Functional Plant Biology</i> , 2021, 48, 839-850.	1.1	10
496	Identification of Novel Quantitative Trait Nucleotides and Candidate Genes for Bacterial Wilt Resistance in Tobacco (<i>Nicotiana tabacum</i> L.) Using Genotyping-by-Sequencing and Multi-Locus Genome-Wide Association Studies. <i>Frontiers in Plant Science</i> , 2021, 12, 744175.	1.7	10
497	Nitric oxide secures reproductive efficiency in heat-stressed lentil (<i>Lens culinaris</i> Medik.) plants by enhancing the photosynthetic ability to improve yield traits. <i>Physiology and Molecular Biology of Plants</i> , 2021, 27, 2549-2566.	1.4	10
498	Effects of different continuous fertilizer managements on soil total nitrogen stocks in China: A meta-analysis. <i>Pedosphere</i> , 2022, 32, 39-48.	2.1	10
499	Effect of <i>Acacia saligna</i> (Labill.) Wendl. extracts on seed germination and seedling performance of three native Mediterranean shrubs. <i>Botany Letters</i> , 2022, 169, 51-60.	0.7	10
500	Salt-responsive transcriptome analysis of canola roots reveals candidate genes involved in the key metabolic pathway in response to salt stress. <i>Scientific Reports</i> , 2022, 12, 1666.	1.6	10
501	Comparative Flower Transcriptome Network Analysis Reveals DEGs Involved in Chickpea Reproductive Success during Salinity. <i>Plants</i> , 2022, 11, 434.	1.6	10
502	Carbon footprint analysis of sweet sorghum-based bioethanol production in the potential saline - Alkali land of northwest China. <i>Journal of Cleaner Production</i> , 2022, 349, 131476.	4.6	10
503	Effects of organic amendments and ridge-furrow mulching system on soil properties and economic benefits of wolfberry orchards on the Tibetan Plateau. <i>Science of the Total Environment</i> , 2022, 827, 154317.	3.9	10
504	Root penetration ability and plant growth in agroecosystems. <i>Plant Physiology and Biochemistry</i> , 2022, 183, 160-168.	2.8	10

#	ARTICLE	IF	CITATIONS
505	Response of Physiological, Reproductive Function and Yield Traits in Cultivated Chickpea (<i>Cicer</i>) Tj ETQq1 1 0.784314 rgBT /Qyerlock 10	1.7	9
506	Response of chickpea (<i>Cicer arietinum</i> L.) varieties to time of sowing in Mediterranean-type environments of south-western Australia. <i>Australian Journal of Experimental Agriculture</i> , 2006, 46, 395.	1.0	9
507	Strengthening the performance of farming system groups: perspectives from a Communities of Practice framework application. <i>International Journal of Sustainable Development and World Ecology</i> , 2015, 22, 219-230.	3.2	9
508	Sustainable Resource Use in Enhancing Agricultural Development in China. <i>Engineering</i> , 2018, 4, 588-589.	3.2	9
509	Heat stress and cowpea: genetics, breeding and modern tools for improving genetic gains. <i>Plant Physiology Reports</i> , 2020, 25, 645-653.	0.7	9
510	Potential of herbaceous vegetation as animal feed in semi-arid Mediterranean saline environments: The case for Tunisia. <i>Agronomy Journal</i> , 2020, 112, 2445-2455.	0.9	9
511	Sustainable Soil Management for Food Security in South Asia. <i>Journal of Soil Science and Plant Nutrition</i> , 2021, 21, 258-275.	1.7	9
512	Microbial consortium inoculant increases pasture grasses yield in low-phosphorus soil by influencing root morphology, rhizosphere carboxylate exudation and mycorrhizal colonisation. <i>Journal of the Science of Food and Agriculture</i> , 2022, 102, 540-549.	1.7	9
513	Comparisons among four different upscaling strategies for cultivar genetic parameters in rainfed spring wheat phenology simulations with the DSSAT-CERES-Wheat model. <i>Agricultural Water Management</i> , 2021, 258, 107181.	2.4	9
514	Industrial Hemp (<i>Cannabis sativa</i> L.) Varieties and Seed Pre-Treatments Affect Seed Germination and Early Growth of Seedlings. <i>Agronomy</i> , 2022, 12, 6.	1.3	9
515	Ensuring Global Food Security by Improving Protein Content in Major Grain Legumes Using Breeding and Omics™ Tools. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7710.	1.8	9
516	Identification of duplicates and fingerprinting of primary and secondary wild annual <i>Cicer</i> gene pools using AFLP markers. <i>Genetic Resources and Crop Evolution</i> , 2007, 54, 519-527.	0.8	8
517	Genotypic Variation for Tolerance to Transient Drought During the Reproductive Phase of <i>Brassica rapa</i> . <i>Journal of Agronomy and Crop Science</i> , 2015, 201, 267-279.	1.7	8
518	Legume, Microbiome, and Regulatory Functions of miRNAs in Systematic Regulation of Symbiosis. <i>Microorganisms for Sustainability</i> , 2018, , 255-282.	0.4	8
519	Nitrogen, Phosphorus, and Potassium Resorption Responses of Alfalfa to Increasing Soil Water and P Availability in a Semi-Arid Environment. <i>Agronomy</i> , 2020, 10, 310.	1.3	8
520	Tree species as a biomonitor of metal pollution in arid Mediterranean environments: case for arid southern Tunisia. <i>Environmental Science and Pollution Research</i> , 2021, 28, 28598-28605.	2.7	8
521	Heat Priming of Lentil (<i>Lens culinaris</i> Medik.) Seeds and Foliar Treatment with γ -Aminobutyric Acid (GABA), Confers Protection to Reproductive Function and Yield Traits under High-Temperature Stress Environments. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5825.	1.8	8
522	Can nitrate-based fertilization be recommended for the cultivation of ammonium-preferring species in a salty ecosystem? The case for <i>Spartina alterniflora</i> . <i>Arabian Journal of Geosciences</i> , 2021, 14, 1.	0.6	8

#	ARTICLE	IF	CITATIONS
523	Ameliorative roles of biochar-based fertilizer on morpho-physiological traits, nutrient uptake and yield in peanut (<i>Arachis hypogaea</i> L.) under water stress. <i>Agricultural Water Management</i> , 2021, 257, 107129.	2.4	8
524	Advances in understanding plant root uptake of phosphorus. <i>Burleigh Dodds Series in Agricultural Science</i> , 2021, , 321-372.	0.1	8
525	RAMP based fingerprinting and assessment of relationships among Australian narrow-leafed lupin (<i>Lupinus angustifolius</i> L.) cultivars. <i>Australian Journal of Agricultural Research</i> , 2005, 56, 1339.	1.5	8
526	Characterisation of genetic diversity and DNA fingerprinting of Australian chickpea (<i>Cicer arietinum</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	2.5	8
527	Cold Tolerance during the Reproductive Phase in Chickpea (<i>Cicer arietinum</i> L.) Is Associated with Superior Cold Acclimation Ability Involving Antioxidants and Cryoprotective Solutes in Anthers and Ovules. <i>Antioxidants</i> , 2021, 10, 1693.	2.2	8
528	Below-ground physiological processes enhancing phosphorus acquisition in plants. <i>Plant Physiology Reports</i> , 2021, 26, 600-613.	0.7	8
529	Iron fortification of food crops through nanofertilisation. <i>Crop and Pasture Science</i> , 2022, 73, 736-748.	0.7	8
530	Progress of Genomics-Driven Approaches for Sustaining Underutilized Legume Crops in the Post-Genomic Era. <i>Frontiers in Genetics</i> , 2022, 13, 831656.	1.1	8
531	Screening of Soybean Genotypes Based on Root Morphology and Shoot Traits Using the Semi-Hydroponic Phenotyping Platform and Rhizobox Technique. <i>Agronomy</i> , 2022, 12, 56.	1.3	8
532	Canopy Development and Light Absorption of Grain Legume Species in a Short Season Mediterranean-type Environment. <i>Journal of Agronomy and Crop Science</i> , 1997, 179, 1-7.	1.7	7
533	Changes in the protein and fat contents of peanut (<i>Arachis hypogaea</i> L.) cultivars released in China in the last 60 years. <i>Plant Breeding</i> , 2018, 137, 746-756.	1.0	7
534	Evaluation by grafting technique of changes in the contribution of root-to-shoot development and biomass production in soybean (<i>Glycine max</i>) cultivars released from 1929 to 2006 in China. <i>Crop and Pasture Science</i> , 2019, 70, 585.	0.7	7
535	Long-term winter wheat cropping influenced soil organic carbon pools in different aggregate fractions of Chernozem soil. <i>Archives of Agronomy and Soil Science</i> , 2020, 66, 2055-2066.	1.3	7
536	Sustainability of Traditional Rice Cultivation in Kerala, India – A Socio-Economic Analysis. <i>Sustainability</i> , 2021, 13, 980.	1.6	7
537	Arbuscular mycorrhizal fungus-mediated interspecific nutritional competition of a pasture legume and grass under drought-stress. <i>Rhizosphere</i> , 2021, 18, 100349.	1.4	7
538	Method of phosphorus fertiliser application and row spacing on grain yield of faba bean (<i>Vicia faba</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.0	7
539	Growth, Rhizosphere Carboxylate Exudation, and Arbuscular Mycorrhizal Colonisation in Temperate Perennial Pasture Grasses Varied with Phosphorus Application. <i>Agronomy</i> , 2020, 10, 2017.	1.3	7
540	Rice Genotypes Express Compensatory Root Growth With Altered Root Distributions in Response to Root Cutting. <i>Frontiers in Plant Science</i> , 2022, 13, 830577.	1.7	7

#	ARTICLE	IF	CITATIONS
541	Interaction between soil water and fertilizer utilization on maize under plastic mulching in an arid irrigation region of China. <i>Agricultural Water Management</i> , 2022, 265, 107494.	2.4	7
542	Plastic film mulching affects field water balance components, grain yield, and water productivity of rainfed maize in the Loess Plateau, China: A synthetic analysis of multi-site observations. <i>Agricultural Water Management</i> , 2022, 266, 107570.	2.4	7
543	Heat Stress during Meiosis Has Lasting Impacts on Plant Growth and Reproduction in Wheat (Triticum) <i>Tj ETQq1 1 0,784314,rgBT /O</i>	1.3	7
544	Registration of 'Cumra'™ Lentil. <i>Crop Science</i> , 2000, 40, 1199-1200.	0.8	6
545	Development of an assay to evaluate differences in germination rate among chickpea genotypes under limited water content. <i>Functional Plant Biology</i> , 2012, 39, 60.	1.1	6
546	Visualization of the three-dimensional water-flow paths in calcareous soil using iodide water tracer. <i>Geoderma</i> , 2013, 200-201, 85-89.	2.3	6
547	Grower Groups and the Transformation of Agricultural Research and Extension in Australia. <i>Agroecology and Sustainable Food Systems</i> , 2015, 39, 1104-1123.	1.0	6
548	Development of a simple and effective silver staining protocol for detection of DNA fragments. <i>Electrophoresis</i> , 2017, 38, 1175-1178.	1.3	6
549	A Fast Silver Staining Protocol Enabling Simple and Efficient Detection of SSR Markers using a Non-denaturing Polyacrylamide Gel. <i>Journal of Visualized Experiments</i> , 2018, , .	0.2	6
550	A bioassay for prosulfocarb, pyroxasulfone and trifluralin detection and quantification in soil and crop residues. <i>Crop and Pasture Science</i> , 2018, 69, 606.	0.7	6
551	Contribution of Proximal and Distal Grains Within Spikelets in Relation to Yield and Yield Components in the Winter Wheat Production Region of China From 1948 to 2012. <i>Agronomy</i> , 2019, 9, 850.	1.3	6
552	Comparison of zinc and iron uptake among diverse wheat germplasm at two phosphorus levels. <i>Cereal Research Communications</i> , 2020, 48, 441-448.	0.8	6
553	How Film Mulch Increases the Corn Yield by Improving the Soil Moisture and Temperature in the Early Growing Period in a Cool, Semi-Arid Area. <i>Agronomy</i> , 2020, 10, 1195.	1.3	6
554	Nexus of grazing management with plant and soil properties in northern China grasslands. <i>Scientific Data</i> , 2020, 7, 39.	2.4	6
555	Phosphorus Supply Increases Internode Length and Leaf Characteristics, and Increases Dry Matter Accumulation and Seed Yield in Soybean under Water Deficit. <i>Agronomy</i> , 2021, 11, 930.	1.3	6
556	Efficient Breeding of Pulse Crops. , 2020, , 1-30.		6
557	Breeding and Genomics Interventions for Developing Ascochyta Blight Resistant Grain Legumes. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2217.	1.8	6
558	Benefits and Limitations to Plastic Mulching and Nitrogen Fertilization on Grain Yield and Sulfur Nutrition: Multi-Site Field Trials in the Semiarid Area of China. <i>Frontiers in Plant Science</i> , 2022, 13, 799093.	1.7	6

#	ARTICLE	IF	CITATIONS
559	Selection for yield over five decades favored anisohydric and phenological adaptations to early-season drought in Australian wheat. <i>Plant and Soil</i> , 2022, 476, 511-526.	1.8	6
560	Development of DNA fingerprinting keys for discrimination of <i>Cicer echinospermum</i> (P.H. Davis) accessions using AFLP markers. <i>Australian Journal of Agricultural Research</i> , 2004, 55, 947.	1.5	5
561	Chemical composition and standardised ileal digestible amino acid contents of <i>Lathyrus</i> (<i>Lathyrus</i>) Tj ETQq1 1 0.784314 rgBT ₅ /Overlo	1.1	5
562	Estimation of genetic components of variation for salt tolerance in chickpea using the generation mean analysis. <i>Euphytica</i> , 2011, 182, 73.	0.6	5
563	Automated thresholding and analysis of microCT scanned bread dough. <i>Journal of Microscopy</i> , 2014, 256, 100-110.	0.8	5
564	Optimal Wheat Seeding Rate is Influenced by Cultivarâ€¢Specific Topsoil and Subsoil Root Traits. <i>Agronomy Journal</i> , 2019, 111, 3150-3160.	0.9	5
565	Nitrogen and Potassium Fertilisation Influences Growth, Rhizosphere Carboxylate Exudation and Mycorrhizal Colonisation in Temperate Perennial Pasture Grasses. <i>Agronomy</i> , 2020, 10, 1878.	1.3	5
566	Zeolite alleviates potassium deficiency and improves lodging-related stem morphological characteristics and grain yield in rice. <i>Crop and Pasture Science</i> , 2021, 72, 407-415.	0.7	5
567	Durum wheat with the introgressed TaMATE1B gene shows resistance to terminal drought by ensuring deep root growth in acidic and Al ³⁺ -toxic subsoils. <i>Plant and Soil</i> , 2022, 478, 311-324.	1.8	5
568	Impacts of land use conversion on the response of soil respiration to precipitation in drylands: A case study with four-yearlong observations. <i>Agricultural and Forest Meteorology</i> , 2021, 304-305, 108426.	1.9	5
569	Challenges of the establishment of rubber-based agroforestry systems: Decreases in the diversity and abundance of ground arthropods. <i>Journal of Environmental Management</i> , 2021, 292, 112747.	3.8	5
570	Salt-Tolerance in Castor Bean (<i>Ricinus communis</i> L.) Is Associated with Thicker Roots and Better Tissue K ⁺ /Na ⁺ Distribution. <i>Agriculture (Switzerland)</i> , 2021, 11, 821.	1.4	5
571	Physiological and biochemical responses of <i>Lawsonia inermis</i> L. to heavy metal pollution in arid environments. <i>South African Journal of Botany</i> , 2021, 143, 7-16.	1.2	5
572	An Ammoniated Straw Incorporation Increased Biomass Production and Water Use Efficiency in an Annual Wheat-Maize Rotation System in Semi-Arid China. <i>Agronomy</i> , 2020, 10, 243.	1.3	5
573	Dryland field validation of genotypic variation in salt tolerance of chickpea (<i>Cicer arietinum</i> L.) determined under controlled conditions. <i>Field Crops Research</i> , 2022, 276, 108392.	2.3	5
574	Accumulation of zinc, iron and selenium in wheat as affected by phosphorus supply in salinised condition. <i>Crop and Pasture Science</i> , 2022, 73, 537-545.	0.7	5
575	Exogenous Microorganisms Promote Moss Biocrust Growth by Regulating the Microbial Metabolic Pathway in Artificial Laboratory Cultivation. <i>Frontiers in Microbiology</i> , 2022, 13, 819888.	1.5	5
576	Genetic Dissection of Tobacco (<i>Nicotiana tabacum</i> L.) Plant Height Using Single-Locus and Multi-Locus Genome-Wide Association Studies. <i>Agronomy</i> , 2022, 12, 1047.	1.3	5

#	ARTICLE	IF	CITATIONS
577	Registration of “Kimberley Large”™ Kabuli Chickpea. <i>Crop Science</i> , 2005, 45, 1659-1660.	0.8	4
578	Leaf type is not associated with ascochyta blight disease in chickpea (<i>Cicer arietinum</i> L.). <i>Euphytica</i> , 2008, 162, 281-289.	0.6	4
579	Nitrogen Vertical Distribution Differed in Foliar and Nonfoliar Organs of Dryland Wheat during Grain Filling. <i>Agronomy Journal</i> , 2019, 111, 1218-1228.	0.9	4
580	Pyroxasulfone efficacy for annual ryegrass control is affected by wheat residue height, amount and orientation. <i>Pest Management Science</i> , 2020, 76, 861-867.	1.7	4
581	Vertical variation in shallow and deep soil moisture in an apple orchard in the loess hilly “gully area of north China. <i>Soil Use and Management</i> , 2021, 37, 595-606.	2.6	4
582	Lower seed P content does not affect early growth in chickpea, provided starter P fertiliser is supplied. <i>Plant and Soil</i> , 2021, 463, 113-124.	1.8	4
583	Multi-Site Evaluation of Accumulated Temperature and Rainfall for Maize Yield and Disease in Loess Plateau. <i>Agriculture (Switzerland)</i> , 2021, 11, 373.	1.4	4
584	FOLIAR APPLICATION OF POTASSIUM AND ZINC ENHANCES THE PRODUCTIVITY AND VOLATILE OIL CONTENT OF DAMASK ROSE (<i>Rosa damascena</i> Miller var. <i>trigintipetala</i> Dieck). <i>Acta Scientiarum Polonorum, Hortorum Cultus</i> , 2021, 20, 101-114.	0.3	4
585	Soil hydrothermal modeling in a dry alpine agricultural zone: The effect of soil airflow. <i>Geoderma</i> , 2021, 402, 115354.	2.3	4
586	Transcriptomic profiling of wheat near-isogenic lines reveals candidate genes on chromosome 3A for pre-harvest sprouting resistance. <i>BMC Plant Biology</i> , 2021, 21, 53.	1.6	4
587	Effects of Biochar and Biochar “Compost Mix on Growth, Performance and Physiological Responses of Potted <i>Alpinia zerumbet</i> . <i>Sustainability</i> , 2021, 13, 11226.	1.6	4
588	The effect of exogenously applied plant growth regulators and zinc on some physiological characteristics and essential oil constituents of Moldavian balm (<i>Dracocephalum moldavica</i> L.) under water stress. <i>Physiology and Molecular Biology of Plants</i> , 2021, 27, 2201-2214.	1.4	4
589	Corrigendum - Predicting phenological development for Australian wheats. <i>Australian Journal of Agricultural Research</i> , 1987, 38, 809.	1.5	4
590	Biomaterial amendments combined with ridge “furrow mulching improve soil hydrothermal characteristics and wolfberry (<i>Lycium barbarum</i> L.) growth in the Qaidam Basin of China. <i>Agricultural Water Management</i> , 2022, 259, 107213.	2.4	4
591	Yield and water-use related traits in landrace and new soybean cultivars in arid and semi-arid areas of China. <i>Field Crops Research</i> , 2022, 283, 108559.	2.3	4
592	Decreased carbon footprint and increased grain yield under ridge “furrow plastic film mulch with ditch-buried straw returning: A sustainable option for spring maize production in China. <i>Science of the Total Environment</i> , 2022, 838, 156412.	3.9	4
593	Genome-wide identification and development of InDel markers in tobacco (<i>Nicotiana tabacum</i> L.) using RAD-seq. <i>Physiology and Molecular Biology of Plants</i> , 2022, 28, 1077-1089.	1.4	4
594	Climate change and agricultural ecosystem management in dry areas. <i>Crop and Pasture Science</i> , 2011, 62, i.	0.7	3

#	ARTICLE	IF	CITATIONS
595	Sesbania brown manuring improves soil health, productivity, and profitability of post-rice bread wheat and chickpea. <i>Experimental Agriculture</i> , 0, , 1-18.	0.4	3
596	Identification and Analysis of Small Interfering RNAs Associated With Heat Stress in Flowering Chinese Cabbage Using High-Throughput Sequencing. <i>Frontiers in Genetics</i> , 2021, 12, 746816.	1.1	3
597	Nutrients Leaching from Tillage Soil Amended with Wheat Straw Biochar Influenced by Fertiliser Type. <i>Agriculture (Switzerland)</i> , 2021, 11, 1132.	1.4	3
598	Future climate change impacts on mulched maize production in an arid irrigation area. <i>Agricultural Water Management</i> , 2022, 266, 107550.	2.4	3
599	Registration of "Cassaba"™ Lentil. <i>Crop Science</i> , 2000, 40, 1198-1199.	0.8	2
600	Selection of field pea (<i>Pisum sativum</i> L.) cultivar and growing site improves germination and uniformity for sprout production. <i>Australian Journal of Agricultural Research</i> , 2006, 57, 1249.	1.5	2
601	Female reproductive organs of <i>Brassica napus</i> are more sensitive than male to transient heat stress. <i>Euphytica</i> , 2021, 217, 1.	0.6	2
602	Method for Characterization of Root Traits in Chickpea Germplasm for Legume Genomics and Breeding. <i>Methods in Molecular Biology</i> , 2020, 2107, 269-275.	0.4	2
603	Root physiology and morphology of soybean in relation to stress tolerance. <i>Advances in Botanical Research</i> , 2022, , 77-103.	0.5	2
604	Comprehensive transcriptomic analysis of two RIL parents with contrasting salt responsiveness identifies polyadenylated and non-polyadenylated flower lncRNAs in chickpea. <i>Plant Biotechnology Journal</i> , 2022, , .	4.1	2
605	Improving Chickpea Genetic Gain Under Rising Drought and Heat Stress Using Breeding Approaches and Modern Technologies. , 2022, , 1-25.		2
606	Root diameter decreases and rhizosheath carboxylates and acid phosphatases increase in chickpea during plant development. <i>Plant and Soil</i> , 0, , .	1.8	2
607	Effect of site, harvesting stage, and genotype on environmental staining in faba bean (<i>Vicia faba</i> L.). <i>Australian Journal of Agricultural Research</i> , 2008, 59, 365.	1.5	1
608	Photosynthesis under Heat Stress. <i>Books in Soils, Plants, and the Environment</i> , 2016, , 697-701.	0.1	1
609	Response of Grain Legume Species to Terminal Drought in Timor-Leste. <i>Proceedings (mdpi)</i> , 2019, 36, 201.	0.2	1
610	An In-Situ Rainwater Collection and Infiltration System to Improve Plant-Available Water and Fine Root Growth for Drought Resistance. <i>Applied Engineering in Agriculture</i> , 2020, 36, 807-814.	0.3	1
611	Evaluation of cultivation methods, surface, and deep soil water use of maize in a semi-arid environment in China. <i>Archives of Agronomy and Soil Science</i> , 2020, , 1-16.	1.3	1
612	Recent Advances in the Agronomy of Food Legumes. , 2021, , 255-302.		1

#	ARTICLE	IF	CITATIONS
613	Characterisation of a 4A QTL for Metribuzin Resistance in Wheat by Developing Near-Isogenic Lines. <i>Plants</i> , 2021, 10, 1856.	1.6	1
614	Adaptation of broccoli (<i>Brassica oleracea</i> var. <i>italica</i> L.) to high and low altitudes in Bali, Indonesia. <i>Biodiversitas</i> , 2020, 21, .	0.2	1
615	Advances in understanding grain legume physiology: understanding root architecture, nutrient uptake and response to abiotic stress. <i>Burleigh Dodds Series in Agricultural Science</i> , 2018, , 11-28.	0.1	1
616	Quantitative Trait Loci for Heat Stress Tolerance in <i>Brassica rapa</i> L. Are Distributed across the Genome and Occur in Diverse Genetic Groups, Flowering Phenologies and Morphotypes. <i>Genes</i> , 2022, 13, 296.	1.0	1
617	Film Mulching with Low Phosphorus Application Improves Soil Organic Carbon and Its Decomposability in a Semiarid Agroecosystem. <i>Agriculture (Switzerland)</i> , 2022, 12, 816.	1.4	1
618	Cool-Season Grain Legumes Production and Rhizobial Interactions in Australian Dryland Agriculture. <i>CSSA Special Publication - Crop Science Society of America</i> , 2015, , 229-242.	0.1	0
619	A PCR-based marker closely linked to a 2BS QTL conferring wheat yellow spot resistance for marker-assisted breeding. <i>Crop and Pasture Science</i> , 2016, 67, 719.	0.7	0
620	Dynamics of nitrate and nitrite in saturated sand filters with enhanced substrate conditions for denitrifying bacteria. , 0, 212, 51-60.		0
621	Adaptation of Grain Legumes to Terminal Drought after Rice Harvest in Timor-Leste. <i>Agronomy</i> , 2021, 11, 1689.	1.3	0
622	Trends in grain quality of starch, protein, fat and lysine content for normal maize varieties in China since the 1960s. <i>Cereal Chemistry</i> , 0, , .	1.1	0
623	Grain legumes in integrated crop management systems. <i>Burleigh Dodds Series in Agricultural Science</i> , 2018, , 219-242.	0.1	0
624	Community-Based Self-Help Groups in Agriculture. , 2020, , 217-239.		0
625	Is traditional rice reviving An exploratory study in Kerala, India. <i>International Journal of Agricultural Resources, Governance and Ecology</i> , 2021, 17, 15.	0.1	0