

Charles S Springer Jr

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5251267/publications.pdf>

Version: 2024-02-01

89
papers

5,107
citations

81743

39
h-index

88477

70
g-index

94
all docs

94
docs citations

94
times ranked

3929
citing authors

#	ARTICLE	IF	CITATIONS
1	Metabolic activity diffusion imaging (MADI): I. Metabolic, cytometric modeling and simulations. NMR in Biomedicine, 2023, 36, .	1.6	6
2	Metabolic activity diffusion imaging (MADI): II. Noninvasive, high-resolution human brain mapping of sodium pump flux and cell metrics. NMR in Biomedicine, 2023, 36, .	1.6	5
3	DCE-MRI of Brain Fluid Barriers: <i>In Vivo</i> Water Cycling at the Human Choroid Plexus. Tissue Barriers, 2022, 10, 1963143.	1.6	6
4	Gray matter blood-brain barrier water exchange dynamics are reduced in progressive multiple sclerosis. Journal of Neuroimaging, 2021, 31, 1111-1118.	1.0	5
5	Shutter-speed DCE-MRI Analyses of Human Glioblastoma Multiforme (GBM) Data. Journal of Magnetic Resonance Imaging, 2020, 52, 850-863.	1.9	18
6	Observation of Reduced Homeostatic Metabolic Activity and/or Coupling in White Matter Aging. Journal of Neuroimaging, 2020, 30, 658-665.	1.0	7
7	NMR shutter-speed elucidates apparent population inversion of $^1\text{H}^2\text{O}$ signals due to active transmembrane water cycling. Magnetic Resonance in Medicine, 2019, 82, 411-424.	1.9	22
8	Sodium MRI revisited. Magnetic Resonance in Medicine, 2019, 82, 521-524.	1.9	42
9	Brain active transmembrane water cycling measured by MR is associated with neuronal activity. Magnetic Resonance in Medicine, 2019, 81, 1280-1295.	1.9	21
10	Fast, Na^+/K^+ pump driven, steady-state transcytolemmal water exchange in neuronal tissue: A study of rat brain cortical cultures. Magnetic Resonance in Medicine, 2018, 79, 3207-3217.	1.9	47
11	Using $^1\text{H}_2\text{O}$ MR to measure and map sodium pump activity in vivo. Journal of Magnetic Resonance, 2018, 291, 110-126.	1.2	43
12	Human whole blood $^1\text{H}^2\text{O}$ transverse relaxation with gadolinium-based contrast reagents: Magnetic susceptibility and transmembrane water exchange. Magnetic Resonance in Medicine, 2017, 77, 2015-2027.	1.9	22
13	Early Prediction and Evaluation of Breast Cancer Response to Neoadjuvant Chemotherapy Using Quantitative DCE-MRI. Translational Oncology, 2016, 9, 8-17.	1.7	94
14	Toward 20Å magnetic resonance for human brain studies: opportunities for discovery and neuroscience rationale. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2016, 29, 617-639.	1.1	66
15	Relative sensitivities of DCE-MRI pharmacokinetic parameters to arterial input function (AIF) scaling. Journal of Magnetic Resonance, 2016, 269, 104-112.	1.2	33
16	Mapping human brain capillary water lifetime: high-resolution metabolic neuroimaging. NMR in Biomedicine, 2015, 28, 607-623.	1.6	58
17	Metabolic imaging of in vivo myocardium. Journal of Cardiovascular Magnetic Resonance, 2015, 17, P251.	1.6	2
18	Synergistic Antivascular and Antitumor Efficacy with Combined Cediranib and SC6889 in Intracranial Mouse Glioma. PLoS ONE, 2015, 10, e0144488.	1.1	6

#	ARTICLE	IF	CITATIONS
19	Myelin water mapping by spatially regularized longitudinal relaxographic imaging at high magnetic fields. <i>Magnetic Resonance in Medicine</i> , 2014, 71, 375-387.	1.9	97
20	Intratumor mapping of intracellular water lifetime: metabolic images of breast cancer?. <i>NMR in Biomedicine</i> , 2014, 27, 760-773.	1.6	75
21	Human wholeâ€blood ¹ H ₂ O longitudinal relaxation with normal and highâ€relaxivity contrast reagents: Influence of transâ€cellâ€membrane water exchange. <i>Magnetic Resonance in Medicine</i> , 2014, 72, 1746-1754.	1.9	25
22	Feasibility of shutterâ€speed DCEâ€MRI for improved prostate cancer detection. <i>Magnetic Resonance in Medicine</i> , 2013, 69, 171-178.	1.9	35
23	Cell membrane water exchange effects in prostate DCE-MRI. <i>Journal of Magnetic Resonance</i> , 2012, 218, 77-85.	1.2	30
24	Active Trans-Plasma Membrane Water Cycling in Yeast Is Revealed by NMR. <i>Biophysical Journal</i> , 2011, 101, 2833-2842.	0.2	50
25	Discrimination of Benign and Malignant Breast Lesions by Using Shutter-Speed Dynamic Contrast-enhanced MR Imaging. <i>Radiology</i> , 2011, 261, 394-403.	3.6	87
26	Discrimination of intra- and extracellular ²³ Na ⁺ signals in yeast cell suspensions using longitudinal magnetic resonance relaxography. <i>Journal of Magnetic Resonance</i> , 2010, 205, 28-37.	1.2	13
27	Dynamic-contrast-enhanced-MRI with extravasating contrast reagent: Rat cerebral glioma blood volume determination. <i>Journal of Magnetic Resonance</i> , 2010, 206, 190-199.	1.2	47
28	Threeâ€compartment <i>T</i> ₁ relaxation model for intracellular paramagnetic contrast agents. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 1049-1058.	1.9	73
29	Firstâ€pass dynamic contrastâ€enhanced MRI with extravasating contrast reagent: evidence for human myocardial capillary recruitment in adenosineâ€induced hyperemia. <i>NMR in Biomedicine</i> , 2009, 22, 148-157.	1.6	39
30	The Evaluation of Esophageal Adenocarcinoma Using Dynamic Contrast-Enhanced Magnetic Resonance Imaging. <i>Journal of Gastrointestinal Surgery</i> , 2008, 12, 166-175.	0.9	35
31	Dynamic NMR effects in breast cancer dynamic-contrast-enhanced MRI. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 17937-17942.	3.3	69
32	The magnetic resonance shutter speed discriminates vascular properties of malignant and benign breast tumors in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 17943-17948.	3.3	85
33	Na ⁺ /Ca ²⁺ -exchangerâ€mediated Mn ²⁺ -enhanced ¹ H ₂ O MRI in hypoxic, perfused rat myocardium. <i>Contrast Media and Molecular Imaging</i> , 2007, 2, 248-257.	0.4	7
34	Magnetic field and tissue dependencies of human brain longitudinal ¹ H ₂ O relaxation in vivo. <i>Magnetic Resonance in Medicine</i> , 2007, 57, 308-318.	1.9	546
35	T1â€MRI contrast in the human brain: Modulation of the longitudinal rotating frame relaxation shutter-speed during an adiabatic RF pulse. <i>Journal of Magnetic Resonance</i> , 2006, 181, 135-147.	1.2	81
36	Evidence for shutter-speed variation in CR bolus-tracking studies of human pathology. <i>NMR in Biomedicine</i> , 2005, 18, 173-185.	1.6	85

#	ARTICLE	IF	CITATIONS
37	Bayesian image decomposition applied to relaxographic imaging. <i>International Journal of Imaging Systems and Technology</i> , 2005, 15, 2-9.	2.7	1
38	Shutter-speed analysis of contrast reagent bolus-tracking data: Preliminary observations in benign and malignant breast disease. <i>Magnetic Resonance in Medicine</i> , 2005, 53, 724-729.	1.9	67
39	Exchange-influenced T2 ρ contrast in human brain images measured with adiabatic radio frequency pulses. <i>Magnetic Resonance in Medicine</i> , 2005, 53, 823-829.	1.9	53
40	A unified magnetic resonance imaging pharmacokinetic theory: Intravascular and extracellular contrast reagents. <i>Magnetic Resonance in Medicine</i> , 2005, 54, 1351-1359.	1.9	141
41	Pharmaco-thermodynamics of deuterium-induced oedema in living rat brain via $^1\text{H}_2\text{O}$ MRI: implications for boron neutron capture therapy of malignant brain tumours. <i>Physics in Medicine and Biology</i> , 2005, 50, 2127-2139.	1.6	7
42	Simultaneous measurement of arterial input function and tumor pharmacokinetics in mice by dynamic contrast enhanced imaging: Effects of transcytolemmal water exchange. <i>Magnetic Resonance in Medicine</i> , 2004, 52, 248-257.	1.9	86
43	Effects of equilibrium exchange on diffusion-weighted NMR signals: The diffusigraphic 'shutter-speed?'. <i>Magnetic Resonance in Medicine</i> , 2003, 49, 450-458.	1.9	89
44	Equilibrium water exchange between the intra- and extracellular spaces of mammalian brain. <i>Magnetic Resonance in Medicine</i> , 2003, 50, 493-499.	1.9	147
45	Variation of the relaxographic 'shutter-speed?' for transcytolemmal water exchange affects the CR bolus-tracking curve shape. <i>Magnetic Resonance in Medicine</i> , 2003, 50, 1151-1169.	1.9	171
46	Abnormal brain activation to visual stimulation in cocaine abusers. <i>Life Sciences</i> , 2003, 73, 1953-1961.	2.0	37
47	The effects of equilibrium transcytolemmal water exchange on the determination of contrast reagent concentration in vivo. <i>Magnetic Resonance in Medicine</i> , 2002, 47, 422-424.	1.9	11
48	Deconvolution of Compartmental Water Diffusion Coefficients in Yeast-Cell Suspensions Using Combined T1 and Diffusion Measurements. <i>Journal of Magnetic Resonance</i> , 2002, 156, 52-63.	1.2	41
49	Measurements of human brain ethanol T2 by spectroscopic imaging at 4 T. <i>Magnetic Resonance in Medicine</i> , 2000, 44, 35-40.	1.9	20
50	Determination of the MRI contrast agent concentration time course in vivo following bolus injection: Effect of equilibrium transcytolemmal water exchange. <i>Magnetic Resonance in Medicine</i> , 2000, 44, 563-574.	1.9	199
51	Resting brain metabolic activity in a 4 Tesla magnetic field. <i>Magnetic Resonance in Medicine</i> , 2000, 44, 701-705.	1.9	8
52	Magnetic susceptibility shift selected imaging (MESSI) and localized $^1\text{H}_2\text{O}$ spectroscopy in living plant tissues. <i>NMR in Biomedicine</i> , 2000, 13, 392-397.	1.6	18
53	4.0 T Water Proton T1 Relaxation Times in Normal Human Brain and During Acute Ethanol Intoxication. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 830-836.	1.4	14
54	Using Flow Relaxography to Elucidate Flow Relaxivity. <i>Journal of Magnetic Resonance</i> , 1999, 136, 102-113.	1.2	24

#	ARTICLE	IF	CITATIONS
55	Intimate combination of low- and high-resolution image data: I. real-space PET and $^1\text{H}_2\text{O}$ MRI, PETAMRI. <i>Magnetic Resonance in Medicine</i> , 1999, 42, 345-360.	1.9	15
56	Equilibrium transcytolemmal water-exchange kinetics in skeletal muscle in vivo. <i>Magnetic Resonance in Medicine</i> , 1999, 42, 467-478.	1.9	192
57	In vivo MR imaging and spectroscopy using hyperpolarized ^{129}Xe . <i>Magnetic Resonance in Medicine</i> , 1996, 36, 183-191.	1.9	138
58	Physicochemical Principles Influencing Magnetopharmaceuticals. , 1994, , 75-99.		38
59	Aqueous shift reagents for high-resolution cation NMR. VI. Titration curves for in vivo ^{23}Na and $^1\text{H}_2\text{O}$ MRS obtained from rat blood. <i>NMR in Biomedicine</i> , 1993, 6, 7-20.	1.6	35
60	Extracellular volume and transsarcolemmal proton movement during ischemia and reperfusion: A ^{31}P NMR spectroscopic study of the isovolumic rat heart. <i>NMR in Biomedicine</i> , 1993, 6, 278-286.	1.6	61
61	Susceptibility changes following bolus injections. <i>Magnetic Resonance in Medicine</i> , 1993, 29, 700-708.	1.9	67
62	Two-dimensional inverse Laplace transform NMR: altered relaxation times allow detection of exchange correlation. <i>Journal of the American Chemical Society</i> , 1993, 115, 7761-7764.	6.6	128
63	^{25}Mg NMR Studies of magnesium binding to erythrocyte constituents. <i>Journal of Inorganic Biochemistry</i> , 1991, 44, 79-87.	1.5	13
64	A comprehensive approach to the analysis and interpretation of the resonances of spins $3/2$ from living systems. <i>NMR in Biomedicine</i> , 1991, 4, 209-226.	1.6	155
65	The molecular environment of intracellular sodium: ^{23}Na NMR relaxation. <i>NMR in Biomedicine</i> , 1991, 4, 227-245.	1.6	97
66	Bulk magnetic susceptibility shifts in nmr studies of compartmentalized samples: use of paramagnetic reagents. <i>Magnetic Resonance in Medicine</i> , 1990, 13, 239-262.	1.9	359
67	Magnetic susceptibility shift selected imaging: MESSI. <i>Magnetic Resonance in Medicine</i> , 1990, 16, 80-90.	1.9	21
68	^{31}P and ^{23}Na NMR spectroscopy of normal and ischemic rat skeletal muscle. Use of a shift reagent in vivo. <i>NMR in Biomedicine</i> , 1990, 3, 47-58.	1.6	46
69	Aqueous shift reagents for high-resolution cation NMR. V. Thermodynamics of interaction of DyTTHA^{3-} with Na^+ , K^+ , Mg^{2+} , and Ca^{2+} . <i>Journal of Magnetic Resonance</i> , 1990, 87, 287-303.	0.5	1
70	Aqueous shift reagents for high-resolution cation NMR spectroscopy. 4. [<i>o</i> -Bis((3-tripolyphosphato)propyloxy)benzene(-)]dysprosate(5-). <i>Inorganic Chemistry</i> , 1990, 29, 660-667.	1.9	16
71	Magnetic field dependence of ^{23}Na NMR spectra of rat skeletal muscle infused with shift reagent in Vivo. <i>Journal of Magnetic Resonance</i> , 1989, 83, 138-145.	0.5	4
72	Two-dimensional multiple-quantum NMR spectroscopy of isolated half-integer spin systems. II. ^{35}Cl examples. <i>Journal of Magnetic Resonance</i> , 1989, 83, 279-298.	0.5	1

#	ARTICLE	IF	CITATIONS
73	Two-dimensional double-quantum NMR spectroscopy of isolated spin 3/2 systems: sodium-23 examples. <i>Journal of the American Chemical Society</i> , 1988, 110, 674-681.	6.6	70
74	Transmembrane Ion Pumping: High Resolution Cation NMR Spectroscopy. <i>Annals of the New York Academy of Sciences</i> , 1987, 508, 130-148.	1.8	22
75	Sodium transport and phosphorus metabolism in sodium-loaded yeast: simultaneous observation with sodium-23 and phosphorus-31 NMR spectroscopy in vivo. <i>Biochemistry</i> , 1987, 26, 4953-4962.	1.2	34
76	Aqueous shift reagents for high-resolution cationic nuclear magnetic resonance. III. Dy(TTHA) $3\hat{a}^{\wedge}$, Tm(TTHA) $3\hat{a}^{\wedge}$, and Tm(PPP) $27\hat{a}^{\wedge}$. <i>Journal of Magnetic Resonance</i> , 1984, 56, 33-47.	0.5	43
77	Aqueous shift reagents for high-resolution cationic nuclear magnetic resonance. 2. Magnesium-25, potassium-39, and sodium-23 resonances shifted by chelidamate complexes of dysprosium(III) and thulium(III). <i>Inorganic Chemistry</i> , 1983, 22, 2388-2392.	1.9	48
78	Direct High-resolution Nuclear Magnetic Resonance Studies of Cation Transport in Vivo. <i>Biophysical Journal</i> , 1982, 38, 323-326.	0.2	69
79	Aqueous shift reagents for high-resolution cationic nuclear magnetic resonance. <i>Journal of Magnetic Resonance</i> , 1982, 46, 348-353.	0.5	25
80	Evidence for cooperative effects in the binding of polyvalent metal ions to pure phosphatidylcholine bilayer vesicle surfaces. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1981, 648, 28-48.	1.4	46
81	Ionophore-catalyzed cation transport between phospholipid inverted micelles manifest in DNMR. <i>Biophysical Chemistry</i> , 1981, 14, 375-388.	1.5	17
82	Hyperfine shift NMR studies of hydrated phospholipid inverted micelles. <i>Chemistry and Physics of Lipids</i> , 1979, 23, 23-40.	1.5	11
83	Interaction of antibiotic lasalocid A (X537A) with praseodymium(III) in methanol. <i>Bioinorganic Chemistry</i> , 1978, 9, 101-122.	1.2	14
84	The intrinsic structural asymmetry of highly curved phospholipid bilayer membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1977, 470, 161-169.	1.4	102
85	Hyperfine Induced Splitting of Free Solute Nuclear Magnetic Resonances in Small Phospholipid Vesicle Preparations. <i>ACS Symposium Series</i> , 1976, , 483-498.	0.5	1
86	Complexes of nucleophiles with rare earth chelates. II. Self association and adduct formation of the lanthanide tris(1,1,1,2,2,3,3-heptafluoro-7,7-dimethyl-4,6-octanedionate) chelates praseodymium(fod) 3 and europium(fod) 3 . <i>Inorganic Chemistry</i> , 1974, 13, 880-885.	1.9	33
87	Increasing the time resolution of dynamic nuclear magnetic resonance spectroscopy through the use of lanthanide shift reagents. <i>Journal of the American Chemical Society</i> , 1973, 95, 6227-6232.	6.6	30
88	Direct measurement of enantiomerization of labile aluminium(III) \hat{I}^2 -diketonates. <i>Challenge</i> , 1971, .	0.4	9
89	Chiral chelates with chiral ligands. Stereoisomers of tris[(+)-3-acetylcamphorato]cobalt(III). <i>Inorganic Chemistry</i> , 1971, 10, 1242-1250.	1.9	20