

# Alexei V Buevich

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5252562/publications.pdf>

Version: 2024-02-01

70  
papers

2,002  
citations

236925

25  
h-index

265206

42  
g-index

73  
all docs

73  
docs citations

73  
times ranked

2301  
citing authors

#	ARTICLE	IF	CITATIONS
1	Driving to a Better Understanding of Acyl Glucuronide Transformations Using NMR and Molecular Modeling. <i>Chemical Research in Toxicology</i> , 2022, 35, 459-474.	3.3	2
2	Lead Optimization to Advance Protease-Activated Receptor-1 Antagonists in Early Discovery. <i>Journal of Medicinal Chemistry</i> , 2022, 65, 5575-5592.	6.4	0
3	Development of ProTx-II Analogues as Highly Selective Peptide Blockers of Na <sup>v</sup> 1.7 for the Treatment of Pain. <i>Journal of Medicinal Chemistry</i> , 2022, 65, 485-496.	6.4	9
4	Development of <sup>19</sup> F-detected 1,1-DEQUATE for the characterization of polyfluorinated and perfluorinated compounds. <i>Magnetic Resonance in Chemistry</i> , 2021, 59, 628-640.	1.9	3
5	Synthesis of HDAC Inhibitor Libraries via Microscale Workflow. <i>ACS Medicinal Chemistry Letters</i> , 2021, 12, 337-342.	2.8	10
6	Novel intramolecular aminohydroxylation toward the syntheses of 2- <sup>2</sup> -amino-2-ethynyl nucleosides. <i>Tetrahedron Letters</i> , 2021, 72, 153066.	1.4	1
7	Unprecedented Reversal of Regioselectivity during Methanolysis and an Interception of Curtius Rearrangement. <i>European Journal of Organic Chemistry</i> , 2021, 2021, 5073-5079.	2.4	0
8	19 F-Detected Dual-Optimized Inverted 1 J CC 1, n-DEQUATE. <i>Magnetic Resonance in Chemistry</i> , 2021, , .	1.9	3
9	Bioactivation of GPR40 Agonist MK-8666: Formation of Protein Adducts in Vitro from Reactive Acyl Glucuronide and Acyl CoA Thioester. <i>Chemical Research in Toxicology</i> , 2020, 33, 191-201.	3.3	16
10	Enhancing computer-assisted structure elucidation with DFT analysis of <sup>13</sup> C couplings. <i>Magnetic Resonance in Chemistry</i> , 2020, 58, 594-606.	1.9	19
11	Generation of Leads for <sup>13</sup> C-Secretase Modulation. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 8216-8230.	6.4	7
12	An orally available non-nucleotide STING agonist with antitumor activity. <i>Science</i> , 2020, 369, .	12.6	282
13	Molecular packing of pharmaceuticals analyzed with paramagnetic relaxation enhancement and ultrafast magic angle pinning NMR. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 13160-13170.	2.8	22
14	Unexpected Propargylic Retro-Brook Rearrangements in Alkynes. <i>Journal of Organic Chemistry</i> , 2019, 84, 10024-10031.	3.2	5
15	Enhancing the utility of 1JCH coupling constants in structural studies through optimized DFT analysis. <i>Chemical Communications</i> , 2019, 55, 5781-5784.	4.1	26
16	Discovery of 3(S)-thiomethyl pyrrolidine ERK inhibitors for oncology. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2018, 28, 2029-2034.	2.2	11
17	Towards unbiased and more versatile NMR-based structure elucidation: A powerful combination of CASE algorithms and DFT calculations. <i>Magnetic Resonance in Chemistry</i> , 2018, 56, 493-504.	1.9	26
18	Overcoming Time-Dependent Inhibition (TDI) of Cytochrome P450 3A4 (CYP3A4) Resulting from Bioactivation of a Fluoropyrimidine Moiety. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 10700-10708.	6.4	11

#	ARTICLE	IF	CITATIONS
19	Chemoselective Peptide Modification via Photocatalytic Tryptophan $\hat{I}^2$ -Position Conjugation. <i>Journal of the American Chemical Society</i> , 2018, 140, 6797-6800.	13.7	97
20	Discovery of MK-8318, a Potent and Selective CRTh2 Receptor Antagonist for the Treatment of Asthma. <i>ACS Medicinal Chemistry Letters</i> , 2018, 9, 679-684.	2.8	10
21	MK-8353: Discovery of an Orally Bioavailable Dual Mechanism ERK Inhibitor for Oncology. <i>ACS Medicinal Chemistry Letters</i> , 2018, 9, 761-767.	2.8	32
22	Can We Make Small Molecules Lean? Optimization of a Highly Lipophilic TarO Inhibitor. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 3851-3865.	6.4	8
23	The synthesis of 2,3,6-trisubstituted 1-oxo-1,2-dihydroisoquinolines as potent CRTh 2 antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 5344-5348.	2.2	6
24	Concise syntheses and HCV NS5B polymerase inhibition of (2 $\hat{a}^2$ R)-3 and (2 $\hat{a}^2$ S)-2 $\hat{a}^2$ -ethynyluridine-10 and related nucleosides. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 5349-5352.	2.2	2
25	Substituted 4-morpholine N -arylsulfonamides as $\hat{I}^3$ -secretase inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2016, 124, 36-48.	5.5	13
26	Synergistic Combination of CASE Algorithms and DFT Chemical Shift Predictions: A Powerful Approach for Structure Elucidation, Verification, and Revision. <i>Journal of Natural Products</i> , 2016, 79, 3105-3116.	3.0	71
27	Characterization and Synthesis of Eudistidine C, a Bioactive Marine Alkaloid with an Intriguing Molecular Scaffold. <i>Journal of Organic Chemistry</i> , 2016, 81, 10631-10640.	3.2	30
28	Structure-Based Design of an Iminoheterocyclic $\hat{I}^2$ -Site Amyloid Precursor Protein Cleaving Enzyme (BACE) Inhibitor that Lowers Central A $\hat{I}^2$ in Nonhuman Primates. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 3231-3248.	6.4	36
29	Atropisomerization of 8-Membered Dibenzolactam: Experimental NMR and Theoretical DFT Study. <i>Journal of Organic Chemistry</i> , 2016, 81, 485-501.	3.2	11
30	Turning Spiroketal Inside Out: A Rearrangement Triggered by an Enol Ether Epoxidation. <i>ChemistryOpen</i> , 2015, 4, 577-580.	1.9	13
31	Homodecoupled 1,1 $\hat{a}^2$ and 1, $\hat{n}^2$ ADEQUATE: Pivotal NMR Experiments for the Structure Revision of Cryptospirolepine. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 10160-10164.	13.8	49
32	LR-HSQMBC: A Sensitive NMR Technique To Probe Very Long-Range Heteronuclear Coupling Pathways. <i>Journal of Organic Chemistry</i> , 2014, 79, 3887-3894.	3.2	132
33	NMR Structure Elucidation of Small Organic Molecules and Natural Products: Choosing ADEQUATE vs HMBC. <i>Journal of Natural Products</i> , 2014, 77, 1942-1947.	3.0	34
34	Isolation, Structure Elucidation, and Biological Activity of Altersolanol P Using <i>Staphylococcus aureus</i> Fitness Test Based Genome-Wide Screening. <i>Journal of Natural Products</i> , 2014, 77, 497-502.	3.0	11
35	Using LR-HSQMBC to observe long-range $1\hat{H}^2-^{15}\hat{N}$ correlations. <i>Tetrahedron Letters</i> , 2014, 55, 3365-3366.	1.4	22
36	Novel Quinoline-Based P2 $\hat{a}^2$ -P4 Macrocyclic Derivatives As Pan-Genotypic HCV NS3/4a Protease Inhibitors. <i>ACS Medicinal Chemistry Letters</i> , 2014, 5, 264-269.	2.8	22

#	ARTICLE	IF	CITATIONS
37	Conformation of gem-disubstituted alkylaryl piperidines and their implication in design and synthesis of a conformationally-rigidified NK1 antagonist. <i>Tetrahedron Letters</i> , 2013, 54, 6199-6203.	1.4	3
38	Coniothyrione: anatomy of a structure revision. <i>Magnetic Resonance in Chemistry</i> , 2013, 51, 383-390.	1.9	24
39	Quantum Chemical Calculations of $^1J_{CC}$ Coupling Constants for the Stereochemical Determination of Organic Compounds. <i>Organic Letters</i> , 2013, 15, 654-657.	4.6	52
40	A Compatibility Study of a Secondary Amine Active Pharmaceutical Ingredient with Starch: Identification of a Novel Degradant Formed Between Desloratadine and a Starch Impurity Using LC-MSn and NMR Spectroscopy. <i>Journal of Pharmaceutical Sciences</i> , 2013, 102, 717-731.	3.3	12
41	Efficient synthesis and reaction pathway studies of novel fused morpholine oxadiazolines for use as gamma secretase modulators. <i>Tetrahedron Letters</i> , 2012, 53, 6451-6455.	1.4	8
42	Experimental and Theoretical Investigation of $^1J_{CC}$ and $^1J_{CN}$ Coupling Constants in Strychnine. <i>Organic Letters</i> , 2012, 14, 5098-5101.	4.6	45
43	Design and Validation of Bicyclic Iminopyrimidinones As Beta Amyloid Cleaving Enzyme-1 (BACE1) Inhibitors: Conformational Constraint to Favor a Bioactive Conformation. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 9331-9345.	6.4	55
44	Synthesis and SAR Studies of Fused Oxadiazines as $\hat{\gamma}$ -Secretase Modulators for Treatment of Alzheimer's Disease. <i>ACS Medicinal Chemistry Letters</i> , 2012, 3, 931-935.	2.8	34
45	On the power of super acid-catalyzed iodination of aromatic ring in the presence of imidazole moiety of the potent gamma secretase modulators (GSM) en route to tritium labeling. <i>Tetrahedron Letters</i> , 2012, 53, 1725-1727.	1.4	3
46	Iminoheterocycles as $\hat{\gamma}$ -secretase modulators. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 5380-5384.	2.2	30
47	New Applications of PhI(OAc) <sub>2</sub> in Synthesis: Total Synthesis and SAR Development of Potent Antitumor Natural Product Psymberin/Irciniastatin A. <i>Synthesis</i> , 2009, 2009, 2855-2872.	2.3	24
48	Rapid structure elucidation of drug degradation products using mechanism-based stress studies in conjunction with LC-MSn and NMR spectroscopy: identification of a photodegradation product of betamethasone dipropionate. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009, 50, 275-280.	2.8	26
49	Isolation, structural determination, synthesis and quantitative determination of impurities in Intron-A, leached from a silicone tubing. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2009, 49, 327-332.	2.8	7
50	Synthesis of seco-psymberin/irciniastatin A: the discovery of a novel PhI(OAc) <sub>2</sub> mediated cascade cyclization reaction. <i>Tetrahedron Letters</i> , 2008, 49, 3592-3595.	1.4	18
51	An unusual contra-Michael addition of NaNO <sub>2</sub> -ceric ammonium nitrate to acrylic esters. <i>Tetrahedron Letters</i> , 2008, 49, 2132-2135.	1.4	13
52	Novel steroidal saponins, Sch 725737 and Sch 725739, from a marine starfish, <i>Novodinia antillensis</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 5543-5547.	2.2	13
53	The Total Synthesis of Psymberin. <i>Organic Letters</i> , 2007, 9, 2597-2600.	4.6	56
54	Total Synthesis of ( $\hat{\alpha}$ )-Himgaline. <i>Journal of the American Chemical Society</i> , 2006, 128, 12654-12655.	13.7	43

#	ARTICLE	IF	CITATIONS
55	Two complementary, diversity-driven asymmetric syntheses of a 2,2-disubstituted piperidine NK1 antagonist. <i>Tetrahedron: Asymmetry</i> , 2006, 17, 2596-2598.	1.8	9
56	Syntheses of dipeptides containing (1R,5S)-6,6-dimethyl-3-azabicyclo[3.1.0]hexane-2(S)-carboxylic acid (4), (1R,5S)-spiro[3-azabicyclo[3.1.0]hexane-6,1- $\epsilon^2$ -cyclopropane]-2(S)-carboxylic acid (5) and (1S,5R)-6,6-dimethyl-3-azabicyclo[3.1.0]hexane-2(S)-carboxylic acid (6). <i>Tetrahedron Letters</i> , 2006, 47, 6469-6472.	1.4	11
57	Transformation of the Mechanism of Triple-helix Peptide Folding in the Absence of a C-terminal Nucleation Domain and Its Implications for Mutations in Collagen Disorders. <i>Journal of Biological Chemistry</i> , 2004, 279, 46890-46895.	3.4	31
58	Three new compounds from the plant <i>Lippia alva</i> as inhibitors of chemokine receptor 5 (CCR5). <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 5339-5342.	2.2	18
59	NMR studies of calcium-binding to mutant alpha-spectrin EF-hands. <i>Cellular and Molecular Biology Letters</i> , 2004, 9, 167-86.	7.0	10
60	Novel Photoswitchable Receptors: Synthesis and Cation-Induced Self-Assembly into Dimeric Complexes Leading to Stereospecific [2+2]-Photocycloaddition of Styryl Dyes Containing a 15-Crown-5 Ether Unit. <i>Journal of Organic Chemistry</i> , 2003, 68, 6115-6125.	3.2	45
61	A New Antifungal Sterol Sulfate, Sch 601324, from <i>Chrysosporium</i> sp.. <i>Journal of Antibiotics</i> , 2003, 56, 419-422.	2.0	13
62	Residue-Specific Real-Time NMR Diffusion Experiments Define the Association States of Proteins during Folding. <i>Journal of the American Chemical Society</i> , 2002, 124, 7156-7162.	13.7	43
63	Syntheses of Novel 4-tert-Alkyl Ether Proline-Based 16- and 17-Membered Macrocyclic Compounds. <i>Journal of Organic Chemistry</i> , 2002, 67, 2730-2733.	3.2	11
64	Backbone dynamics of the natively unfolded pro-peptide of subtilisin by heteronuclear NMR relaxation studies. <i>Journal of Biomolecular NMR</i> , 2001, 20, 233-249.	2.8	68
65	Nuclear magnetic resonance characterization of peptide models of collagen "folding diseases". <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2001, 356, 159-168.	4.0	21
66	Site-Specific NMR Monitoring of cis $\rightleftharpoons$ trans Isomerization in the Folding of the Proline-Rich Collagen Triple Helix. <i>Biochemistry</i> , 2000, 39, 4299-4308.	2.5	57
67	Dynamics of Unfolded Proteins: Incorporation of Distributions of Correlation Times in the Model Free Analysis of NMR Relaxation Data. <i>Journal of the American Chemical Society</i> , 1999, 121, 8671-8672.	13.7	55
68	Unusual Chemical Behavior of 9,10-Dipropyl-10-borabicyclodeca-2,4,7-triene, Heteroanalog of (CH) <sub>10</sub> Hydrocarbons. <i>Journal of Organic Chemistry</i> , 1996, 61, 3514-3519.	3.2	7
69	Synthesis and Dynamic Properties of Cyclooctatetraenyl(dipropyl)borane. <i>Mendeleev Communications</i> , 1994, 4, 221-223.	1.6	2
70	Cyclononatetraenyldipropylborane. <i>Organometallics</i> , 1994, 13, 4658-4660.	2.3	21