
## And Yavuz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5252815/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Combined Use of Magnesium Sulfate and Fingolimod for Antenatal Neuroprotection against Inflammation-Mediated Experimental Preterm Brain Injury in a Rat Model. Fetal and Pediatric Pathology, 2022, 41, 603-615.	0.7	1
2	The reduced serum concentrations of <i>β</i> -arrestin-1 and <i>β</i> -arrestin-2 in pregnancies complicated with gestational diabetes mellitus. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 10017-10024.	1.5	6
3	Immunohistochemical analysis of protective effects of maternal fingolimod on the placenta and fetal lung and brain in chorioamnionitis-induced preterm birth rat model. Immunopharmacology and Immunotoxicology, 2020, 42, 564-571.	2.4	3
4	The relationship between the low Apgar scores of the newborns and hematologic parameters which are inflammatory markers. Perinatal Journal, 2020, 28, 157-163.	0.2	0
5	The Utility of Feticide Procedure to Shorten the Induction-to-Abortion Interval in Medical Abortion. Gynecologic and Obstetric Investigation, 2019, 84, 64-70.	1.6	5
6	Prenatal sonographic diagnosis of cephalopagus conjoined twins at 14 weeks of pregnancy. Journal of Clinical Ultrasound, 2018, 46, 408-411.	0.8	5
7	Maternal and perinatal outcomes in pregnancies with multiple sclerosis: a case-control study. Journal of Perinatal Medicine, 2017, 45, 455-460.	1.4	15
8	Fingolimod against endotoxinâ€induced fetal brain injury in a rat model. Journal of Obstetrics and Gynaecology Research, 2017, 43, 1708-1713.	1.3	7
9	Can we consider cesarean myomectomy as a safe procedure without long-term outcome?. Journal of Maternal-Fetal and Neonatal Medicine, 2017, 30, 1855-1860.	1.5	14
10	Comparison of bupivacaine and ropivacaine in combination with fentanyl used for walking epidural anesthesia in labor. Tâ^šÂªrk Jinekoloji Ve Obstetrik Dernei Dergisi, 2017, 14, 170-175.	0.8	4
11	The significance of reverse flow in ductus venosus between sixteen and twenty weeks' gestation. TⰚºrk Jinekoloji Ve Obstetrik Dernei Dergisi, 2017, 14, 23-27.	0.8	3
12	A case of prenatally diagnosed partial monosomy 13q syndrome. Çukurova Üniversitesi Tıp Fakültesi Dergisi, 2017, 42, 189-189.	0.0	0
13	Konjenital diafragmatik herni ve aortik koarktasyon nadir birlikteliğinin prenatal tanısı. Çukurova Üniversitesi Tıp Fakültesi Dergisi, 2017, 42, 376-376.	0.0	0
14	Infant outcomes following midtrimester emergency cerclage in the presence of fully dilated cervix and prolapsing amniotic membranes into the vagina. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 2438-2442.	1.5	3
15	Reliability of posterior-left atrium space index measurements during 20–24 weeks of gestation in structurally normal fetuses. Journal of Perinatal Medicine, 2016, 44, 613-7.	1.4	7
16	A comparison of the effects of the most commonly used tocolytic agents on maternal and fetal blood flow. Tâ^šÂºrk Jinekoloji Ve Obstetrik Dernei Dergisi, 2016, 13, 85-89.	0.8	3
17	Conventional 22- and 20-gauge needle for second trimester amniocentesis: A comparison of short term outcomes. Tâ^šÂºrk Jinekoloji Ve Obstetrik Dernei Dergisi, 2016, 13, 27-30.	0.8	1
18	Laparoscopic systemic devascularization of uterine cornu for cornual resection in interstitial pregnancy. Tâ^ŝºrk Jinekoloji Ve Obstetrik Dernei Dergisi, 2015, 12, 182-184.	0.8	1

#	Article	IF	CITATIONS
19	Utero-cutaneous Fistula after Multiple Abdominal Myomectomies: A Case Report. Balkan Medical Journal, 2015, 32, 426-428.	0.8	15
20	The evaluation of risk factors for failed response to conservative treatment in tubo-ovarian abscesses. Journal of the Turkish German Gynecology Association, 2015, 16, 226-230.	0.6	26