

Guangyuan Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5253037/publications.pdf>

Version: 2024-02-01

88
papers

1,599
citations

361413

20
h-index

315739

38
g-index

91
all docs

91
docs citations

91
times ranked

2259
citing authors

#	ARTICLE	IF	CITATIONS
1	A room temperature low-threshold ultraviolet plasmonic nanolaser. Nature Communications, 2014, 5, 4953.	12.8	278
2	Vertically Aligned Gold Nanorod Monolayer on Arbitrary Substrates: Self-Assembly and Femtomolar Detection of Food Contaminants. ACS Nano, 2013, 7, 5993-6000.	14.6	218
3	Multiple Magnetic Mode-Based Fano Resonance in Split-Ring Resonator/Disk Nanocavities. ACS Nano, 2013, 7, 11071-11078.	14.6	97
4	Fabry-Pérot-based surface plasmon resonance sensors. Optics Letters, 2012, 37, 4582.	3.3	55
5	Doubly Enhanced Second Harmonic Generation through Structural and Epsilon-near-Zero Resonances in TiN Nanostructures. ACS Photonics, 2018, 5, 2087-2093.	6.6	49
6	Transparent free-standing metamaterials and their applications in surface-enhanced Raman scattering. Nanoscale, 2014, 6, 132-139.	5.6	48
7	Simultaneous Measurement of Refractive Index and Temperature Based on Surface Plasmon Resonance Sensors. Journal of Lightwave Technology, 2014, 32, 4169-4173.	4.6	43
8	Switchable broadband and wide-angular terahertz asymmetric transmission based on a hybrid metal-VO ₂ metasurface. Optics Express, 2020, 28, 30675.	3.4	41
9	Figure of merit for Kerr nonlinear plasmonic waveguides. Laser and Photonics Reviews, 2016, 10, 639-646.	8.7	40
10	Tunable 3D light trapping architectures based on self-assembled SnSe ₂ nanoplate arrays for ultrasensitive SERS detection. Journal of Materials Chemistry C, 2019, 7, 10179-10186.	5.5	36
11	Narrow plasmonic surface lattice resonances with preference to asymmetric dielectric environment. Optics Express, 2019, 27, 25384.	3.4	36
12	Broadband switchable terahertz half-/quarter-wave plate based on metal-VO ₂ metamaterials. Optics Express, 2020, 28, 30861.	3.4	36
13	Dynamically reversible and strong circular dichroism based on Babinet-invertible chiral metasurfaces. Optics Letters, 2021, 46, 1309.	3.3	35
14	Interference and horizontal Fabry-Perot resonance on extraordinary transmission through a metallic nanoslit surrounded by grooves. Optics Letters, 2010, 35, 127.	3.3	29
15	Fourier single-pixel imaging in the terahertz regime. Applied Physics Letters, 2019, 115, .	3.3	27
16	Analysis of the $\{m TE\}$ -Pass or $\{m TM\}$ -Pass Metal-Clad Polarizer With a Resonant Buffer Layer. Journal of Lightwave Technology, 2008, 26, 1234-1241.	4.6	26
17	High-Q quadrupolar plasmonic lattice resonances in horizontal metal-insulator-metal gratings. Optics Letters, 2021, 46, 1546.	3.3	24
18	Gain enhancement of terahertz patch antennas by coating epsilon-near-zero metamaterials. Superlattices and Microstructures, 2020, 139, 106390.	3.1	23

#	ARTICLE	IF	CITATIONS
19	Theory of enhanced optical transmission through a metallic nano-slit surrounded with asymmetric grooves under oblique incidence. <i>Optics Express</i> , 2010, 18, 19495.	3.4	22
20	Nonvolatile, Reconfigurable and Narrowband Mid-Infrared Filter Based on Surface Lattice Resonance in Phase-Change Ge ₂ Sb ₂ Te ₅ . <i>Nanomaterials</i> , 2020, 10, 2530.	4.1	21
21	Dynamically tunable triple-band terahertz perfect absorber based on graphene metasurface. <i>Superlattices and Microstructures</i> , 2021, 150, 106797.	3.1	21
22	Theory of the scattering of light and surface plasmon polaritons by finite-size subwavelength metallic defects via field decomposition. <i>New Journal of Physics</i> , 2011, 13, 073045.	2.9	19
23	Fundamental Limitations to the Ultimate Kerr Nonlinear Performance of Plasmonic Waveguides. <i>ACS Photonics</i> , 2018, 5, 1034-1040.	6.6	19
24	A quantitative theory and the generalized Bragg condition for surface plasmon Bragg reflectors. <i>Optics Express</i> , 2010, 18, 10487.	3.4	17
25	A compact wavelength demultiplexing structure based on arrayed MIM plasmonic nano-disk cavities. <i>Optics Communications</i> , 2012, 285, 5519-5523.	2.1	17
26	Exceptionally narrow plasmonic surface lattice resonances in gold nanohemisphere array. <i>Journal Physics D: Applied Physics</i> , 2020, 53, 465109.	2.8	17
27	Ultra-broadband and efficient surface plasmon polariton launching through metallic nanoslits of subwavelength period. <i>Scientific Reports</i> , 2014, 4, 5914.	3.3	16
28	Plasmonic critical angle in optical transmission through subwavelength metallic gratings. <i>Optics Letters</i> , 2011, 36, 4584.	3.3	15
29	Compact Bidirectional Polarization Splitting Antenna. <i>IEEE Photonics Journal</i> , 2012, 4, 1744-1751.	2.0	15
30	Terahertz bandstop-to-bandpass converter based on VO ₂ hybrid metasurface. <i>Journal Physics D: Applied Physics</i> , 2021, 54, 435105.	2.8	15
31	Broadband switchable terahertz half-/quarter-wave plate based on VO ₂ -metal hybrid metasurface with over/underdamped transition. <i>Journal Physics D: Applied Physics</i> , 2021, 54, 505111.	2.8	15
32	Necessary conditions for out-of-plane lattice plasmons in nanoparticle arrays. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2019, 36, 805.	2.1	14
33	General analytic expression and numerical approach for the Kerr nonlinear coefficient of optical waveguides. <i>Optics Letters</i> , 2017, 42, 1329.	3.3	13
34	Full 360° Terahertz Dynamic Phase Modulation Based on Doubly Resonant Graphene-Metal Hybrid Metasurfaces. <i>Nanomaterials</i> , 2021, 11, 3157.	4.1	12
35	Kerr effect in hybrid plasmonic waveguides. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2016, 33, 957.	2.1	11
36	Deep Learning Optimized Terahertz Single-Pixel Imaging. <i>IEEE Transactions on Terahertz Science and Technology</i> , 2022, 12, 165-172.	3.1	11

#	ARTICLE	IF	CITATIONS
37	Wafer-Scale Growth of Vertically Structured SnSe ₂ Nanosheets for Highly Sensitive, Fast-Response UV-Vis-NIR Broadband Photodetectors. <i>Advanced Optical Materials</i> , 2022, 10, .	7.3	10
38	Unidirectionally optical coupling from free space into silicon waveguide with wide flat-top angular efficiency. <i>Optics Express</i> , 2012, 20, 18545.	3.4	8
39	Theory, Figures of Merit, and Design Recipe of the Plasmonic Structure Composed of a Nano-Slit Aperture Surrounded by Surface Corrugations. <i>Journal of Lightwave Technology</i> , 2012, 30, 2405-2414.	4.6	8
40	Classification of Genetically Identical Left and Right Irises Using a Convolutional Neural Network. <i>Electronics (Switzerland)</i> , 2019, 8, 1109.	3.1	8
41	Active tuning of resonant lattice Kerker effect. <i>Journal Physics D: Applied Physics</i> , 2022, 55, 185106.	2.8	8
42	Ultra-broadband terahertz bandpass filter with dynamically tunable attenuation based on a graphene-metal hybrid metasurface. <i>Applied Optics</i> , 2021, 60, 6366.	1.8	7
43	Narrow quadrupolar surface lattice resonances and band reversal in vertical metal-insulator-metal gratings. <i>Journal Physics D: Applied Physics</i> , 0, , .	2.8	7
44	Ultrasensitive and Tunable Sensor Based on Plasmon-Induced Transparency in a Black Phosphorus Metasurface. <i>Plasmonics</i> , 2021, 16, 1071-1077.	3.4	7
45	Extremely Narrow and Actively Tunable Mie Surface Lattice Resonances in GeSbTe Metasurfaces: Study. <i>Nanomaterials</i> , 2022, 12, 701.	4.1	7
46	Large Near-Field Enhancement in Terahertz Antennas by Using Hyperbolic Metamaterials with Hole Arrays. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 2524.	2.5	6
47	Thermal Analysis of Cornea Heated with Terahertz Radiation. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 917.	2.5	6
48	Nonvolatile and reconfigurable tuning of surface lattice resonances using phase-change Ge ₂ Sb ₂ Te ₅ thin films. <i>Results in Physics</i> , 2021, 22, 103897.	4.1	6
49	Polarization-independent resonant lattice Kerker effect in phase-change metasurface. <i>Journal Physics D: Applied Physics</i> , 2022, 55, 395107.	2.8	6
50	Scattering by abrupt discontinuities on photonic nanowires: closed-form expressions for domain reduction. <i>Optics Express</i> , 2014, 22, 25137.	3.4	5
51	Design of broadband highly reflective subwavelength high-index-contrast gratings in the visible regime. <i>OSA Continuum</i> , 2020, 3, 1232.	1.8	5
52	Modeling and design of irregularly arrayed waveguide gratings. <i>Optics Express</i> , 2007, 15, 3888.	3.4	4
53	Phase shift of plasmons excited by slits in a metal film illuminated by oblique incident TM plane wave. <i>Proceedings of SPIE</i> , 2008, , .	0.8	4
54	Purified plasmonic lasing with strong polarization selectivity by reflection. <i>Optics Express</i> , 2015, 23, 15657.	3.4	4

#	ARTICLE	IF	CITATIONS
55	Terahertz Single-Pixel Imaging Improved by Using Silicon Wafer with SiO ₂ Passivation. Applied Sciences (Switzerland), 2020, 10, 2427.	2.5	4
56	Strong Coupling between Plasmonic Surface Lattice Resonance and Photonic Microcavity Modes. Photonics, 2022, 9, 84.	2.0	4
57	Selenium Vacancies and Synergistic Effect of Near- and Far-Field-Enabled Ultrasensitive Surface-Enhanced Raman-Scattering-Active Substrates for Malaria Detection. Journal of Physical Chemistry Letters, 2022, 13, 1453-1463.	4.6	4
58	Single Image Super-Resolution Method Based on an Improved Adversarial Generation Network. Applied Sciences (Switzerland), 2022, 12, 6067.	2.5	4
59	Cascade arrangement of irregular optical phased arrays. Optics Communications, 2008, 281, 1945-1949.	2.1	3
60	Compact, Broadband, and Wide-Angle Optical Coupling for Silicon Waveguide. IEEE Photonics Journal, 2012, 4, 2116-2125.	2.0	3
61	A theory of waveguide design for plasmonic nanolasers. Nanoscale, 2018, 10, 21434-21440.	5.6	3
62	Dynamically Switchable Multispectral Plasmon-Induced Transparency in Stretchable Metamaterials. Plasmonics, 2021, 16, 477-483.	3.4	3
63	Mirror-backed dielectric metasurface sensor with ultrahigh figure of merit based on a super-narrow Rayleigh anomaly. Applied Optics, 2021, 60, 11205.	1.8	3
64	Significant Near-Field Enhancement over Large Volumes around Metal Nanorods via Strong Coupling of Surface Lattice Resonances and Fabry-Pérot Resonance. Materials, 2022, 15, 1523.	2.9	3
65	Theoretical reexamination of the cross conversion between surface plasmon polaritons and quasi-cylindrical waves. Optics Letters, 2010, 35, 3162.	3.3	2
66	Unidirectional plasmonic Bragg reflector based on longitudinally asymmetric nanostructures. Chinese Physics B, 2019, 28, 074208.	1.4	2
67	Two-dimensional plasmonic waveguides for nanolasing and four-wave mixing. New Journal of Physics, 2019, 21, 103004.	2.9	2
68	Quality factor enhancement of plasmonic surface lattice resonance by using asymmetric periods. Chinese Physics B, 0, , .	1.4	2
69	Narrowband terahertz metasurface circular polarization beam splitter with large spectral tunability based on lattice-induced chirality. Journal Physics D: Applied Physics, 2022, 55, 105109.	2.8	2
70	Terahertz dynamic π -phase modulation with high transmittance using graphene-metal metamaterials. Journal of Optics (United Kingdom), 2022, 24, 044007.	2.2	2
71	Recent progress in wide field-of-view optical receivers. Science Bulletin, 2009, 54, 3618-3622.	1.7	1
72	Ultra-broadband reflectors covering the entire visible regime based on cascaded high-index-contrast gratings. Applied Physics B: Lasers and Optics, 2020, 126, 1.	2.2	1

#	ARTICLE	IF	CITATIONS
73	Resonance between free space light and waveguide TM mode via surface plasmon wave. , 2008, , .		0
74	Compact surface wave polarization splitter based on the metallic-dielectric-air waveguide. Proceedings of SPIE, 2011, , .	0.8	0
75	Enhanced optical transmission through a metallic slit covered with a nanostrip and surrounded by corrugations. Proceedings of SPIE, 2011, , .	0.8	0
76	Novel subwavelength optical signal access via a plasmonic concentrator and a dielectric microring. , 2011, , .		0
77	Efficient free-space optical coupler into dielectric waveguide with great field enhancement. , 2011, , .		0
78	Kerr nonlinear characteristics of plasmonic waveguide devices. , 2016, , .		0
79	Broadband slow-light enhancement of nonlinear effects with plasmonic structures. , 2017, , .		0
80	Relative performance of one-dimensional nonlinear plasmonic structures. , 2017, , .		0
81	Greatly enhanced Kerr nonlinearity in hyperbolic slot waveguides. , 2018, , .		0
82	Novel subwavelength optical signal access via a plasmonic concentrator and a dielectric microring. , 2011, , .		0
83	Enhanced optical transmission through a metallic slit covered with a nanostrip and surrounded by corrugations. , 2011, , .		0
84	Compact surface wave polarization splitter based on the metallic-dielectric-air waveguide. , 2011, , .		0
85	Ultra-broadband, Efficient and Unidirectional Random-Nanoslits Coupler for Metal-Insulator-Metal Plasmons. , 2012, , .		0
86	Ultimate Performance Of Kerr Nonlinear Plasmonics Waveguides. , 2017, , .		0
87	Plasmonic waveguides for nano-lasing and four-wave mixing. , 2018, , .		0
88	Terahertz dynamic π -phase modulation with high transmittance using graphene-metal metamaterials. Journal of Optics (United Kingdom), 0, , .	2.2	0