# Ioannis E Tzanetakis

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5253154/ioannis-e-tzanetakis-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141<br/>papers2,828<br/>citations31<br/>h-index47<br/>g-index159<br/>ext. papers3,709<br/>ext. citations2.8<br/>avg, IF5.41<br/>L-index

#	Paper	IF	Citations
141	Population genetics of cycas necrotic stunt virus and the development of multiplex RT-PCR diagnostics <i>Virus Research</i> , <b>2021</b> , 309, 198655	6.4	O
140	First report of Gentian Kobu-sho-associated virus infecting peony in the United States and the Netherlands. <i>Plant Disease</i> , <b>2021</b> ,	1.5	1
139	Complete Nucleotide Sequence, Genome Organization, and Comparative Genomic Analyses of Citrus Yellow-Vein Associated Virus (CYVaV). <i>Frontiers in Microbiology</i> , <b>2021</b> , 12, 683130	5.7	5
138	Comparison of high throughput sequencing to standard protocols for virus detection in berry crops. <i>Plant Disease</i> , <b>2021</b> ,	1.5	1
137	Graft-Transmissible Diseases of - Pathogens, Impact, and Control. <i>Plant Disease</i> , <b>2021</b> , 105, 242-250	1.5	O
136	Economic Studies Reinforce Efforts to Safeguard Specialty Crops in the United States. <i>Plant Disease</i> , <b>2021</b> , 105, 14-26	1.5	4
135	First Report of Amazon Lily Mild Mottle Virus in Peony in the United States. <i>Plant Disease</i> , <b>2021</b> , 105, 236	1.5	2
134	Amalgaviruses (Amalgaviridae) <b>2021</b> , 154-157		1
133	2021 Taxonomic update of phylum Negarnaviricota (Riboviria: Orthornavirae), including the large orders Bunyavirales and Mononegavirales. <i>Archives of Virology</i> , <b>2021</b> , 166, 3513-3566	2.6	10
132	The population structure of the secovirid lychnis mottle virus based on the RNA2 coding sequences. <i>Virus Research</i> , <b>2021</b> , 303, 198468	6.4	1
131	Molecular phylogeny of Phyllocoptes associated with roses discloses the presence of a new species. <i>Infection, Genetics and Evolution</i> , <b>2021</b> , 95, 105051	4.5	1
130	Home-made enzymatic premix and Illumina sequencing allow for one-step Gibson assembly and verification of virus infectious clones. <i>Phytopathology Research</i> , <b>2020</b> , 2,	4.1	3
129	Raspberry leaf blotch emaravirus in Bosnia and Herzegovina: population structure and systemic movement. <i>Molecular Biology Reports</i> , <b>2020</b> , 47, 4891-4896	2.8	2
128	First Report of Black Currant Reversion Virus and Gooseberry Vein Banding Associated Virus in Currants in Bosnia and Herzegovina. <i>Plant Disease</i> , <b>2020</b> , 104, 2036	1.5	0
127	Blackcurrant waikavirus A, a new member of the genus Waikavirus, and its phylogenetic and molecular relationship with other known members. <i>European Journal of Plant Pathology</i> , <b>2020</b> , 157, 59-	6 <sup>2</sup> .1	4
126	Transmission blockage of an orthotospovirus using synthetic peptides. <i>Journal of General Virology</i> , <b>2020</b> , 101, 112-121	4.9	1
125	The population structure of in the USA. <i>Journal of General Virology</i> , <b>2020</b> , 101, 676-684	4.9	10

### (2018-2020)

124	Assessing soybean genotypes for feeding damage by Neohydatothrips variabilis (Thysanoptera: Thripidae). <i>Crop Protection</i> , <b>2020</b> , 128, 104983	2.7	2
123	Soybean vein necrosis orthotospovirus can move systemically in soybean in the presence of bean pod mottle virus. <i>Virus Genes</i> , <b>2020</b> , 56, 104-107	2.3	1
122	Proposed revision of the family Secoviridae taxonomy to create three subgenera, "Satsumavirus", "Stramovirus" and "Cholivirus", in the genus Sadwavirus. <i>Archives of Virology</i> , <b>2020</b> , 165, 527-533	2.6	9
121	Soybean vein necrosis virus: an emerging virus in North America. <i>Virus Genes</i> , <b>2019</b> , 55, 12-21	2.3	5
120	Population structure, evolution and detection of blackberry leaf mottle-associated virus, an emerging emaravirus. <i>Plant Pathology</i> , <b>2019</b> , 68, 775-782	2.8	6
119	A new, sensitive and efficient method for taxonomic placement in the Eriophyoidea and virus detection in individual eriophyoids. <i>Experimental and Applied Acarology</i> , <b>2019</b> , 78, 247-261	2.1	3
118	High Throughput Sequencing For Plant Virus Detection and Discovery. <i>Phytopathology</i> , <b>2019</b> , 109, 716-	73.58	102
117	First Report of European Mountain Ash Ringspot-Associated Emaravirus in Sorbus aucuparia in Poland. <i>Plant Disease</i> , <b>2019</b> , 103, 166-166	1.5	2
116	First Report of Cycas Necrotic Stunt Virus and Lychnis Mottle Virus in Peony in the United States. <i>Plant Disease</i> , <b>2019</b> , 103, 1048-1048	1.5	10
115	First Report of Blackcurrant Reversion Virus in Ribes nigrum Germplasm in the United States. <i>Plant Disease</i> , <b>2019</b> , 103, 1051	1.5	1
114	Taxonomy of the family Arenaviridae and the order Bunyavirales: update 2018. <i>Archives of Virology</i> , <b>2018</b> , 163, 2295-2310	2.6	108
113	Genome sequence and detection of peach rosette mosaic virus. <i>Journal of Virological Methods</i> , <b>2018</b> , 254, 8-12	2.6	4
112	First Report of Soybean Vein Necrosis Virus Infecting Kudzu (Pueraria montana) in the United States of America. <i>Plant Disease</i> , <b>2018</b> , 102, 1674-1674	1.5	6
111	Transmission attributes and resistance to rose rosette virus. <i>Plant Pathology</i> , <b>2018</b> , 67, 499-504	2.8	15
110	High Risk Blueberry Viruses by Region in North America; Implications for Certification, Nurseries, and Fruit Production. <i>Viruses</i> , <b>2018</b> , 10,	6.2	6
109	Molecular characterization and detection of a novel vitivirus infecting blackberry. <i>Archives of Virology</i> , <b>2018</b> , 163, 2889-2893	2.6	3
108	Truncation of a P1 leader proteinase facilitates potyvirus replication in a non-permissive host. <i>Molecular Plant Pathology</i> , <b>2018</b> , 19, 1504-1510	5.7	18
107	Molecular Characterization of Divergent Closterovirus Isolates Infecting Species. Viruses, 2018, 10,	6.2	8

106	A Virus in American Blackcurrant () with Distinct Genome Features Reshapes Classification in the. <i>Viruses</i> , <b>2018</b> , 10,	6.2	5
105	A new, widespread emaravirus discovered in blackberry. <i>Virus Research</i> , <b>2017</b> , 235, 1-5	6.4	34
104	Characterization and detection of a novel idaeovirus infecting blackcurrant. <i>European Journal of Plant Pathology</i> , <b>2017</b> , 149, 751-757	2.1	11
103	A systems-based approach to manage strawberry virus diseases. <i>Canadian Journal of Plant Pathology</i> , <b>2017</b> , 39, 5-10	1.6	2
102	First Report of Citrus leaf blotch virus in Peony in the U.S.A <i>Plant Disease</i> , <b>2017</b> , 101, 637-637	1.5	9
101	Genomic Characterization and Population Structure of a Badnavirus Infecting Blackberry. <i>Plant Disease</i> , <b>2017</b> , 101, 110-115	1.5	11
100	Development of reliable detection assays for blueberry mosaic- and blackberry vein banding-associated viruses based on their population structures. <i>Journal of Virological Methods</i> , <b>2017</b> , 248, 191-	1346	4
99	First Report of Raspberry leaf mottle virus in Blackberry in the United States. <i>Plant Disease</i> , <b>2017</b> , 101, 265-265	1.5	1
98	ICTV Virus Taxonomy Profile: Secoviridae. <i>Journal of General Virology</i> , <b>2017</b> , 98, 529-531	4.9	78
97	ICTV Virus Taxonomy Profile: Ophioviridae. <i>Journal of General Virology</i> , <b>2017</b> , 98, 1161-1162	4.9	14
96	A novel emaravirus is associated with redbud yellow ringspot disease. <i>Virus Research</i> , <b>2016</b> , 222, 41-47	6.4	27
95	Evidence of sympatric speciation of elderberry carlaviruses. <i>Virus Research</i> , <b>2016</b> , 215, 72-5	6.4	11
94	First Report of Strawberry polerovirus-1 in Strawberry in the United States. <i>Plant Disease</i> , <b>2016</b> , 100, 867-867	1.5	6
93	Towards a national certification scheme forRubusin the United States. <i>Acta Horticulturae</i> , <b>2016</b> , 483-48	<b>6</b> 0.3	
92	An integratingBadnavirusinfects blackberry. <i>Acta Horticulturae</i> , <b>2016</b> , 507-510	0.3	
91	Blueberry mosaic associated virus I putative, new member of Ophioviridae. <i>Acta Horticulturae</i> , <b>2016</b> , 103-110	0.3	O
90	A Novel Ilarvirus Is Associated with Privet Necrotic Ringspot Disease in the Southern United States. <i>Phytopathology</i> , <b>2016</b> , 106, 87-93	3.8	7
89	A Systems-Based Approach to Safeguard the Strawberry Industry from Virus Diseases. <i>International Journal of Fruit Science</i> , <b>2016</b> , 16, 142-147	1.2	

## (2013-2016)

88	Quarantine Regulations and the Impact of Modern Detection Methods. <i>Annual Review of Phytopathology</i> , <b>2016</b> , 54, 189-205	10.8	40
87	Detection of Strawberry necrotic shock virus using conventional and TaqMan([]) quantitative RT-PCR. <i>Journal of Virological Methods</i> , <b>2016</b> , 235, 176-181	2.6	11
86	Control of virus diseases of berry crops. Advances in Virus Research, 2015, 91, 271-309	10.7	9
85	The evolution of emaraviruses is becoming more complex: seven segments identified in the causal agent of Rose rosette disease. <i>Virus Research</i> , <b>2015</b> , 210, 241-4	6.4	55
84	Virus testing by PCR and RT-PCR amplification in berry fruit. <i>Methods in Molecular Biology</i> , <b>2015</b> , 1302, 227-48	1.4	4
83	IDENTIFICATION OF THE ROSE ROSETTE DISEASE AGENT. Acta Horticulturae, <b>2015</b> , 295-298	0.3	1
82	EPIDEMIOLOGY OF BLACKBERRY CHLOROTIC RINGSPOT VIRUS. Acta Horticulturae, 2015, 311-316	0.3	О
81	Population structure of blueberry mosaic associated virus: Evidence of reassortment in geographically distinct isolates. <i>Virus Research</i> , <b>2015</b> , 201, 79-84	6.4	10
80	Safeguarding Fruit Crops in the Age of Agricultural Globalization. <i>Plant Disease</i> , <b>2015</b> , 99, 176-187	1.5	55
79	Next-generation sequencing of elite berry germplasm and data analysis using a bioinformatics pipeline for virus detection and discovery. <i>Methods in Molecular Biology</i> , <b>2015</b> , 1302, 301-13	1.4	7
78	Epidemiology of Blackberry chlorotic ringspot virus. <i>Plant Disease</i> , <b>2014</b> , 98, 547-550	1.5	9
77	Development of a virus detection and discovery pipeline using next generation sequencing. <i>Virology</i> , <b>2014</b> , 471-473, 54-60	3.6	112
76	A new ophiovirus is associated with blueberry mosaic disease. Virus Research, <b>2014</b> , 189, 92-6	6.4	18
75	Pathogen-Tested Planting Material <b>2014</b> , 304-312		4
74	Epidemiology of soybean vein necrosis-associated virus. <i>Phytopathology</i> , <b>2013</b> , 103, 966-71	3.8	39
73	Population structure of blackberry chlorotic ringspot virus in the United States. <i>Archives of Virology</i> , <b>2013</b> , 158, 667-72	2.6	7
72	Viruses and Virus Diseases of Rubus. <i>Plant Disease</i> , <b>2013</b> , 97, 168-182	1.5	75
71	Rubus canadensis virus 1, a novel betaflexivirus identified in blackberry. <i>Archives of Virology</i> , <b>2013</b> , 158, 445-9	2.6	8

70	Molecular characterization and population structure of blackberry vein banding associated virus, new Ampelovirus associated with yellow vein disease. <i>Virus Research</i> , <b>2013</b> , 178, 234-40	6.4	18
69	Expanding Field of Strawberry Viruses Which Are Important in North America. <i>International Journal of Fruit Science</i> , <b>2013</b> , 13, 184-195	1.2	19
68	High Risk Strawberry Viruses by Region in the United States and Canada: Implications for Certification, Nurseries, and Fruit Production. <i>Plant Disease</i> , <b>2013</b> , 97, 1358-1362	1.5	37
67	Epidemiology of Blackberry yellow vein associated virus. <i>Plant Disease</i> , <b>2013</b> , 97, 1352-1357	1.5	32
66	Epidemiology of criniviruses: an emerging problem in world agriculture. <i>Frontiers in Microbiology</i> , <b>2013</b> , 4, 119	5.7	71
65	An integrated badnavirus is prevalent in fig germplasm. <i>Phytopathology</i> , <b>2012</b> , 102, 1182-9	3.8	56
64	Population structure of Blackberry yellow vein associated virus, an emerging crinivirus. <i>Virus Research</i> , <b>2012</b> , 169, 272-5	6.4	18
63	High incidence of seed transmission of Papaya ringspot virus and Watermelon mosaic virus, two viruses newly identified in Robinia pseudoacacia. <i>European Journal of Plant Pathology</i> , <b>2012</b> , 134, 227-2	.3 <del>2</del> .1	13
62	New and emerging viruses of blueberry and cranberry. Viruses, 2012, 4, 2831-52	6.2	41
61	First Report of Olive mild mosaic virus and Sowbane mosaic virus in Spinach in Greece. <i>Plant Disease</i> , <b>2012</b> , 96, 1230	1.5	4
60	Blueberry latent virus: an amalgam of the Partitiviridae and Totiviridae. Virus Research, 2011, 155, 175-	<b>8%</b> .4	56
59	Complete sequence and genetic characterization of Raspberry latent virus, a novel member of the family Reoviridae. <i>Virus Research</i> , <b>2011</b> , 155, 397-405	6.4	27
58	Molecular characterization of a new Tospovirus infecting soybean. Virus Genes, 2011, 43, 289-95	2.3	54
57	Blackberry virus E: an unusual flexivirus. <i>Archives of Virology</i> , <b>2011</b> , 156, 1665-9	2.6	16
56	Diodia vein chlorosis virus is a group-1 crinivirus. <i>Archives of Virology</i> , <b>2011</b> , 156, 2033-7	2.6	8
55	A discovery 70 years in the making: characterization of the Rose rosette virus. <i>Journal of General Virology</i> , <b>2011</b> , 92, 1727-1732	4.9	94
54	A New Potyvirus sp. Infects Verbena Exhibiting Leaf Mottling Symptoms. <i>Plant Disease</i> , <b>2010</b> , 94, 1132-	·1 <u>1.3</u> 6	4
53	Mint Viruses: Beauty, Stealth, and Disease. <i>Plant Disease</i> , <b>2010</b> , 94, 4-12	1.5	10

### (2008-2010)

52	Genomic sequences of blackberry chlorotic ringspot virus and strawberry necrotic shock virus and the phylogeny of viruses in subgroup 1 of the genus Ilarvirus. <i>Archives of Virology</i> , <b>2010</b> , 155, 557-61	2.6	12
51	First Report of Cucumber mosaic virus Infecting Blephilia hirsuta in North America. <i>Plant Disease</i> , <b>2010</b> , 94, 1070	1.5	2
50	The 5SUTR of Turnip yellow mosaic virus does not include a critical encapsidation signal. <i>Virology</i> , <b>2009</b> , 387, 427-35	3.6	11
49	Further complexity of the genus Crinivirus revealed by the complete genome sequence of Lettuce chlorosis virus (LCV) and the similar temporal accumulation of LCV genomic RNAs 1 and 2. <i>Virology</i> , <b>2009</b> , 390, 45-55	3.6	26
48	A tymovirus with an atypical 3SUTR illuminates the possibilities for 3SUTR evolution. <i>Virology</i> , <b>2009</b> , 392, 238-45	3.6	14
47	The complete nucleotide sequence and genome organization of tomato infectious chlorosis virus: a distinct crinivirus most closely related to lettuce infectious yellows virus. <i>Archives of Virology</i> , <b>2009</b> , 154, 1335-41	2.6	16
46	Southern tomato virus: The link between the families Totiviridae and Partitiviridae. <i>Virus Research</i> , <b>2009</b> , 140, 130-7	6.4	83
45	EMERGING AND REEMERGING VIRUS DISEASES OF BLUEBERRY AND CRANBERRY. <i>Acta Horticulturae</i> , <b>2009</b> , 299-304	0.3	8
44	DETECTION OF STRAWBERRY VIRUSES IN EGYPT. Acta Horticulturae, 2009, 319-322	0.3	4
43	First Report of Impatiens necrotic spot virus in Blackberry in the Southeastern United States. <i>Plant Disease</i> , <b>2009</b> , 93, 432	1.5	8
42	First Report of Cucumber mosaic virus in Anemone sp. in the United States. <i>Plant Disease</i> , <b>2009</b> , 93, 431	1.5	0
41	A new method for extraction of double-stranded RNA from plants. <i>Journal of Virological Methods</i> , <b>2008</b> , 149, 167-70	2.6	36
40	A member of a new genus in the Potyviridae infects Rubus. Virus Research, 2008, 131, 145-51	6.4	43
39	Viral Interactions Lead to Decline of Blackberry Plants. <i>Plant Disease</i> , <b>2008</b> , 92, 1288-1292	1.5	26
38	Nucleotide sequence of the tripartite Fragaria chiloensis cryptic virus and presence of the virus in the Americas. <i>Virus Genes</i> , <b>2008</b> , 36, 267-72	2.3	27
37	Complete nucleotide sequence of an isolate of coleus vein necrosis virus from verbena. <i>Archives of Virology</i> , <b>2008</b> , 153, 381-4	2.6	6
36	CHARACTERIZATION OF THREE NOVEL VIRUSES INFECTING RASPBERRY. Acta Horticulturae, 2008, 317-	323	2
35	EVIDENCE OF MIXED VIRUS INFECTIONS CAUSING SEVERE SYMPTOMS AND DDECLINE OF BLACKBERRIES. <i>Acta Horticulturae</i> , <b>2008</b> , 385-390	0.3	3

34	HOW SIMILAR ARE PLANT AND INSECT VIRUSES? STRAWBERRY LATENT VIRUS: A STUDY CASE. Acta Horticulturae, <b>2008</b> , 17-20	0.3	2
33	First Report of Rosa multiflora cryptic virus in Rosa multiflora in the Eastern United States. <i>Plant Disease</i> , <b>2008</b> , 92, 1706	1.5	6
32	Identification, detection and transmission of a new vitivirus from Mentha. <i>Archives of Virology</i> , <b>2007</b> , 152, 2027-33	2.6	40
31	Identification, Characterization, and Detection of Black raspberry necrosis virus. <i>Phytopathology</i> , <b>2007</b> , 97, 44-50	3.8	67
30	Incidence and Ecology of Blackberry yellow vein associated virus. <i>Plant Disease</i> , <b>2007</b> , 91, 809-813	1.5	18
29	Strawberry chlorotic fleck: identification and characterization of a novel Closterovirus associated with the disease. <i>Virus Research</i> , <b>2007</b> , 124, 88-94	6.4	21
28	Identification and characterization of Raspberry mottle virus, a novel member of the Closteroviridae. <i>Virus Research</i> , <b>2007</b> , 127, 26-33	6.4	48
27	First Report of Blackberry chlorotic ringspot virus in Rubus sp. in the United States. <i>Plant Disease</i> , <b>2007</b> , 91, 463	1.5	5
26	Epidemiology of Strawberry pallidosis-associated virus and Occurrence of Pallidosis Disease in North America. <i>Plant Disease</i> , <b>2006</b> , 90, 1343-1346	1.5	24
25	Characterization and Recent Advances in Detection of Strawberry Viruses. <i>Plant Disease</i> , <b>2006</b> , 90, 384-	3 <b>9.6</b>	77
24	Nucleotide sequence of Blackberry yellow vein associated virus, a novel member of the Closteroviridae. <i>Virus Research</i> , <b>2006</b> , 116, 196-200	6.4	18
23	A virus between families: nucleotide sequence and evolution of Strawberry latent ringspot virus. <i>Virus Research</i> , <b>2006</b> , 121, 199-204	6.4	15
22	A VIRUS ASSOCIATED WITH BLUEBERRY FRUIT DROP DISEASE. Acta Horticulturae, 2006, 497-502	0.3	10
21	Yellow vein-affected blackberries and the presence of a novel Crinivirus. <i>Plant Pathology</i> , <b>2006</b> , 55, 607	-618	9
20	A new Ilarvirus found in rose. <i>Plant Pathology</i> , <b>2006</b> , 55, 568-568	2.8	13
19	Mint virus X: a novel potexvirus associated with symptoms in SvariegataSmint. <i>Archives of Virology</i> , <b>2006</b> , 151, 143-53	2.6	10
18	New features in the genus Ilarvirus revealed by the nucleotide sequence of Fragaria chiloensis latent virus. <i>Virus Research</i> , <b>2005</b> , 112, 32-7	6.4	24
17	A Member of the Closteroviridae from Mint with Similarities to All Three Genera of the Family. <i>Plant Disease</i> , <b>2005</b> , 89, 654-658	1.5	17

#### LIST OF PUBLICATIONS

16	Survey for Viruses of Grapevine in Oregon and Washington. <i>Plant Disease</i> , <b>2005</b> , 89, 763-766	1.5	53
15	Characterization of a Novel Member of the Family Closteroviridae from Mentha spp. <i>Phytopathology</i> , <b>2005</b> , 95, 1043-8	3.8	20
14	Tulip virus X (TVX) associated with lemon balm (Melissa officinalis) variegation: first report of TVX in the USA. <i>Plant Pathology</i> , <b>2005</b> , 54, 562-562	2.8	3
13	The use of reverse transcriptase for efficient first- and second-strand cDNA synthesis from single-and double-stranded RNA templates. <i>Journal of Virological Methods</i> , <b>2005</b> , 124, 73-7	2.6	37
12	Nucleotide sequence, genome organization and phylogenetic analysis of Strawberry pallidosis associated virus, a new member of the genus Crinivirus. <i>Archives of Virology</i> , <b>2005</b> , 150, 273-86	2.6	22
11	The complete nucleotide sequence and genome organization of tomato chlorosis virus. <i>Archives of Virology</i> , <b>2005</b> , 150, 2287-98	2.6	72
10	First Report of Strawberry as a Natural Host of Apple mosaic virus. <i>Plant Disease</i> , <b>2005</b> , 89, 431	1.5	8
9	Fragaria chiloensis cryptic virus: A New Strawberry Virus Found in Fragaria chiloensis Plants from Chile. <i>Plant Disease</i> , <b>2005</b> , 89, 1241	1.5	8
8	Complete nucleotide sequence of a strawberry isolate of Beet pseudoyellows virus. <i>Virus Genes</i> , <b>2004</b> , 28, 239-46	2.3	36
7	Strawberry necrotic shock virus is a distinct virus and not a strain of Tobacco streak virus. <i>Archives of Virology</i> , <b>2004</b> , 149, 2001-11	2.6	17
6	Identification and Detection of a Virus Associated with Strawberry Pallidosis Disease. <i>Plant Disease</i> , <b>2004</b> , 88, 383-390	1.5	35
5	TWO CRINIVIRUSES ARE ASSOCIATED WITH THE STRAWBERRY PALLIDOSIS DISEASE. <i>Acta Horticulturae</i> , <b>2004</b> , 21-26	0.3	5
4	First Report of Beet pseudo yellows virus in Blackberry in the United States. <i>Plant Disease</i> , <b>2004</b> , 88, 2	<b>23</b> 1.5	14
3	First Report of Strawberry latent ringspot virus in Strawberry in the United States and Canada. <i>Plant Disease</i> , <b>2004</b> , 88, 575	1.5	12
2	First Report of Strawberry latent ringspot virus in a Mentha sp. from North America. <i>Plant Disease</i> , <b>2004</b> , 88, 907	1.5	20
1	First Report of Beet pseudo yellows virus in Strawberry in the United States: A Second Crinivirus Able to Cause Pallidosis Disease. <i>Plant Disease</i> , <b>2003</b> , 87, 1398	1.5	19