
## Anand Padhye

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5253772/publications.pdf Version: 2024-02-01



ΔΝΑΝΟ ΡΑΟΗνε

#	Article	lF	CITATIONS
1	Endemic Asian Chytrid Strain Infection in Threatened and Endemic Anurans of the Northern Western Ghats, India. PLoS ONE, 2013, 8, e77528.	2.5	20
2	First molecular phylogeny of scorpions of the family Buthidae from India. Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis, 2017, 28, 606-611.	0.7	17
3	Indirana chiravasi, a new species of Leaping Frog (Anura: Ranixalidae) from Western Ghats of India. Journal of Threatened Taxa, 2014, 6, 6293-6312.	0.3	16
4	Leaping frogs (Anura: Ranixalidae) of the Western Ghats of India: An integrated taxonomic review. Journal of Threatened Taxa, 2016, 8, 9221.	0.3	14
5	An overview of amphibian fauna of Maharashtra State. Zoos' Print Journal, 2002, 17, 735-740.	0.0	12
6	Avian collision threat assessment at †Bhambarwadi Wind Farm Plateau' in northern Western Ghats, India Journal of Threatened Taxa, 2013, 5, 3504-3515.	0.3	10
7	Assessing the sustainability of subsistence fisheries of small indigenous fish species: fishing mortality and exploitation of hill stream loaches in India. Aquatic Living Resources, 2017, 30, 13.	1.2	9
8	Distribution and composition of butterfly species along the latitudinal and habitat gradients of the Western Ghats of India. Check List, 2012, 8, 1197.	0.4	9
9	<b><l>Sphaerotheca pashchima</l>, a new species of burrowing frog (Anura:) Tj ETQq1 1 0.784</b>	4314 rgBT	/Ovgrlock 10
10	<b>Identity of <i>Sphaerotheca pluvialis</i> (Jerdon, 1853) and other available names among the burrowing frogs (Anura: Dicroglossidae) of South Asia</b> . Journal of Threatened Taxa, 2017, 9, 10269.	0.3	8
11	Molecular phylogeny unveils hidden diversity of hillstream loaches (Cypriniformes: Cobitoidea) in the northern Western Ghats of India. Meta Gene, 2018, 17, 237-248.	0.6	6
12	Range extension of Ferguson's Toad Duttaphrynus scaber (Schneider) (Amphibia: Anura: Bufonidae) up to the northern most limit of Western Ghats, with its advertisement call analysis. Journal of Threatened Taxa, 2013, 5, 4579-4585.	0.3	6
13	<p class="HeadingRunIn"><strong>Delimiting the distribution range of <em>Indirana leithii</em> (Boulenger, 1888) (Anura: Ranixalidae), an endemic threatened anuran of the Western Ghats, based on molecular and morphological analysis</strong></p> . Zootaxa, 2014, 3796, 62.	0.5	5
14	Diversity of scorpion fauna of Saswad-Jejuri, Pune District, Maharashtra, western India. Journal of Threatened Taxa, 2012, 4, 2381-2389.	0.3	5
15	Length-weight and length-length relationships of seven loach species (Teleostei: Cypriniformes) from five localities in northern Western Ghats, India. Journal of Threatened Taxa, 2015, 7, 8025.	0.3	4
16	Life History of Western Ghats endemic and threatened Anuran – Matheran leaping frog, (Indirana) Tj ETQq0 (	) 0 rgBT /O	verlock 10 Tf
17	Population variations in the Fungoid Frog Hylarana malabarica (Anura: Ranidae) from northern Western Ghats of India. Journal of Threatened Taxa, 2012, 4, 2343-2352.	0.3	2

18Environmental determinants of species turnover of aquatic Heteroptera in freshwater ecosystems of<br/>the Western Ghats, India. Limnologica, 2020, 80, 125730.1.5

#	Article	IF	CITATIONS
19	Sallywalkerana, a replacement name forÂWalkeranaÂDahanukar et al. 2016 (Anura: Ranixalidae). Journal of Threatened Taxa, 2016, 8, 9381.	0.3	Ο