
## Michael R Phillips

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5254601/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. Lancet, The, 2012, 380, 2224-2260.	6.3	9,397
2	No health without mental health. Lancet, The, 2007, 370, 859-877.	6.3	2,727
3	Suicide Prevention Strategies. JAMA - Journal of the American Medical Association, 2005, 294, 2064.	3.8	2,352
4	Global, regional, and national burden of neurological disorders during 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet Neurology, The, 2017, 16, 877-897.	4.9	1,521
5	Cause-specific mortality for 240 causes in China during 1990–2013: a systematic subnational analysis for the Global Burden of Disease Study 2013. Lancet, The, 2016, 387, 251-272.	6.3	1,121
6	How mental health care should change as a consequence of the COVID-19 pandemic. Lancet Psychiatry,the, 2020, 7, 813-824.	3.7	1,101
7	Suicide risk and prevention during the COVID-19 pandemic. Lancet Psychiatry,the, 2020, 7, 468-471.	3.7	1,054
8	Obesity in Patients Younger Than 60 Years Is a Risk Factor for COVID-19 Hospital Admission. Clinical Infectious Diseases, 2020, 71, 896-897.	2.9	996
9	Prevalence, treatment, and associated disability of mental disorders in four provinces in China during 2001–05: an epidemiological survey. Lancet, The, 2009, 373, 2041-2053.	6.3	919
10	The global burden of injury: incidence, mortality, disability-adjusted life years and time trends from the Global Burden of Disease study 2013. Injury Prevention, 2016, 22, 3-18.	1.2	898
11	The global burden of disease attributable to alcohol and drug use in 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Psychiatry,the, 2018, 5, 987-1012.	3.7	885
12	Risk factors for suicide in China: a national case-control psychological autopsy study. Lancet, The, 2002, 360, 1728-1736.	6.3	760
13	The global distribution of fatal pesticide self-poisoning: Systematic review. BMC Public Health, 2007, 7, 357.	1.2	710
14	Suicide rates in China, 1995–99. Lancet, The, 2002, 359, 835-840.	6.3	708
15	Global, regional, and national burden of epilepsy, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 357-375.	4.9	526
16	Suicide trends in the early months of the COVID-19 pandemic: an interrupted time-series analysis of preliminary data from 21 countries. Lancet Psychiatry,the, 2021, 8, 579-588.	3.7	455
17	Self poisoning with pesticides. BMJ: British Medical Journal, 2004, 328, 42-44.	2.4	398
18	Effectiveness of brief intervention and contact for suicide attempters: a randomized controlled trial in five countries. Bulletin of the World Health Organization, 2008, 86, 703-709.	1.5	375

#	Article	IF	CITATIONS
19	Suicide attempts, plans, and ideation in culturally diverse sites: the WHO SUPRE-MISS community survey. Psychological Medicine, 2005, 35, 1457-1465.	2.7	338
20	Atypical and Conventional Antipsychotic Drugs in Treatment-Naive First-Episode Schizophrenia: A 52-Week Randomized Trial of Clozapine Vs Chlorpromazine. Neuropsychopharmacology, 2003, 28, 995-1003.	2.8	319
21	The global burden of fatal self-poisoning with pesticides 2006-15: Systematic review. Journal of Affective Disorders, 2017, 219, 93-104.	2.0	318
22	Child and Adolescent Health From 1990 to 2015. JAMA Pediatrics, 2017, 171, 573.	3.3	306
23	Validity and Reliability of the Chinese Hamilton Depression Rating Scale. British Journal of Psychiatry, 1988, 152, 660-664.	1.7	277
24	Evidence-Based Guidelines for Mental, Neurological, and Substance Use Disorders in Low- and Middle-Income Countries: Summary of WHO Recommendations. PLoS Medicine, 2011, 8, e1001122.	3.9	246
25	Stigma and expressed emotion: a study of people with schizophrenia and their family members in China. British Journal of Psychiatry, 2002, 181, 488-493.	1.7	213
26	Global Mortality From Firearms, 1990-2016. JAMA - Journal of the American Medical Association, 2018, 320, 792.	3.8	189
27	Suicide and social change in China. Culture, Medicine and Psychiatry, 1999, 23, 25-50.	0.7	182
28	Giardia Cyst and Cryptosporidium Oocyst Survival in Water, Soil, and Cattle Feces. Journal of Environmental Quality, 1999, 28, 1991-1996.	1.0	166
29	Randomised-Control Trial of Family Intervention for 78 First-Episode Male Schizophrenic Patients. British Journal of Psychiatry, 1994, 165, 96-102.	1.7	138
30	Suicide and the unique prevalence pattern of schizophrenia in mainland China:a retrospective observational study. Lancet, The, 2004, 364, 1062-1068.	6.3	132
31	Causes of schizophrenia reported by patients' family members in China. British Journal of Psychiatry, 2000, 177, 20-25.	1.7	123
32	Characteristics of attempted suicides seen in emergency-care settings of general hospitals in eight low- and middle-income countries. Psychological Medicine, 2005, 35, 1467-1474.	2.7	117
33	Low-planned suicides in China. Psychological Medicine, 2005, 35, 1197-1204.	2.7	114
34	The changing global face of suicide. Lancet, The, 2012, 379, 2318-2319.	6.3	110
35	Prospective relationship of depressive symptoms, drinking, and tobacco smoking among middle-aged and elderly community-dwelling adults: Results from the China Health and Retirement Longitudinal Study (CHARLS). Journal of Affective Disorders, 2016, 195, 136-143.	2.0	107
36	Secondary analysis of existing data: opportunities and implementation. Shanghai Archives of Psychiatry, 2014, 26, 371-5.	0.7	105

#	Article	IF	CITATIONS
37	Understanding the unique characteristics of suicide in China: national psychological autopsy study. Biomedical and Environmental Sciences, 2005, 18, 379-89.	0.2	93
38	Repetition of Suicide Attempts. Crisis, 2010, 31, 194-201.	0.9	86
39	Comparison of Schizophrenic Patients' Families and Normal Families in China, Using Chinese Versions of FACES-II and the Family Environment Scales. Family Process, 1998, 37, 95-106.	1.4	85
40	The Next Generation of Psychological Autopsy Studies. Suicide and Life-Threatening Behavior, 2011, 41, 594-613.	0.9	85
41	Rethinking the Role of Mental Illness in Suicide. American Journal of Psychiatry, 2010, 167, 731-733.	4.0	83
42	Assessing depressive symptoms in persons who die of suicide in mainland China. Journal of Affective Disorders, 2007, 98, 73-82.	2.0	82
43	Malnutrition in early life and adult mental health: Evidence from a natural experiment. Social Science and Medicine, 2013, 97, 259-266.	1.8	79
44	Attempted Suicide among Young Rural Women in the People's Republic of China: Possibilities for Prevention. Suicide and Life-Threatening Behavior, 2002, 32, 359-369.	0.9	78
45	Biological, Life Course, and Cross-Cultural Studies All point Toward the Value of Dimensional and Developmental Ratings in the Classification of Psychosis. Schizophrenia Bulletin, 2007, 33, 868-876.	2.3	73
46	Clozapine <i>v.</i> chlorpromazine in treatment-naive, first-episode schizophrenia: 9-year outcomes of a randomised clinical trial. British Journal of Psychiatry, 2011, 199, 281-288.	1.7	69
47	The Transformation of China's Mental Health Services. China Journal, 1998, 39, 1-36.	0.1	67
48	Prevalence of alcohol use disorders in mainland China: a systematic review. Addiction, 2015, 110, 761-774.	1.7	65
49	Suicide rates in China. Lancet, The, 2002, 359, 2274-2275.	6.3	61
50	Predictors of Low-Intent and High-Intent Suicide Attempts in Rural China. American Journal of Public Health, 2007, 97, 1842-1846.	1.5	61
51	"Excessive Thinking" as Explanatory Model for Schizophrenia: Impacts on Stigma and "Moral" Status in Mainland China. Schizophrenia Bulletin, 2010, 36, 836-845.	2.3	60
52	Pesticide exposure and suicidal ideation in rural communities in Zhejiang Province, China. Bulletin of the World Health Organization, 2009, 87, 745-753.	1.5	59
53	Prevalence and rates of recognition of depressive disorders in internal medicine outpatient departments of 23 general hospitals in Shenyang, China. Journal of Affective Disorders, 2008, 110, 46-54.	2.0	57
54	Evolution of China's health-care system. Lancet, The, 2008, 372, 1715-1716.	6.3	53

#	Article	IF	CITATIONS
55	China's New Mental Health Law: Reframing Involuntary Treatment. American Journal of Psychiatry, 2013, 170, 588-591.	4.0	51
56	The Next Generation of Psychological Autopsy Studies. Suicide and Life-Threatening Behavior, 2012, 42, 86-103.	0.9	50
57	Effects of labeling and interpersonal contact upon attitudes towards schizophrenia: implications for reducing mental illness stigma in urban China. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1459-1473.	1.6	48
58	Relationship between knowledge about the harms of smoking and smoking status in the 2010 Global Adult Tobacco China Survey. Tobacco Control, 2015, 24, 54-61.	1.8	47
59	Translated and annotated version of the 2015-2020 National Mental Health Work Plan of the People's Republic of China. Shanghai Archives of Psychiatry, 2016, 28, 4-17.	0.7	45
60	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i12-i26.	1.2	44
61	Can China's new mental health law substantially reduce the burden of illness attributable to mental disorders?. Lancet, The, 2013, 381, 1964-1966.	6.3	42
62	Suicide Risk and Prevention During the COVID-19 Pandemic: One Year On. Archives of Suicide Research, 2022, 26, 1944-1949.	1.2	42
63	Causal Attributions About Schizophrenia in Families in China: Expressed Emotion and Patient Relapse Journal of Abnormal Psychology, 2004, 113, 592-602.	2.0	39
64	Expressed Emotion in Mainland China: Chinese Families with Schizophrenic Patients. International Journal of Mental Health, 1995, 24, 54-75.	0.5	38
65	Attitudes Toward Suicide Among Chinese People in Hong Kong. Suicide and Life-Threatening Behavior, 2007, 37, 565-575.	0.9	38
66	Cohort-specific risk of suicide for different mental disorders in China. British Journal of Psychiatry, 2010, 196, 467-473.	1.7	36
67	Employment outcome for people with schizophrenia in rural <i>v</i> . urban China: population-based study. British Journal of Psychiatry, 2013, 203, 272-279.	1.7	36
68	Neurodegenerative model of schizophrenia: Growing evidence to support a revisit. Schizophrenia Research, 2022, 243, 154-162.	1.1	36
69	Effects of Parenteral Nutrition Support and Chemotherapy on the Phasic Composition of Tumor Cells in Gastrointestinal Cancer. Journal of Parenteral and Enteral Nutrition, 1999, 23, 237-241.	1.3	35
70	Characteristics, experience, and treatment of schizophrenia in China. Dialogues in Clinical Neuroscience, 2001, 3, 109-119.	1.8	33
71	Epidemiology of Alcohol Abuse and Dependence in Rural Chinese Men. Alcoholism: Clinical and Experimental Research, 2009, 33, 1770-1776.	1.4	32
72	Comparison of patients with and without mental disorders treated for suicide attempts in the emergency departments of four general hospitals in Shenyang, China. General Hospital Psychiatry, 2010, 32, 549-555.	1.2	28

#	Article	IF	CITATIONS
73	Epidemiology of Alcohol Use in Rural Men in Two Provinces of China. Journal of Studies on Alcohol and Drugs, 2011, 72, 333-340.	0.6	28
74	Community-Based Psychiatric Rehabilitation in Shanghai. British Journal of Psychiatry, 1994, 165, 70-79.	1.7	27
75	Association Between the Duration of Untreated Psychosis and Selective Cognitive Performance in Community-Dwelling Individuals With Chronic Untreated Schizophrenia in Rural China. JAMA Psychiatry, 2020, 77, 1116.	6.0	27
76	Validity of Proxy-Based Reports of Impulsivity and Aggression in Chinese Research on Suicidal Behavior. Crisis, 2010, 31, 137-142.	0.9	25
77	Development and Validation of a Calcium Intake Questionnaire for Postmenopausal Women in China. Annals of Epidemiology, 2000, 10, 169-175.	0.9	23
78	Prevalence, correlates, comorbidity, and age of onset of alcohol use disorders in adult males from five provinces in China. Drug and Alcohol Dependence, 2017, 173, 170-177.	1.6	22
79	Future Opportunities and Challenges for the Development of Psychiatric Rehabilitation in China. British Journal of Psychiatry, 1994, 165, 128-142.	1.7	21
80	The Acceptability of Suicide Among Rural Residents, Urban Residents, and College Students from Three Locations in China. Crisis, 2010, 31, 183-193.	0.9	21
81	Alcohol use disorders and acute alcohol use preceding suicide in China. Addictive Behaviors, 2010, 35, 152-156.	1.7	20
82	Will RDoC hasten the decline of America's global leadership role in mental health?. World Psychiatry, 2014, 13, 40-41.	4.8	20
83	The Social Context of Psychiatric Rehabilitation in China. British Journal of Psychiatry, 1994, 165, 11-18.	1.7	19
84	Case-control study of the relationship of depressive symptoms to suicide in a community-based sample of individuals with schizophrenia in China. Schizophrenia Research, 2010, 122, 226-231.	1.1	19
85	Cross-sectional study of attitudes about suicide among psychiatrists in Shanghai. BMC Psychiatry, 2014, 14, 87.	1.1	19
86	Changes in the Positive and Negative Symptoms of Schizophrenic In-patients in China. British Journal of Psychiatry, 1991, 159, 226-231.	1.7	17
87	Effectiveness of an Assertive Community Treatment program for people with severe schizophrenia in mainland China – a 12-month randomized controlled trial. Psychological Medicine, 2019, 49, 969-979.	2.7	17
88	Suicide prevention in developing countries: where should we start?. World Psychiatry, 2004, 3, 156-7.	4.8	17
89	Prevalence and rates of recognition of anxiety disorders in internal medicine outpatient departments of 23 general hospitals in Shenyang, China. General Hospital Psychiatry, 2010, 32, 192-200.	1.2	16
90	The Tianjin Mental Health Survey (TJMHS): study rationale, design and methods. International Journal of Methods in Psychiatric Research, 2017, 26, .	1.1	16

#	Article	IF	CITATIONS
91	Tracking development assistance for health from China, 2007–2017. BMJ Global Health, 2019, 4, e001513.	2.0	16
92	Erotomanic Symptoms in 42 Chinese Schizophrenic Patients. British Journal of Psychiatry, 1996, 169, 501-508.	1.7	15
93	Early Diagnosis of Mild Cognitive Impairment Based on Eye Movement Parameters in an Aging Chinese Population. Frontiers in Aging Neuroscience, 2020, 12, 221.	1.7	15
94	Relationship of the high proportion of suicidal acts involving ingestion of pesticides to the low male-to-female ratio of suicide rates in China. Epidemiology and Psychiatric Sciences, 2020, 29, e114.	1.8	15
95	Age-Specific Characteristics of Serious Suicide Attempters in China. Suicide and Life-Threatening Behavior, 2010, 40, 383-393.	0.9	14
96	The prevalence of somatoform disorders in internal medicine outpatient departments of 23 general hospitals in Shenyang, China. General Hospital Psychiatry, 2012, 34, 339-344.	1.2	14
97	Psychometric properties of the <scp>D</scp> rinking <scp>M</scp> otives <scp>Q</scp> uestionnaireâ€ <scp>R</scp> evised among communityâ€dwelling current drinkers in the <scp>N</scp> ingxia autonomous region of <scp>C</scp> hina. Drug and Alcohol Review, 2016, 35, 433-441.	1.1	14
98	DSM-IV Axis II personality disorders and suicide and attempted suicide in China. British Journal of Psychiatry, 2016, 209, 319-326.	1.7	13
99	Indepth Interviews with 244 Female Suicide Attempters and Their Associates in Northern China. Crisis, 2012, 33, 66-72.	0.9	13
100	The interaction of mental illness, criminal behavior and culture: Native Alaskan mentally ill criminal offenders. Culture, Medicine and Psychiatry, 1986, 10, 123-149.	0.7	12
101	Understanding Self-Harm in Victims of Intimate Partner Violence: A Qualitative Analysis of Calls Made by Victims to a Crisis Hotline in China. Violence Against Women, 2011, 17, 532-544.	1.1	12
102	Outcomes of Communityâ€Based Suicide Prevention Approaches That Involve Reducing Access to Pesticides: A Systematic Literature Review. Suicide and Life-Threatening Behavior, 2019, 49, 1019-1031.	0.9	12
103	A Brief History of the Development of Rehabilitative Services in China. British Journal of Psychiatry, 1994, 165, 19-27.	1.7	11
104	Mental health services in China. Epidemiologia E Psichiatria Sociale, 2000, 9, 84-88.	1.0	11
105	Case-Control Study in China of Risk Factors for Suicide in Men With Alcohol Use Disorders. Journal of Studies on Alcohol and Drugs, 2012, 73, 15-20.	0.6	11
106	CAN "CLINICALLY APPLIED ANTHROPOLOGY―SURVIVE IN MEDICAL CARE SETTINGS?. Medical Anthropology Quarterly, 1985, 16, 31-36.	0.7	10
107	Relationship of drinking motives with alcohol consumption and alcohol-related problems identified in a representative community-based study from Ningxia, China. Addictive Behaviors, 2017, 74, 156-161.	1.7	10
108	Relationship of religiosity to mental health literacy, stigma, social distance, and occupational restrictiveness in Ningxia Province, China. Mental Health, Religion and Culture, 2019, 22, 400-415.	0.6	10

#	Article	IF	CITATIONS
109	Matched case-control study of medically serious attempted suicides in rural China. Shanghai Archives of Psychiatry, 2013, 25, 22-31.	0.7	10
110	Marriage outcome and relationship with urban versus rural context for individuals with psychosis in a population-based study in China. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1501-1509.	1.6	9
111	Assessing knowledge and attitudes about mental illness in Ningxia, China. Transcultural Psychiatry, 2018, 55, 94-119.	0.9	9
112	Suicide Prevention in the Western Pacific Region. Crisis, 2020, 41, S80-S98.	0.9	9
113	Diet, activity, and other lifestyle risk factors for forearm fracture in postmenopausal women in China: a case-control study. Menopause, 2006, 13, 102-110.	0.8	8
114	Nonfatal Suicidal Behavior Among Chinese Women Who Have Been Physically Abused by Their Male Intimate Partners. Suicide and Life-Threatening Behavior, 2009, 39, 648-658.	0.9	8
115	Prevalence of psychiatric diagnoses in individuals who die by suicide or attempt suicide in China based on independent structured diagnostic interviews with different informants. Journal of Psychiatric Research, 2018, 98, 30-38.	1.5	8
116	Internal consistency and test-retest reliability of the Chinese version of the 5-item Duke University Religion Index. Shanghai Archives of Psychiatry, 2014, 26, 300-9.	0.7	8
117	Retrospective Identification of Episodes of Deliberate Self-Harm from Emergency Room Registers in General Hospitals: An Example from Shanghai. Archives of Suicide Research, 2013, 17, 345-359.	1.2	7
118	Association analysis between mitogen-activated protein/extracellular signal-regulated kinase (MEK) gene polymorphisms and depressive disorder in the Han Chinese population. Journal of Affective Disorders, 2017, 222, 120-125.	2.0	6
119	Advancing study of cognitive impairments for antipsychotic-naÃ <sup>-</sup> ve psychosis comparing high-income versus low- and middle-income countries with a focus on urban China: Systematic review of cognition and study methodology. Schizophrenia Research, 2020, 220, 1-15.	1.1	6
120	World Mental Health Day 2020: Promoting Global Mental Health During COVID-19. China CDC Weekly, 2020, 2, 844-847.	1.0	6
121	A Rating Instrument for the Evaluation of In-Patient Rehabilitation Programmes in China. British Journal of Psychiatry, 1994, 165, 58-65.	1.7	5
122	Case–Control Study of the Relationship of Functioning to Suicide in a Community-Based Sample of Individuals with Schizophrenia in China. Community Mental Health Journal, 2012, 48, 317-320.	1.1	5
123	Stigma and discrimination associated with mental illness and other stigmatizing conditions in China using two cultural-sensitive measures of stigma: interpersonal distance and occupational restrictiveness. Psychological Medicine, 2021, 51, 2804-2813.	2.7	5
124	Suicidal Behavior in Relatives or Associates Moderates the Strength of Common Risk Factors for Suicide. Suicide and Life-Threatening Behavior, 2015, 45, 505-517.	0.9	4
125	Would the use of dimensional measures improve the utility of psychiatric diagnoses?. World Psychiatry, 2016, 15, 38-39.	4.8	4
126	Comparison of social cognition using an adapted Chinese version of the Reading the Mind in the Eyes Test in drug-naive and regularly medicated individuals with chronic schizophrenia and healthy controls in rural China. Psychological Medicine, 2022, 52, 3655-3667.	2.7	4

#	Article	IF	CITATIONS
127	Pregnancy and suicide: towards a coherent narrative. Lancet Psychiatry,the, 2014, 1, 168-170.	3.7	3
128	Reliability of the SANS. American Journal of Psychiatry, 1996, 153, 138-138.	4.0	2
129	Chinese Societies and Mental Health.Tsung-Yi Lin , Wen-Shing Tseng , Eng-Kung Yeh. China Journal, 1996, 36, 176-180.	0.1	2
130	Mental illness in China – Authors' reply. Lancet, The, 2009, 374, 1065.	6.3	2
131	International Study of Definitions of English-Language Terms for Suicidal Behaviours: protocol of an opinion survey. BMJ Open, 2019, 9, e025770.	0.8	2
132	Determinants of never-treated status in rural versus urban contexts for individuals with schizophrenia in a population-based study in China. BMC Psychiatry, 2022, 22, 128.	1.1	2
133	The Young Lives Matter study protocol: A case-control study of the determinants of suicide attempts in young people in India. Wellcome Open Research, 2020, 5, 262.	0.9	1
134	Comparison of the effects of different rates of feeding in acute infantile diarrhea: A randomized control trial. Journal of Clinical Epidemiology, 1997, 50, S14.	2.4	0
135	A call for Papers from China. Lancet, The, 2010, 376, 217.	6.3	Ο
136	China—a call for papers. Lancet, The, 2011, 377, 1301.	6.3	0
137	Authors' reply. British Journal of Psychiatry, 2014, 204, 403-404.	1.7	Ο
138	Closing the knowledge gap in secondhand smoke exposure among children: employment of a five-minute household survey in China. Public Health, 2015, 129, 716-724.	1.4	0
139	Authors' reply. British Journal of Psychiatry, 2017, 210, 167-168.	1.7	Ο
140	Authors' Reply. Suicide and Life-Threatening Behavior, 2019, 49, 1780-1781.	0.9	0
141	Restrictions of access to pesticides in suicide prevention. , 2021, , 713-718.		Ο