

Ritsuro Suzuki

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5255322/ritsuro-suzuki-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

252
papers

11,310
citations

52
h-index

102
g-index

260
ext. papers

12,770
ext. citations

4.2
avg, IF

5.66
L-index

#	Paper	IF	Citations
252	RET, ROS1 and ALK fusions in lung cancer. <i>Nature Medicine</i> , 2012 , 18, 378-81	50.5	990
251	A novel clinical entity, IgG4-related disease (IgG4RD): general concept and details. <i>Modern Rheumatology</i> , 2012 , 22, 1-14	3.3	552
250	Phase II study of SMILE chemotherapy for newly diagnosed stage IV, relapsed, or refractory extranodal natural killer (NK)/T-cell lymphoma, nasal type: the NK-Cell Tumor Study Group study. <i>Journal of Clinical Oncology</i> , 2011 , 29, 4410-6	2.2	416
249	Age-related EBV-associated B-cell lymphoproliferative disorders constitute a distinct clinicopathologic group: a study of 96 patients. <i>Clinical Cancer Research</i> , 2007 , 13, 5124-32	12.9	347
248	Intravascular large B-cell lymphoma (IVLBCL): a clinicopathologic study of 96 cases with special reference to the immunophenotypic heterogeneity of CD5. <i>Blood</i> , 2007 , 109, 478-85	2.2	323
247	Senile EBV+ B-cell lymphoproliferative disorders: a clinicopathologic study of 22 patients. <i>American Journal of Surgical Pathology</i> , 2003 , 27, 16-26	6.7	316
246	A novel gene, MALT1 at 18q21, is involved in t(11;18) (q21;q21) found in low-grade B-cell lymphoma of mucosa-associated lymphoid tissue. <i>Oncogene</i> , 1999 , 18, 5785-94	9.2	313
245	A novel clinical entity, IgG4-related disease (IgG4RD): general concept and details. <i>Modern Rheumatology</i> , 2012 , 22, 1-14	3.3	277
244	Genome-wide array-based CGH for mantle cell lymphoma: identification of homozygous deletions of the proapoptotic gene BIM. <i>Oncogene</i> , 2005 , 24, 1348-58	9.2	262
243	De novo CD5+ diffuse large B-cell lymphoma: a clinicopathologic study of 109 patients. <i>Blood</i> , 2002 , 99, 815-21	2.2	241
242	Unification of hematopoietic stem cell transplantation registries in Japan and establishment of the TRUMP system. <i>International Journal of Hematology</i> , 2007 , 86, 269-274	2.3	240
241	Clinical characteristics and prognostic implications of NPM1 mutations in acute myeloid leukemia. <i>Blood</i> , 2005 , 106, 2854-61	2.2	225
240	Transplantation of allogeneic hematopoietic stem cells for adult T-cell leukemia: a nationwide retrospective study. <i>Blood</i> , 2010 , 116, 1369-76	2.2	211
239	Disease-specific analyses of unrelated cord blood transplantation compared with unrelated bone marrow transplantation in adult patients with acute leukemia. <i>Blood</i> , 2009 , 113, 1631-8	2.2	184
238	A prognostic index for natural killer cell lymphoma after non-anthracycline-based treatment: a multicentre, retrospective analysis. <i>Lancet Oncology</i> , 2016 , 17, 389-400	21.7	183
237	Phase I study of dexamethasone, methotrexate, ifosfamide, L-asparaginase, and etoposide (SMILE) chemotherapy for advanced-stage, relapsed or refractory extranodal natural killer (NK)/T-cell lymphoma and leukemia. <i>Cancer Science</i> , 2008 , 99, 1016-20	6.9	167
236	CD7+ and CD56+ Myeloid/Natural Killer Cell Precursor Acute Leukemia: A Distinct Hematolymphoid Disease Entity. <i>Blood</i> , 1997 , 90, 2417-2428	2.2	166

235	Genome-wide array-based comparative genomic hybridization of natural killer cell lymphoma/leukemia: different genomic alteration patterns of aggressive NK-cell leukemia and extranodal NK/T-cell lymphoma, nasal type. <i>Genes Chromosomes and Cancer</i> , 2005 , 44, 247-55	5	165
234	Association between polymorphisms of folate- and methionine-metabolizing enzymes and susceptibility to malignant lymphoma. <i>Blood</i> , 2001 , 97, 3205-9	2.2	161
233	Hematopoietic cell transplantation for systemic mature T-cell non-Hodgkin lymphoma. <i>Journal of Clinical Oncology</i> , 2013 , 31, 3100-9	2.2	153
232	Allogeneic hematopoietic stem cell transplantation for adult T-cell leukemia-lymphoma with special emphasis on preconditioning regimen: a nationwide retrospective study. <i>Blood</i> , 2012 , 120, 1734-41	2.2	135
231	Anaplastic large cell lymphoma: a distinct molecular pathologic entity: a reappraisal with special reference to p80(NPM/ALK) expression. <i>American Journal of Surgical Pathology</i> , 1997 , 21, 1420-32	6.7	130
230	Prospective measurement of Epstein-Barr virus-DNA in plasma and peripheral blood mononuclear cells of extranodal NK/T-cell lymphoma, nasal type. <i>Blood</i> , 2011 , 118, 6018-22	2.2	127
229	Gain-of-function mutations and copy number increases of Notch2 in diffuse large B-cell lymphoma. <i>Cancer Science</i> , 2009 , 100, 920-6	6.9	122
228	Malignancies of natural killer (NK) cell precursor: myeloid/NK cell precursor acute leukemia and blastic NK cell lymphoma/leukemia. <i>Leukemia Research</i> , 1999 , 23, 615-24	2.7	120
227	Measuring Epstein-Barr virus (EBV) load: the significance and application for each EBV-associated disease. <i>Reviews in Medical Virology</i> , 2008 , 18, 305-19	11.7	118
226	Allogeneic haematopoietic stem cell transplantation as a promising treatment for natural killer-cell neoplasms. <i>British Journal of Haematology</i> , 2005 , 130, 561-7	4.5	112
225	Extranodal NK/T-cell lymphoma: diagnosis and treatment cues. <i>Hematological Oncology</i> , 2008 , 26, 66-72	1.3	111
224	Autologous hematopoietic stem cell transplantation in extranodal natural killer/T cell lymphoma: a multinational, multicenter, matched controlled study. <i>Biology of Blood and Marrow Transplantation</i> , 2008 , 14, 1356-64	4.7	109
223	API2-MALT1 chimeric transcripts involved in mucosa-associated lymphoid tissue type lymphoma predict heterogeneous products. <i>American Journal of Pathology</i> , 2000 , 156, 807-12	5.8	109
222	Monitoring of Hepatitis B Virus (HBV) DNA and Risk of HBV Reactivation in B-Cell Lymphoma: A Prospective Observational Study. <i>Clinical Infectious Diseases</i> , 2015 , 61, 719-29	11.6	106
221	Clinicopathologic and prognostic significance of cytotoxic molecule expression in nodal peripheral T-cell lymphoma, unspecified. <i>American Journal of Surgical Pathology</i> , 2005 , 29, 1284-93	6.7	105
220	Cytomegalovirus Reactivation after Allogeneic Hematopoietic Stem Cell Transplantation is Associated with a Reduced Risk of Relapse in Patients with Acute Myeloid Leukemia Who Survived to Day 100 after Transplantation: The Japan Society for Hematopoietic Cell Transplantation Transplantation-related Complication Working Group. <i>Biology of Blood and Marrow Transplantation</i> , 2018 , 24, 100-106	4.7	102
219	De novo CD5+ diffuse large B-cell lymphoma: results of a detailed clinicopathological review in 120 patients. <i>Haematologica</i> , 2008 , 93, 1195-202	6.6	102
218	Advances in the treatment of extranodal NK/T-cell lymphoma, nasal type. <i>Blood</i> , 2018 , 131, 2528-2540	2.2	95

217	Impact of graft-versus-host disease on outcomes after allogeneic hematopoietic cell transplantation for adult T-cell leukemia: a retrospective cohort study. <i>Blood</i> , 2012 , 119, 2141-8	2.2	93
216	Clinical Practice Recommendations on Indication and Timing of Hematopoietic Cell Transplantation in Mature T Cell and NK/T Cell Lymphomas: An International Collaborative Effort on Behalf of the Guidelines Committee of the American Society for Blood and Marrow Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2017 , 23, 1826-1838	4.7	89
215	NK-cell neoplasms in Japan. <i>Hematology</i> , 2005 , 10, 237-45	2.2	88
214	Unification of hematopoietic stem cell transplantation registries in Japan and establishment of the TRUMP System. <i>International Journal of Hematology</i> , 2007 , 86, 269-74	2.3	86
213	Treatments and Outcomes of Patients With Extranodal Natural Killer/T-Cell Lymphoma Diagnosed Between 2000 and 2013: A Cooperative Study in Japan. <i>Journal of Clinical Oncology</i> , 2017 , 35, 32-39	2.2	79
212	Long-term survival following autologous and allogeneic stem cell transplantation for blastic plasmacytoid dendritic cell neoplasm. <i>Blood</i> , 2015 , 125, 3559-62	2.2	76
211	Aggressive natural killer-cell leukemia' mutational landscape and drug profiling highlight JAK-STAT signaling as therapeutic target. <i>Nature Communications</i> , 2018 , 9, 1567	17.4	72
210	Prognostic significance of T-cell or cytotoxic molecules phenotype in classical Hodgkin's lymphoma: a clinicopathologic study. <i>Journal of Clinical Oncology</i> , 2006 , 24, 4626-33	2.2	71
209	Nodal cytotoxic lymphoma spectrum: a clinicopathologic study of 66 patients. <i>American Journal of Surgical Pathology</i> , 1999 , 23, 1184-200	6.7	71
208	Pretreatment EBV-DNA copy number is predictive of response and toxicities to SMILE chemotherapy for extranodal NK/T-cell lymphoma, nasal type. <i>Clinical Cancer Research</i> , 2012 , 18, 4183-90 ^{12.9}	12.9	69
207	First-line treatment for severe aplastic anemia in children: bone marrow transplantation from a matched family donor versus immunosuppressive therapy. <i>Haematologica</i> , 2014 , 99, 1784-91	6.6	66
206	Blastic natural killer cell lymphoma/leukemia (CD56-positive blastic tumor): prognostication and categorization according to anatomic sites of involvement. <i>Cancer</i> , 2005 , 104, 1022-31	6.4	64
205	Genome-wide array-based comparative genomic hybridization of diffuse large B-cell lymphoma: comparison between CD5-positive and CD5-negative cases. <i>Cancer Research</i> , 2004 , 64, 5948-55	10.1	62
204	Pathogenesis and treatment of extranodal natural killer/T-cell lymphoma. <i>Seminars in Hematology</i> , 2014 , 51, 42-51	4	61
203	Comparison of unrelated cord blood transplantation and HLA-mismatched unrelated bone marrow transplantation for adults with leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2012 , 18, 780-7	4.7	57
202	Senile Epstein-Barr virus-associated B-cell lymphoproliferative disorders: a mini review. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , 2006 , 46, 1-4	1.9	57
201	Clinical factors predicting the response of acute graft-versus-host disease to corticosteroid therapy: an analysis from the GVHD Working Group of the Japan Society for Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2013 , 19, 1183-9	4.7	55
200	Hematopoietic stem cell transplantation for core binding factor acute myeloid leukemia: t(8;21) and inv(16) represent different clinical outcomes. <i>Blood</i> , 2009 , 113, 2096-103	2.2	49

199	Related transplantation with HLA-1 Ag mismatch in the GVH direction and HLA-8/8 allele-matched unrelated transplantation: a nationwide retrospective study. <i>Blood</i> , 2012 , 119, 2409-16	2.2	48
198	Aggressive natural killer cell leukemia: therapeutic potential of L-asparaginase and allogeneic hematopoietic stem cell transplantation. <i>Cancer Science</i> , 2012 , 103, 1079-83	6.9	47
197	Extranodal natural killer/T-cell lymphoma involving the gastrointestinal tract: analysis of clinical features and outcomes from the Asia Lymphoma Study Group. <i>Journal of Hematology and Oncology</i> , 2013 , 6, 86	22.4	46
196	Methylenetetrahydrofolate reductase gene (MTHFR) polymorphisms and reduced risk of malignant lymphoma. <i>American Journal of Hematology</i> , 2004 , 77, 351-7	7.1	44
195	Nucleophosmin in acute myelogenous leukemia. <i>New England Journal of Medicine</i> , 2005 , 352, 1819-20; author reply 1819-20	59.2	44
194	A multicenter phase II prospective clinical trial of glucocorticoid for patients with untreated IgG4-related disease. <i>Modern Rheumatology</i> , 2017 , 27, 849-854	3.3	43
193	Trough plasma concentration of imatinib reflects BCR-ABL kinase inhibitory activity and clinical response in chronic-phase chronic myeloid leukemia: a report from the BINGO study. <i>Cancer Science</i> , 2010 , 101, 2186-92	6.9	42
192	Treatment of advanced extranodal NK/T cell lymphoma, nasal-type and aggressive NK-cell leukemia. <i>International Journal of Hematology</i> , 2010 , 92, 697-701	2.3	42
191	Pretransplant administration of imatinib for allo-HSCT in patients with BCR-ABL-positive acute lymphoblastic leukemia. <i>Blood</i> , 2014 , 123, 2325-32	2.2	41
190	Impact of graft-versus-host disease on allogeneic hematopoietic cell transplantation for adult T cell leukemia-lymphoma focusing on preconditioning regimens: nationwide retrospective study. <i>Biology of Blood and Marrow Transplantation</i> , 2013 , 19, 1731-9	4.7	40
189	Morphological spectrum of cyclin D1-positive mantle cell lymphoma: study of 168 cases. <i>Pathology International</i> , 2001 , 51, 747-61	1.8	39
188	Clinicopathological analysis of the age-related differences in patients with Epstein-Barr virus (EBV)-associated extranasal natural killer (NK)/T-cell lymphoma with reference to the relationship with aggressive NK cell leukaemia and chronic active EBV infection-associated lymphoproliferative disease. <i>Histopathology</i> , 2011 , 58, 669-74	7.3	38
187	Analysis of chromosomal imbalances in de novo CD5-positive diffuse large-B-cell lymphoma detected by comparative genomic hybridization. <i>Genes Chromosomes and Cancer</i> , 2004 , 39, 77-81	5	38
186	MALT1 contains nuclear export signals and regulates cytoplasmic localization of BCL10. <i>Blood</i> , 2005 , 106, 4210-6	2.2	38
185	Expression of the TCL1 gene at 14q32 in B-cell malignancies but not in adult T-cell leukemia. <i>Japanese Journal of Cancer Research</i> , 1998 , 89, 712-8		37
184	NK/T-cell lymphomas: pathobiology, prognosis and treatment paradigm. <i>Current Oncology Reports</i> , 2012 , 14, 395-402	6.3	36
183	Allogeneic stem cell transplantation for adult Philadelphia chromosome-negative acute lymphocytic leukemia: comparable survival rates but different risk factors between related and unrelated transplantation in first complete remission. <i>Blood</i> , 2010 , 116, 4368-75	2.2	35
182	Peripheral blood stem cell versus bone marrow transplantation from HLA-identical sibling donors in patients with leukemia: a propensity score-based comparison from the Japan Society for Hematopoietic Stem Cell Transplantation registry. <i>International Journal of Hematology</i> , 2010 , 91, 855-64	2.3	34

181	Molecular cytogenetic analysis of the breakpoint region at 6q21-22 in T-cell lymphoma/leukemia cell lines. <i>Genes Chromosomes and Cancer</i> , 2002 , 34, 175-85	5	33
180	Pilot phase I/II study of new salvage therapy (CHASE) for refractory or relapsed malignant lymphoma. <i>International Journal of Hematology</i> , 2003 , 77, 503-11	2.3	33
179	Detection of AP12-MALT1 chimaeric gene in extranodal and nodal marginal zone B-cell lymphoma by reverse transcription polymerase chain reaction (PCR) and genomic long and accurate PCR analyses. <i>British Journal of Haematology</i> , 2001 , 115, 588-94	4.5	33
178	Peripheral blood as a preferable source of stem cells for salvage transplantation in patients with graft failure after cord blood transplantation: a retrospective analysis of the registry data of the Japanese Society for Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2012 , 18, 1407-14	4.7	32
177	Somatic hypermutations in the VH segment of immunoglobulin genes of CD5-positive diffuse large B-cell lymphomas. <i>Japanese Journal of Cancer Research</i> , 1997 , 88, 1087-93		32
176	Lack of association between DNA base excision repair gene XRCC1 Gln399Arg polymorphism and risk of malignant lymphoma in Japan. <i>Cancer Genetics and Cytogenetics</i> , 2004 , 149, 77-80		32
175	Risk Factors and Predictive Scoring System For Post-Transplant Lymphoproliferative Disorder after Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019 , 25, 1441-1449	4.7	31
174	Contig array CGH at 3p14.2 points to the FRA3B/FHIT common fragile region as the target gene in diffuse large B-cell lymphoma. <i>Oncogene</i> , 2004 , 23, 9148-54	9.2	31
173	Detection of cyclin D1 overexpression by real-time reverse-transcriptase-mediated quantitative polymerase chain reaction for the diagnosis of mantle cell lymphoma. <i>American Journal of Pathology</i> , 2001 , 159, 425-9	5.8	31
172	Prognostic significance of pleural or pericardial effusion and the implication of optimal treatment in primary mediastinal large B-cell lymphoma: a multicenter retrospective study in Japan. <i>Haematologica</i> , 2014 , 99, 1817-25	6.6	30
171	Sarcomatoid variant of anaplastic large cell lymphoma with cytoplasmic ALK and alpha-smooth muscle actin expression: a mimic of inflammatory myofibroblastic tumor. <i>American Journal of Pathology</i> , 2001 , 159, 383-4	5.8	30
170	Hodgkin's disease expressing follicular dendritic cell marker CD21 without any other B-cell marker: a clinicopathologic study of nine cases. <i>American Journal of Surgical Pathology</i> , 1999 , 23, 363-76	6.7	30
169	High-dose chemotherapy with autologous stem cell transplantation for elderly patients with relapsed/refractory diffuse large B cell lymphoma: a nationwide retrospective study. <i>Biology of Blood and Marrow Transplantation</i> , 2014 , 20, 684-9	4.7	29
168	MASL1, a candidate oncogene found in amplification at 8p23.1, is translocated in immunoblastic B-cell lymphoma cell line OCI-LY8. <i>Oncogene</i> , 2004 , 23, 2576-81	9.2	29
167	NK/T Cell Lymphoma: Updates in Therapy. <i>Current Hematologic Malignancy Reports</i> , 2018 , 13, 7-12	4.4	28
166	Guidelines for the management of cutaneous lymphomas (2011): a consensus statement by the Japanese Skin Cancer Society - Lymphoma Study Group. <i>Journal of Dermatology</i> , 2013 , 40, 2-14	1.6	28
165	Haematopoietic stem cell transplantation for relapsed or refractory anaplastic large cell lymphoma: a study of children and adolescents in Japan. <i>British Journal of Haematology</i> , 2015 , 168, 557-63	4.5	27
164	Rituximab, cyclophosphamide, doxorubicin, vincristine, and prednisolone combined with high-dose methotrexate plus intrathecal chemotherapy for newly diagnosed intravascular large B-cell lymphoma (PRIMEUR-IVL): a multicentre, single-arm, phase 2 trial. <i>Lancet Oncology</i> , 2020 , 21, 593-602	21.7	27

163	Prognostic significance of CD7+CD56+ phenotype and chromosome 5 abnormalities for acute myeloid leukemia M0. <i>International Journal of Hematology</i> , 2003 , 77, 482-9	2.3	27
162	Peripheral T/natural killer-cell lymphoma involving the female genital tract: a clinicopathologic study of 5 cases. <i>International Journal of Hematology</i> , 2001 , 73, 108-14	2.3	27
161	Stability and subcellular localization of API2-MALT1 chimeric protein involved in t(11;18) (q21;q21) MALT lymphoma. <i>Oncogene</i> , 2003 , 22, 8085-92	9.2	26
160	Efficacy and long-term outcome of treatment for pure red cell aplasia after allogeneic stem cell transplantation from major ABO-incompatible donors. <i>Biology of Blood and Marrow Transplantation</i> , 2013 , 19, 1026-32	4.7	25
159	Molecular cytogenetic delineation of the breakpoint at 18q21.1 in low-grade B-cell lymphoma of mucosa-associated lymphoid tissue 1999 , 24, 315-321		25
158	Treatment of patients with adult T cell leukemia/lymphoma with cord blood transplantation: a Japanese nationwide retrospective survey. <i>Biology of Blood and Marrow Transplantation</i> , 2014 , 20, 1968-74	4.7	24
157	Impact of hepatitis C virus infection on clinical outcome in recipients after allogeneic hematopoietic cell transplantation. <i>American Journal of Hematology</i> , 2013 , 88, 477-84	7.1	24
156	The therapeutic effect of rituximab on CD5-positive and CD5-negative diffuse large B-cell lymphoma. <i>Hematological Oncology</i> , 2010 , 28, 27-32	1.3	24
155	MUM1/IRF4 expression is an unfavorable prognostic factor in B-cell chronic lymphocytic leukemia (CLL)/small lymphocytic lymphoma (SLL). <i>Japanese Journal of Cancer Research</i> , 2002 , 93, 685-94		24
154	Feasibility of reduced-intensity conditioning followed by unrelated cord blood transplantation for primary hemophagocytic lymphohistiocytosis: a nationwide retrospective analysis in Japan. <i>International Journal of Hematology</i> , 2013 , 98, 223-30	2.3	23
153	Phenotypic analysis of peripheral T/NK cell lymphoma: study of 408 Japanese cases with special reference to their anatomical sites. <i>Pathology International</i> , 2003 , 53, 333-44	1.8	23
152	Establishment of an inducible expression system of chimeric MLL-LTG9 protein and inhibition of Hox a7, Hox b7 and Hox c9 expression by MLL-LTG9 in 32Dcl3 cells. <i>Oncogene</i> , 1999 , 18, 1125-30	9.2	23
151	Granulocyte colony-stimulating factor combined regimen in cord blood transplantation for acute myeloid leukemia: a nationwide retrospective analysis in Japan. <i>Haematologica</i> , 2014 , 99, e264-8	6.6	21
150	Long-term outcome after bone marrow transplantation for aplastic anemia using cyclophosphamide and total lymphoid irradiation as conditioning regimen. <i>Biology of Blood and Marrow Transplantation</i> , 2008 , 14, 43-9	4.7	21
149	A small deletion in the 3' untranslated region of the cyclin D1/PRAD1/bcl-1 oncogene in a patient with chronic lymphocytic leukemia. <i>International Journal of Cancer</i> , 1998 , 76, 791-6	7.5	20
148	Infrequent BCL10 mutations in B-cell non-Hodgkin's lymphomas. <i>Japanese Journal of Cancer Research</i> , 1999 , 90, 1316-20		20
147	Leukemia and Lymphoma of Natural Killer Cells. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , 2005 , 45, 51-70	1.9	19
146	Extranodal NK/T-cell lymphoma: Updates in biology and management strategies. <i>Best Practice and Research in Clinical Haematology</i> , 2018 , 31, 315-321	4.2	18

145	Comparison of intravenous with oral busulfan in allogeneic hematopoietic stem cell transplantation with myeloablative conditioning regimens for pediatric acute leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2013 , 19, 1690-4	4.7	18
144	High-grade mature B-cell lymphoma with Burkitt-like morphology: results of a clinicopathological study of 72 Japanese patients. <i>Cancer Science</i> , 2008 , 99, 246-52	6.9	18
143	Hodgkin-like anaplastic large cell lymphoma (previously designated in the REAL classification) has same immunophenotypic features to classical Hodgkin lymphoma. <i>Leukemia and Lymphoma</i> , 2007 , 48, 1127-38	1.9	18
142	Linkage of expression of chemokine receptors (CXCR3 and CCR4) and cytotoxic molecules in peripheral T cell lymphoma, not otherwise specified and ALK-negative anaplastic large cell lymphoma. <i>International Journal of Hematology</i> , 2010 , 91, 426-35	2.3	17
141	Central nervous system involvement in pyothorax-associated lymphoma: ring enhancement on CT scan. <i>Annals of Hematology</i> , 2001 , 80, 174-7	3	17
140	Prognostic model for mantle cell lymphoma in the rituximab era: a nationwide study in Japan. <i>British Journal of Haematology</i> , 2015 , 170, 657-68	4.5	16
139	Reduced-intensity versus conventional myeloablative conditioning for patients with Philadelphia chromosome-negative acute lymphoblastic leukemia in complete remission. <i>Blood</i> , 2011 , 117, 3698-9	2.2	16
138	Assessment of prognostic factors in follicular lymphoma patients. <i>International Journal of Hematology</i> , 2001 , 73, 363-8	2.3	16
137	Use of mycophenolate mofetil in patients received allogeneic hematopoietic stem cell transplantation in Japan. <i>International Journal of Hematology</i> , 2011 , 93, 523-531	2.3	15
136	ALK-positive anaplastic large-cell lymphoma in adults: an individual patient data pooled analysis of 263 patients. <i>Haematologica</i> , 2019 , 104, e562-e565	6.6	14
135	Fibroblast Growth Factor-2 facilitates the growth and chemo-resistance of leukemia cells in the bone marrow by modulating osteoblast functions. <i>Scientific Reports</i> , 2016 , 6, 30779	4.9	14
134	Changing trends in prognostic factors for patients with multiple myeloma after autologous stem cell transplantation during the immunomodulator drug/proteasome inhibitor era. <i>Cancer Science</i> , 2015 , 106, 179-85	6.9	14
133	Mycophenolate mofetil use after unrelated hematopoietic stem cell transplantation for prophylaxis and treatment of graft-vs.-host disease in adult patients in Japan. <i>Clinical Transplantation</i> , 2014 , 28, 980-9	3.8	14
132	Dosing of a phase I study of KW-0761, an anti-CCR4 antibody, for adult T-cell leukemia-lymphoma and peripheral T-cell lymphoma. <i>Journal of Clinical Oncology</i> , 2010 , 28, e404-5; author reply e406	2.2	14
131	Differences between nasal and extranasal NK/T-cell lymphoma. <i>Blood</i> , 2009 , 113, 6260-1; author reply 6261-2	2.2	14
130	Use of foscarnet for cytomegalovirus infection after allogeneic hematopoietic stem cell transplantation from a related donor. <i>International Journal of Hematology</i> , 2010 , 92, 351-9	2.3	13
129	Prospective phase II trial to evaluate the complications and kinetics of chimerism induction following allogeneic hematopoietic stem cell transplantation with fludarabine and busulfan. <i>American Journal of Hematology</i> , 2007 , 82, 873-80	7.1	13
128	Efficacy and safety of tyrosine kinase inhibitors for newly diagnosed chronic-phase chronic myeloid leukemia over a 5-year period: results from the Japanese registry obtained by the New TARGET system. <i>International Journal of Hematology</i> , 2019 , 109, 426-439	2.3	13

127	Comparison of chemotherapeutic agents as a myeloablative conditioning with total body irradiation for pediatric acute lymphoblastic leukemia: A study from the pediatric ALL working group of the Japan Society for Hematopoietic Cell Transplantation. <i>Pediatric Blood and Cancer</i> , 2015 , 62, 1844-50	3	12
126	Outcome of medium-dose VP-16/CY/TBI superior to CY/TBI as a conditioning regimen for allogeneic stem cell transplantation in adult patients with acute lymphoblastic leukemia. <i>International Journal of Hematology</i> , 2011 , 94, 463-71	2.3	12
125	The clinical characteristics of CD7+ CD56+ acute myeloid leukemias other than M0. <i>International Journal of Hematology</i> , 2010 , 91, 303-9	2.3	12
124	Blastic plasmacytoid dendritic cell neoplasms: results of an international survey on 398 adult patients. <i>Blood Advances</i> , 2020 , 4, 4838-4848	7.8	12
123	Improved prognosis of extranodal NK/T cell lymphoma, nasal type of nasal origin but not extranasal origin. <i>Annals of Hematology</i> , 2019 , 98, 1647-1655	3	11
122	Ultra-high sensitivity HBsAg assay can diagnose HBV reactivation following rituximab-based therapy in patients with lymphoma. <i>Journal of Hepatology</i> , 2020 , 73, 285-293	13.4	11
121	Comparison of transplantation with reduced and myeloablative conditioning for children with acute lymphoblastic leukemia. <i>Blood</i> , 2015 , 125, 1352-4	2.2	11
120	Comparison of genetic aberrations in CD10+ diffused large B-cell lymphoma and follicular lymphoma by comparative genomic hybridization and tissue-fluorescence in situ hybridization. <i>Cancer Science</i> , 2004 , 95, 809-14	6.9	11
119	Epstein-Barr Virus-Associated Post-Transplant Lymphoproliferative Disorders after Hematopoietic Stem Cell Transplantation: Pathogenesis, Risk Factors and Clinical Outcomes. <i>Cancers</i> , 2020 , 12,	6.6	11
118	High-Dose Chemotherapy with Autologous Stem Cell Transplantation in Primary Central Nervous System Lymphoma: Data From the Japan Society for Hematopoietic Cell Transplantation Registry. <i>Biology of Blood and Marrow Transplantation</i> , 2019 , 25, 899-905	4.7	10
117	Early disease progression in patients with localized natural killer/T-cell lymphoma treated with concurrent chemoradiotherapy. <i>Cancer Science</i> , 2018 , 109, 2056-2062	6.9	10
116	Low incidences of acute and chronic graft-versus-host disease after unrelated bone marrow transplantation with low-dose anti-T lymphocyte globulin. <i>International Journal of Hematology</i> , 2012 , 96, 773-80	2.3	10
115	Hematopoietic stem cell transplantation for patients with acute lymphoblastic leukemia and Down syndrome. <i>Pediatric Blood and Cancer</i> , 2015 , 62, 148-52	3	9
114	The role of hematopoietic stem cell transplantation for relapsed and refractory Hodgkin lymphoma. <i>American Journal of Hematology</i> , 2015 , 90, 132-8	7.1	9
113	A Retrospective Observational Study of Risk Factors for Denosumab-Related Osteonecrosis of the Jaw in Patients with Bone Metastases from Solid Cancers. <i>Cancers</i> , 2020 , 12,	6.6	9
112	Phase II study of dose-modified busulfan by real-time targeting in allogeneic hematopoietic stem cell transplantation for myeloid malignancy. <i>Cancer Science</i> , 2012 , 103, 1688-94	6.9	9
111	Phase II study of intrabone single unit cord blood transplantation for hematological malignancies. <i>Cancer Science</i> , 2017 , 108, 1634-1639	6.9	9
110	Successful treatment of extranodal natural killer/T-cell lymphoma, nasal type, complicated by severe hemophagocytic syndrome, with dexamethasone, methotrexate, ifosfamide, L-asparaginase, and etoposide chemotherapy followed by autologous stem cell transplant. <i>Leukemia and Lymphoma</i> , 2010 , 51, 780-3	1.9	9

109	Concurrent chemoradiotherapy for limited-stage extranodal natural killer/t-cell lymphoma, nasal type. <i>Journal of Clinical Oncology</i> , 2010 , 28, e229; author reply e230	2.2	9
108	Clinical significance of minimal residual disease in patients with t(8;21) acute myeloid leukemia in Japan. <i>International Journal of Hematology</i> , 2008 , 88, 154-158	2.3	9
107	Comparison of Autologous and Allogeneic Hematopoietic Stem Cell Transplantation for Extranodal NK/T-Cell Lymphoma, Nasal Type: Analysis of the Japan Society for Hematopoietic Cell Transplantation (JSHCT) Lymphoma Working Group. <i>Blood</i> , 2011 , 118, 503-503	2.2	9
106	The outcome and characteristics of patients with relapsed adult T cell leukemia/lymphoma after allogeneic hematopoietic stem cell transplantation. <i>Hematological Oncology</i> , 2019 , 37, 54-61	1.3	9
105	Cord Blood Transplantation for Multiple Myeloma: A Study from the Multiple Myeloma Working Group of the Japan Society for Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2015 , 21, 1291-8	4.7	8
104	Outcome of Second Transplantation Using Umbilical Cord Blood for Graft Failure after Allogeneic Hematopoietic Stem Cell Transplantation for Aplastic Anemia. <i>Biology of Blood and Marrow Transplantation</i> , 2017 , 23, 2137-2142	4.7	8
103	Phase I/II trial of cure-oriented high-dose chemoradiotherapy with transplantation of CD34+ peripheral blood stem cells purified by the immunomagnetic bead method for refractory hematological malignancies. Nagoya CD34+ PBSCT Study Group. <i>Cancer Chemotherapy and Pharmacology</i> , 1997 , 40 Suppl, S51-7	3.5	8
102	Prognostic significance of NPM-ALK fusion transcript overexpression in ALK-positive anaplastic large-cell lymphoma. <i>Modern Pathology</i> , 2007 , 20, 648-55	9.8	8
101	Attribution of posttransplantation toxicity to methotrexate regarding genotype of methylenetetrahydrofolate reductase gene (MTHFR) polymorphism needs further clarification. <i>Blood</i> , 2001 , 98, 2283-4	2.2	8
100	Centroblastic and centroblastic/centrocytic lymphoma associated with a prominent epithelioid granulomatous response: a clinicopathologic study of 50 cases. <i>Modern Pathology</i> , 2002 , 15, 750-8	9.8	8
99	Prediction and prevention of central nervous system relapse in patients with extranodal natural killer/T-cell lymphoma. <i>Blood</i> , 2020 , 136, 2548-2556	2.2	7
98	Outcome of allogeneic hematopoietic stem cell transplantation for mycosis fungoides and Sézary syndrome. <i>Hematological Oncology</i> , 2020 , 38, 266-271	1.3	7
97	Impact of cyclophosphamide dose of conditioning on the outcome of allogeneic hematopoietic stem cell transplantation for aplastic anemia from human leukocyte antigen-identical sibling. <i>International Journal of Hematology</i> , 2016 , 103, 461-8	2.3	7
96	A Safety and Efficacy Study of Medium-Dose Etoposide, Cyclophosphamide and Total Body Irradiation Conditioning Before Allogeneic Stem Cell Transplantation for Acute Lymphoblastic Leukemia. <i>Transplantation Direct</i> , 2015 , 1, e8	2.3	7
95	Stem cell transplantation for paediatric patients with non-anaplastic peripheral T-cell lymphoma in Japan. <i>British Journal of Haematology</i> , 2012 , 159, 88-93	4.5	7
94	JSH practical guidelines for hematological malignancies, 2018: 7. Peripheral T-cell lymphoma (PTCL). <i>International Journal of Hematology</i> , 2019 , 109, 137-140	2.3	6
93	Prospective evaluation of alternative donor from unrelated donor and cord blood in adult acute leukemia and myelodysplastic syndrome. <i>Bone Marrow Transplantation</i> , 2020 , 55, 1399-1409	4.4	6
92	Effect of allogeneic hematopoietic cell transplantation for patients with T-prolymphocytic leukemia: a retrospective study from the Adult Lymphoma Working Group of the Japan Society for hematopoietic cell transplantation. <i>Annals of Hematology</i> , 2019 , 98, 2213-2220	3	6

91	Measurable residual disease in chronic lymphocytic leukemia: expert review and consensus recommendations. <i>Leukemia</i> , 2021 , 35, 3059-3072	10.7	6
90	Risk factors and timing of autologous stem cell transplantation for patients with peripheral T-cell lymphoma. <i>International Journal of Hematology</i> , 2019 , 109, 175-186	2.3	6
89	Analysis of glutathione S-transferase and cytochrome P450 gene polymorphism in recipients of dose-adjusted busulfan-cyclophosphamide conditioning. <i>International Journal of Hematology</i> , 2020 , 111, 84-92	2.3	6
88	Randomized controlled trial comparing ciprofloxacin and cefepime in febrile neutropenic patients with hematological malignancies. <i>International Journal of Infectious Diseases</i> , 2013 , 17, e385-90	10.5	5
87	Outcome differences between children and adolescents and young adults with non-Hodgkin lymphoma following stem cell transplantation. <i>International Journal of Hematology</i> , 2017 , 105, 369-376	2.3	5
86	Pseudo-Gaucher cells in light chain plasma cell myeloma. <i>American Journal of Hematology</i> , 2006 , 81, 468-471	2.1	5
85	Centroblastic and centroblastic-centrocytic lymphomas associated with prominent epithelioid granulomatous response without plasma cell differentiation: a clinicopathologic study of 12 cases. <i>Human Pathology</i> , 1996 , 27, 660-7	3.7	5
84	High-dose therapy and autologous stem cell transplantation for relapsed or high-risk diffuse large B-cell lymphoma: a nationwide survey. <i>International Journal of Hematology</i> , 2020 , 111, 256-266	2.3	5
83	Safety and efficacy of anti-programmed cell death-1 monoclonal antibodies before and after allogeneic hematopoietic cell transplantation for relapsed or refractory Hodgkin lymphoma: a multicenter retrospective study. <i>International Journal of Hematology</i> , 2020 , 112, 674-689	2.3	5
82	Dose-adjusted EPOCH with or without rituximab for aggressive lymphoma patients: real world data. <i>International Journal of Hematology</i> , 2020 , 112, 807-816	2.3	5
81	A retrospective study of R-CHOP/CHOP therapy-induced nausea and vomiting in non-Hodgkin B lymphoma patients: a comparison of intravenous and oral 5-HT3 receptor antagonists. <i>International Journal of Hematology</i> , 2016 , 104, 378-83	2.3	5
80	JSH practical guidelines for hematological malignancies, 2018: II. Lymphoma-9. Extranodal NK/T-cell lymphoma, nasal type (ENKL). <i>International Journal of Hematology</i> , 2019 , 109, 371-376	2.3	5
79	Hematopoietic stem cell transplantation in children and adolescents with relapsed or refractory B-cell non-Hodgkin lymphoma. <i>International Journal of Hematology</i> , 2019 , 109, 483-490	2.3	4
78	Impact of hematopoietic stem cell transplantation in patients with relapsed or refractory mantle cell lymphoma. <i>Annals of Hematology</i> , 2018 , 97, 1445-1452	3	4
77	Allogeneic haematopoietic stem cell transplantation for primary mediastinal large B-cell lymphoma patients relapsing after high dose chemotherapy with autologous stem cell transplantation: data from the Japan Society for Haematopoietic Cell Transplantation registry. <i>British Journal of Haematology</i> , 2019 , 186, e219-e223	4.5	4
76	Successful outcome with reduced-intensity condition regimen followed by allogeneic hematopoietic stem cell transplantation for relapsed or refractory anaplastic large-cell lymphoma. <i>International Journal of Hematology</i> , 2019 , 110, 723-728	2.3	4
75	Micafungin for empirical antifungal therapy in patients with febrile neutropenia: multicenter phase 2 study. <i>International Journal of Hematology</i> , 2013 , 98, 231-6	2.3	4
74	A multicenter phase 2 study of empirical low-dose liposomal amphotericin B in patients with refractory febrile neutropenia. <i>International Journal of Hematology</i> , 2017 , 105, 79-86	2.3	4

73	Reply to A. Chan et al. <i>Journal of Clinical Oncology</i> , 2012 , 30, 1016-1017	2.2	4
72	Huge mass of cutaneous-type adult T-cell leukemia which responded to interferon gamma. <i>Internal Medicine</i> , 2007 , 46, 147	1.1	4
71	CD34+-selected autologous peripheral blood stem cell transplantation conditioned with total body irradiation for malignant lymphoma: increased risk of infectious complications. <i>International Journal of Hematology</i> , 2001 , 74, 214-21	2.3	4
70	A new preconditioning regimen with melphalan, busulphan and total body irradiation followed by low-dose immunosuppressant in allogeneic haemopoietic stem cell transplantation. <i>British Journal of Haematology</i> , 1999 , 105, 799-802	4.5	4
69	Prophylaxis and treatment with mycophenolate mofetil in children with graft-versus-host disease undergoing allogeneic hematopoietic stem cell transplantation: a nationwide survey in Japan. <i>International Journal of Hematology</i> , 2019 , 109, 491-498	2.3	3
68	Outcome of patients receiving consolidative autologous peripheral blood stem cell transplantation in the frontline treatment of intravascular large B-cell lymphoma: Adult Lymphoma Working Group of the Japan Society for Hematopoietic Cell Transplantation. <i>Bone Marrow Transplantation</i> , 2019 , 54, 1515-1517	4.4	3
67	High Incidence of Asian Variant Intravascular Large B-Cell Lymphoma (IVL) among IVL in Japan: Clinicopathologic Study of 95 Patients.. <i>Blood</i> , 2004 , 104, 1365-1365	2.2	3
66	Conditioning regimen for allogeneic bone marrow transplantation in children with acquired bone marrow failure: fludarabine/melphalan vs. fludarabine/cyclophosphamide. <i>Bone Marrow Transplantation</i> , 2020 , 55, 1272-1281	4.4	3
65	Prognostic effect of comorbidities in patients with chronic myeloid leukemia treated with a tyrosine kinase inhibitor. <i>Cancer Science</i> , 2020 , 111, 3714-3725	6.9	3
64	Prospective Phase 2 Study of Umbilical Cord Blood Transplantation in Adult Acute Leukemia and Myelodysplastic Syndrome. <i>Biology of Blood and Marrow Transplantation</i> , 2020 , 26, 139-144	4.7	3
63	Allogeneic stem cell transplantation for patients with aggressive NK-cell leukemia. <i>Bone Marrow Transplantation</i> , 2021 , 56, 347-356	4.4	3
62	Bloodstream infection after stem cell transplantation in children with idiopathic aplastic anemia. <i>Biology of Blood and Marrow Transplantation</i> , 2014 , 20, 1145-9	4.7	2
61	Pretreatment EBV-DNA Copy Number Is Predictive for Response to SMILE Chemotherapy for Newly-Diagnosed Stage IV, Relapsed or Refractory Extranodal NK/T-Cell Lymphoma, Nasal Type: Results of NKTSO Phase II Study. <i>Blood</i> , 2010 , 116, 2873-2873	2.2	2
60	Extranodal NK/T Cell Lymphoma, Nasal Type 2015 , 199-212		2
59	Hematopoietic stem cell transplantation for diffuse large B-cell lymphoma having 8q24/MYC rearrangement in Japan. <i>Hematological Oncology</i> , 2021 , 39, 66-74	1.3	2
58	Simultaneous Discordant B-Lymphoblastic Lymphoma and Follicular Lymphoma. <i>American Journal of Clinical Pathology</i> , 2021 , 155, 308-317	1.9	2
57	Tamoxifen enhances romidepsin-induced apoptosis in T-cell malignant cells via activation of FOXO1 signaling pathway. <i>Leukemia and Lymphoma</i> , 2021 , 62, 1585-1596	1.9	2
56	Enforced expression of MIR142, a target of chromosome translocation in human B-cell tumors, results in B-cell depletion. <i>International Journal of Hematology</i> , 2018 , 107, 345-354	2.3	2

55	Phase I dose-escalation study of cyclophosphamide combined with bortezomib and dexamethasone in Japanese patients with relapsed and/or refractory multiple myeloma. <i>International Journal of Hematology</i> , 2015 , 102, 434-40	2.3	1
54	Health-related quality of life in peripheral blood stem cell donors and bone marrow donors: a prospective study in Japan. <i>International Journal of Hematology</i> , 2020 , 111, 840-850	2.3	1
53	Treatment outcomes of chronic-phase chronic myeloid leukemia with resistance and/or intolerance to a 1st-line tyrosine kinase inhibitor in Japan: the results of the New TARGET study 2nd-line. <i>International Journal of Hematology</i> , 2020 , 111, 812-825	2.3	1
52	Low incidence of posttransplant lymphoproliferative disorder after allogeneic stem cell transplantation in patients with lymphoma treated with rituximab. <i>Hematological Oncology</i> , 2020 , 38, 146-152	1.3	1
51	Safety and Efficacy of Once-Daily Intravenous Busulfan in Allogeneic Transplantation: A Matched-Pair Analysis. <i>Biology of Blood and Marrow Transplantation</i> , 2018 , 24, 2139-2144	4.7	1
50	Risk factors and prognosis of non-infectious pulmonary complications after allogeneic hematopoietic stem cell transplantation.. <i>International Journal of Hematology</i> , 2022 , 115, 534	2.3	1
49	Safety and Risk of Allogeneic Peripheral Blood Stem Cell Donation: The Comprehensive Report of Nation-Wide Consecutively Pre-Registered 3,264 Family Donor Survey In 10years Project by Japan Society for Hematopoietic Cell Transplantation.. <i>Blood</i> , 2010 , 116, 1180-1180	2.2	1
48	Limited-Stage Mantle Cell Lymphoma. <i>Blood</i> , 2016 , 128, 5330-5330	2.2	1
47	Comparative Analysis of Japanese and European Typical CLL Patients. <i>Blood</i> , 2016 , 128, 5564-5564	2.2	1
46	□HallmarkRCells in Nodal Cytotoxic Lymphomas. <i>American Journal of Surgical Pathology</i> , 2000 , 24, 1310	6.7	1
45	Risk Factors and Predictive Scoring System for Post-Transplant Lymphoproliferative Disorder after Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2018 , 132, 250-250	2.2	1
44	Incidence and Risk Factors of Central Nervous System Relapse in Localized Extranodal NK/T-Cell Lymphoma, Nasal Type: An Analysis of Nkea Study. <i>Blood</i> , 2018 , 132, 2935-2935	2.2	1
43	Effect of FOLFIRINOX with PEG-G-CSF for unresectable/recurrent pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 411-411	2.2	1
42	The Safety of Hematopoietic Stem Cell Harvest from Elderly Family Donor in Japan. <i>Blood</i> , 2015 , 126, 1897-1897	2.2	1
41	Superior Outcomes Using Medium-Dose VP-16/CY/TBI to CY/TBI as a Conditioning Regimen for Allogeneic Stem Cell Transplantation for Adult Patients with Acute Lymphoblastic Leukemia.. <i>Blood</i> , 2009 , 114, 2306-2306	2.2	1
40	Impact of hematopoietic stem cell transplantation in patients with relapsed or refractory marginal zone lymphoma. <i>Annals of Hematology</i> , 2019 , 98, 1521-1523	3	1
39	Consolidation with Yttrium-ibritumomab tiuxetan after bendamustine and rituximab for relapsed follicular lymphoma. <i>Hematological Oncology</i> , 2021 , 39, 51-59	1.3	1
38	How asymptomatic are early cancer patients of five organs based on registry data in Japan. <i>International Journal of Clinical Oncology</i> , 2018 , 23, 999-1006	4.2	1

37	Treatment and prognosis of mature (non-anaplastic) T- and NK-cell lymphomas in childhood, adolescents, and young adults. <i>British Journal of Haematology</i> , 2019 , 185, 1086-1098	4.5	○
36	Outcome of stem cell transplantation for Waldenström's macroglobulinemia: analysis of the Japan Society for Hematopoietic Cell Transplantation (JSHCT) Lymphoma Working Group. <i>Annals of Hematology</i> , 2020 , 99, 1635-1642	3	○
35	Analysis of outcomes following autologous stem cell transplantation in adult patients with Philadelphia chromosome-negative acute lymphoblastic leukemia during first complete remission. <i>Haematologica</i> , 2014 , 99, e228-30	6.6	○
34	Impact of event-free survival status after stem cell transplantation on subsequent survival of patients with lymphoma. <i>Blood Advances</i> , 2021 , 5, 1412-1424	7.8	○
33	Lymphoma during pregnancy in Japan: a multicenter retrospective cohort study.. <i>International Journal of Hematology</i> , 2022 , 115, 382	2.3	○
32	Impact of Pretransplant HTLV-1 Seropositivity on Hematopoietic Stem Cell Transplantation for the Diseases Other Than ATLL- an Analysis on Behalf of JSHCT Complication Working Group-. <i>Blood</i> , 2018 , 132, 4641-4641	2.2	○
31	Allogeneic Hematopoietic Stem Cell Transplantation for Post-essential Thrombocythemia and Post-polycythemia Vera Myelofibrosis. <i>Internal Medicine</i> , 2020 , 59, 1947-1956	1.1	○
30	Proposal of Progressive Adult Onset EBV-Associated Lymphoproliferative Disorder (PAEBV) as a Rapid-Onset Neoplastic Disease.. <i>Blood</i> , 2009 , 114, 2920-2920	2.2	○
29	Clinical outcomes of hepatitis B or C virus infections in patients with malignant lymphoma receiving autologous stem cell transplantation: on behalf of the Adult Lymphoma Working Group of the Japan Society for Haematopoietic Cell Transplantation (JSHCT). <i>British Journal of Haematology</i> , 2019 , 186, e170-e175	4.5	
28	Extranodal NK-/T-Cell Lymphomas and EBV+ Lymphoproliferative Diseases of Childhood 2019 , 271-279		
27	A prospective study of palonosetron for prevention of chemotherapy-induced nausea and vomiting in malignant lymphoma patients following highly emetogenic chemotherapy. <i>International Journal of Clinical Oncology</i> , 2018 , 23, 189-194	4.2	
26	The effectiveness of busulfan-based conditioning regimens for stem cell transplantation against lymphomas in children, adolescents, and young adults in Japan. <i>Pediatric Blood and Cancer</i> , 2019 , 66, e27918	3	
25	4) Epstein-Barr Virus and Hematological Malignancy. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2015 , 104, 1878-1884	0	
24	Mylotarg is not a "magic bullet". <i>International Journal of Hematology</i> , 2006 , 84, 188-9	2.3	
23	Case of Pulmonary Extramedullary Hematopoiesis Responding to Ruxolitinib.. <i>Leukemia Research Reports</i> , 2022 , 17, 100290	0.6	
22	CHOP Plus Sequential Mogamulizumab As First-Line Therapy for Untreated Adult T-Cell Leukemia-Lymphoma. <i>Blood</i> , 2021 , 138, 1393-1393	2.2	
21	A phase I fixed-dose feasibility study of MK615 and gemcitabine in patients with advanced or metastatic pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 510-510	2.2	
20	Efficacy and Safety of Tyrosine Kinase Inhibitors for Treatment of Newly Diagnosed Chronic Myeloid Leukemia: Results Using Data Obtained with the New Target System from the Japanese Registry. <i>Blood</i> , 2018 , 132, 1751-1751	2.2	

19	Allogeneic Hematopoietic Stem Cell Transplantation for Patients with Aggressive Natural Killer Cell Leukemia: An Advantage of Cord Blood Transplantation. <i>Blood</i> , 2019 , 134, 2032-2032	2.2
18	Second-Generation Tyrosine Kinase Inhibitors for Chronic Myeloid Leukemia with Additional Chromosomal Abnormalities. <i>Blood</i> , 2019 , 134, 1640-1640	2.2
17	Prognostic Effects of Pretreatment Statuses at Diagnosis in Patients with Chronic Myeloid Leukemia: Results of the New Target Observational Study 1. <i>Blood</i> , 2019 , 134, 4149-4149	2.2
16	Prospective Evaluation of Alternative Donor from Unrelated Volunteer Donor and Cord Blood in Adult Acute Leukemia and Myelodysplastic Syndrome: No Difference between Unrelated Donor and Cord Blood. <i>Blood</i> , 2019 , 134, 4587-4587	2.2
15	Outcomes and prognostic factors of radiotherapy with dexamethasone, etoposide, ifosfamide, and carboplatin (RT-DeVIC) for newly diagnosed, localized extranodal NK/T-cell lymphoma, nasal type (ENKL): a cooperative study in Japan.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 7541-7541	2.2
14	Intrabone Transplantation of a Single Cord Blood Unit Using Non-Irradiated Reduced-Intensity Conditioning. <i>Blood</i> , 2016 , 128, 3390-3390	2.2
13	Proteasome Inhibitors and a Fusicoccin Derivative (ISIR-042) Cooperatively Inhibit Proliferation of Myeloma Cells through Induction of C/EBP-Homologous Protein (CHOP/GADD153). <i>Blood</i> , 2016 , 128, 5657-5657	2.2
12	Therapy-Related Acute Myeloid Leukemia and Myelodysplastic Syndrome in Lymphoma Patients Receiving Hematopoietic Cell Transplantation. <i>Blood</i> , 2016 , 128, 827-827	2.2
11	Clinical and Prognostic Significance of Epstein-Barr Virus in Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2016 , 128, 108-108	2.2
10	Early disease progression in patients (pts) with newly diagnosed localized nasal extranodal NK/T-cell lymphoma, nasal type (ENKL) treated with radiotherapy with dexamethasone, etoposide, ifosfamide, and carboplatin (RT-DeVIC).. <i>Journal of Clinical Oncology</i> , 2017 , 35, 7546-7546	2.2
9	Prospective Measurement of EBV-DNA in Plasma and Peripheral Blood Mononuclear Cells of Extranodal NK/T-Cell Lymphoma, Nasal Type.. <i>Blood</i> , 2009 , 114, 135-135	2.2
8	Aggressive NK Cell Leukemia (ANKL): Experience with 34 Patients and Therapeutic Potentials of L-Asparaginase and Allogeneic Hematopoietic Cell Transplantation - A Japan-Korea Multicenter Study for ANKL (ANKL07) -. <i>Blood</i> , 2010 , 116, 3091-3091	2.2
7	Reduced-Intensity Versus Myeloablative Conditioning Allogeneic Hematopoietic Stem Cell Transplantation for Patients Aged Over 45 Years with Acute Lymphoblastic Leukemia (ALL) in Remission: A Study From the ALL Working Group of the Japan Society for Hematopoietic Cell Transplantation (JSHCT).. <i>Blood</i> , 2012 , 120, 3027-3027	2.2
6	Indolent B-cell lymphoma: the current standard in 2014. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , 2014 , 54, 1-2	1.9
5	Long-term follow-up results of a phase II study of dose-adjusted (DA)-EPOCH-R with high-dose methotrexate (HD-MTX) for newly diagnosed stage II-IV CD5-positive diffuse large B-cell lymphoma (CD5+ DLBCL).. <i>Journal of Clinical Oncology</i> , 2021 , 39, 7551-7551	2.2
4	Diffuse Large B-Cell Lymphoma in 2016. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , 2016 , 56, 69-70	1.9
3	A multicenter phase II study of intrabone single-unit cord blood transplantation without antithymocyte globulin. <i>Annals of Hematology</i> , 2021 , 100, 743-752	3
2	Natural Killer/T-cell Lymphomas 2021 , 159-173	

- 1 Total body irradiation-containing conditioning regimens without antithymocyte globulin in adults with aplastic anemia undergoing umbilical cord blood transplantation. *Annals of Hematology*, 2021, 1 3