

# Ritsuro Suzuki

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5255322/ritsuro-suzuki-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

252  
papers

11,310  
citations

52  
h-index

102  
g-index

260  
ext. papers

12,770  
ext. citations

4.2  
avg, IF

5.66  
L-index

#	Paper	IF	Citations
252	Risk factors and prognosis of non-infectious pulmonary complications after allogeneic hematopoietic stem cell transplantation.. <i>International Journal of Hematology</i> , <b>2022</b> , 115, 534	2.3	1
251	Case of Pulmonary Extramedullary Hematopoiesis Responding to Ruxolitinib.. <i>Leukemia Research Reports</i> , <b>2022</b> , 17, 100290	0.6	
250	Lymphoma during pregnancy in Japan: a multicenter retrospective cohort study.. <i>International Journal of Hematology</i> , <b>2022</b> , 115, 382	2.3	0
249	Impact of event-free survival status after stem cell transplantation on subsequent survival of patients with lymphoma. <i>Blood Advances</i> , <b>2021</b> , 5, 1412-1424	7.8	0
248	CHOP Plus Sequential Mogamulizumab As First-Line Therapy for Untreated Adult T-Cell Leukemia-Lymphoma. <i>Blood</i> , <b>2021</b> , 138, 1393-1393	2.2	
247	Long-term follow-up results of a phase II study of dose-adjusted (DA)-EPOCH-R with high-dose methotrexate (HD-MTX) for newly diagnosed stage II-IV CD5-positive diffuse large B-cell lymphoma (CD5+ DLBCL).. <i>Journal of Clinical Oncology</i> , <b>2021</b> , 39, 7551-7551	2.2	
246	Measurable residual disease in chronic lymphocytic leukemia: expert review and consensus recommendations. <i>Leukemia</i> , <b>2021</b> , 35, 3059-3072	10.7	6
245	Allogeneic stem cell transplantation for patients with aggressive NK-cell leukemia. <i>Bone Marrow Transplantation</i> , <b>2021</b> , 56, 347-356	4.4	3
244	Consolidation with Yttrium-ibritumomab tiuxetan after bendamustine and rituximab for relapsed follicular lymphoma. <i>Hematological Oncology</i> , <b>2021</b> , 39, 51-59	1.3	1
243	Hematopoietic stem cell transplantation for diffuse large B-cell lymphoma having 8q24/MYC rearrangement in Japan. <i>Hematological Oncology</i> , <b>2021</b> , 39, 66-74	1.3	2
242	Simultaneous Discordant B-Lymphoblastic Lymphoma and Follicular Lymphoma. <i>American Journal of Clinical Pathology</i> , <b>2021</b> , 155, 308-317	1.9	2
241	Tamoxifen enhances romidepsin-induced apoptosis in T-cell malignant cells via activation of FOXO1 signaling pathway. <i>Leukemia and Lymphoma</i> , <b>2021</b> , 62, 1585-1596	1.9	2
240	A multicenter phase II study of intrabone single-unit cord blood transplantation without antithymocyte globulin. <i>Annals of Hematology</i> , <b>2021</b> , 100, 743-752	3	
239	Natural Killer/T-cell Lymphomas <b>2021</b> , 159-173		
238	Total body irradiation-containing conditioning regimens without antithymocyte globulin in adults with aplastic anemia undergoing umbilical cord blood transplantation. <i>Annals of Hematology</i> , <b>2021</b> , 1	3	
237	Outcome of stem cell transplantation for Waldenström's macroglobulinemia: analysis of the Japan Society for Hematopoietic Cell Transplantation (JSHCT) Lymphoma Working Group. <i>Annals of Hematology</i> , <b>2020</b> , 99, 1635-1642	3	0
236	A Retrospective Observational Study of Risk Factors for Denosumab-Related Osteonecrosis of the Jaw in Patients with Bone Metastases from Solid Cancers. <i>Cancers</i> , <b>2020</b> , 12,	6.6	9

235	Health-related quality of life in peripheral blood stem cell donors and bone marrow donors: a prospective study in Japan. <i>International Journal of Hematology</i> , <b>2020</b> , 111, 840-850	2.3	1
234	Ultra-high sensitivity HBsAg assay can diagnose HBV reactivation following rituximab-based therapy in patients with lymphoma. <i>Journal of Hepatology</i> , <b>2020</b> , 73, 285-293	13.4	11
233	Treatment outcomes of chronic-phase chronic myeloid leukemia with resistance and/or intolerance to a 1st-line tyrosine kinase inhibitor in Japan: the results of the New TARGET study 2nd-line. <i>International Journal of Hematology</i> , <b>2020</b> , 111, 812-825	2.3	1
232	Prospective evaluation of alternative donor from unrelated donor and cord blood in adult acute leukemia and myelodysplastic syndrome. <i>Bone Marrow Transplantation</i> , <b>2020</b> , 55, 1399-1409	4.4	6
231	Rituximab, cyclophosphamide, doxorubicin, vincristine, and prednisolone combined with high-dose methotrexate plus intrathecal chemotherapy for newly diagnosed intravascular large B-cell lymphoma (PRIMEUR-IVL): a multicentre, single-arm, phase 2 trial. <i>Lancet Oncology</i> , <b>2020</b> , 21, 593-602	21.7	27
230	Prediction and prevention of central nervous system relapse in patients with extranodal natural killer/T-cell lymphoma. <i>Blood</i> , <b>2020</b> , 136, 2548-2556	2.2	7
229	Low incidence of posttransplant lymphoproliferative disorder after allogeneic stem cell transplantation in patients with lymphoma treated with rituximab. <i>Hematological Oncology</i> , <b>2020</b> , 38, 146-152	1.3	1
228	Outcome of allogeneic hematopoietic stem cell transplantation for mycosis fungoides and Sézary syndrome. <i>Hematological Oncology</i> , <b>2020</b> , 38, 266-271	1.3	7
227	Epstein-Barr Virus-Associated Post-Transplant Lymphoproliferative Disorders after Hematopoietic Stem Cell Transplantation: Pathogenesis, Risk Factors and Clinical Outcomes. <i>Cancers</i> , <b>2020</b> , 12,	6.6	11
226	Allogeneic Hematopoietic Stem Cell Transplantation for Post-essential Thrombocythemia and Post-polycythemia Vera Myelofibrosis. <i>Internal Medicine</i> , <b>2020</b> , 59, 1947-1956	1.1	0
225	Conditioning regimen for allogeneic bone marrow transplantation in children with acquired bone marrow failure: fludarabine/melphalan vs. fludarabine/cyclophosphamide. <i>Bone Marrow Transplantation</i> , <b>2020</b> , 55, 1272-1281	4.4	3
224	High-dose therapy and autologous stem cell transplantation for relapsed or high-risk diffuse large B-cell lymphoma: a nationwide survey. <i>International Journal of Hematology</i> , <b>2020</b> , 111, 256-266	2.3	5
223	Blastic plasmacytoid dendritic cell neoplasms: results of an international survey on 398 adult patients. <i>Blood Advances</i> , <b>2020</b> , 4, 4838-4848	7.8	12
222	Safety and efficacy of anti-programmed cell death-1 monoclonal antibodies before and after allogeneic hematopoietic cell transplantation for relapsed or refractory Hodgkin lymphoma: a multicenter retrospective study. <i>International Journal of Hematology</i> , <b>2020</b> , 112, 674-689	2.3	5
221	Prognostic effect of comorbidities in patients with chronic myeloid leukemia treated with a tyrosine kinase inhibitor. <i>Cancer Science</i> , <b>2020</b> , 111, 3714-3725	6.9	3
220	Dose-adjusted EPOCH with or without rituximab for aggressive lymphoma patients: real world data. <i>International Journal of Hematology</i> , <b>2020</b> , 112, 807-816	2.3	5
219	Analysis of glutathione S-transferase and cytochrome P450 gene polymorphism in recipients of dose-adjusted busulfan-cyclophosphamide conditioning. <i>International Journal of Hematology</i> , <b>2020</b> , 111, 84-92	2.3	6
218	Prospective Phase 2 Study of Umbilical Cord Blood Transplantation in Adult Acute Leukemia and Myelodysplastic Syndrome. <i>Biology of Blood and Marrow Transplantation</i> , <b>2020</b> , 26, 139-144	4.7	3

217	High-Dose Chemotherapy with Autologous Stem Cell Transplantation in Primary Central Nervous System Lymphoma: Data From the Japan Society for Hematopoietic Cell Transplantation Registry. <i>Biology of Blood and Marrow Transplantation</i> , <b>2019</b> , 25, 899-905	4.7	10
216	Prophylaxis and treatment with mycophenolate mofetil in children with graft-versus-host disease undergoing allogeneic hematopoietic stem cell transplantation: a nationwide survey in Japan. <i>International Journal of Hematology</i> , <b>2019</b> , 109, 491-498	2.3	3
215	JSH practical guidelines for hematological malignancies, 2018: 7. Peripheral T-cell lymphoma (PTCL). <i>International Journal of Hematology</i> , <b>2019</b> , 109, 137-140	2.3	6
214	Hematopoietic stem cell transplantation in children and adolescents with relapsed or refractory B-cell non-Hodgkin lymphoma. <i>International Journal of Hematology</i> , <b>2019</b> , 109, 483-490	2.3	4
213	Treatment and prognosis of mature (non-anaplastic) T- and NK-cell lymphomas in childhood, adolescents, and young adults. <i>British Journal of Haematology</i> , <b>2019</b> , 185, 1086-1098	4.5	0
212	Clinical outcomes of hepatitis B or C virus infections in patients with malignant lymphoma receiving autologous stem cell transplantation: on behalf of the Adult Lymphoma Working Group of the Japan Society for Haematopoietic Cell Transplantation (JSHCT). <i>British Journal of Haematology</i> , <b>2019</b> , 186, e173-e175	4.5	
211	Extranodal NK-/T-Cell Lymphomas and EBV+ Lymphoproliferative Diseases of Childhood <b>2019</b> , 271-279		
210	ALK-positive anaplastic large-cell lymphoma in adults: an individual patient data pooled analysis of 263 patients. <i>Haematologica</i> , <b>2019</b> , 104, e562-e565	6.6	14
209	Improved prognosis of extranodal NK/T cell lymphoma, nasal type of nasal origin but not extranasal origin. <i>Annals of Hematology</i> , <b>2019</b> , 98, 1647-1655	3	11
208	Outcome of patients receiving consolidative autologous peripheral blood stem cell transplantation in the frontline treatment of intravascular large B-cell lymphoma: Adult Lymphoma Working Group of the Japan Society for Hematopoietic Cell Transplantation. <i>Bone Marrow Transplantation</i> , <b>2019</b> , 54, 1515-1517	4.4	3
207	Risk Factors and Predictive Scoring System For Post-Transplant Lymphoproliferative Disorder after Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2019</b> , 25, 1441-1449	4.7	3 <sup>1</sup>
206	Effect of allogeneic hematopoietic cell transplantation for patients with T-prolymphocytic leukemia: a retrospective study from the Adult Lymphoma Working Group of the Japan Society for hematopoietic cell transplantation. <i>Annals of Hematology</i> , <b>2019</b> , 98, 2213-2220	3	6
205	The effectiveness of busulfan-based conditioning regimens for stem cell transplantation against lymphomas in children, adolescents, and young adults in Japan. <i>Pediatric Blood and Cancer</i> , <b>2019</b> , 66, e27918	3	
204	Allogeneic haematopoietic stem cell transplantation for primary mediastinal large B-cell lymphoma patients relapsing after high dose chemotherapy with autologous stem cell transplantation: data from the Japan Society for Haematopoietic Cell Transplantation registry. <i>British Journal of Haematology</i> , <b>2019</b> , 181, 216-223	4.5	4
203	Successful outcome with reduced-intensity condition regimen followed by allogeneic hematopoietic stem cell transplantation for relapsed or refractory anaplastic large-cell lymphoma. <i>International Journal of Hematology</i> , <b>2019</b> , 110, 723-728	2.3	4
202	Effect of FOLFIRINOX with PEG-G-CSF for unresectable/recurrent pancreatic cancer.. <i>Journal of Clinical Oncology</i> , <b>2019</b> , 37, 411-411	2.2	1
201	Allogeneic Hematopoietic Stem Cell Transplantation for Patients with Aggressive Natural Killer Cell Leukemia: An Advantage of Cord Blood Transplantation. <i>Blood</i> , <b>2019</b> , 134, 2032-2032	2.2	
200	Second-Generation Tyrosine Kinase Inhibitors for Chronic Myeloid Leukemia with Additional Chromosomal Abnormalities. <i>Blood</i> , <b>2019</b> , 134, 1640-1640	2.2	

199	Prognostic Effects of Pretreatment Statuses at Diagnosis in Patients with Chronic Myeloid Leukemia: Results of the New Target Observational Study 1. <i>Blood</i> , <b>2019</b> , 134, 4149-4149	2.2	
198	Prospective Evaluation of Alternative Donor from Unrelated Volunteer Donor and Cord Blood in Adult Acute Leukemia and Myelodysplastic Syndrome: No Difference between Unrelated Donor and Cord Blood. <i>Blood</i> , <b>2019</b> , 134, 4587-4587	2.2	
197	JSH practical guidelines for hematological malignancies, 2018: II. Lymphoma-9. Extranodal NK/T-cell lymphoma, nasal type (ENKL). <i>International Journal of Hematology</i> , <b>2019</b> , 109, 371-376	2.3	5
196	Efficacy and safety of tyrosine kinase inhibitors for newly diagnosed chronic-phase chronic myeloid leukemia over a 5-year period: results from the Japanese registry obtained by the New TARGET system. <i>International Journal of Hematology</i> , <b>2019</b> , 109, 426-439	2.3	13
195	The outcome and characteristics of patients with relapsed adult T cell leukemia/lymphoma after allogeneic hematopoietic stem cell transplantation. <i>Hematological Oncology</i> , <b>2019</b> , 37, 54-61	1.3	9
194	Impact of hematopoietic stem cell transplantation in patients with relapsed or refractory marginal zone lymphoma. <i>Annals of Hematology</i> , <b>2019</b> , 98, 1521-1523	3	1
193	Risk factors and timing of autologous stem cell transplantation for patients with peripheral T-cell lymphoma. <i>International Journal of Hematology</i> , <b>2019</b> , 109, 175-186	2.3	6
192	Aggressive natural killer-cell leukemia ´mutational landscape and drug profiling highlight JAK-STAT signaling as therapeutic target. <i>Nature Communications</i> , <b>2018</b> , 9, 1567	17.4	72
191	Safety and Efficacy of Once-Daily Intravenous Busulfan in Allogeneic Transplantation: A Matched-Pair Analysis. <i>Biology of Blood and Marrow Transplantation</i> , <b>2018</b> , 24, 2139-2144	4.7	1
190	Impact of hematopoietic stem cell transplantation in patients with relapsed or refractory mantle cell lymphoma. <i>Annals of Hematology</i> , <b>2018</b> , 97, 1445-1452	3	4
189	NK/T Cell Lymphoma: Updates in Therapy. <i>Current Hematologic Malignancy Reports</i> , <b>2018</b> , 13, 7-12	4.4	28
188	Early disease progression in patients with localized natural killer/T-cell lymphoma treated with concurrent chemoradiotherapy. <i>Cancer Science</i> , <b>2018</b> , 109, 2056-2062	6.9	10
187	Advances in the treatment of extranodal NK/T-cell lymphoma, nasal type. <i>Blood</i> , <b>2018</b> , 131, 2528-2540	2.2	95
186	A prospective study of palonosetron for prevention of chemotherapy-induced nausea and vomiting in malignant lymphoma patients following highly emetogenic chemotherapy. <i>International Journal of Clinical Oncology</i> , <b>2018</b> , 23, 189-194	4.2	
185	Extranodal NK/T-cell lymphoma: Updates in biology and management strategies. <i>Best Practice and Research in Clinical Haematology</i> , <b>2018</b> , 31, 315-321	4.2	18
184	A phase I fixed-dose feasibility study of MK615 and gemcitabine in patients with advanced or metastatic pancreatic cancer.. <i>Journal of Clinical Oncology</i> , <b>2018</b> , 36, 510-510	2.2	
183	Risk Factors and Predictive Scoring System for Post-Transplant Lymphoproliferative Disorder after Hematopoietic Stem Cell Transplantation. <i>Blood</i> , <b>2018</b> , 132, 250-250	2.2	1
182	Impact of Pretransplant HTLV-1 Seropositivity on Hematopoietic Stem Cell Transplantation for the Diseases Other Than ATLL- an Analysis on Behalf of JSHCT Complication Working Group-. <i>Blood</i> , <b>2018</b> , 132, 4641-4641	2.2	0

181	Incidence and Risk Factors of Central Nervous System Relapse in Localized Extranodal NK/T-Cell Lymphoma, Nasal Type: An Analysis of Nkea Study. <i>Blood</i> , <b>2018</b> , 132, 2935-2935	2.2	1
180	Efficacy and Safety of Tyrosine Kinase Inhibitors for Treatment of Newly Diagnosed Chronic Myeloid Leukemia: Results Using Data Obtained with the New Target System from the Japanese Registry. <i>Blood</i> , <b>2018</b> , 132, 1751-1751	2.2	
179	Enforced expression of MIR142, a target of chromosome translocation in human B-cell tumors, results in B-cell depletion. <i>International Journal of Hematology</i> , <b>2018</b> , 107, 345-354	2.3	2
178	How asymptomatic are early cancer patients of five organs based on registry data in Japan. <i>International Journal of Clinical Oncology</i> , <b>2018</b> , 23, 999-1006	4.2	1
177	Treatments and Outcomes of Patients With Extranodal Natural Killer/T-Cell Lymphoma Diagnosed Between 2000 and 2013: A Cooperative Study in Japan. <i>Journal of Clinical Oncology</i> , <b>2017</b> , 35, 32-39	2.2	79
176	Outcome of Second Transplantation Using Umbilical Cord Blood for Graft Failure after Allogeneic Hematopoietic Stem Cell Transplantation for Aplastic Anemia. <i>Biology of Blood and Marrow Transplantation</i> , <b>2017</b> , 23, 2137-2142	4.7	8
175	Clinical Practice Recommendations on Indication and Timing of Hematopoietic Cell Transplantation in Mature T Cell and NK/T Cell Lymphomas: An International Collaborative Effort on Behalf of the Guidelines Committee of the American Society for Blood and Marrow Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2017</b> , 23, 1826-1838	4.7	89
174	Phase II study of intrabone single unit cord blood transplantation for hematological malignancies. <i>Cancer Science</i> , <b>2017</b> , 108, 1634-1639	6.9	9
173	A multicenter phase II prospective clinical trial of glucocorticoid for patients with untreated IgG4-related disease. <i>Modern Rheumatology</i> , <b>2017</b> , 27, 849-854	3.3	43
172	Outcome differences between children and adolescents and young adults with non-Hodgkin lymphoma following stem cell transplantation. <i>International Journal of Hematology</i> , <b>2017</b> , 105, 369-376	2.3	5
171	A multicenter phase 2 study of empirical low-dose liposomal amphotericin B in patients with refractory febrile neutropenia. <i>International Journal of Hematology</i> , <b>2017</b> , 105, 79-86	2.3	4
170	Early disease progression in patients (pts) with newly diagnosed localized nasal extranodal NK/T-cell lymphoma, nasal type (ENKL) treated with radiotherapy with dexamethasone, etoposide, ifosfamide, and carboplatin (RT-DeVIC).. <i>Journal of Clinical Oncology</i> , <b>2017</b> , 35, 7546-7546	2.2	
169	Fibroblast Growth Factor-2 facilitates the growth and chemo-resistance of leukemia cells in the bone marrow by modulating osteoblast functions. <i>Scientific Reports</i> , <b>2016</b> , 6, 30779	4.9	14
168	A prognostic index for natural killer cell lymphoma after non-anthracycline-based treatment: a multicentre, retrospective analysis. <i>Lancet Oncology</i> , <b>2016</b> , 17, 389-400	21.7	183
167	Impact of cyclophosphamide dose of conditioning on the outcome of allogeneic hematopoietic stem cell transplantation for aplastic anemia from human leukocyte antigen-identical sibling. <i>International Journal of Hematology</i> , <b>2016</b> , 103, 461-8	2.3	7
166	Limited-Stage Mantle Cell Lymphoma. <i>Blood</i> , <b>2016</b> , 128, 5330-5330	2.2	1
165	Comparative Analysis of Japanese and European Typical CLL Patients. <i>Blood</i> , <b>2016</b> , 128, 5564-5564	2.2	1
164	Outcomes and prognostic factors of radiotherapy with dexamethasone, etoposide, ifosfamide, and carboplatin (RT-DeVIC) for newly diagnosed, localized extranodal NK/T-cell lymphoma, nasal type (ENKL): a cooperative study in Japan.. <i>Journal of Clinical Oncology</i> , <b>2016</b> , 34, 7541-7541	2.2	

163	Intrabone Transplantation of a Single Cord Blood Unit Using Non-Irradiated Reduced-Intensity Conditioning. <i>Blood</i> , <b>2016</b> , 128, 3390-3390	2.2	
162	Proteasome Inhibitors and a Fusicoccin Derivative (ISIR-042) Cooperatively Inhibit Proliferation of Myeloma Cells through Induction of C/EBP-Homologous Protein (CHOP/GADD153). <i>Blood</i> , <b>2016</b> , 128, 5657-5657	2.2	
161	Therapy-Related Acute Myeloid Leukemia and Myelodysplastic Syndrome in Lymphoma Patients Receiving Hematopoietic Cell Transplantation. <i>Blood</i> , <b>2016</b> , 128, 827-827	2.2	
160	Clinical and Prognostic Significance of Epstein-Barr Virus in Diffuse Large B-Cell Lymphoma. <i>Blood</i> , <b>2016</b> , 128, 108-108	2.2	
159	Diffuse Large B-Cell Lymphoma in 2016. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , <b>2016</b> , 56, 69-70	1.9	
158	A retrospective study of R-CHOP/CHOP therapy-induced nausea and vomiting in non-Hodgkin's lymphoma patients: a comparison of intravenous and oral 5-HT3 receptor antagonists. <i>International Journal of Hematology</i> , <b>2016</b> , 104, 378-83	2.3	5
157	Cord Blood Transplantation for Multiple Myeloma: A Study from the Multiple Myeloma Working Group of the Japan Society for Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2015</b> , 21, 1291-8	4.7	8
156	Monitoring of Hepatitis B Virus (HBV) DNA and Risk of HBV Reactivation in B-Cell Lymphoma: A Prospective Observational Study. <i>Clinical Infectious Diseases</i> , <b>2015</b> , 61, 719-29	11.6	106
155	Phase I dose-escalation study of cyclophosphamide combined with bortezomib and dexamethasone in Japanese patients with relapsed and/or refractory multiple myeloma. <i>International Journal of Hematology</i> , <b>2015</b> , 102, 434-40	2.3	1
154	Haematopoietic stem cell transplantation for relapsed or refractory anaplastic large cell lymphoma: a study of children and adolescents in Japan. <i>British Journal of Haematology</i> , <b>2015</b> , 168, 557-63	4.5	27
153	Cytomegalovirus Reactivation after Allogeneic Hematopoietic Stem Cell Transplantation is Associated with a Reduced Risk of Relapse in Patients with Acute Myeloid Leukemia Who Survived to Day 100 after Transplantation: The Japan Society for Hematopoietic Cell Transplantation Transplantation-related Complication Working Group. <i>Biology of Blood and Marrow Transplantation, Hematopoietic stem cell transplantation for patients with acute lymphoblastic leukemia and Down syndrome</i> . <i>Pediatric Blood and Cancer</i> , <b>2015</b> , 62, 148-52	4.7	102
152		3	9
151	The role of hematopoietic stem cell transplantation for relapsed and refractory Hodgkin lymphoma. <i>American Journal of Hematology</i> , <b>2015</b> , 90, 132-8	7.1	9
150	A Safety and Efficacy Study of Medium-Dose Etoposide, Cyclophosphamide and Total Body Irradiation Conditioning Before Allogeneic Stem Cell Transplantation for Acute Lymphoblastic Leukemia. <i>Transplantation Direct</i> , <b>2015</b> , 1, e8	2.3	7
149	Comparison of transplantation with reduced and myeloablative conditioning for children with acute lymphoblastic leukemia. <i>Blood</i> , <b>2015</b> , 125, 1352-4	2.2	11
148	Long-term survival following autologous and allogeneic stem cell transplantation for blastic plasmacytoid dendritic cell neoplasm. <i>Blood</i> , <b>2015</b> , 125, 3559-62	2.2	76
147	4) Epstein-Barr Virus and Hematological Malignancy. <i>The Journal of the Japanese Society of Internal Medicine</i> , <b>2015</b> , 104, 1878-1884	0	
146	Prognostic model for mantle cell lymphoma in the rituximab era: a nationwide study in Japan. <i>British Journal of Haematology</i> , <b>2015</b> , 170, 657-68	4.5	16

145	Comparison of chemotherapeutic agents as a myeloablative conditioning with total body irradiation for pediatric acute lymphoblastic leukemia: A study from the pediatric ALL working group of the Japan Society for Hematopoietic Cell Transplantation. <i>Pediatric Blood and Cancer</i> , <b>2015</b> , 62, 1844-50	3	12
144	Changing trends in prognostic factors for patients with multiple myeloma after autologous stem cell transplantation during the immunomodulator drug/proteasome inhibitor era. <i>Cancer Science</i> , <b>2015</b> , 106, 179-85	6.9	14
143	Extranodal NK/T Cell Lymphoma, Nasal Type <b>2015</b> , 199-212		2
142	The Safety of Hematopoietic Stem Cell Harvest from Elderly Family Donor in Japan. <i>Blood</i> , <b>2015</b> , 126, 1897-1897	2.2	1
141	Treatment of patients with adult T cell leukemia/lymphoma with cord blood transplantation: a Japanese nationwide retrospective survey. <i>Biology of Blood and Marrow Transplantation</i> , <b>2014</b> , 20, 1968-74	4.7	24
140	High-dose chemotherapy with autologous stem cell transplantation for elderly patients with relapsed/refractory diffuse large B cell lymphoma: a nationwide retrospective study. <i>Biology of Blood and Marrow Transplantation</i> , <b>2014</b> , 20, 684-9	4.7	29
139	Analysis of outcomes following autologous stem cell transplantation in adult patients with Philadelphia chromosome-negative acute lymphoblastic leukemia during first complete remission. <i>Haematologica</i> , <b>2014</b> , 99, e228-30	6.6	0
138	Granulocyte colony-stimulating factor combined regimen in cord blood transplantation for acute myeloid leukemia: a nationwide retrospective analysis in Japan. <i>Haematologica</i> , <b>2014</b> , 99, e264-8	6.6	21
137	Pretransplant administration of imatinib for allo-HSCT in patients with BCR-ABL-positive acute lymphoblastic leukemia. <i>Blood</i> , <b>2014</b> , 123, 2325-32	2.2	41
136	Prognostic significance of pleural or pericardial effusion and the implication of optimal treatment in primary mediastinal large B-cell lymphoma: a multicenter retrospective study in Japan. <i>Haematologica</i> , <b>2014</b> , 99, 1817-25	6.6	30
135	Mycophenolate mofetil use after unrelated hematopoietic stem cell transplantation for prophylaxis and treatment of graft-vs.-host disease in adult patients in Japan. <i>Clinical Transplantation</i> , <b>2014</b> , 28, 980-9	3.8	14
134	First-line treatment for severe aplastic anemia in children: bone marrow transplantation from a matched family donor versus immunosuppressive therapy. <i>Haematologica</i> , <b>2014</b> , 99, 1784-91	6.6	66
133	Pathogenesis and treatment of extranodal natural killer/T-cell lymphoma. <i>Seminars in Hematology</i> , <b>2014</b> , 51, 42-51	4	61
132	Bloodstream infection after stem cell transplantation in children with idiopathic aplastic anemia. <i>Biology of Blood and Marrow Transplantation</i> , <b>2014</b> , 20, 1145-9	4.7	2
131	Indolent B-cell lymphoma: the current standard in 2014. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , <b>2014</b> , 54, 1-2	1.9	
130	Feasibility of reduced-intensity conditioning followed by unrelated cord blood transplantation for primary hemophagocytic lymphohistiocytosis: a nationwide retrospective analysis in Japan. <i>International Journal of Hematology</i> , <b>2013</b> , 98, 223-30	2.3	23
129	Micafungin for empirical antifungal therapy in patients with febrile neutropenia: multicenter phase 2 study. <i>International Journal of Hematology</i> , <b>2013</b> , 98, 231-6	2.3	4
128	Randomized controlled trial comparing ciprofloxacin and cefepime in febrile neutropenic patients with hematological malignancies. <i>International Journal of Infectious Diseases</i> , <b>2013</b> , 17, e385-90	10.5	5

127	Clinical factors predicting the response of acute graft-versus-host disease to corticosteroid therapy: an analysis from the GVHD Working Group of the Japan Society for Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2013</b> , 19, 1183-9	4.7	55
126	Impact of graft-versus-host disease on allogeneic hematopoietic cell transplantation for adult T cell leukemia-lymphoma focusing on preconditioning regimens: nationwide retrospective study. <i>Biology of Blood and Marrow Transplantation</i> , <b>2013</b> , 19, 1731-9	4.7	40
125	Efficacy and long-term outcome of treatment for pure red cell aplasia after allogeneic stem cell transplantation from major ABO-incompatible donors. <i>Biology of Blood and Marrow Transplantation</i> , <b>2013</b> , 19, 1026-32	4.7	25
124	Extranodal natural killer/T-cell lymphoma involving the gastrointestinal tract: analysis of clinical features and outcomes from the Asia Lymphoma Study Group. <i>Journal of Hematology and Oncology</i> , <b>2013</b> , 6, 86	22.4	46
123	Guidelines for the management of cutaneous lymphomas (2011): a consensus statement by the Japanese Skin Cancer Society - Lymphoma Study Group. <i>Journal of Dermatology</i> , <b>2013</b> , 40, 2-14	1.6	28
122	Impact of hepatitis C virus infection on clinical outcome in recipients after allogeneic hematopoietic cell transplantation. <i>American Journal of Hematology</i> , <b>2013</b> , 88, 477-84	7.1	24
121	Comparison of intravenous with oral busulfan in allogeneic hematopoietic stem cell transplantation with myeloablative conditioning regimens for pediatric acute leukemia. <i>Biology of Blood and Marrow Transplantation</i> , <b>2013</b> , 19, 1690-4	4.7	18
120	Hematopoietic cell transplantation for systemic mature T-cell non-Hodgkin lymphoma. <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, 3100-9	2.2	153
119	Aggressive natural killer cell leukemia: therapeutic potential of L-asparaginase and allogeneic hematopoietic stem cell transplantation. <i>Cancer Science</i> , <b>2012</b> , 103, 1079-83	6.9	47
118	Phase II study of dose-modified busulfan by real-time targeting in allogeneic hematopoietic stem cell transplantation for myeloid malignancy. <i>Cancer Science</i> , <b>2012</b> , 103, 1688-94	6.9	9
117	Allogeneic hematopoietic stem cell transplantation for adult T-cell leukemia-lymphoma with special emphasis on preconditioning regimen: a nationwide retrospective study. <i>Blood</i> , <b>2012</b> , 120, 1734-41	4.7	135
116	Impact of graft-versus-host disease on outcomes after allogeneic hematopoietic cell transplantation for adult T-cell leukemia: a retrospective cohort study. <i>Blood</i> , <b>2012</b> , 119, 2141-8	2.2	93
115	Related transplantation with HLA-1 Ag mismatch in the GVH direction and HLA-8/8 allele-matched unrelated transplantation: a nationwide retrospective study. <i>Blood</i> , <b>2012</b> , 119, 2409-16	2.2	48
114	Stem cell transplantation for paediatric patients with non-anaplastic peripheral T-cell lymphoma in Japan. <i>British Journal of Haematology</i> , <b>2012</b> , 159, 88-93	4.5	7
113	Peripheral blood as a preferable source of stem cells for salvage transplantation in patients with graft failure after cord blood transplantation: a retrospective analysis of the registry data of the Japanese Society for Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , <b>2012</b> , 18, 1407-14	4.7	32
112	NK/T-cell lymphomas: pathobiology, prognosis and treatment paradigm. <i>Current Oncology Reports</i> , <b>2012</b> , 14, 395-402	6.3	36
111	Comparison of unrelated cord blood transplantation and HLA-mismatched unrelated bone marrow transplantation for adults with leukemia. <i>Biology of Blood and Marrow Transplantation</i> , <b>2012</b> , 18, 780-7	4.7	57
110	RET, ROS1 and ALK fusions in lung cancer. <i>Nature Medicine</i> , <b>2012</b> , 18, 378-81	50.5	990

109	Low incidences of acute and chronic graft-versus-host disease after unrelated bone marrow transplantation with low-dose anti-T lymphocyte globulin. <i>International Journal of Hematology</i> , <b>2012</b> , 96, 773-80	2.3	10
108	Reply to A. Chan et al. <i>Journal of Clinical Oncology</i> , <b>2012</b> , 30, 1016-1017	2.2	4
107	Pretreatment EBV-DNA copy number is predictive of response and toxicities to SMILE chemotherapy for extranodal NK/T-cell lymphoma, nasal type. <i>Clinical Cancer Research</i> , <b>2012</b> , 18, 4183-90	12.9	69
106	A novel clinical entity, IgG4-related disease (IgG4RD): general concept and details. <i>Modern Rheumatology</i> , <b>2012</b> , 22, 1-14	3.3	552
105	A novel clinical entity, IgG4-related disease (IgG4RD): general concept and details. <i>Modern Rheumatology</i> , <b>2012</b> , 22, 1-14	3.3	277
104	Reduced-Intensity Versus Myeloablative Conditioning Allogeneic Hematopoietic Stem Cell Transplantation for Patients Aged Over 45 Years with Acute Lymphoblastic Leukemia (ALL) in Remission: A Study From the ALL Working Group of the Japan Society for Hematopoietic Cell Transplantation (JSHCT). <i>Blood</i> , <b>2012</b> , 120, 2027-2027	2.2	
103	Prospective measurement of Epstein-Barr virus-DNA in plasma and peripheral blood mononuclear cells of extranodal NK/T-cell lymphoma, nasal type. <i>Blood</i> , <b>2011</b> , 118, 6018-22	2.2	127
102	Clinicopathological analysis of the age-related differences in patients with Epstein-Barr virus (EBV)-associated extranasal natural killer (NK)/T-cell lymphoma with reference to the relationship with aggressive NK cell leukaemia and chronic active EBV infection-associated lymphoproliferative disorders. <i>Histopathology</i> , <b>2011</b> , 59, 660-71	7.3	38
101	Use of mycophenolate mofetil in patients received allogeneic hematopoietic stem cell transplantation in Japan. <i>International Journal of Hematology</i> , <b>2011</b> , 93, 523-531	2.3	15
100	Outcome of medium-dose VP-16/CY/TBI superior to CY/TBI as a conditioning regimen for allogeneic stem cell transplantation in adult patients with acute lymphoblastic leukemia. <i>International Journal of Hematology</i> , <b>2011</b> , 94, 463-71	2.3	12
99	Phase II study of SMILE chemotherapy for newly diagnosed stage IV, relapsed, or refractory extranodal natural killer (NK)/T-cell lymphoma, nasal type: the NK-Cell Tumor Study Group study. <i>Journal of Clinical Oncology</i> , <b>2011</b> , 29, 4410-6	2.2	416
98	Reduced-intensity versus conventional myeloablative conditioning for patients with Philadelphia chromosome-negative acute lymphoblastic leukemia in complete remission. <i>Blood</i> , <b>2011</b> , 117, 3698-9	2.2	16
97	Comparison of Autologous and Allogeneic Hematopoietic Stem Cell Transplantation for Extranodal NK/T-Cell Lymphoma, Nasal Type: Analysis of the Japan Society for Hematopoietic Cell Transplantation (JSHCT) Lymphoma Working Group. <i>Blood</i> , <b>2011</b> , 118, 503-503	2.2	9
96	Trough plasma concentration of imatinib reflects BCR-ABL kinase inhibitory activity and clinical response in chronic-phase chronic myeloid leukemia: a report from the BINGO study. <i>Cancer Science</i> , <b>2010</b> , 101, 2186-92	6.9	42
95	Dosing of a phase I study of KW-0761, an anti-CCR4 antibody, for adult T-cell leukemia-lymphoma and peripheral T-cell lymphoma. <i>Journal of Clinical Oncology</i> , <b>2010</b> , 28, e404-5; author reply e406	2.2	14
94	Successful treatment of extranodal natural killer/T-cell lymphoma, nasal type, complicated by severe hemophagocytic syndrome, with dexamethasone, methotrexate, ifosfamide, L-asparaginase, and etoposide chemotherapy followed by autologous stem cell transplant. <i>Leukemia and Lymphoma</i> , <b>2010</b> , 51, 720-3	1.9	9
93	Transplantation of allogeneic hematopoietic stem cells for adult T-cell leukemia: a nationwide retrospective study. <i>Blood</i> , <b>2010</b> , 116, 1369-76	2.2	211
92	The therapeutic effect of rituximab on CD5-positive and CD5-negative diffuse large B-cell lymphoma. <i>Hematological Oncology</i> , <b>2010</b> , 28, 27-32	1.3	24

91	Concurrent chemoradiotherapy for limited-stage extranodal natural killer/t-cell lymphoma, nasal type. <i>Journal of Clinical Oncology</i> , <b>2010</b> , 28, e229; author reply e230	2.2	9
90	Allogeneic stem cell transplantation for adult Philadelphia chromosome-negative acute lymphocytic leukemia: comparable survival rates but different risk factors between related and unrelated transplantation in first complete remission. <i>Blood</i> , <b>2010</b> , 116, 4368-75	2.2	35
89	The clinical characteristics of CD7+ CD56+ acute myeloid leukemias other than M0. <i>International Journal of Hematology</i> , <b>2010</b> , 91, 303-9	2.3	12
88	Linkage of expression of chemokine receptors (CXCR3 and CCR4) and cytotoxic molecules in peripheral T cell lymphoma, not otherwise specified and ALK-negative anaplastic large cell lymphoma. <i>International Journal of Hematology</i> , <b>2010</b> , 91, 426-35	2.3	17
87	Peripheral blood stem cell versus bone marrow transplantation from HLA-identical sibling donors in patients with leukemia: a propensity score-based comparison from the Japan Society for Hematopoietic Stem Cell Transplantation registry. <i>International Journal of Hematology</i> , <b>2010</b> , 91, 855-64	2.3	34
86	Use of foscarnet for cytomegalovirus infection after allogeneic hematopoietic stem cell transplantation from a related donor. <i>International Journal of Hematology</i> , <b>2010</b> , 92, 351-9	2.3	13
85	Treatment of advanced extranodal NK/T cell lymphoma, nasal-type and aggressive NK-cell leukemia. <i>International Journal of Hematology</i> , <b>2010</b> , 92, 697-701	2.3	42
84	Safety and Risk of Allogeneic Peripheral Blood Stem Cell Donation: The Comprehensive Report of Nation-Wide Consecutively Pre-Registered 3,264 Family Donor Survey In 10years Project by Japan Society for Hematopoietic Cell Transplantation.. <i>Blood</i> , <b>2010</b> , 116, 1180-1180	2.2	1
83	Pretreatment EBV-DNA Copy Number Is Predictive for Response to SMILE Chemotherapy for Newly-Diagnosed Stage IV, Relapsed or Refractory Extranodal NK/T-Cell Lymphoma, Nasal Type: Results of NKTSG Phase II Study. <i>Blood</i> , <b>2010</b> , 116, 2873-2873	2.2	2
82	Aggressive NK Cell Leukemia (ANKL): Experience with 34 Patients and Therapeutic Potentials of L-Asparaginase and Allogeneic Hematopoietic Cell Transplantation - A Japan-Korea Multicenter Study for ANKL (ANKL07) -. <i>Blood</i> , <b>2010</b> , 116, 3091-3091	2.2	
81	Hematopoietic stem cell transplantation for core binding factor acute myeloid leukemia: t(8;21) and inv(16) represent different clinical outcomes. <i>Blood</i> , <b>2009</b> , 113, 2096-103	2.2	49
80	Gain-of-function mutations and copy number increases of Notch2 in diffuse large B-cell lymphoma. <i>Cancer Science</i> , <b>2009</b> , 100, 920-6	6.9	122
79	Disease-specific analyses of unrelated cord blood transplantation compared with unrelated bone marrow transplantation in adult patients with acute leukemia. <i>Blood</i> , <b>2009</b> , 113, 1631-8	2.2	184
78	Differences between nasal and extranasal NK/T-cell lymphoma. <i>Blood</i> , <b>2009</b> , 113, 6260-1; author reply 6261-2	2.2	14
77	Prospective Measurement of EBV-DNA in Plasma and Peripheral Blood Mononuclear Cells of Extranodal NK/T-Cell Lymphoma, Nasal Type.. <i>Blood</i> , <b>2009</b> , 114, 135-135	2.2	
76	Superior Outcomes Using Medium-Dose VP-16/CY/TBI to CY/TBI as a Conditioning Regimen for Allogeneic Stem Cell Transplantation for Adult Patients with Acute Lymphoblastic Leukemia.. <i>Blood</i> , <b>2009</b> , 114, 2306-2306	2.2	1
75	Proposal of Progressive Adult Onset EBV-Associated Lymphoproliferative Disorder (PAEBV) as a Rapid-Onset Neoplastic Disease.. <i>Blood</i> , <b>2009</b> , 114, 2920-2920	2.2	0
74	High-grade mature B-cell lymphoma with Burkitt-like morphology: results of a clinicopathological study of 72 Japanese patients. <i>Cancer Science</i> , <b>2008</b> , 99, 246-52	6.9	18

73	Phase I study of dexamethasone, methotrexate, ifosfamide, L-asparaginase, and etoposide (SMILE) chemotherapy for advanced-stage, relapsed or refractory extranodal natural killer (NK)/T-cell lymphoma and leukemia. <i>Cancer Science</i> , <b>2008</b> , 99, 1016-20	6.9	167
72	Long-term outcome after bone marrow transplantation for aplastic anemia using cyclophosphamide and total lymphoid irradiation as conditioning regimen. <i>Biology of Blood and Marrow Transplantation</i> , <b>2008</b> , 14, 43-9	4.7	21
71	Autologous hematopoietic stem cell transplantation in extranodal natural killer/T cell lymphoma: a multinational, multicenter, matched controlled study. <i>Biology of Blood and Marrow Transplantation</i> , <b>2008</b> , 14, 1356-64	4.7	109
70	De novo CD5+ diffuse large B-cell lymphoma: results of a detailed clinicopathological review in 120 patients. <i>Haematologica</i> , <b>2008</b> , 93, 1195-202	6.6	102
69	Clinical significance of minimal residual disease in patients with t(8;21) acute myeloid leukemia in Japan. <i>International Journal of Hematology</i> , <b>2008</b> , 88, 154-158	2.3	9
68	Measuring Epstein-Barr virus (EBV) load: the significance and application for each EBV-associated disease. <i>Reviews in Medical Virology</i> , <b>2008</b> , 18, 305-19	11.7	118
67	Extranodal NK/T-cell lymphoma: diagnosis and treatment cues. <i>Hematological Oncology</i> , <b>2008</b> , 26, 66-72	1.3	111
66	Prospective phase II trial to evaluate the complications and kinetics of chimerism induction following allogeneic hematopoietic stem cell transplantation with fludarabine and busulfan. <i>American Journal of Hematology</i> , <b>2007</b> , 82, 873-80	7.1	13
65	Prognostic significance of NPM-ALK fusion transcript overexpression in ALK-positive anaplastic large-cell lymphoma. <i>Modern Pathology</i> , <b>2007</b> , 20, 648-55	9.8	8
64	Unification of hematopoietic stem cell transplantation registries in Japan and establishment of the TRUMP system. <i>International Journal of Hematology</i> , <b>2007</b> , 86, 269-274	2.3	240
63	Hodgkin-like anaplastic large cell lymphoma (previously designated in the REAL classification) has same immunophenotypic features to classical Hodgkin lymphoma. <i>Leukemia and Lymphoma</i> , <b>2007</b> , 48, 1127-38	1.9	18
62	Age-related EBV-associated B-cell lymphoproliferative disorders constitute a distinct clinicopathologic group: a study of 96 patients. <i>Clinical Cancer Research</i> , <b>2007</b> , 13, 5124-32	12.9	347
61	Huge mass of cutaneous-type adult T-cell leukemia which responded to interferon gamma. <i>Internal Medicine</i> , <b>2007</b> , 46, 147	1.1	4
60	Intravascular large B-cell lymphoma (IVLBCL): a clinicopathologic study of 96 cases with special reference to the immunophenotypic heterogeneity of CD5. <i>Blood</i> , <b>2007</b> , 109, 478-85	2.2	323
59	Unification of hematopoietic stem cell transplantation registries in Japan and establishment of the TRUMP System. <i>International Journal of Hematology</i> , <b>2007</b> , 86, 269-74	2.3	86
58	Pseudo-Gaucher cells in light chain plasma cell myeloma. <i>American Journal of Hematology</i> , <b>2006</b> , 81, 468-9	1	5
57	Prognostic significance of T-cell or cytotoxic molecules phenotype in classical Hodgkin lymphoma: a clinicopathologic study. <i>Journal of Clinical Oncology</i> , <b>2006</b> , 24, 4626-33	2.2	71
56	Senile Epstein-Barr virus-associated B-cell lymphoproliferative disorders: a mini review. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , <b>2006</b> , 46, 1-4	1.9	57

55	Mylotarg is not a "magic bullet". <i>International Journal of Hematology</i> , <b>2006</b> , 84, 188-9	2.3	
54	Clinical characteristics and prognostic implications of NPM1 mutations in acute myeloid leukemia. <i>Blood</i> , <b>2005</b> , 106, 2854-61	2.2	225
53	Clinicopathologic and prognostic significance of cytotoxic molecule expression in nodal peripheral T-cell lymphoma, unspecified. <i>American Journal of Surgical Pathology</i> , <b>2005</b> , 29, 1284-93	6.7	105
52	NK-cell neoplasms in Japan. <i>Hematology</i> , <b>2005</b> , 10, 237-45	2.2	88
51	MALT1 contains nuclear export signals and regulates cytoplasmic localization of BCL10. <i>Blood</i> , <b>2005</b> , 106, 4210-6	2.2	38
50	Allogeneic haematopoietic stem cell transplantation as a promising treatment for natural killer-cell neoplasms. <i>British Journal of Haematology</i> , <b>2005</b> , 130, 561-7	4.5	112
49	Genome-wide array-based CGH for mantle cell lymphoma: identification of homozygous deletions of the proapoptotic gene BIM. <i>Oncogene</i> , <b>2005</b> , 24, 1348-58	9.2	262
48	Genome-wide array-based comparative genomic hybridization of natural killer cell lymphoma/leukemia: different genomic alteration patterns of aggressive NK-cell leukemia and extranodal Nk/T-cell lymphoma, nasal type. <i>Genes Chromosomes and Cancer</i> , <b>2005</b> , 44, 247-55	5	165
47	Blastic natural killer cell lymphoma/leukemia (CD56-positive blastic tumor): prognostication and categorization according to anatomic sites of involvement. <i>Cancer</i> , <b>2005</b> , 104, 1022-31	6.4	64
46	Leukemia and Lymphoma of Natural Killer Cells. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , <b>2005</b> , 45, 51-70	1.9	19
45	Nucleophosmin in acute myelogenous leukemia. <i>New England Journal of Medicine</i> , <b>2005</b> , 352, 1819-20; author reply 1819-20	59.2	44
44	Genome-wide array-based comparative genomic hybridization of diffuse large B-cell lymphoma: comparison between CD5-positive and CD5-negative cases. <i>Cancer Research</i> , <b>2004</b> , 64, 5948-55	10.1	62
43	Comparison of genetic aberrations in CD10+ diffused large B-cell lymphoma and follicular lymphoma by comparative genomic hybridization and tissue-fluorescence in situ hybridization. <i>Cancer Science</i> , <b>2004</b> , 95, 809-14	6.9	11
42	MASL1, a candidate oncogene found in amplification at 8p23.1, is translocated in immunoblastic B-cell lymphoma cell line OCI-LY8. <i>Oncogene</i> , <b>2004</b> , 23, 2576-81	9.2	29
41	Contig array CGH at 3p14.2 points to the FRA3B/FHIT common fragile region as the target gene in diffuse large B-cell lymphoma. <i>Oncogene</i> , <b>2004</b> , 23, 9148-54	9.2	31
40	Lack of association between DNA base excision repair gene XRCC1 Gln399Arg polymorphism and risk of malignant lymphoma in Japan. <i>Cancer Genetics and Cytogenetics</i> , <b>2004</b> , 149, 77-80		32
39	Methylenetetrahydrofolate reductase gene (MTHFR) polymorphisms and reduced risk of malignant lymphoma. <i>American Journal of Hematology</i> , <b>2004</b> , 77, 351-7	7.1	44
38	Analysis of chromosomal imbalances in de novo CD5-positive diffuse large-B-cell lymphoma detected by comparative genomic hybridization. <i>Genes Chromosomes and Cancer</i> , <b>2004</b> , 39, 77-81	5	38

37	High Incidence of Asian Variant Intravascular Large B-Cell Lymphoma (IVL) among IVL in Japan: Clinicopathologic Study of 95 Patients.. <i>Blood</i> , <b>2004</b> , 104, 1365-1365	2.2	3
36	Senile EBV+ B-cell lymphoproliferative disorders: a clinicopathologic study of 22 patients. <i>American Journal of Surgical Pathology</i> , <b>2003</b> , 27, 16-26	6.7	316
35	Prognostic significance of CD7+CD56+ phenotype and chromosome 5 abnormalities for acute myeloid leukemia M0. <i>International Journal of Hematology</i> , <b>2003</b> , 77, 482-9	2.3	27
34	Pilot phase I/II study of new salvage therapy (CHASE) for refractory or relapsed malignant lymphoma. <i>International Journal of Hematology</i> , <b>2003</b> , 77, 503-11	2.3	33
33	Phenotypic analysis of peripheral T/NK cell lymphoma: study of 408 Japanese cases with special reference to their anatomical sites. <i>Pathology International</i> , <b>2003</b> , 53, 333-44	1.8	23
32	Stability and subcellular localization of API2-MALT1 chimeric protein involved in t(11;18) (q21;q21) MALT lymphoma. <i>Oncogene</i> , <b>2003</b> , 22, 8085-92	9.2	26
31	Molecular cytogenetic analysis of the breakpoint region at 6q21-22 in T-cell lymphoma/leukemia cell lines. <i>Genes Chromosomes and Cancer</i> , <b>2002</b> , 34, 175-85	5	33
30	MUM1/IRF4 expression is an unfavorable prognostic factor in B-cell chronic lymphocytic leukemia (CLL)/small lymphocytic lymphoma (SLL). <i>Japanese Journal of Cancer Research</i> , <b>2002</b> , 93, 685-94		24
29	Centroblastic and centroblastic/centrocytic lymphoma associated with a prominent epithelioid granulomatous response: a clinicopathologic study of 50 cases. <i>Modern Pathology</i> , <b>2002</b> , 15, 750-8	9.8	8
28	De novo CD5+ diffuse large B-cell lymphoma: a clinicopathologic study of 109 patients. <i>Blood</i> , <b>2002</b> , 99, 815-21	2.2	241
27	Association between polymorphisms of folate- and methionine-metabolizing enzymes and susceptibility to malignant lymphoma. <i>Blood</i> , <b>2001</b> , 97, 3205-9	2.2	161
26	Attribution of posttransplantation toxicity to methotrexate regarding genotype of methylenetetrahydrofolate reductase gene (MTHFR) polymorphism needs further clarification. <i>Blood</i> , <b>2001</b> , 98, 2283-4	2.2	8
25	Central nervous system involvement in pyothorax-associated lymphoma: ring enhancement on CT scan. <i>Annals of Hematology</i> , <b>2001</b> , 80, 174-7	3	17
24	Assessment of prognostic factors in follicular lymphoma patients. <i>International Journal of Hematology</i> , <b>2001</b> , 73, 363-8	2.3	16
23	CD34+-selected autologous peripheral blood stem cell transplantation conditioned with total body irradiation for malignant lymphoma: increased risk of infectious complications. <i>International Journal of Hematology</i> , <b>2001</b> , 74, 214-21	2.3	4
22	Detection of AP12-MALT1 chimaeric gene in extranodal and nodal marginal zone B-cell lymphoma by reverse transcription polymerase chain reaction (PCR) and genomic long and accurate PCR analyses. <i>British Journal of Haematology</i> , <b>2001</b> , 115, 588-94	4.5	33
21	Peripheral T/natural killer-cell lymphoma involving the female genital tract: a clinicopathologic study of 5 cases. <i>International Journal of Hematology</i> , <b>2001</b> , 73, 108-14	2.3	27
20	Morphological spectrum of cyclin D1-positive mantle cell lymphoma: study of 168 cases. <i>Pathology International</i> , <b>2001</b> , 51, 747-61	1.8	39

19	Sarcomatoid variant of anaplastic large cell lymphoma with cytoplasmic ALK and alpha-smooth muscle actin expression: a mimic of inflammatory myofibroblastic tumor. <i>American Journal of Pathology</i> , <b>2001</b> , 159, 383-4	5.8	30
18	Detection of cyclin D1 overexpression by real-time reverse-transcriptase-mediated quantitative polymerase chain reaction for the diagnosis of mantle cell lymphoma. <i>American Journal of Pathology</i> , <b>2001</b> , 159, 425-9	5.8	31
17	API2-MALT1 chimeric transcripts involved in mucosa-associated lymphoid tissue type lymphoma predict heterogeneous products. <i>American Journal of Pathology</i> , <b>2000</b> , 156, 807-12	5.8	109
16	□HallmarkRCells in Nodal Cytotoxic Lymphomas. <i>American Journal of Surgical Pathology</i> , <b>2000</b> , 24, 1310	6.7	1
15	A new preconditioning regimen with melphalan, busulphan and total body irradiation followed by low-dose immunosuppressant in allogeneic haemopoietic stem cell transplantation. <i>British Journal of Haematology</i> , <b>1999</b> , 105, 799-802	4.5	4
14	Infrequent BCL10 mutations in B-cell non-HodgkinB lymphomas. <i>Japanese Journal of Cancer Research</i> , <b>1999</b> , 90, 1316-20		20
13	Establishment of an inducible expression system of chimeric MLL-LTG9 protein and inhibition of Hox a7, Hox b7 and Hox c9 expression by MLL-LTG9 in 32Dcl3 cells. <i>Oncogene</i> , <b>1999</b> , 18, 1125-30	9.2	23
12	A novel gene, MALT1 at 18q21, is involved in t(11;18) (q21;q21) found in low-grade B-cell lymphoma of mucosa-associated lymphoid tissue. <i>Oncogene</i> , <b>1999</b> , 18, 5785-94	9.2	313
11	Malignancies of natural killer (NK) cell precursor: myeloid/NK cell precursor acute leukemia and blastic NK cell lymphoma/leukemia. <i>Leukemia Research</i> , <b>1999</b> , 23, 615-24	2.7	120
10	Molecular cytogenetic delineation of the breakpoint at 18q21.1 in low-grade B-cell lymphoma of mucosa-associated lymphoid tissue <b>1999</b> , 24, 315-321		25
9	HodgkinB disease expressing follicular dendritic cell marker CD21 without any other B-cell marker: a clinicopathologic study of nine cases. <i>American Journal of Surgical Pathology</i> , <b>1999</b> , 23, 363-76	6.7	30
8	Nodal cytotoxic lymphoma spectrum: a clinicopathologic study of 66 patients. <i>American Journal of Surgical Pathology</i> , <b>1999</b> , 23, 1184-200	6.7	71
7	Expression of the TCL1 gene at 14q32 in B-cell malignancies but not in adult T-cell leukemia. <i>Japanese Journal of Cancer Research</i> , <b>1998</b> , 89, 712-8		37
6	A small deletion in the 3Runtranslated region of the cyclin D1/PRAD1/bcl-1 oncogene in a patient with chronic lymphocytic leukemia. <i>International Journal of Cancer</i> , <b>1998</b> , 76, 791-6	7.5	20
5	CD7+ and CD56+ Myeloid/Natural Killer Cell Precursor Acute Leukemia: A Distinct Hematolymphoid Disease Entity. <i>Blood</i> , <b>1997</b> , 90, 2417-2428	2.2	166
4	Somatic hypermutations in the VH segment of immunoglobulin genes of CD5-positive diffuse large B-cell lymphomas. <i>Japanese Journal of Cancer Research</i> , <b>1997</b> , 88, 1087-93		32
3	Phase I/II trial of cure-oriented high-dose chemoradiotherapy with transplantation of CD34+ peripheral blood stem cells purified by the immunomagnetic bead method for refractory hematological malignancies. Nagoya CD34+ PBSCT Study Group. <i>Cancer Chemotherapy and Pharmacology</i> , <b>1997</b> , 40 Suppl, S51-7	3.5	8
2	Anaplastic large cell lymphoma: a distinct molecular pathologic entity: a reappraisal with special reference to p80(NPM/ALK) expression. <i>American Journal of Surgical Pathology</i> , <b>1997</b> , 21, 1420-32	6.7	130

- 1 Centroblastic and centroblastic-centrocytic lymphomas associated with prominent epithelioid granulomatous response without plasma cell differentiation: a clinicopathologic study of 12 cases. *Human Pathology*, **1996**, 27, 660-7 3.7 5