

Annemarie Hennessy

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5255555/annemarie-hennessy-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

156
papers

2,987
citations

31
h-index

49
g-index

161
ext. papers

3,503
ext. citations

3.1
avg, IF

5.05
L-index

#	Paper	IF	Citations
156	Kidney Disease and Electrolyte Disorders in the Context of Drug Use 2021 , 1113-1132		
155	The 2021 International Society for the Study of Hypertension in Pregnancy classification, diagnosis & management recommendations for international practice.. <i>Pregnancy Hypertension</i> , 2021 , 27, 148-169	2.6	12
154	S-glutathionylation of the Na ⁺ -K ⁺ Pump: A Novel Redox Mechanism in Preeclampsia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, 1091-1100	5.6	
153	Accuracy of High-Resolution Manometry in Hiatal Hernia Diagnosis in Primary and Revision Bariatric Surgery. <i>Obesity Surgery</i> , 2021 , 31, 2906-2912	3.7	0
152	Clinical Use of Angiogenic Factors in Managing a Pregnant Woman on Hemodialysis to Term. <i>Kidney International Reports</i> , 2021 , 6, 1449-1453	4.1	
151	Blood pressure assessments of pregnant women in a Day Assessment Unit - A prospective observational study. <i>Obstetric Medicine</i> , 2021 , 14, 26-30	1.5	
150	A multi-centre, open label, randomised, parallel-group, superiority Trial to compare the efficacy of URsodeoxycholic acid with RIFampicin in the management of women with severe early onset Intrahepatic Cholestasis of pregnancy: the TURRIFIC randomised trial. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 51	3.2	6
149	The Learning Curves for Transradial and Ultrasound-Guided Arterial Access: An Analysis of the SURF Trial. <i>Heart Lung and Circulation</i> , 2021 , 30, 1329-1336	1.8	2
148	The unfolded protein response and apoptotic regulation in the human placenta due to maternal cigarette smoking and pre-eclampsia. <i>Reproductive Toxicology</i> , 2021 , 105, 120-127	3.4	0
147	Standard Versus Ultrasound-Guided Cannulation of the Femoral Artery in Patients Undergoing Invasive Procedures: A Meta-Analysis of Randomized Controlled Trials. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	11
146	Clinical Influence of Nonadherence With Prophylactic Aspirin in Preventing Preeclampsia in High-Risk Pregnancies: A Multicenter, Prospective, Observational Cohort Study. <i>Hypertension</i> , 2020 , 75, 1125-1132	8.5	8
145	Calcium deficient placental growth restriction is mediated by an increase in non-invasive integrin β and α phenotype. <i>Pregnancy Hypertension</i> , 2020 , 19, 138-142	2.6	3
144	Effect of Placental Growth Factor on Trophoblast-Endothelial Cell Interactions In Vitro. <i>Reproductive Sciences</i> , 2020 , 27, 1285-1292	3	1
143	Galectin-1-Related Modulation of Trophoblast Endothelial Interactions by Integrins β and α . <i>Reproductive Sciences</i> , 2020 , 27, 1097-1109	3	4
142	Medicine in Context: ten years Pexperience in diversity education for medical students in Greater Western Sydney, Australia. <i>GMS Journal for Medical Education</i> , 2020 , 37, Doc21	0.8	1
141	Associations between restrictions on public mobility and slowing of new COVID-19 case rates in three countries. <i>Medical Journal of Australia</i> , 2020 , 213, 471-473	4	3
140	Blood pressure postpartum (BP) RCT protocol: Follow-up and lifestyle behaviour change strategies in the first 12 months after hypertensive pregnancy. <i>Pregnancy Hypertension</i> , 2020 , 22, 1-6	2.6	4

139	The 15-Epilipoxin-A4 Pathway with Prophylactic Aspirin in Preventing Preeclampsia: A Longitudinal Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	6
138	Effect of placental growth factor in models of experimental pre-eclampsia and trophoblast invasion. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2020 , 47, 49-59	3	3
137	A pharmacokinetic assessment of optimal dosing, preparation, and chronotherapy of aspirin in pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 221, 255.e1-255.e9	6.4	16
136	Aspirin in the prevention of preeclampsia: the conundrum of how, who and when. <i>Journal of Human Hypertension</i> , 2019 , 33, 1-9	2.6	8
135	Does induction of labour in nulliparous hypertensive women result in vaginal birth? - A descriptive study utilising birth registry data. <i>Pregnancy Hypertension</i> , 2018 , 12, 16-22	2.6	1
134	Adolescent Perinatal Outcomes in South West Sydney, Australia. <i>Mayo Clinic Proceedings Innovations, Quality & Outcomes</i> , 2018 , 2, 10-15	3.1	1
133	The chronobiology of blood pressure in pregnancy. <i>Pregnancy Hypertension</i> , 2018 , 12, 104-109	2.6	4
132	CD83 is a new potential biomarker and therapeutic target for Hodgkin lymphoma. <i>Haematologica</i> , 2018 , 103, 655-665	6.6	18
131	Sleep disordered breathing controlled by CPAP and sFlt-1 in a pregnant patient with chronic hypertension: Case report and literature review. <i>Obstetric Medicine</i> , 2018 , 11, 32-34	1.5	3
130	Increased salt sensitivity in offspring of pregnancies complicated by experimental preeclampsia. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2018 , 45, 1302-1308	3	7
129	RNAi modulation of placental sFLT1 for the treatment of preeclampsia. <i>Nature Biotechnology</i> , 2018 ,	44.5	74
128	Immunohistochemical expression of the nicotinic acetylcholine receptor (nAChR) subunits in the human placenta, and effects of cigarette smoking and preeclampsia. <i>Placenta</i> , 2018 , 71, 16-23	3.4	6
127	Quantification of placental change in mouse models of preeclampsia using magnetic resonance microscopy. <i>European Journal of Histochemistry</i> , 2018 , 62, 2868	2.1	3
126	The protective effect of apolipoprotein in models of trophoblast invasion and preeclampsia. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2017 , 312, R40-R48	3.2	15
125	Antihypertensive methyldopa, labetalol, hydralazine, and clonidine reversed tumour necrosis factor- α -inhibited endothelial nitric oxide synthase expression in endothelial-trophoblast cellular networks. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2017 , 44, 421-427	3	7
124	The effect of acetyl salicylic acid (Aspirin) on trophoblast-endothelial interaction in vitro. <i>Journal of Reproductive Immunology</i> , 2017 , 124, 54-61	4.2	22
123	Placental growth factor and pre-eclampsia. <i>Journal of Human Hypertension</i> , 2017 , 31, 782-786	2.6	109
122	All Hypertensive Disorders of Pregnancy Increase the Risk of Future Cardiovascular Disease. <i>Hypertension</i> , 2017 , 70, 798-803	8.5	90

121	A longitudinal analysis of angiotensin II type 1 receptor antibody and angiogenic markers in pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 216, 170.e1-170.e8	6.4	11
120	Benchmarking the Hypertensive Disorders of Pregnancy. <i>Pregnancy Hypertension</i> , 2016 , 6, 279-284	2.6	12
119	DNA methylation profiles in preeclampsia and healthy control placentas. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016 , 310, H1295-303	5.2	53
118	Hypertension in pregnancy and long-term cardiovascular mortality: a retrospective cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 214, 722.e1-6	6.4	26
117	A Cross-Sectional Study of Ageing and Cardiovascular Function over the Baboon Lifespan. <i>PLoS ONE</i> , 2016 , 11, e0159576	3.7	4
116	Vertebral artery dissection in hypertensive disorders of pregnancy: a case series and literature review. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 164	3.2	25
115	Placental Growth Factor Reduces Blood Pressure in a Uteroplacental Ischemia Model of Preeclampsia in Nonhuman Primates. <i>Hypertension</i> , 2016 , 67, 1263-72	8.5	67
114	Inventory of Novel Animal Models Addressing Etiology of Preeclampsia in the Development of New Therapeutic/Intervention Opportunities. <i>American Journal of Reproductive Immunology</i> , 2016 , 75, 402-10 ^{3.8}		23
113	Nicotinic acetylcholine receptors (nAChR) are increased in the pre-eclamptic placenta. <i>Hypertension in Pregnancy</i> , 2015 , 34, 227-40	2	12
112	Linking the old and new -- do angiotensin II type 1 receptor antibodies provide the missing link in the pathophysiology of preeclampsia?. <i>Hypertension in Pregnancy</i> , 2015 , 34, 369-82	2	4
111	Association Between a Woman's Age at First Birth and High Blood Pressure. <i>Medicine (United States)</i> , 2015 , 94, e697	1.8	10
110	Country-of-birth differences in adverse health behaviours among people with type 2 diabetes. <i>Australian and New Zealand Journal of Public Health</i> , 2015 , 39, 250-4	2.3	2
109	Placental Regulation of Inflammation and Hypoxia after TNF- α Infusion in Mice. <i>American Journal of Reproductive Immunology</i> , 2015 , 74, 407-18	3.8	34
108	Renal/Metabolic Consequences of Drug/Alcohol Use 2015 , 1655-1667		
107	Comparison of indirect and direct blood pressure measurements in baboons during ketamine anaesthesia. <i>Journal of Medical Primatology</i> , 2014 , 43, 217-24	0.7	7
106	Reply: To PMID 23467048. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 210, 174-5	6.4	1
105	Antihypertensive drugs methyldopa, labetalol, hydralazine, and clonidine improve trophoblast interaction with endothelial cellular networks in vitro. <i>Journal of Hypertension</i> , 2014 , 32, 1075-83; discussion 1083	1.9	21
104	Response to assessment of retinal vasculature in pregnancy: unveiling the complex pathogenesis of gestational vascular complications. <i>Hypertension</i> , 2014 , 63, e10	8.5	

103	The expression of placental soluble fms-like tyrosine kinase 1 in mouse placenta varies significantly across different litters from normal pregnant mice. <i>Hypertension in Pregnancy</i> , 2014 , 33, 371-4	2	6
102	Variability in mRNA expression of fms-like tyrosine kinase-1 variants in normal and preeclamptic placenta. <i>BMC Research Notes</i> , 2014 , 7, 154	2.3	6
101	Cardiovascular disease in women: the significance of hypertension and gestational diabetes during pregnancy. <i>Current Opinion in Cardiology</i> , 2014 , 29, 447-53	2.1	13
100	Cigarette smoking during pregnancy regulates the expression of specific nicotinic acetylcholine receptor (nAChR) subunits in the human placenta. <i>Toxicology and Applied Pharmacology</i> , 2014 , 276, 204-12	4.6	42
99	Nitric oxide (NO) reversed TNF- α inhibition of trophoblast interaction with endothelial cellular networks. <i>Placenta</i> , 2014 , 35, 417-21	3.4	23
98	Cardiovascular risk, lipids and pregnancy: preeclampsia and the risk of later life cardiovascular disease. <i>Heart Lung and Circulation</i> , 2014 , 23, 203-12	1.8	58
97	Quantitation of fibroblast activation protein (FAP)-specific protease activity in mouse, baboon and human fluids and organs. <i>FEBS Open Bio</i> , 2013 , 4, 43-54	2.7	65
96	Association between parity and breastfeeding with maternal high blood pressure. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 208, 454.e1-7	6.4	33
95	The incidence of preeclampsia and eclampsia and associated maternal mortality in Australia from population-linked datasets: 2000-2008. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 208, 476.e1-5	6.4	84
94	Independent roles of country of birth and socioeconomic status in the occurrence of type 2 diabetes. <i>BMC Public Health</i> , 2013 , 13, 1223	4.1	19
93	High blood pressure during pregnancy is associated with future cardiovascular disease: an observational cohort study. <i>BMJ Open</i> , 2013 , 3,	3	20
92	Temporal changes in retinal microvascular caliber and blood pressure during pregnancy. <i>Hypertension</i> , 2013 , 61, 880-5	8.5	17
91	Fetal-maternal alignment of regulatory T cells correlates with IL-10 and Bcl-2 upregulation in pregnancy. <i>Journal of Immunology</i> , 2013 , 191, 145-53	5.3	43
90	Changes in retinal microvascular caliber precede the clinical onset of preeclampsia. <i>Hypertension</i> , 2013 , 62, 899-904	8.5	23
89	Treatment of sleep disordered breathing reverses low fetal activity levels in preeclampsia. <i>Sleep</i> , 2013 , 36, 15-21	1.1	61
88	Associations between family history of cardiovascular disease, knowledge of cardiovascular disease risk factors and health behaviours. <i>Australian Journal of Primary Health</i> , 2013 , 19, 119-23	1.4	5
87	Magnetic resonance imaging detects placental hypoxia and acidosis in mouse models of perturbed pregnancies. <i>PLoS ONE</i> , 2013 , 8, e59971	3.7	13
86	Haemodynamics using transthoracic echocardiography in healthy pregnant and non-pregnant baboons (<i>Papio hamadryas</i>). <i>Journal of Medical Primatology</i> , 2012 , 41, 122-9	0.7	1

85	OS010. Use of retinal imaging to characterise physiological vascular changes throughout pregnancy. <i>Pregnancy Hypertension</i> , 2012 , 2, 179-80	2.6	2
84	OS016. Retinal vascular changes in hypertensive disorders of pregnancy. <i>Pregnancy Hypertension</i> , 2012 , 2, 182-3	2.6	
83	OS041. Apolipoprotein A-I protects normal integration of the trophoblast into endothelial cellular networks in an in vitro model of preeclampsia. <i>Pregnancy Hypertension</i> , 2012 , 2, 198-9	2.6	1
82	OS044. Morphological differences in murine placenta detected by magnetic resonance imaging measurements of T2 relaxation times in mouse models of preeclampsia. <i>Pregnancy Hypertension</i> , 2012 , 2, 200-1	2.6	
81	OS055. Sex-dependent differences in expression of FLT-1 variants and JMJD6 in mouse placenta. <i>Pregnancy Hypertension</i> , 2012 , 2, 206-7	2.6	1
80	OS061. Placental growth factor reduces blood pressure and proteinuria in experimental preeclampsia. <i>Pregnancy Hypertension</i> , 2012 , 2, 210	2.6	3
79	PP001. Variability in mRNA expression of Jmjd6 and FLT-1 variants in normal and preeclamptic human placenta. <i>Pregnancy Hypertension</i> , 2012 , 2, 240	2.6	1
78	PP021 Outcomes for adolescent women and their pregnancies in greater Western Sydney. <i>Pregnancy Hypertension</i> , 2012 , 2, 252	2.6	
77	PP033. High blood pressure in pregnancy: an indicator of future health outcomes. <i>Pregnancy Hypertension</i> , 2012 , 2, 260	2.6	
76	PP034. Cardiovascular outcomes remote from pregnancy in women with HDP: 23-32 years following delivery. <i>Pregnancy Hypertension</i> , 2012 , 2, 260	2.6	
75	PP042. Anti-hypertensive drugs hydralazine, clonidine and labetalol improve trophoblast integration into endothelial cellular networks in vitro. <i>Pregnancy Hypertension</i> , 2012 , 2, 264	2.6	1
74	PP080. Blood pressure in the offspring of experimental preeclamptic and normotensive baboon pregnancies. <i>Pregnancy Hypertension</i> , 2012 , 2, 283-4	2.6	
73	PP084. Magnetic resonance imaging measurements of T2 relaxation times within contrasting regions of murine placenta is dependent upon blood flow. <i>Pregnancy Hypertension</i> , 2012 , 2, 286	2.6	1
72	PP102. Hypertension in pregnancy and long term cardiovascular mortality outcomes. <i>Pregnancy Hypertension</i> , 2012 , 2, 295	2.6	
71	PP155. Relationship between overnight blood pressure and snoring during pregnancy. <i>Pregnancy Hypertension</i> , 2012 , 2, 322-3	2.6	1
70	Menopausal hormone therapy is associated with having high blood pressure in postmenopausal women: observational cohort study. <i>PLoS ONE</i> , 2012 , 7, e40260	3.7	26
69	Tumor necrosis factor α induces a model of preeclampsia in pregnant baboons (<i>Papio hamadryas</i>). <i>Cytokine</i> , 2011 , 56, 192-9	4	59
68	Preeclamptic nephropathy. <i>Nephrology</i> , 2011 , 16, 134-43	2.2	21

67	Vitamin D status and its predictive factors in pregnancy in 2 Australian populations. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2011 , 51, 353-9	1.7	40
66	Urinary placental growth factor differentiates the hypertensive disorders of pregnancy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2011 , 51, 523-6	1.7	1
65	Animal models of pre-eclampsia. <i>American Journal of Reproductive Immunology</i> , 2011 , 65, 533-41	3.8	32
64	TNF- α inhibits trophoblast integration into endothelial cellular networks. <i>Placenta</i> , 2011 , 32, 241-6	3.4	53
63	Benchmarking and patient safety in hypertensive disorders of pregnancy. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2011 , 25, 509-21	4.6	4
62	The compression type of coronary artery motion in patients with ST-segment elevation acute myocardial infarction and normal controls: a case-control study. <i>BMC Research Notes</i> , 2011 , 4, 51	2.3	1
61	Acute pulmonary oedema as a complication of hypertension during pregnancy. <i>Hypertension in Pregnancy</i> , 2011 , 30, 169-79	2	44
60	Cannabis masks diabetic ketoacidosis. <i>BMJ Case Reports</i> , 2011 , 2011,	0.9	5
59	Does the anti-hypertensive drug clonidine affect the short-term variation in CTG recordings?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2010 , 50, 456-9	1.7	4
58	Role of proteinuria in defining pre-eclampsia: clinical outcomes for women and babies. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010 , 37, 466-70	3	41
57	Dialysis for severe hyponatraemia in preeclampsia. <i>Obstetric Medicine</i> , 2010 , 3, 38-9	1.5	5
56	Doppler-derived pulmonary flow reserve detects pulmonary microvascular obstruction in high primates. <i>Heart Lung and Circulation</i> , 2010 , 19, 592-4	1.8	1
55	A novel primate model of delayed wound healing in diabetes: dysregulation of connective tissue growth factor. <i>Diabetologia</i> , 2010 , 53, 572-83	10.3	28
54	Primate maternal placental angiography. <i>Placenta</i> , 2010 , 31, 32-6	3.4	5
53	Measurement of pulmonary flow reserve and pulmonary index of microcirculatory resistance for detection of pulmonary microvascular obstruction. <i>PLoS ONE</i> , 2010 , 5, e9601	3.7	10
52	Exogenous soluble VEGF receptor-1 (sFlt-1) regulates Th1/Th2 cytokine production from normal placental explants via intracellular calcium. <i>Hypertension in Pregnancy</i> , 2009 , 28, 448-56	2	6
51	Effects of anti-hypertensive drugs on production of soluble fms-like tyrosine kinase 1 and soluble endoglin from human normal and pre-eclamptic placentas in vitro. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2009 , 36, 839-42	3	11
50	Measurement of pulmonary flow reserve in higher primates. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2009 , 36, 797-802	3	5

49	Incidence of lymphoma in a captive-bred colony of hamadryas baboons (<i>Papio hamadryas</i>). <i>Australian Veterinary Journal</i> , 2009 , 87, 238-43	1.2	2
48	Effect of hypoxia and exogenous IL-10 on the pro-inflammatory cytokine TNF-alpha and the anti-angiogenic molecule soluble Flt-1 in placental villous explants. <i>Cytokine</i> , 2009 , 47, 56-60	4	31
47	Soluble Flt-1 as a diagnostic marker of pre-eclampsia. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2008 , 48, 64-70	1.7	35
46	Peritoneal dialysis in pregnancy: a case series. <i>Nephrology</i> , 2008 , 13, 380-3	2.2	20
45	Renal connective tissue growth factor correlates with glomerular basement membrane thickness and prospective albuminuria in a non-human primate model of diabetes: possible predictive marker for incipient diabetic nephropathy. <i>Journal of Diabetes and Its Complications</i> , 2008 , 22, 284-94	3.2	50
44	Vascular endothelial growth factor receptor 1 (Flt1) and apoptosis in the preeclamptic placenta and effects of in vivo anti-hypertensive exposure. <i>Hypertension in Pregnancy</i> , 2008 , 27, 361-73	2	1
43	Maternal parity affects neonatal survival rate in a colony of captive bred baboons (<i>Papio hamadryas</i>). <i>Journal of Medical Primatology</i> , 2008 , 37, 223-8	0.7	14
42	Distinguishing acute and chronic effects of placental dysfunction on maternal blood pressure 2008 , 33-35		
41	Serum protein oxidation and apolipoprotein CIII levels in people with systemic lupus erythematosus with and without nephritis. <i>Free Radical Research</i> , 2007 , 41, 1301-12	4	30
40	A randomised comparison of hydralazine and mini-bolus diazoxide for hypertensive emergencies in pregnancy: the PIVOT trial. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2007 , 47, 279-85	1.7	32
39	Uteroplacental ischemia results in proteinuric hypertension and elevated sFLT-1. <i>Kidney International</i> , 2007 , 71, 977-84	9.9	246
38	An international benchmarking collaboration: measuring outcomes for the hypertensive disorders of pregnancy. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2007 , 29, 794-800	1.3	7
37	Anti-hypertensive drugs alter cytokine production from preeclamptic placentas and peripheral blood mononuclear cells. <i>Hypertension in Pregnancy</i> , 2007 , 26, 343-56	2	11
36	Placental deficiency of interleukin-10 (IL-10) in preeclampsia and its relationship to an IL10 promoter polymorphism. <i>Placenta</i> , 2006 , 27, 445-51	3.4	83
35	Time poor: rushing decreases the accuracy and reliability of blood pressure measurement technique in pregnancy. <i>Hypertension in Pregnancy</i> , 2006 , 25, 81-91	2	13
34	Antihypertensive drugs clonidine, diazoxide, hydralazine and furosemide regulate the production of cytokines by placentas and peripheral blood mononuclear cells in normal pregnancy. <i>Journal of Hypertension</i> , 2006 , 24, 915-22	1.9	30
33	Screening tests for renal artery stenosis: a case-series from an Australian tertiary referral centre. <i>Nephrology</i> , 2006 , 11, 68-72	2.2	14
32	Interleukin-10 regulates arterial pressure in early primate pregnancy. <i>Cytokine</i> , 2005 , 29, 176-85	4	33

31	Glucocorticoids inhibit placental cytokines from cultured normal and preeclamptic placental explants. <i>Placenta</i> , 2005 , 26, 654-60	3.4	24
30	Garlic increases IL-10 and inhibits TNFalpha and IL-6 production in endotoxin-stimulated human placental explants. <i>Placenta</i> , 2005 , 26, 828-34	3.4	30
29	Addition of Pegylated Megakaryocyte Growth Development Factor (pegMGDF) to G-CSF Improves the Mobilization of Primitive Hemopoietic Cells.. <i>Blood</i> , 2005 , 106, 1967-1967	2.2	
28	Generic obstetric database systems are unreliable for reporting the hypertensive disorders of pregnancy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2004 , 44, 505-9	1.7	18
27	Postpartum hypertension and nonsteroidal analgesia. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 190, 577-8	6.4	60
26	Low selenium is associated with the occurrence of preeclampsia in women from the United Kingdom. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 191, 676; author reply 676-7	6.4	2
25	Precursors to pre-eclampsia: are there markers in the fetal circulation?. <i>Clinical Science</i> , 2004 , 106, 449-50.5	5.5	0
24	Placental tissue interleukin-10 receptor distribution in pre-eclampsia. <i>American Journal of Reproductive Immunology</i> , 2003 , 49, 377-81	3.8	12
23	Placental endothelial nitric oxide synthase localization and expression in normal human pregnancy and pre-eclampsia. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2003 , 30, 376-81	3	35
22	Nitric oxide does not mediate the vasodilation of early human pregnancy. <i>Heart Lung and Circulation</i> , 2003 , 12, 142-8	1.8	5
21	Preeclampsia is associated with a reduced interleukin-10 production from peripheral blood mononuclear cells. <i>Hypertension in Pregnancy</i> , 2003 , 22, 1-8	2	36
20	Transforming growth factor-beta 1 does not relate to hypertension in pre-eclampsia. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2002 , 29, 968-71	3	19
19	Time course of upregulation of fibrogenic growth factors and cellular infiltration in a rodent model of chronic renal allograft rejection. <i>Transplant Immunology</i> , 2002 , 10, 245-54	1.7	12
18	Uteroplacental blood flow and placental vascular endothelial growth factor in normotensive and pre-eclamptic pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2000 , 107, 678-83.7	3.7	32
17	The effects of the menstrual cycle, pregnancy and early lactation on haematology and plasma biochemistry in the baboon (<i>Papio hamadryas</i>). <i>Journal of Medical Primatology</i> , 2000 , 29, 415-20	0.7	28
16	Low-dose nitro-L-arginine administration in baboon (<i>Papio hamadryas</i>) pregnancy. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1999 , 26, 849-52	3	9
15	Biochemistry and haematology values for the baboon (<i>Papio hamadryas</i>): the effects of sex, growth, development and age. <i>Journal of Medical Primatology</i> , 1999 , 28, 19-31	0.7	40
14	A deficiency of placental IL-10 in preeclampsia. <i>Journal of Immunology</i> , 1999 , 163, 3491-5	5.3	174

13	Endothelin in Primate Pregnancy and an Experimental Preeclampsia-Like Syndrome. <i>Hypertension in Pregnancy</i> , 1998 , 17, 227-240	2	2
12	The Role of Angiotensin II Regulation of Glomerular Filtration Rate During Pregnancy. <i>Hypertension in Pregnancy</i> , 1997 , 16, 347-355	2	
11	Evidence for Preeclampsia in a Baboon Pregnancy with Twins. <i>Hypertension in Pregnancy</i> , 1997 , 16, 223-228		8
10	Changes of extracellular matrix in a baboon (<i>Papio hamadryas</i>) model of insulin dependent diabetes: studies using electron microscopy and X-ray diffraction techniques. <i>Diabetes Research and Clinical Practice</i> , 1996 , 34, 65-72	7.4	13
9	Reproductive and neonatal outcomes in captive bred baboons (<i>Papio hamadryas</i>). <i>Journal of Medical Primatology</i> , 1996 , 25, 287-93	0.7	20
8	A unique design for ease of access and movement of captive <i>Papio hamadryas</i> . <i>Laboratory Animals</i> , 1996 , 30, 327-31	2.6	8
7	A baboon (<i>Papio hamadryas</i>) model of insulin-dependent diabetes. <i>Journal of Medical Primatology</i> , 1995 , 24, 29-34	0.7	15
6	Helminthic infestation complicated by intussusception in baboons (<i>Papio hamadryas</i>). <i>Laboratory Animals</i> , 1994 , 28, 270-3	2.6	6
5	Haemodynamic actions of a nitric oxide (EDRF) synthesis inhibitor in conscious baboons (<i>Papio hamadryas</i>). <i>Clinical and Experimental Pharmacology and Physiology</i> , 1994 , 21, 695-700	3	4
4	Andrew F. Phippard. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1994 , 21, 735-735	3	
3	Cardiovascular Research in Pregnancy: The Role of Animal Models. <i>Hypertension in Pregnancy</i> , 1993 , 12, 413-437	2	12
2	Enalapril and reversible acute renal failure. <i>Nephrology Dialysis Transplantation</i> , 1992 , 7, 267-9	4.3	4
1	Newer antihypertensive agents in pregnancy. <i>Medical Journal of Australia</i> , 1992 , 156, 304-5	4	2