

David Olefeldt

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5255986/david-olefeldt-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

54
papers

4,343
citations

25
h-index

65
g-index

78
ext. papers

5,663
ext. citations

9.1
avg. IF

5.34
L-index

#	Paper	IF	Citations
54	BAWLD-CH ₄ : a comprehensive dataset of methane fluxes from boreal and arctic ecosystems. <i>Earth System Science Data</i> , 2021 , 13, 5151-5189	10.5	8
53	The BorealArctic Wetland and Lake Dataset (BAWLD). <i>Earth System Science Data</i> , 2021 , 13, 5127-5149	10.5	10
52	Opposing Effects of Climate and Permafrost Thaw on CH ₄ and CO ₂ Emissions From Northern Lakes. <i>AGU Advances</i> , 2021 , 2, e2021AV000515	5.4	3
51	Shallow soils are warmer under trees and tall shrubs across Arctic and Boreal ecosystems. <i>Environmental Research Letters</i> , 2021 , 16, 015001	6.2	12
50	Half of global methane emissions come from highly variable aquatic ecosystem sources. <i>Nature Geoscience</i> , 2021 , 14, 225-230	18.3	77
49	Constraints on potential enzyme activities in thermokarst bogs: Implications for the carbon balance of peatlands following thaw. <i>Global Change Biology</i> , 2021 , 27, 4711-4726	11.4	2
48	The missing pieces for better future predictions in subarctic ecosystems: A Tornetr�k case study. <i>Ambio</i> , 2021 , 50, 375-392	6.5	3
47	Permafrost Thaw in Northern Peatlands: Rapid Changes in Ecosystem and Landscape Functions. <i>Ecological Studies</i> , 2021 , 27-67	1.1	1
46	Aged soils contribute little to contemporary carbon cycling downstream of thawing permafrost peatlands. <i>Global Change Biology</i> , 2021 , 27, 5368-5382	11.4	3
45	Lability of dissolved organic carbon from boreal peatlands: interactions between permafrost thaw, wildfire, and season. <i>Canadian Journal of Soil Science</i> , 2020 , 100, 503-515	1.4	10
44	Long-term Impacts of Permafrost Thaw on Carbon Storage in Peatlands: Deep Losses Offset by Surficial Accumulation. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2020 , 125, e2019JG005501	3.7	14
43	Thermokarst amplifies fluvial inorganic carbon cycling and export across watershed scales on the Peel Plateau, Canada. <i>Biogeosciences</i> , 2020 , 17, 5163-5182	4.6	6
42	Carbon release through abrupt permafrost thaw. <i>Nature Geoscience</i> , 2020 , 13, 138-143	18.3	214
41	Effects of Prescribed Burn on Nutrient and Dissolved Organic Matter Characteristics in Peatland Shallow Groundwater. <i>Fire</i> , 2020 , 3, 53	2.4	1
40	Hydrological resilience to forest fire in the subarctic Canadian shield. <i>Hydrological Processes</i> , 2020 , 34, 4940-4958	3.3	1
39	Large stocks of peatland carbon and nitrogen are vulnerable to permafrost thaw. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 20438-20446	11.5	142
38	Assessing the Potential for Mobilization of Old Soil Carbon After Permafrost Thaw: A Synthesis of 14C Measurements From the Northern Permafrost Region. <i>Global Biogeochemical Cycles</i> , 2020 , 34, e2020GB006672	5.9	1872

37	Morphometric Control on Dissolved Organic Carbon in Subarctic Streams. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2020 , 125, e2019JG005348	3.7	
36	Permafrost collapse is accelerating carbon release. <i>Nature</i> , 2019 , 569, 32-34	50.4	141
35	A synthesis of three decades of hydrological research at Scotty Creek, NWT, Canada. <i>Hydrology and Earth System Sciences</i> , 2019 , 23, 2015-2039	5.5	20
34	Fire in the Arctic: The effect of wildfire across diverse aquatic ecosystems of the Northwest Territories 2019 , 1, 31-38		4
33	Fluvial CO and CH patterns across wildfire-disturbed ecozones of subarctic Canada: Current status and implications for future change. <i>Global Change Biology</i> , 2019 , 26, 2304	11.4	12
32	Increased deep soil respiration detected despite reduced overall respiration in permafrost peat plateaus following wildfire. <i>Environmental Research Letters</i> , 2019 , 14, 125001	6.2	9
31	Large loss of CO in winter observed across the northern permafrost region.. <i>Nature Climate Change</i> , 2019 , 9, 852-857	21.4	112
30	Changes in Methane Flux along a Permafrost Thaw Sequence on the Tibetan Plateau. <i>Environmental Science & Technology</i> , 2018 , 52, 1244-1252	10.3	31
29	Drivers of dissolved organic carbon export in a subarctic catchment: Importance of microbial decomposition, sorption-desorption, peatland and lateral flow. <i>Science of the Total Environment</i> , 2018 , 622-623, 260-274	10.2	17
28	Respiration of aged soil carbon during fall in permafrost peatlands enhanced by active layer deepening following wildfire but limited following thermokarst. <i>Environmental Research Letters</i> , 2018 , 13, 085002	6.2	28
27	Wildfire as a major driver of recent permafrost thaw in boreal peatlands. <i>Nature Communications</i> , 2018 , 9, 3041	17.4	90
26	Dissolved organic carbon in streams within a subarctic catchment analysed using a GIS/remote sensing approach. <i>PLoS ONE</i> , 2018 , 13, e0199608	3.7	3
25	Seasonal shifts in export of DOC and nutrients from burned and unburned peatland-rich catchments, Northwest Territories, Canada. <i>Hydrology and Earth System Sciences</i> , 2018 , 22, 4455-4472	5.5	25
24	A decade of boreal rich fen greenhouse gas fluxes in response to natural and experimental water table variability. <i>Global Change Biology</i> , 2017 , 23, 2428-2440	11.4	49
23	Influence of Holocene permafrost aggradation and thaw on the paleoecology and carbon storage of a peatland complex in northwestern Canada. <i>Holocene</i> , 2017 , 27, 1391-1405	2.6	25
22	Circumpolar distribution and carbon storage of thermokarst landscapes. <i>Nature Communications</i> , 2016 , 7, 13043	17.4	238
21	Biomass offsets little or none of permafrost carbon release from soils, streams, and wildfire: an expert assessment. <i>Environmental Research Letters</i> , 2016 , 11, 034014	6.2	165
20	Mercury and methylmercury biogeochemistry in a thawing permafrost wetland complex, Northwest Territories, Canada. <i>Hydrological Processes</i> , 2016 , 30, 3627-3638	3.3	28

19	Is the subarctic landscape still a carbon sink? Evidence from a detailed catchment balance. <i>Geophysical Research Letters</i> , 2016 , 43, 1988-1995	4.9	28
18	Climate change and the permafrost carbon feedback. <i>Nature</i> , 2015 , 520, 171-9	50.4	1667
17	A simplified, data-constrained approach to estimate the permafrost carbon-climate feedback. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2015 , 373,	3	125
16	Biomass production efficiency controlled by management in temperate and boreal ecosystems. <i>Nature Geoscience</i> , 2015 , 8, 843-846	18.3	79
15	Carbon budget estimation of a subarctic catchment using a dynamic ecosystem model at high spatial resolution. <i>Biogeosciences</i> , 2015 , 12, 2791-2808	4.6	12
14	A synthesis of methane emissions from 71 northern, temperate, and subtropical wetlands. <i>Global Change Biology</i> , 2014 , 20, 2183-97	11.4	291
13	Permafrost conditions in peatlands regulate magnitude, timing, and chemical composition of catchment dissolved organic carbon export. <i>Global Change Biology</i> , 2014 , 20, 3122-36	11.4	37
12	Influence of the permafrost boundary on dissolved organic matter characteristics in rivers within the Boreal and Taiga plains of western Canada. <i>Environmental Research Letters</i> , 2014 , 9, 035005	6.2	27
11	Total waterborne carbon export and DOC composition from ten nested subarctic peatland catchments: Importance of peatland cover, groundwater influence, and inter-annual variability of precipitation patterns. <i>Hydrological Processes</i> , 2013 , 27, 2280-2294	3.3	53
10	Altered Composition and Microbial versus UV-Mediated Degradation of Dissolved Organic Matter in Boreal Soils Following Wildfire. <i>Ecosystems</i> , 2013 , 16, 1396-1412	3.9	38
9	Environmental and physical controls on northern terrestrial methane emissions across permafrost zones. <i>Global Change Biology</i> , 2013 , 19, 589-603	11.4	231
8	Sources and fate of terrestrial dissolved organic carbon in lakes of a Boreal Plains region recently affected by wildfire. <i>Biogeosciences</i> , 2013 , 10, 6247-6265	4.6	29
7	Net carbon accumulation of a high-latitude permafrost palsamire similar to permafrost-free peatlands. <i>Geophysical Research Letters</i> , 2012 , 39, n/a-n/a	4.9	66
6	Effects of permafrost and hydrology on the composition and transport of dissolved organic carbon in a subarctic peatland complex. <i>Journal of Geophysical Research</i> , 2012 , 117,		97
5	High Resolution Mapping of Peatland Hydroperiod at a High-Latitude Swedish Mire. <i>Remote Sensing</i> , 2012 , 4, 1974-1994	5	22
4	The essential carbon service provided by northern peatlands. <i>Frontiers in Ecology and the Environment</i> ,	5.5	4
3	Characterizing methane emission hotspots from thawing permafrost. <i>Global Biogeochemical Cycles</i> , 2016 , 30, 1922	9.6	4
2	Sources and fate of terrestrial dissolved organic carbon in lakes of a Boreal Plains region recently affected by wildfire		4

- 1 Carbon budget estimation of a subarctic catchment using a dynamic ecosystem model at high spatial resolution