

Sylvain JugÃ©©

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5256075/publications.pdf>

Version: 2024-02-01

55
papers

1,809
citations

257450

24
h-index

276875

41
g-index

61
all docs

61
docs citations

61
times ranked

1519
citing authors

#	ARTICLE	IF	CITATIONS
1	Phospholymethano P-chirogenic-phosphine-borane as P-(η^2 -BH ₃)-chelating ligands of rhodium (I): Synthesis, characterization and asymmetric hydrogenation. <i>Journal of Organometallic Chemistry</i> , 2021, 938, 121753.	1.8	3
2	Design of P-Chirogenic Aminophosphine-Phosphinite Ligands at Both Phosphorus Centers: Origin of Enantioselectivities in Pd-Catalyzed Allylic Reactions. <i>Journal of Organic Chemistry</i> , 2020, 85, 14391-14410.	3.2	7
3	[60]Fullerene Amino Acids and Peptides: Synthesis under Phase-Transfer Catalysis Using a Phosphine-Borane Linker. <i>Electrochemical Behavior. Journal of Organic Chemistry</i> , 2017, 82, 11358-11369.	3.2	11
4	Designing Silylated Amino Acids using a Wittig Strategy: Synthesis of Peptide Derivatives and ¹⁸ F-Labeling. <i>European Journal of Organic Chemistry</i> , 2017, 2017, 5399-5409.	2.4	4
5	Applications and stereoselective syntheses of P-chirogenic phosphorus compounds. <i>Chemical Society Reviews</i> , 2016, 45, 5771-5794.	38.1	333
6	Designing P-Chirogenic 1,2-Diphosphinobenzenes at Both P-Centers Using P(III)-Phosphinites. <i>Organic Letters</i> , 2016, 18, 2930-2933.	4.6	25
7	Phosphonium-Boronate Amino Acid Derivatives as Fluoride Pincers for ¹⁸ F-Labeling. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2015, 190, 957-958.	1.6	0
8	Efficient Synthesis of (P-Chirogenic) <i>o</i> -Boronated Phosphines from <i>sec</i> -Phosphine Boranes. <i>Organic Letters</i> , 2015, 17, 1216-1219.	4.6	26
9	P-Chirogenic Secondary Phosphine Oxides: New Stereoselective Synthesis and Applications. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2015, 190, 955-956.	1.6	3
10	Designing P*-chirogenic Organophosphorus Compounds: from Ligands to Organocatalysts. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2015, 190, 600-611.	1.6	4
11	Efficient Stereoselective Synthesis of Boron L-Amino Acid Derivatives Using Wittig and Borylation Reactions. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2015, 190, 953-954.	1.6	2
12	<i>o</i> -Boronato- and <i>o</i> -Trifluoroborato-Phosphonium Salts Supported by η^1 -Amino Acid Side Chain. <i>Journal of Organic Chemistry</i> , 2015, 80, 4289-4298.	3.2	12
13	Modular <i>P</i> -Chirogenic Phosphine-Sulfide Ligands: Clear Evidence for Both Electronic Effect and <i>P</i> -Chirality Driving Enantioselectivity in Palladium-Catalyzed Allylations. <i>Organometallics</i> , 2015, 34, 4340-4358.	2.3	25
14	Efficient Stereoselective Synthesis of <i>o</i> -Functionalized P-Chirogenic Phosphines Applied to Asymmetric Catalysis. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2015, 190, 700-705.	1.6	2
15	P-chirogenic organocatalysts: application to the aza-Morita-Baylis-Hillman (aza-MBH) reaction of ketimines. <i>Chemical Communications</i> , 2013, 49, 8392.	4.1	80
16	Modular Hemisyntheses of Boronato- and Trifluoroborato-Substituted <i>L</i> -NH ₂ Boc Amino Acid and Peptide Derivatives. <i>European Journal of Organic Chemistry</i> , 2013, 2013, 7960-7972.	2.4	14
17	Organometallic Oligomers Based on Bis(arylacetylide)bis(P-chirogenic phosphine)platinum(II) Complexes: Synthesis and Photonic Properties. <i>Inorganic Chemistry</i> , 2013, 52, 2361-2371.	4.0	17
18	<i>o</i> -(Hydroxyalkyl)phenyl P-Chirogenic Phosphines as Functional Chiral Lewis Bases. <i>Organic Letters</i> , 2013, 15, 1870-1873.	4.6	37

#	ARTICLE	IF	CITATIONS
19	P-Chirogenic Phosphines Supported by Calix[4]arene: New Insight into Palladium-Catalyzed Asymmetric Allylic Substitution. <i>Organometallics</i> , 2013, 32, 2827-2839.	2.3	20
20	Luminescent P-Chirogenic Copper Clusters. <i>Inorganic Chemistry</i> , 2013, 52, 7958-7967.	4.0	37
21	Stereoselective Synthesis of Unsaturated and Functionalized α -NHoc Amino Acids, Using Wittig Reaction under Mild Phase-Transfer Conditions. <i>Journal of Organic Chemistry</i> , 2012, 77, 7579-7587.	3.2	25
22	Modular Phosphole-Methano-Bridged-Phosphine(Borane) Ligands. Application to Rhodium-Catalyzed Reactions. <i>Organometallics</i> , 2012, 31, 857-869.	2.3	22
23	Stereoselective Synthesis of P-Chirogenic Dibenzophosphole-Boranes via Aryne Intermediates. <i>Journal of Organic Chemistry</i> , 2012, 77, 6117-6127.	3.2	30
24	Asymmetric addition of a nitrogen nucleophile to an enoate in the presence of a chiral phase-transfer catalyst: A novel approach toward enantiomerically enriched protected α -amino acids. <i>Heteroatom Chemistry</i> , 2012, 23, 202-209.	0.7	20
25	Stereoselective Synthesis of α -Bromo (or Iodo)aryl P-Chirogenic Phosphines Based on Aryne Chemistry. <i>Journal of Organic Chemistry</i> , 2012, 77, 5759-5769.	3.2	52
26	Supramolecular Hydrogen Bonding Tautomeric Sulfonamido-Phosphinamides: A Perfect P-Chirogenic Memory. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 496-503.	2.0	15
27	P-C Cross-Coupling Onto Enamides: Versatile Synthesis of α -Enamido Phosphane Derivatives. <i>European Journal of Organic Chemistry</i> , 2012, 2012, 1101-1106.	2.4	25
28	The First P-Chirogenic 1D Coordination Polymers with the Metal Centers in the Backbone. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 2597-2609.	2.0	17
29	Enantiodivergent synthesis of P-chirogenic phosphines. <i>Comptes Rendus Chimie</i> , 2010, 13, 1213-1226.	0.5	48
30	Efficient Synthesis of Quaternary and P-Stereogenic Phosphonium Triflates. <i>Organic Letters</i> , 2010, 12, 1568-1571.	4.6	79
31	The first unpaired electron placed inside a C ₃ -symmetry P-chirogenic cluster. <i>Dalton Transactions</i> , 2010, 39, 10068.	3.3	18
32	The First C ₃ -Symmetric P-Stereogenic Diphosphinomethane Trinuclear Palladium Clusters: Synthesis and Characterization. <i>Journal of Cluster Science</i> , 2009, 20, 267-280.	3.3	18
33	First Dibenzophospholyl(diphenylphosphino)methane-Borane Hybrid α - β -BH ₃ Ligand: Synthesis and Rhodium(I) Complex. <i>Organometallics</i> , 2009, 28, 6288-6292.	2.3	29
34	Ferrocenyl glycopeptides as electrochemical probes to detect autoantibodies in multiple sclerosis patients' sera. <i>Biopolymers</i> , 2008, 90, 488-495.	2.4	32
35	Modular P-Chirogenic Aminophosphane-Phosphinite Ligands for Rh-Catalyzed Asymmetric Hydrogenation: A New Model for Prediction of Enantioselectivity. <i>European Journal of Organic Chemistry</i> , 2007, 2007, 2078-2090.	2.4	39
36	Enantiodifferentiation of acyclic phosphonium salts in chiral liquid crystalline solutions. <i>Tetrahedron: Asymmetry</i> , 2006, 17, 1424-1429.	1.8	12

#	ARTICLE	IF	CITATIONS
37	A P-chirogenic \hat{I}^2 -aminophosphine synthesis by diastereoselective reaction of the \hat{I}^{\pm} -metallated PAMPa \hat{C} borane complex with benzaldimine. <i>Tetrahedron: Asymmetry</i> , 2004, 15, 2061-2065.	1.8	18
38	A novel phosphorus \hat{C} carbon bond formation by ring opening with diethyl phosphite of oxazolines derived from serine. <i>Tetrahedron</i> , 2004, 60, 3593-3597.	1.9	20
39	Efficient Synthesis of \hat{I}^2 -Halogeno Protected L-Alanines and Their \hat{I}^2 -Phosponium Derivatives.. <i>ChemInform</i> , 2003, 34, no.	0.0	0
40	NMR enantiodifferentiation of triphenylphosphonium salts by chiral hexacoordinated phosphate anions. <i>Tetrahedron Letters</i> , 2003, 44, 2467-2471.	1.4	37
41	Efficient synthesis of \hat{I}^2 -halogeno protected l-alanines and their \hat{I}^2 -phosponium derivatives. <i>Tetrahedron: Asymmetry</i> , 2003, 14, 2229-2238.	1.8	13
42	Configurational Stability of Chlorophosphines. <i>Inorganic Chemistry</i> , 2003, 42, 420-427.	4.0	47
43	Highly Enantiomerically Enriched Chlorophosphine Boranes:â€‰ Synthesis and Applications as P-Chirogenic Electrophilic Blocks. <i>Journal of Organic Chemistry</i> , 2003, 68, 4293-4301.	3.2	97
44	Direct use of chiral or achiral organophosphorus boranes as pro-ligands for transition metal catalyzed reactions. <i>Journal of Organometallic Chemistry</i> , 2001, 624, 333-343.	1.8	47
45	Triphenylphosphonium salts bearing an l-alanyl substituent: short synthesis and enantiomeric analysis by NMR. <i>Tetrahedron Letters</i> , 2001, 42, 3981-3984.	1.4	14
46	Chemo-, regio- and stereoselective conversion of P-chirogenic phosphorus borane complexes into their P \hat{r} ...O or P \hat{r} ...S derivatives. <i>Tetrahedron: Asymmetry</i> , 2001, 12, 1441-1449.	1.8	40
47	Asymmetric synthesis of P-stereogenic o-hydroxyaryl-phosphine (borane) and phosphine-phosphinite ligands. <i>Tetrahedron: Asymmetry</i> , 2000, 11, 3939-3956.	1.8	71
48	Versatile synthesis of P-chiral (ephedrine) AMPP ligands via their borane complexes. Structural consequences in Rh-catalyzed hydrogenation of methyl \hat{I}^{\pm} -acetamidocinnamate. <i>Tetrahedron: Asymmetry</i> , 1999, 10, 4729-4743.	1.8	50
49	Mono and diphosphine borane complexes grafted on polypyrrole matrix: direct use as supported ligands for Rh and Pd catalysis. <i>Journal of Organometallic Chemistry</i> , 1998, 567, 219-233.	1.8	41
50	1H and ^{31}P NMR determination of the enantiomeric purity of quaternary phosphonium cations using TRISPHAT as chiral shift agent. <i>Tetrahedron Letters</i> , 1998, 39, 7495-7498.	1.4	39
51	Electrophilic ring opening of oxazolines derived from serine and threonine: A practical entry to N(N)-protected \hat{I}^2 -halogeno \hat{I}^{\pm} -aminoesters. <i>Tetrahedron: Asymmetry</i> , 1998, 9, 437-447.	1.8	22
52	Phosphine Boranes in Coordination Chemistry:â€‰ An Efficient Method for the Synthesis of Chiral and Achiral Organophosphorus Pentacarbonylungsten Complexes. <i>Inorganic Chemistry</i> , 1998, 37, 2438-2442.	4.0	24
53	A practical synthesis of chiral and achiral phosphonium salts from phosphine borane complexes. <i>Tetrahedron Letters</i> , 1997, 38, 3405-3408.	1.4	37
54	Utilization of industrial waste materials, 5. Synthesis of new, chiral 1,3,2-oxazaphospholidine-borane complexes and attempts to apply them in the stereoselective synthesis. <i>Liebigs Annalen</i> , 1995, 1995, 2123-2131.	0.8	21

#	ARTICLE	IF	CITATIONS
55	Chiral bicyclic spirophosphoranes in an arbuzov-type reaction. Tetrahedron, 1987, 43, 3721-3728.	1.9	12