

# Ewa Nowalany-Kozielska

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5256645/ewa-nowalany-kozielska-publications-by-year.pdf>  
**Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 papers	884 citations	12 h-index	28 g-index
78 ext. papers	1,113 ext. citations	2.7 avg, IF	3.23 L-index

#	Paper	IF	Citations
68	Characteristics of hospital admissions and invasive cardiology procedures in the Silesian Voivodeship in 2019 and 2020. <i>Kardiologia Polska</i> , <b>2021</b> , 79, 1022-1024	0.9	
67	Coronary bifurcations anatomy, physiology and treatment with selected aspects of left main stem bifurcation. <i>Annales Academiae Medicae Silesiensis</i> , <b>2021</b> , 75, 24-32	0.1	
66	Effect of Diabetes Mellitus and Left Ventricular Perfusion on Frequency of Development of Heart Failure and/or All-cause Mortality Late After Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , <b>2021</b> , 140, 25-32	3	0
65	Results of PCI with Drug-Eluting Stents in an All-Coroner Population Depending on Vessel Diameter. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	3
64	Frailty syndrome in daily practice of interventional cardiology ward-rationale and design of the FRAPICA trial: A STROBE-compliant prospective observational study. <i>Medicine (United States)</i> , <b>2020</b> , 99, e18935	1.8	1
63	Ideal coronary stent: development, characteristics, and vessel size impact. <i>Annales Academiae Medicae Silesiensis</i> , <b>2020</b> , 74, 191-197	0.1	1
62	An 18-year follow-up after the first successful heart-lung transplant in Poland. Authors'Tribute to the pioneers of heart and lung transplantation. <i>Kardiologia Polska</i> , <b>2020</b> , 78, 773-775	0.9	0
61	Managed Care after Acute Myocardial Infarction (MC-AMI) Reduces Total Mortality in 12-Month Follow-Up-Results from a Poland's National Health Fund Program of Comprehensive Post-MI Care-A Population-Wide Analysis. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	5
60	Systemic Lupus Erythematosus, Its Impact on Selected Cardiovascular Risk Factors, and Correlation with Duration of Illness: A Pilot Study. <i>Cardiology Research and Practice</i> , <b>2020</b> , 2020, 7025329	1.9	1
59	The multiple systemic artery to pulmonary artery fistulas resulting in severe irreversible pulmonary arterial hypertension in patient with previous history of pneumothorax. <i>BMC Pulmonary Medicine</i> , <b>2019</b> , 19, 80	3.5	1
58	Annual Trends in Total Ischemic Time and One-Year Fatalities: The Paradox of STEMI Network Performance Assessment. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	3
57	Role of interleukins in heart failure with reduced ejection fraction. <i>Anatolian Journal of Cardiology</i> , <b>2019</b> , 22, 287-299	0.8	15
56	Author's Reply. <i>Anatolian Journal of Cardiology</i> , <b>2019</b> , 22, 212	0.8	
55	Quantitative myocardial blush score (QuBE) allows the prediction of heart failure development in long-term follow-up in patients with ST-segment elevation myocardial infarction: Proof of concept study. <i>Cardiology Journal</i> , <b>2019</b> , 26, 322-332	1.4	4
54	Relationship between the CHA2DS2-VASc score and atrial fibrillation in patients hospitalised due to heart failure. <i>Kardiologia Polska</i> , <b>2019</b> , 77, 380-385	0.9	2
53	The concentration of interleukin-33 in heart failure with reduced ejection fraction. <i>Anatolian Journal of Cardiology</i> , <b>2019</b> , 21, 305-313	0.8	6
52	Pol-CDRIE registry - 1-year observational data on patients hospitalized due to cardiac device-related infective endocarditis in Polish referential cardiology centres. <i>Kardiologia Polska</i> , <b>2019</b> , 77, 561-567	0.9	2

51	Comparison of fourteen rule-out strategies for acute myocardial infarction. <i>International Journal of Cardiology</i> , <b>2019</b> , 283, 41-47	3.2	19
50	Cost assessment of treatment of acute myocardial infarction and angiographically visible coronary thrombus. <i>Journal of Comparative Effectiveness Research</i> , <b>2018</b> , 7, 471-481	2.1	
49	The Role of Parathyroid Hormone and Vitamin D Serum Concentrations in Patients with Cardiovascular Diseases. <i>Disease Markers</i> , <b>2018</b> , 2018, 5287573	3.2	3
48	Prospective validation of prognostic and diagnostic syncope scores in the emergency department. <i>International Journal of Cardiology</i> , <b>2018</b> , 269, 114-121	3.2	11
47	Direct Comparison of the 0/1h and 0/3h Algorithms for Early Rule-Out of Acute Myocardial Infarction. <i>Circulation</i> , <b>2018</b> , 137, 2536-2538	16.7	29
46	Speckle tracking and global longitudinal strain in endomyocardial infiltration during FIP1L1-PDGFRα chronic eosinophilic leukaemia. <i>Kardiologia Polska</i> , <b>2018</b> , 76, 1279	0.9	0
45	Impact of Type 2 Diabetes Mellitus and Myocardial Perfusion on Long-Term Risk of Heart Failure and All-Cause Mortality following Interventional Treatment of ST-Elevation Myocardial Infarction. <i>Diabetes</i> , <b>2018</b> , 67, 456-P	0.9	
44	Ocena stanu antyoksydacyjnego w wybranych chorobach układowych tkanki łożnej. <i>Annales Academiae Medicae Silesiensis</i> , <b>2018</b> , 72, 116-120	0.1	1
43	Prognostic Factors in Patients with an Implanted Pacemaker after 80 Years of Age in a 4-Year Follow-Up. <i>Gerontology</i> , <b>2018</b> , 64, 107-117	5.5	5
42	Combined Use of High-Sensitive Cardiac Troponin, Copeptin, and the Modified HEART Score for Rapid Evaluation of Chest Pain Patients. <i>Disease Markers</i> , <b>2018</b> , 2018, 9136971	3.2	1
41	Impact of age on the performance of the ESC 0/1h-algorithms for early diagnosis of myocardial infarction. <i>European Heart Journal</i> , <b>2018</b> , 39, 3780-3794	9.5	43
40	Copeptin as a Prognostic Marker in Acute Chest Pain and Suspected Acute Coronary Syndrome. <i>Disease Markers</i> , <b>2018</b> , 2018, 6597387	3.2	7
39	Clinical Validation of a Novel High-Sensitivity Cardiac Troponin I Assay for Early Diagnosis of Acute Myocardial Infarction. <i>Clinical Chemistry</i> , <b>2018</b> , 64, 1347-1360	5.5	66
38	Direct Admission Versus Interhospital Transfer for Primary Percutaneous Coronary Intervention in ST-Segment Elevation Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , <b>2017</b> , 10, 438-447	5	32
37	Serum Galectin-3 and ST2 as predictors of unfavorable outcome in stable dilated cardiomyopathy patients. <i>Hellenic Journal of Cardiology</i> , <b>2017</b> , 58, 350-359	2.1	8
36	Common origin of all three coronary arteries from the right sinus of Valsalva - first case study accompanied by mitral valve prolapse and vein anomaly, second case study followed by successful percutaneous coronary intervention of right coronary artery stenosis. <i>Kardiochirurgia i Torakochirurgia Polska</i> , <b>2017</b> , 14, 11-17	0.3	
35	Second-generation drug-eluting stents in the elderly patients with acute coronary syndrome: the in-hospital and 12-month follow-up of the all-comer registry. <i>Aging Clinical and Experimental Research</i> , <b>2017</b> , 29, 885-893	4.8	1
34	Long-Term Percutaneous Coronary Intervention Outcomes of Patients with Chronic Kidney Disease in the Era of Second-Generation Drug-Eluting Stents. <i>CardioRenal Medicine</i> , <b>2017</b> , 7, 85-95	2.8	7

33	The effect of BMI, serum leptin, and adiponectin levels on prognosis in patients with non-ischaemic dilated cardiomyopathy. <i>Endokrynologia Polska</i> , <b>2017</b> , 68, 26-34	1.1	9
32	Parathyroid hormone serum concentration in Central European patients with non-ischaemic heart failure as a potential marker of disease severity and poor prognosis. <i>Endokrynologia Polska</i> , <b>2017</b> , 68, 299-305	1.1	3
31	Hospitalisation length and prognosis in heart failure patients. <i>Kardiologia Polska</i> , <b>2017</b> , 75, 323-331	0.9	8
30	Diagnostic value of electrocardiographic (resting and 24-h Holter) monitoring in comparison with NT-proBNP in the differential diagnosis of patients with cardiogenic and neurogenic syncope. <i>Cor Et Vasa</i> , <b>2016</b> , 58, e303-e309	0.3	
29	Role of low-dose dobutamine echocardiography in predicting response to biventricular pacing. Results from the multicenter Viability in Cardiac Resynchronisation Therapy (ViaCRT) study. <i>Polish Archives of Internal Medicine</i> , <b>2016</b> , 126, 989-994	1.9	3
28	The influence of obstructive sleep breathing disturbances on echocardiographic and pulmonary haemodynamic parameters in patients with dilated cardiomyopathy. <i>Kardiologia Polska</i> , <b>2016</b> , 74, 135-41	0.9	3
27	Impact of anaemia on long-term outcomes in patients treated with first- and second-generation drug-eluting stents; Katowice-Zabrze Registry. <i>Kardiologia Polska</i> , <b>2016</b> , 74, 561-9	0.9	5
26	First- Versus Second-Generation Drug-Eluting Stents in Acute Coronary Syndromes (Katowice-Zabrze Registry). <i>Arquivos Brasileiros De Cardiologia</i> , <b>2016</b> , 106, 373-81	1.2	7
25	COPeptin for diagnosis and prediction in Acute Coronary Syndrome (COPACS) Study: design and objectives. <i>Postępy W Kardiologii Interwencyjnej</i> , <b>2016</b> , 12, 360-363	0.4	2
24	Handheld Capillary Blood Lactate Analyzer as an Accessible and Cost-Effective Prognostic Tool for the Assessment of Death and Heart Failure Occurrence during Long-Term Follow-Up. <i>Disease Markers</i> , <b>2016</b> , 2016, 5965782	3.2	2
23	Upgrade from ICD to CRT-D: clinical and haemodynamic impact of biventricular pacing in a patient with acquired long QT syndrome. <i>Open Medicine (Poland)</i> , <b>2015</b> , 10, 113-118	2.2	
22	Randomized placebo controlled blinded study to assess valsartan efficacy in preventing left ventricle remodeling in patients with dual chamber pacemaker--Rationale and design of the trial. <i>Contemporary Clinical Trials</i> , <b>2015</b> , 42, 239-43	2.3	1
21	Clinical Significance of Viral Genome Persistence in the Myocardium of Patients with Dilated Cardiomyopathy. <i>Intervirology</i> , <b>2015</b> , 58, 350-6	2.5	11
20	Diagnostic contribution of cardiac magnetic resonance in patients with acute coronary syndrome and culprit-free angiograms. <i>Medical Science Monitor</i> , <b>2015</b> , 21, 171-80	3.2	13
19	Comparison of First- and Second-Generation Drug-Eluting Stents in an All-Comer Population of Patients with Diabetes Mellitus (from Katowice-Zabrze Registry). <i>Medical Science Monitor</i> , <b>2015</b> , 21, 3264-9	3.3	8
18	Unknown cause of elevated cardiac troponin concentration in 21-year-old patient. <i>Kardiologia Polska</i> , <b>2015</b> , 73, 465	0.9	
17	The role of NT-proBNP in the diagnostics and differentiation of cardiac and reflex syncope in adults: relative importance to clinical presentation and medical examinations. <i>Journal of Interventional Cardiac Electrophysiology</i> , <b>2014</b> , 41, 1-8	2.4	4
16	Oxidative stress markers and C-reactive protein are related to severity of heart failure in patients with dilated cardiomyopathy. <i>Mediators of Inflammation</i> , <b>2014</b> , 2014, 147040	4.3	27

15	Neopterin and beta-2 microglobulin relations to immunity and inflammatory status in nonischemic dilated cardiomyopathy patients. <i>Mediators of Inflammation</i> , <b>2014</b> , 2014, 585067	4.3	4
14	Preserved contractile reserve in a dobutamine test for the prediction of a response to resynchronisation therapy in ischaemic and non-ischaemic cardiomyopathy--a multicenter ViaCRT study. <i>International Journal of Cardiology</i> , <b>2014</b> , 172, 476-7	3.2	6
13	Therapeutic percutaneous transluminal angioplasty with a stenting procedure of a stenosed great cardiac vein in a patient with dilated cardiomyopathy submitted to biventricular pacemaker implantation. <i>Cor Et Vasa</i> , <b>2013</b> , 55, e541-e544	0.3	
12	Comparison of coronary artery bypass grafting with percutaneous coronary intervention for unprotected left main coronary artery disease. <i>Yonsei Medical Journal</i> , <b>2012</b> , 53, 58-67	3	7
11	Tako-tsubo cardiomyopathy as a recurrent disease with doubtful prognosis of recovery and heterogenic symptoms. <i>Cardiology Journal</i> , <b>2012</b> , 19, 521-3	1.4	4
10	Cardiogenic shock in myocardial infarction-results of in-hospital follow-up. <i>Open Medicine (Poland)</i> , <b>2011</b> , 6, 213-219	2.2	
9	Quality of life in patients with severe left ventricle dysfunction due to coronary artery disease. <i>Open Medicine (Poland)</i> , <b>2011</b> , 6, 807-812	2.2	1
8	Heart failure mimicking prior myocardial infarction in a patient with idiopathic hypereosinophilic syndrome. <i>International Heart Journal</i> , <b>2011</b> , 52, 194-6	1.8	3
7	Sudden death in hypertrophic cardiomyopathy: old risk factors re-assessed in a new model of maximalized follow-up. <i>European Heart Journal</i> , <b>2010</b> , 31, 3084-93	9.5	40
6	Therapeutic window for calcium-channel blockers in the management of dilated cardiomyopathy: a prospective, two-centre study on non-advanced disease. <i>Cardiology</i> , <b>2010</b> , 117, 148-54	1.6	3
5	Analysis of myocardial infarction time course in women compared with men in Upper Silesia population in 30 day follow-up. <i>International Heart Journal</i> , <b>2009</b> , 50, 711-21	1.8	2
4	Usefulness of atorvastatin in patients with heart failure due to inflammatory dilated cardiomyopathy and elevated cholesterol levels. <i>American Journal of Cardiology</i> , <b>2006</b> , 97, 899-904	3	84
3	Adjunctive therapy with low-molecular-weight heparin in patients with chronic heart failure secondary to dilated cardiomyopathy: one-year follow-up results of the randomized trial. <i>American Heart Journal</i> , <b>2006</b> , 152, 713.e1-7	4.9	12
2	Immunosuppressive therapy for heart failure: a guide to patient selection. <i>American Journal of Cardiovascular Drugs</i> , <b>2003</b> , 3, 321-4	4	1
1	Randomized, placebo-controlled study for immunosuppressive treatment of inflammatory dilated cardiomyopathy: two-year follow-up results. <i>Circulation</i> , <b>2001</b> , 104, 39-45	16.7	326