

# Jinbei Wei

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5256662/publications.pdf>

Version: 2024-02-01

48  
papers

3,378  
citations

172457

29  
h-index

223800

46  
g-index

48  
all docs

48  
docs citations

48  
times ranked

1760  
citing authors

#	ARTICLE	IF	CITATIONS
1	Tunable charge-transport polarity in thienothiophene- <i>bis</i> oxindolinylidene-benzodifurandione copolymers for high-performance field-effect transistors. <i>Journal of Materials Chemistry C</i> , 2022, 10, 2671-2680.	5.5	5
2	Sterically Wrapped Multiple Resonance Fluorophors for Suppression of Concentration Quenching and Spectrum Broadening. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	140
3	Sterically Wrapped Multiple Resonance Fluorophors for Suppression of Concentration Quenching and Spectrum Broadening. <i>Angewandte Chemie</i> , 2022, 134, .	2.0	32
4	Nitrogen-Embedded Multi-Resonance Heteroaromatics with Prolonged Homogeneous Hexatomic Rings. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	40
5	Highly Efficient and Stable Blue Organic Light-Emitting Diodes based on Thermally Activated Delayed Fluorophor with Donor-Void-Acceptor Motif. <i>Advanced Science</i> , 2022, 9, e2106018.	11.2	40
6	Fusion of Multi-Resonance Fragment with Conventional Polycyclic Aromatic Hydrocarbon for Nearly BT.2020 Green Emission. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	95
7	Fusion of Multi-Resonance Fragment with Conventional Polycyclic Aromatic Hydrocarbon for Nearly BT.2020 Green Emission. <i>Angewandte Chemie</i> , 2022, 134, .	2.0	19
8	Highly efficient and stable deep-blue OLEDs based on narrowband emitters featuring an orthogonal spiro-configured indolo[3,2,1- <i>cd</i> ]acridine structure. <i>Chemical Science</i> , 2022, 13, 5622-5630.	7.4	39
9	Constructing Organic Electroluminescent Material with Very High Color Purity and Efficiency Based on Polycyclization of the Multiple Resonance Parent Core. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	66
10	Suppressing Competitive Coordination Reaction for Ohmic Cathode Contact Using Amino-Substituted Organic Ligands and Air-Stable Metals. <i>CCS Chemistry</i> , 2021, 3, 367-376.	7.8	6
11	Indolo[3,2,1- <i>jk</i> ]carbazole Embedded Multiple-Resonance Fluorophors for Narrowband Deep-Blue Electroluminescence with EQE <sup>int</sup> ~34.7% and CIE <sub>y</sub> ~0.085. <i>Angewandte Chemie</i> , 2021, 133, 2.0 12377-12381.	2.0	22
12	Indolo[3,2,1- <i>jk</i> ]carbazole Embedded Multiple-Resonance Fluorophors for Narrowband Deep-Blue Electroluminescence with EQE <sup>int</sup> ~34.7% and CIE <sub>y</sub> ~0.085. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 12269-12273.	13.8	106
13	Bee-shaped host with ideal polarity and energy levels for high-efficiency blue and white fluorescent organic light-emitting diodes. <i>Chemical Engineering Journal</i> , 2021, 411, 128457.	12.7	13
14	Highly Efficient Electrofluorescence Material Based on Pure Organic Phosphor Sensitization**. <i>Angewandte Chemie</i> , 2021, 133, 15463-15467.	2.0	2
15	Highly Efficient Electrofluorescence Material Based on Pure Organic Phosphor Sensitization**. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 15335-15339.	13.8	40
16	Multi-Resonance Deep-Red Emitters with Shallow Potential-Energy Surfaces to Surpass Energy-Gap Law**. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 20498-20503.	13.8	259
17	Multi-Resonance Deep-Red Emitters with Shallow Potential-Energy Surfaces to Surpass Energy-Gap Law**. <i>Angewandte Chemie</i> , 2021, 133, 20661-20666.	2.0	58
18	Phase- and Halogen-Dependent Room-Temperature Phosphorescence Properties of Biphenylnitrile Derivatives. <i>Journal of Physical Chemistry C</i> , 2021, 125, 27489-27496.	3.1	4

#	ARTICLE	IF	CITATIONS
19	Direct observation of intramolecular coplanarity regulated polymorph emission of a tetraphenylethene derivative. <i>Chinese Chemical Letters</i> , 2020, 31, 2985-2987.	9.0	10
20	Constructing Charge-Transfer Excited States Based on Frontier Molecular Orbital Engineering: Narrowband Green Electroluminescence with High Color Purity and Efficiency. <i>Angewandte Chemie</i> , 2020, 132, 17595-17599.	2.0	54
21	Constructing Charge-Transfer Excited States Based on Frontier Molecular Orbital Engineering: Narrowband Green Electroluminescence with High Color Purity and Efficiency. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 17442-17446.	13.8	242
22	Molecular-Structure and Device-Configuration Optimizations toward Highly Efficient Green Electroluminescence with Narrowband Emission and High Color Purity. <i>Advanced Optical Materials</i> , 2020, 8, 1902142.	7.3	218
23	Achieving Pure Green Electroluminescence with CIEy of 0.69 and EQE of 28.2% from an Aza-Fused Multi-Resonance Emitter. <i>Angewandte Chemie</i> , 2020, 132, 17652-17656.	2.0	72
24	Achieving Pure Green Electroluminescence with CIEy of 0.69 and EQE of 28.2% from an Aza-Fused Multi-Resonance Emitter. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 17499-17503.	13.8	211
25	Benzimidazole-triazine based exciplex films as emitters and hosts to construct highly efficient OLEDs with a small efficiency roll-off. <i>Journal of Materials Chemistry C</i> , 2020, 8, 2700-2708.	5.5	27
26	Achieving High-Performance Pure-Red Electrophosphorescent Iridium(III) Complexes Based on Optimizing Ancillary Ligands. <i>Chemistry - A European Journal</i> , 2020, 26, 4410-4418.	3.3	11
27	Achieving Efficient Blue Delayed Electrofluorescence by Shielding Acceptors with Carbazole Units. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 28096-28105.	8.0	30
28	Multi-Resonance Induced Thermally Activated Delayed Fluorophores for Narrowband Green OLEDs. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 16912-16917.	13.8	356
29	Multi-Resonance Induced Thermally Activated Delayed Fluorophores for Narrowband Green OLEDs. <i>Angewandte Chemie</i> , 2019, 131, 17068-17073.	2.0	91
30	Purely Organic Phosphorescence Emitter-Based Efficient Electroluminescence Devices. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 5983-5988.	4.6	76
31	Exciplex-Based Electroluminescence: Over 21% External Quantum Efficiency and Approaching 100 lm/W Power Efficiency. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 2811-2816.	4.6	46
32	A twisted phenanthroimidazole based molecule with high triplet energy as a host material for high efficiency phosphorescent OLEDs. <i>Journal of Materials Chemistry C</i> , 2018, 6, 12888-12895.	5.5	18
33	Stable p/n-Dopable Conducting Redox Polymers for High-Voltage Pseudocapacitor Electrode Materials: Structure-Performance Relationship and Detailed Investigation into Charge-Trapping Effect. <i>Advanced Energy Materials</i> , 2017, 7, 1701063.	19.5	52
34	Geometric Shape Regulation and Noncovalent Synthesis of One-Dimensional Organic Luminescent Nano-/Micro-Materials. <i>Journal of Physical Chemistry Letters</i> , 2017, 8, 3711-3717.	4.6	5
35	Efficient deep-blue OLEDs based on phenanthro[9,10-d]imidazole-containing emitters with AIE and bipolar transporting properties. <i>Journal of Materials Chemistry C</i> , 2016, 4, 10120-10129.	5.5	82
36	Induction of Strong Long-Lived Room-Temperature Phosphorescence of N-Phenyl-2-naphthylamine Molecules by Confinement in a Crystalline Dibromobiphenyl Matrix. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 15589-15593.	13.8	265

#	ARTICLE	IF	CITATIONS
37	Induction of Strong Long-Lived Room-Temperature Phosphorescence of <i>N</i> -Phenyl-2-naphthylamine Molecules by Confinement in a Crystalline Dibromobiphenyl Matrix. <i>Angewandte Chemie</i> , 2016, 128, 15818-15822.	2.0	71
38	Non-doped luminescent material based organic light-emitting devices displaying high brightness under very low driving voltage. <i>Journal of Materials Chemistry C</i> , 2016, 4, 7013-7019.	5.5	26
39	High performance full color OLEDs based on a class of molecules with dual carrier transport channels and small singlet-triplet splitting. <i>Chemical Communications</i> , 2015, 51, 10632-10635.	4.1	88
40	Emission behaviors of unsymmetrical 1,3-diaryl-1,2-diketones: A model perfectly disclosing the effect of molecular conformation on luminescence of organic solids. <i>Scientific Reports</i> , 2015, 5, 9140.	3.3	30
41	Achieving high power efficiency and low roll-off OLEDs based on energy transfer from thermally activated delayed excitons to fluorescent dopants. <i>Chemical Communications</i> , 2015, 51, 11972-11975.	4.1	95
42	Structurally simple phenanthroimidazole-based bipolar hosts for high-performance green and red electroluminescent devices. <i>RSC Advances</i> , 2015, 5, 73926-73934.	3.6	14
43	High-contrast and reversible mechanochromic luminescence of a compound with a twisted molecular conformation. <i>RSC Advances</i> , 2015, 5, 71903-71910.	3.6	35
44	Novel diarylborane-phenanthroimidazole hybrid bipolar host materials for high-performance red, yellow and green electrophosphorescent devices. <i>Organic Electronics</i> , 2014, 15, 3211-3220.	2.6	44
45	New multifunctional phenanthroimidazole-phosphine oxide hybrids for high-performance red, green and blue electroluminescent devices. <i>Journal of Materials Chemistry C</i> , 2014, 2, 6817-6826.	5.5	68
46	Constructing high-performance blue, yellow and red electroluminescent devices based on a class of multifunctional organic materials. <i>Journal of Materials Chemistry C</i> , 2013, 1, 6594.	5.5	36
47	Nitrogen-Embedded Multi-Resonance Heteroaromatics with Prolonged Homogeneous Hexatomic Rings. <i>Angewandte Chemie</i> , 0, , .	2.0	9
48	Constructing Organic Electroluminescent Material with Very High Color Purity and Efficiency Based on Polycyclization of Multiple Resonance Parent Core. <i>Angewandte Chemie</i> , 0, , .	2.0	10