## Thomas B Smith

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5257214/publications.pdf Version: 2024-02-01



THOMAS R SMITH

#	Article	IF	CITATIONS
1	Closing the seed dispersal loop. Trends in Ecology and Evolution, 2002, 17, 379-386.	8.7	599
2	Resource polymorphisms in vertebrates. Trends in Ecology and Evolution, 1995, 10, 366-370.	8.7	586
3	Limitations of Captive Breeding in Endangered Species Recovery. Conservation Biology, 1996, 10, 338-348.	4.7	581
4	EVOLUTIONARY SIGNIFICANCE OF RESOURCE POLYMORPHISMS IN FISHES, AMPHIBIANS, AND BIRDS. Annual Review of Ecology, Evolution, and Systematics, 1996, 27, 111-133.	6.7	575
5	Bird song, ecology and speciation. Philosophical Transactions of the Royal Society B: Biological Sciences, 2002, 357, 493-503.	4.0	438
6	Ecology and speciation. Trends in Ecology and Evolution, 1998, 13, 502-506.	8.7	398
7	Genomic signals of selection predict climate-driven population declines in a migratory bird. Science, 2018, 359, 83-86.	12.6	333
8	HABITAT-DEPENDENT SONG DIVERGENCE IN THE LITTLE GREENBUL: AN ANALYSIS OF ENVIRONMENTAL SELECTION PRESSURES ON ACOUSTIC SIGNALS. Evolution; International Journal of Organic Evolution, 2002, 56, 1849-1858.	2.3	298
9	Evolutionary principles and their practical application. Evolutionary Applications, 2011, 4, 159-183.	3.1	230
10	Applying evolutionary biology to address global challenges. Science, 2014, 346, 1245993.	12.6	228
11	Modeling distribution of Amazonian tree species and diversity using remote sensing measurements. Remote Sensing of Environment, 2008, 112, 2000-2017.	11.0	202
12	Not as the crow flies: a historical explanation for circuitous migration in Swainson's thrush (Catharus ustulatus). Proceedings of the Royal Society B: Biological Sciences, 2002, 269, 1375-1381.	2.6	196
13	Seed dispersal and movement patterns in two species of Ceratogymna hornbills in a West African tropical lowland forest. Oecologia, 2000, 125, 249-257.	2.0	187
14	Predicting species distributions across the Amazonian and Andean regions using remote sensing data. Journal of Biogeography, 2008, 35, 1160-1176.	3.0	178
15	Combining genetic markers and stable isotopes to reveal population connectivity and migration patterns in a Neotropical migrant, Wilson's warbler (Wilsonia pusilla). Molecular Ecology, 2003, 12, 819-830.	3.9	157
16	Biodiversity hotspots and beyond: the need for preserving environmental transitions. Trends in Ecology and Evolution, 2001, 16, 431.	8.7	155
17	DIFFERENTIAL RESOURCE USE BY PRIMATES AND HORNBILLS: IMPLICATIONS FOR SEED DISPERSAL. Ecology, 2002, 83, 228-240.	3.2	138
18	Character displacement of song and morphology in African tinkerbirds. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 8256-8261.	7.1	137

#	Article	IF	CITATIONS
19	Evolutionary change in humanâ€altered environments. Molecular Ecology, 2008, 17, 1-8.	3.9	130
20	Mapping migration in a songbird using highâ€resolution genetic markers. Molecular Ecology, 2014, 23, 5726-5739.	3.9	129
21	Evolutionary Consequences of Extinctions in Populations of a Hawaiian Honeycreeper. Conservation Biology, 1995, 9, 107-113.	4.7	118
22	Seed dispersal by a diurnal primate community in the Dja Reserve, Cameroon. Journal of Tropical Ecology, 2001, 17, 787-808.	1.1	106
23	Birdsong and Sound Transmission: The Benefits of Reverberations. Condor, 2002, 104, 564-573.	1.6	106
24	Seasonal variation in the feeding ecology of the grey-cheeked mangabey (Lophocebus albigena) in Cameroon. American Journal of Primatology, 2001, 54, 91-105.	1.7	105
25	Birdsong tuned to the environment: green hylia song varies with elevation, tree cover, and noise. Behavioral Ecology, 2009, 20, 1089-1095.	2.2	104
26	The Ecology of Emerging Infectious Diseases in Migratory Birds: An Assessment of the Role of Climate Change and Priorities for Future Research. EcoHealth, 2012, 9, 80-88.	2.0	104
27	Host specificity and incidence of Trypanosoma in some African rainforest birds: a molecular approach. Molecular Ecology, 2001, 10, 2319-2327.	3.9	103
28	Prevalence and diversity patterns of avian blood parasites in degraded African rainforest habitats. Molecular Ecology, 2009, 18, 4121-4133.	3.9	103
29	Refugial isolation versus ecological gradients. Testing alternative mechanisms of evolutionary divergence in four rainforest vertebrates. Genetica, 2001, 112/113, 383-398.	1.1	100
30	Diversification in Adelomyia hummingbirds follows Andean uplift. Molecular Ecology, 2011, 20, 4564-4576.	3.9	100
31	Hunting of Mammals Reduces Seed Removal and Dispersal of the Afrotropical TreeAntrocaryon klaineanum(Anacardiaceae). Biotropica, 2007, 39, 340-347.	1.6	99
32	POSTGLACIAL POPULATION EXPANSION DRIVES THE EVOLUTION OF LONG-DISTANCE MIGRATION IN A SONGBIRD. Evolution; International Journal of Organic Evolution, 2006, 60, 2403-2409.	2.3	92
33	COMBINING ISOTOPIC AND GENETIC MARKERS TO IDENTIFY BREEDING ORIGINS OF MIGRANT BIRDS. , 2005, 15, 1487-1494.		90
34	Seed dispersal by Ceratogymna hornbills in the Dja Reserve, Cameroon. Journal of Tropical Ecology, 1998, 14, 351-371.	1.1	89
35	Prescriptive Evolution to Conserve and Manage Biodiversity. Annual Review of Ecology, Evolution, and Systematics, 2014, 45, 1-22.	8.3	89
36	BIRDSONG AND SOUND TRANSMISSION: THE BENEFITSOF REVERBERATIONS. Condor, 2002, 104, 564.	1.6	87

#	Article	IF	CITATIONS
37	Implications of long-distance movements of frugivorous rain forest hornbills. Ecography, 2002, 25, 745-749.	4.5	86
38	Mapping evolutionary process: a multiâ€ŧaxa approach to conservation prioritization. Evolutionary Applications, 2011, 4, 397-413.	3.1	84
39	Ecological genomics predicts climate vulnerability in an endangered southwestern songbird. Ecology Letters, 2018, 21, 1085-1096.	6.4	82
40	PROBING THE ADAPTIVE LANDSCAPE USING EXPERIMENTAL ISLANDS: DENSITY-DEPENDENT NATURAL SELECTION ON LIZARD BODY SIZE. Evolution; International Journal of Organic Evolution, 2007, 61, 1052-1061.	2.3	76
41	Limited Utility of mtDNA Markers for Determining Connectivity among Breeding and Overwintering Locations in Three Neotropical Migrant Birds. Conservation Biology, 2004, 18, 156-166.	4.7	75
42	Bacterial diversity is positively correlated with soil heterogeneity. Ecosphere, 2018, 9, e02079.	2.2	68
43	Habitat use and resource tracking by African Ceratogymna hornbills: implications for seed dispersal and forest conservation. Animal Conservation, 1998, 1, 107-117.	2.9	67
44	Importance of Body Size in Determining Dominance Hierarchies among Diverse Tropical Frugivores <sup>1</sup> . Biotropica, 2005, 37, 96-101.	1.6	65
45	The prevalence of avian <i>Plasmodium</i> is higher in undisturbed tropical forests of Cameroon. Journal of Tropical Ecology, 2009, 25, 439-447.	1.1	65
46	Persistent impacts of West Nile virus on North American bird populations. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 14290-14294.	7.1	65
47	The role of geography and ecology in shaping the p hylogeography of the speckled hummingbird (Adelomyia melanogenys) in Ecuador. Molecular Phylogenetics and Evolution, 2007, 43, 795-807.	2.7	61
48	How the zebra got its stripes: a problem with too many solutions. Royal Society Open Science, 2015, 2, 140452.	2.4	59
49	ECOMORPHOLOGY OF MIGRATORY AND SEDENTARY POPULATIONS OF THE YELLOW-RUMPED WARBLER ( <i>DENDROICA CORONATA</i> ). Condor, 2008, 110, 335-344.	1.6	54
50	New host and lineage diversity of avian haemosporidia in the northern Andes. Evolutionary Applications, 2014, 7, 799-811.	3.1	53
51	Modeling environmentally associated morphological and genetic variation in a rainforest bird, and its application to conservation prioritization. Evolutionary Applications, 2010, 3, 1-16.	3.1	52
52	Seasonal gene expression in a migratory songbird. Molecular Ecology, 2016, 25, 5680-5691.	3.9	50
53	Ghosts of infections past: using archival samples to understand a century of monkeypox virus prevalence among host communities across space and time. Royal Society Open Science, 2018, 5, 171089.	2.4	46
54	TESTING ALTERNATIVE HYPOTHESES FOR EVOLUTIONARY DIVERSIFICATION IN AN AFRICAN SONGBIRD: RAINFOREST REFUGIA VERSUS ECOLOGICAL GRADIENTS. Evolution; International Journal of Organic Evolution, 2011, 65, 3162-3174.	2.3	43

#	Article	IF	CITATIONS
55	Current and historical factors influencing patterns of species richness and turnover of birds in the Gulf of Guinea highlands. Journal of Biogeography, 2005, 32, 1371-1384.	3.0	42
56	Elevational Zonation and the Phylogenetic Relationships of the Henicorhina Wood-Wrens. Auk, 2006, 123, 119-134.	1.4	42
57	Evolutionary consequences of human disturbance in a rainforest bird species from Central Africa. Molecular Ecology, 2008, 17, 58-71.	3.9	42
58	Evolutionary patterns of diversification in the Andean hummingbird genus Adelomyia. Molecular Phylogenetics and Evolution, 2011, 60, 207-218.	2.7	41
59	ELEVATIONAL ZONATION AND THE PHYLOGENETIC RELATIONSHIPS OF THE HENICORHINA WOOD-WRENS. Auk, 2006, 123, 119.	1.4	40
60	Humanâ€induced morphological shifts in an island lizard. Evolutionary Applications, 2011, 4, 388-396.	3.1	37
61	Intraspecific variation in Anolis sagrei mirrors the adaptive radiation of Greater Antillean anoles. Biological Journal of the Linnean Society, 2007, 90, 189-199.	1.6	35
62	Genomic divergence across ecological gradients in the Central African rainforest songbird ( <i><scp>A</scp>ndropadus virens</i> ). Molecular Ecology, 2017, 26, 4966-4977.	3.9	35
63	Molecular evidence for host specificity of parasitic nematode microfilariae in some African rainforest birds. Molecular Ecology, 2005, 14, 3977-3988.	3.9	33
64	Patterns of divergence in the olive sunbird Cyanomitra olivacea (Aves: Nectariniidae) across the African rainforest-savanna ecotone. Biological Journal of the Linnean Society, 2011, 103, 821-835.	1.6	31
65	Mating Behavior Drives Seed Dispersal by the Long-wattled Umbrellabird Cephalopterus penduliger. Biotropica, 2012, 44, 689-698.	1.6	31
66	Predicting bird song from space. Evolutionary Applications, 2013, 6, 865-874.	3.1	31
67	A cryptic contact zone between divergent mitochondrial DNA lineages in southwestern North America supports past introgressive hybridization in the yellow-rumped warbler complex (Aves:) Tj ETQq1 1 0.7	843 <b>1.4</b> rgE	BT /@øerlock 1
68	Projected changes in elevational distribution and flight performance of montane Neotropical hummingbirds in response to climate change. Global Change Biology, 2011, 17, 1671-1680.	9.5	28
69	Genetic assignment with isotopes and habitat suitability ( <scp>gaiah</scp> ), a migratory bird case study. Methods in Ecology and Evolution, 2017, 8, 1241-1252.	5.2	28
70	PICT: A lowâ€cost, modular, openâ€source camera trap system to study plant–insect interactions. Methods in Ecology and Evolution, 2021, 12, 1389-1396.	5.2	27
71	Development of beak polymorphism in the African seedcracker, <i>Pyrenestes ostrinus</i> . Evolution & Development, 2009, 11, 636-646.	2.0	25
72	A general theory of avian migratory connectivity. Ecology Letters, 2021, 24, 1848-1858.	6.4	25

#	Article	IF	CITATIONS
73	Integrative tracking methods elucidate the evolutionary dynamics of a migratory divide. Ecology and Evolution, 2014, 4, 3456-3469.	1.9	24
74	Growth factor gene IGF1 is associated with bill size in the black-bellied seedcracker Pyrenestes ostrinus. Nature Communications, 2018, 9, 4855.	12.8	24
75	A preliminary assessment of the effectiveness of the Mesoamerican Biological Corridor for protecting potential Baird's tapir ( <i>Tapirus bairdii</i> ) habitat in southern Mexico. Integrative Zoology, 2013, 8, 35-47.	2.6	23
76	Developmental plasticity affects sexual size dimorphism in an anole lizard. Functional Ecology, 2016, 30, 235-243.	3.6	23
77	Identifying areas with a high risk of human infection with the avian influenza A (H7N9) virus in East Asia. Journal of Infection, 2014, 69, 174-181.	3.3	20
78	Assessing the impact of China's timber industry on Congo Basin land use change. Area, 2019, 51, 340-349.	1.6	18
79	Climate warming causes declines in crop yields and lowers school attendance rates in Central Africa. Science of the Total Environment, 2018, 610-611, 503-510.	8.0	17
80	Population structure, inbreeding and stripe pattern abnormalities in plains zebras. Molecular Ecology, 2021, 30, 379-390.	3.9	17
81	AVIAN RESPONSES TO RESTORATION: NEST-SITE SELECTION AND REPRODUCTIVE SUCCESS IN SONG SPARROWS. Auk, 2001, 118, 432.	1.4	16
82	Adaptive significance of the megaâ€billed form in the polymorphic Blackâ€bellied Seedcracker Pyrenestes ostrinus. Ibis, 1997, 139, 382-387.	1.9	15
83	Local adaptation in thermal tolerance for a tropical butterfly across ecotone and rainforest habitats. Biology Open, 2021, 10, .	1.2	15
84	Bird communities in African cocoa agroforestry are diverse but lack specialized insectivores. Journal of Applied Ecology, 2021, 58, 1237-1247.	4.0	14
85	Linking climate niches across seasons to assess population vulnerability in a migratory bird. Global Change Biology, 2021, 27, 3519-3531.	9.5	14
86	Refugial isolation versus ecological gradients. Contemporary Issues in Genetics and Evolution, 2001, , 383-398.	0.9	13
87	A comparison of variation between a MHC pseudogene and microsatellite loci of the little greenbul (Andropadus virens). BMC Evolutionary Biology, 2005, 5, 47.	3.2	13
88	Evolution and Conservation of Central African Biodiversity: Priorities for Future Research and Education in the Congo Basin and Gulf of Guinea. Biotropica, 2015, 47, 6-17.	1.6	13
89	Loss of sexual dimorphism is associated with loss of lekking behavior in the green manakin <i>Xenopipo holochora</i> . Journal of Avian Biology, 2015, 46, 307-314.	1.2	13
90	Precipitation and vegetation shape patterns of genomic and craniometric variation in the central African rodent <i>Praomys misonnei</i> . Proceedings of the Royal Society B: Biological Sciences, 2020, 287, 20200449.	2.6	13

#	Article	IF	CITATIONS
91	Putting process on the map: why ecotones are important for preserving biodiversity. , 2001, , 166-197.		12
92	Breeding and nest site characteristics of the Black-casqued Hornbill <i>Ceratogymna atrata</i> and White-thighed Hornbill <i>Ceratogymna cylindricus</i> in south-central Cameroon. Ostrich, 2004, 75, 79-88.	1.1	12
93	Safeguarding biodiversity: what is perceived as working, according to the conservation community?. Oryx, 2016, 50, 302-307.	1.0	12
94	The American Kestrel ( <i>Falco sparverius</i> ) genoscape: implications for monitoring, management, and subspecies boundaries. Auk, 2021, 138, .	1.4	12
95	Approaches to the reintroduction of the Bali mynah. Zoo Biology, 1998, 17, 267-284.	1.2	11
96	Genetic evidence for recent range fragmentation and severely restricted dispersal in the critically endangered Sierra Madre Sparrow, Xenospiza baileyi. Conservation Genetics, 2012, 13, 283-291.	1.5	11
97	Limitations of Captive Breeding: Reply to Gippoliti and Carpaneto. Conservation Biology, 1997, 11, 808-810.	4.7	10
98	Spatial and Temporal Patterns of Frugivorous Hornbill Movements in Central Africa and their Implications for Rain Forest Conservation. Biotropica, 2014, 46, 763-770.	1.6	10
99	Human Impacts Flatten Rainforest-Savanna Gradient and Reduce Adaptive Diversity in a Rainforest Bird. PLoS ONE, 2010, 5, e13088.	2.5	9
100	Genomic vulnerability and socioâ€economic threats under climate change in an African rainforest bird. Evolutionary Applications, 2021, 14, 1239-1247.	3.1	9
101	Comparative avian biodiversity of five mountains in northern Cameroon and Bioko. Ostrich, 2000, 71, 269-276.	1.1	6
102	Living with avian FLUâ¬Persistence of the H5N1 highly pathogenic avian influenza virus in Egypt. Veterinary Microbiology, 2016, 187, 82-92.	1.9	6
103	Leveraging genomics to understand threats to migratory birds. Evolutionary Applications, 2021, 14, 1646-1658.	3.1	6
104	A Call for Feather Sampling. Auk, 2003, 120, 218-221.	1.4	6
105	Shrinkage is Not the Most Likely Cause of Bill Change in Iiwi: A Rejoinder to Winker. Conservation Biology, 1996, 10, 659-660.	4.7	5
106	Concordance on zebra stripes is not black and white: response to comment by Caro & Stankowich (2015). Royal Society Open Science, 2015, 2, 150359.	2.4	4
107	Persistent panmixia despite extreme habitat loss and population decline in the threatened tricolored blackbird ( Agelaius tricolor ). Evolutionary Applications, 2021, 14, 674-684.	3.1	3
108	Genotype–environment associations across spatial scales reveal the importance of putative adaptive genetic variation in divergence. Evolutionary Applications, 2022, 15, 1390-1407.	3.1	3

#	Article	IF	CITATIONS
109	Isolation of polymorphic tetranucleotide microsatellite markers for the black-bellied seedcracker (Pyrenestes ostrinus). Molecular Ecology Notes, 2005, 5, 774-776.	1.7	1
110	A preliminary survey of birds from the Lac Lobeke Reserve, south-eastern Cameroon. Bird Conservation International, 1996, 6, 167-174.	1.3	0
111	Equating Forest Conservation with Hornbill Conservation. Conservation Biology, 2009, 23, 782-783.	4.7	0
112	Environmental drivers of body size variation in the lesser treefrog (Dendropsophus minutus) across the Amazon-Cerrado gradient. Biological Journal of the Linnean Society, 2016, , .	1.6	0