
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5260286/publications.pdf Version: 2024-02-01



Δετερ ΙΔ1/ ΝΙ

#	Article	IF	CITATIONS
1	The Cochrane Collaboration's tool for assessing risk of bias in randomised trials. BMJ: British Medical Journal, 2011, 343, d5928-d5928.	2.4	23,287
2	RoB 2: a revised tool for assessing risk of bias in randomised trials. BMJ: British Medical Journal, 2019, 366, 14898.	2.4	10,984
3	ROBINS-I: a tool for assessing risk of bias in non-randomised studies of interventions. BMJ, The, 2016, 355, i4919.	3.0	8,654
4	2017 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. European Heart Journal, 2018, 39, 119-177.	1.0	7,100
5	2018 ESC/ESH Guidelines for the management of arterial hypertension. European Heart Journal, 2018, 39, 3021-3104.	1.0	6,826
6	2017 ESC/EACTS Guidelines for the management of valvular heart disease. European Heart Journal, 2017, 38, 2739-2791.	1.0	5,142
7	ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. European Heart Journal, 2012, 33, 2569-2619.	1.0	5,034
8	2019 ESC/EAS Guidelines for the management of dyslipidaemias: lipid modification to reduce cardiovascular risk. European Heart Journal, 2020, 41, 111-188.	1.0	4,871
9	2018 ESC/EACTS Guidelines on myocardial revascularization. European Heart Journal, 2019, 40, 87-165.	1.0	4,537
10	2019 ESC Guidelines for the diagnosis and management of chronic coronary syndromes. European Heart Journal, 2020, 41, 407-477.	1.0	4,210
11	2014 ESC/EACTS Guidelines on myocardial revascularization. European Heart Journal, 2014, 35, 2541-2619.	1.0	4,141
12	2020 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation. European Heart Journal, 2021, 42, 1289-1367.	1.0	3,048
13	2019 ESC Guidelines on diabetes, pre-diabetes, and cardiovascular diseases developed in collaboration with the EASD. European Heart Journal, 2020, 41, 255-323.	1.0	2,811
14	Systematic reviews in health care: Assessing the quality of controlled clinical trials. BMJ: British Medical Journal, 2001, 323, 42-46.	2.4	2,779
15	2019 ESC Guidelines for the diagnosis and management of acute pulmonary embolism developed in collaboration with the European Respiratory Society (ERS). European Heart Journal, 2020, 41, 543-603.	1.0	2,426
16	2017 ESC Guidelines on the Diagnosis and Treatment of Peripheral Arterial Diseases, in collaboration with the European Society for Vascular Surgery (ESVS). European Heart Journal, 2018, 39, 763-816.	1.0	2,305
17	Fractional Flow Reserve–Guided PCI versus Medical Therapy in Stable Coronary Disease. New England Journal of Medicine, 2012, 367, 991-1001.	13.9	2,248
18	2017 ESC focused update on dual antiplatelet therapy in coronary artery disease developed in collaboration with EACTS. European Heart Journal, 2018, 39, 213-260.	1.0	2,246

#	Article	IF	CITATIONS
19	Empirical evidence of bias in treatment effect estimates in controlled trials with different interventions and outcomes: meta-epidemiological study. BMJ: British Medical Journal, 2008, 336, 601-605.	2.4	2,174
20	2021 ESC/EACTS Guidelines for the management of valvular heart disease. European Heart Journal, 2022, 43, 561-632.	1.0	2,169
21	2014 ESC/EACTS Guidelines on myocardial revascularization. European Journal of Cardio-thoracic Surgery, 2014, 46, 517-592.	0.6	2,164
22	Early and late coronary stent thrombosis of sirolimus-eluting and paclitaxel-eluting stents in routine clinical practice: data from a large two-institutional cohort study. Lancet, The, 2007, 369, 667-678.	6.3	1,879
23	Association Between Administration of Systemic Corticosteroids and Mortality Among Critically Ill Patients With COVID-19. JAMA - Journal of the American Medical Association, 2020, 324, 1330.	3.8	1,855
24	2019 ESC/EAS guidelines for the management of dyslipidaemias: Lipid modification to reduce cardiovascular risk. Atherosclerosis, 2019, 290, 140-205.	0.4	1,753
25	The Hazards of Scoring the Quality of Clinical Trials for Meta-analysis. JAMA - Journal of the American Medical Association, 1999, 282, 1054.	3.8	1,705
26	2018 ESC Guidelines for the management of cardiovascular diseases during pregnancy. European Heart Journal, 2018, 39, 3165-3241.	1.0	1,396
27	Outcomes associated with drug-eluting and bare-metal stents: a collaborative network meta-analysis. Lancet, The, 2007, 370, 937-948.	6.3	1,329
28	Radial versus femoral access in patients with acute coronary syndromes undergoing invasive management: a randomised multicentre trial. Lancet, The, 2015, 385, 2465-2476.	6.3	1,043
29	Cardiovascular safety of non-steroidal anti-inflammatory drugs: network meta-analysis. BMJ: British Medical Journal, 2011, 342, c7086-c7086.	2.4	916
30	Fractional Flow Reserve–Guided PCI for Stable Coronary Artery Disease. New England Journal of Medicine, 2014, 371, 1208-1217.	13.9	905
31	Influence of Reported Study Design Characteristics on Intervention Effect Estimates From Randomized, Controlled Trials. Annals of Internal Medicine, 2012, 157, 429.	2.0	880
32	Risk of cardiovascular events and rofecoxib: cumulative meta-analysis. Lancet, The, 2004, 364, 2021-2029.	6.3	808
33	Percutaneous Closure of Patent Foramen Ovale in Cryptogenic Embolism. New England Journal of Medicine, 2013, 368, 1083-1091.	13.9	781
34	Direction and impact of language bias in meta-analyses of controlled trials: empirical study. International Journal of Epidemiology, 2002, 31, 115-123.	0.9	756
35	Are the clinical effects of homoeopathy placebo effects? Comparative study of placebo-controlled trials of homoeopathy and allopathy. Lancet, The, 2005, 366, 726-732.	6.3	734
36	Five-Year Outcomes with PCI Guided by Fractional Flow Reserve. New England Journal of Medicine, 2018, 379, 250-259.	13.9	622

#	Article	IF	CITATIONS
37	Biolimus-eluting stent with biodegradable polymer versus sirolimus-eluting stent with durable polymer for coronary revascularisation (LEADERS): a randomised non-inferiority trial. Lancet, The, 2008, 372, 1163-1173.	6.3	607
38	Ticagrelor plus aspirin for 1 month, followed by ticagrelor monotherapy for 23 months vs aspirin plus clopidogrel or ticagrelor for 12 months, followed by aspirin monotherapy for 12 months after implantation of a drug-eluting stent: a multicentre, open-label, randomised superiority trial. Lancet, The, 2018, 392, 940-949.	6.3	555
39	Restrictive or Liberal Red-Cell Transfusion for Cardiac Surgery. New England Journal of Medicine, 2017, 377, 2133-2144.	13.9	554
40	All cause and disease specific mortality in patients with knee or hip osteoarthritis: population based cohort study. BMJ: British Medical Journal, 2011, 342, d1165-d1165.	2.4	553
41	Sirolimus-Eluting and Paclitaxel-Eluting Stents for Coronary Revascularization. New England Journal of Medicine, 2005, 353, 653-662.	13.9	547
42	Predictors of Permanent Pacemaker Implantation in Patients With Severe Aortic Stenosis Undergoing TAVR. Journal of the American College of Cardiology, 2014, 64, 129-140.	1.2	536
43	Viscosupplementation for Osteoarthritis of the Knee. Annals of Internal Medicine, 2012, 157, 180.	2.0	503
44	Incidence and Correlates of Drug-Eluting Stent Thrombosis in Routine Clinical Practice. Journal of the American College of Cardiology, 2008, 52, 1134-1140.	1.2	468
45	Small study effects in meta-analyses of osteoarthritis trials: meta-epidemiological study. BMJ: British Medical Journal, 2010, 341, c3515-c3515.	2.4	464
46	Effects of glucosamine, chondroitin, or placebo in patients with osteoarthritis of hip or knee: network meta-analysis. BMJ: British Medical Journal, 2010, 341, c4675-c4675.	2.4	461
47	Correlation of Intravascular Ultrasound Findings With Histopathological Analysis of Thrombus Aspirates in Patients With Very Late Drug-Eluting Stent Thrombosis. Circulation, 2009, 120, 391-399.	1.6	441
48	Plasma ceramides predict cardiovascular death in patients with stable coronary artery disease and acute coronary syndromes beyond LDL-cholesterol. European Heart Journal, 2016, 37, 1967-1976.	1.0	433
49	Comparative Efficacy of Seven Psychotherapeutic Interventions for Patients with Depression: A Network Meta-Analysis. PLoS Medicine, 2013, 10, e1001454.	3.9	426
50	Glycemic control and macrovascular disease in types 1 and 2 diabetes mellitus: Meta-analysis of randomized trials. American Heart Journal, 2006, 152, 27-38.	1.2	413
51	Percutaneous coronary intervention versus coronary artery bypass grafting in patients with three-vessel or left main coronary artery disease: 10-year follow-up of the multicentre randomised controlled SYNTAX trial. Lancet, The, 2019, 394, 1325-1334.	6.3	406
52	2018 ESC/EACTS Guidelines on myocardial revascularization. European Journal of Cardio-thoracic Surgery, 2019, 55, 4-90.	0.6	402
53	Radial Versus Femoral Access for Coronary Interventions Across the Entire Spectrum of Patients With Coronary Artery Disease. JACC: Cardiovascular Interventions, 2016, 9, 1419-1434.	1.1	385
54	Effect of Empagliflozin on Left Ventricular Mass in Patients With Type 2 Diabetes Mellitus and Coronary Artery Disease. Circulation, 2019, 140, 1693-1702.	1.6	371

#	Article	IF	CITATIONS
55	Extracorporeal Membrane Oxygenation for Severe Acute Respiratory Distress Syndrome and Posterior Probability of Mortality Benefit in a Post Hoc Bayesian Analysis of a Randomized Clinical Trial. JAMA - Journal of the American Medical Association, 2018, 320, 2251.	3.8	367
56	2018 ESC/EACTS Guidelines on myocardial revascularization. EuroIntervention, 2019, 14, 1435-1534.	1.4	367
57	Biodegradable polymer drug-eluting stents reduce the risk of stent thrombosis at 4 years in patients undergoing percutaneous coronary intervention: a pooled analysis of individual patient data from the ISAR-TEST 3, ISAR-TEST 4, and LEADERS randomized trials. European Heart Journal, 2012, 33, 1214-1222.	1.0	359
58	Effectiveness of non-steroidal anti-inflammatory drugs for the treatment of pain in knee and hip osteoarthritis: a network meta-analysis. Lancet, The, 2017, 390, e21-e33.	6.3	354
59	Quality of Reporting of Randomized Trials as a Measure of Methodologic Quality. JAMA - Journal of the American Medical Association, 2002, 287, 2801.	3.8	348
60	2021 ESC/EACTS Guidelines for the management of valvular heart disease. European Journal of Cardio-thoracic Surgery, 2021, 60, 727-800.	0.6	344
61	Very Late Coronary Stent Thrombosis of a Newer-Generation Everolimus-Eluting Stent Compared With Early-Generation Drug-Eluting Stents. Circulation, 2012, 125, 1110-1121.	1.6	341
62	Bivalirudin or Unfractionated Heparin in Acute Coronary Syndromes. New England Journal of Medicine, 2015, 373, 997-1009.	13.9	334
63	Are selective COX 2 inhibitors superior to traditional non steroidal anti-inflammatory drugs?. BMJ: British Medical Journal, 2002, 324, 1287-1288.	2.4	333
64	Rituximab or Cyclosporine in the Treatment of Membranous Nephropathy. New England Journal of Medicine, 2019, 381, 36-46.	13.9	324
65	Long-term clinical outcomes of biodegradable polymer biolimus-eluting stents versus durable polymer sirolimus-eluting stents in patients with coronary artery disease (LEADERS): 4 year follow-up of a randomised non-inferiority trial. Lancet, The, 2011, 378, 1940-1948.	6.3	321
66	The performance of non-invasive tests to rule-in and rule-out significant coronary artery stenosis in patients with stable angina: a meta-analysis focused on post-test disease probability. European Heart Journal, 2018, 39, 3322-3330.	1.0	321
67	An overview of the objectives of and the approaches to propensity score analyses. European Heart Journal, 2011, 32, 1704-1708.	1.0	318
68	Statistical methods for assessing the influence of study characteristics on treatment effects in †meta-epidemiological' research. Statistics in Medicine, 2002, 21, 1513-1524.	0.8	314
69	A Meta-Analysis of 16 Randomized Trials of Sirolimus-Eluting Stents Versus Paclitaxel-Eluting Stents in Patients With Coronary Artery Disease. Journal of the American College of Cardiology, 2007, 50, 1373-1380.	1.2	307
70	Transcatheter aortic valve implantation vs. surgical aortic valve replacement for treatment of symptomatic severe aortic stenosis: an updated meta-analysis. European Heart Journal, 2019, 40, 3143-3153.	1.0	297
71	Improved Safety and Reduction in Stent Thrombosis Associated With Biodegradable Polymer-Based Biolimus-Eluting Stents Versus Durable Polymer-Based Sirolimus-Eluting Stents in Patients With Coronary Artery Disease. JACC: Cardiovascular Interventions, 2013, 6, 777-789.	1.1	296
72	Revascularisation versus medical treatment in patients with stable coronary artery disease: network meta-analysis. BMJ, The, 2014, 348, g3859-g3859.	3.0	291

#	Article	IF	CITATIONS
73	Evaluation of Multidimensional Geriatric Assessment as a Predictor of Mortality and Cardiovascular Events After Transcatheter Aortic Valve Implantation. JACC: Cardiovascular Interventions, 2012, 5, 489-496.	1.1	282
74	Meta-analysis: Chondroitin for Osteoarthritis of the Knee or Hip. Annals of Internal Medicine, 2007, 146, 580.	2.0	281
75	Effect of Biolimus-Eluting Stents With Biodegradable Polymer vs Bare-Metal Stents on Cardiovascular Events Among Patients With Acute Myocardial Infarction. JAMA - Journal of the American Medical Association, 2012, 308, 777.	3.8	278
76	Transcatheter aortic valve implantation vs. surgical aortic valve replacement for treatment of severe aortic stenosis: a meta-analysis of randomized trials. European Heart Journal, 2016, 37, 3503-3512.	1.0	275
77	Predictors of functional decline in elderly patients undergoing transcatheter aortic valve implantation (TAVI). European Heart Journal, 2013, 34, 684-692.	1.0	272
78	Drug eluting and bare metal stents in people with and without diabetes: collaborative network meta-analysis. BMJ: British Medical Journal, 2008, 337, a1331-a1331.	2.4	270
79	Subclinical Thyroid Dysfunction and Fracture Risk. JAMA - Journal of the American Medical Association, 2015, 313, 2055.	3.8	264
80	Percutaneous coronary interventional strategies for treatment of in-stent restenosis: a network meta-analysis. Lancet, The, 2015, 386, 655-664.	6.3	261
81	2017 ESC focused update on dual antiplatelet therapy in coronary artery disease developed in collaboration with EACTS. European Journal of Cardio-thoracic Surgery, 2018, 53, 34-78.	0.6	261
82	Mechanisms of Very Late Drug-Eluting Stent Thrombosis Assessed by Optical Coherence Tomography. Circulation, 2016, 133, 650-660.	1.6	260
83	Accuracy of electrocardiography in diagnosis of left ventricular hypertrophy in arterial hypertension: systematic review. BMJ: British Medical Journal, 2007, 335, 711.	2.4	253
84	2014 ESC/EACTS Guidelines on myocardial revascularization. EuroIntervention, 2015, 10, 1024-1094.	1.4	251
85	Effectiveness of therapeutic heparin versus prophylactic heparin on death, mechanical ventilation, or intensive care unit admission in moderately ill patients with covid-19 admitted to hospital: RAPID randomised clinical trial. BMJ, The, 2021, 375, n2400.	3.0	250
86	Dual Antiplatelet Therapy after PCI in Patients at High Bleeding Risk. New England Journal of Medicine, 2021, 385, 1643-1655.	13.9	247
87	An optical coherence tomography study of a biodegradable vs. durable polymer-coated limus-eluting stent: a LEADERS trial sub-study. European Heart Journal, 2010, 31, 165-176.	1.0	239
88	Intra-articular corticosteroid for knee osteoarthritis. The Cochrane Library, 2015, 2015, CD005328.	1.5	231
89	Impact of treatment characteristics on response of different breast cancer phenotypes: pooled analysis of the German neo-adjuvant chemotherapy trials. Breast Cancer Research and Treatment, 2011, 125, 145-156.	1.1	228
90	Effect of Empagliflozin on Erythropoietin Levels, Iron Stores, and Red Blood Cell Morphology in Patients With Type 2 Diabetes Mellitus and Coronary Artery Disease. Circulation, 2020, 141, 704-707.	1.6	225

#	Article	IF	CITATIONS
91	Ultrathin strut biodegradable polymer sirolimus-eluting stent versus durable polymer everolimus-eluting stent for percutaneous coronary revascularisation (BIOSCIENCE): a randomised, single-blind, non-inferiority trial. Lancet, The, 2014, 384, 2111-2122.	6.3	224
92	Abolishing Mammography Screening Programs? A View from the Swiss Medical Board. New England Journal of Medicine, 2014, 370, 1965-1967.	13.9	215
93	Radial versus femoral access and bivalirudin versus unfractionated heparin in invasively managed patients with acute coronary syndrome (MATRIX): final 1-year results of a multicentre, randomised controlled trial. Lancet, The, 2018, 392, 835-848.	6.3	215
94	The effects of excluding patients from the analysis in randomised controlled trials: meta-epidemiological study. BMJ: British Medical Journal, 2009, 339, b3244-b3244.	2.4	203
95	Value of the SYNTAX Score for Risk Assessment in the All-Comers Population of the Randomized Multicenter LEADERS (Limus Eluted from A Durable versus ERodable Stent coating) Trial. Journal of the American College of Cardiology, 2010, 56, 272-277.	1.2	198
96	Diagnostic value of sonography in patients with suspected carpal tunnel syndrome: A prospective study. Arthritis and Rheumatism, 2005, 52, 304-311.	6.7	197
97	A 3-Center Comparison of 1-Year Mortality Outcomes Between Transcatheter Aortic Valve Implantation and Surgical Aortic Valve Replacement on the Basis of Propensity Score Matching Among Intermediate-Risk Surgical Patients. JACC: Cardiovascular Interventions, 2013, 6, 443-451.	1.1	197
98	Impact of Permanent Pacemaker Implantation on Clinical Outcome Among Patients Undergoing Transcatheter Aortic Valve Implantation. Journal of the American College of Cardiology, 2012, 60, 493-501.	1.2	195
99	Clinical Outcomes and Cost-Effectiveness of Fractional Flow Reserve–Guided Percutaneous Coronary Intervention in Patients With Stable Coronary Artery Disease. Circulation, 2018, 137, 480-487.	1.6	193
100	Impact of climate and public health interventions on the COVID-19 pandemic: a prospective cohort study. Cmaj, 2020, 192, E566-E573.	0.9	192
101	Comparative efficacy of pharmacological and non-pharmacological interventions in fibromyalgia syndrome: network meta-analysis. Annals of the Rheumatic Diseases, 2013, 72, 955-962.	0.5	190
102	Safety and efficacy of a self-expanding versus a balloon-expandable bioprosthesis for transcatheter aortic valve replacement in patients with symptomatic severe aortic stenosis: a randomised non-inferiority trial. Lancet, The, 2019, 394, 1619-1628.	6.3	189
103	Report of a European Society of Cardiology-European Association of Percutaneous Cardiovascular Interventions task force on the evaluation of coronary stents in Europe: executive summary. European Heart Journal, 2015, 36, 2608-2620.	1.0	187
104	Device Closure of Patent Foramen Ovale After Stroke. Journal of the American College of Cardiology, 2016, 67, 907-917.	1.2	183
105	Osteoarthritis: rational approach to treating the individual. Best Practice and Research in Clinical Rheumatology, 2006, 20, 721-740.	1.4	182
106	Six-Month Outcomes after Restrictive or Liberal Transfusion for Cardiac Surgery. New England Journal of Medicine, 2018, 379, 1224-1233.	13.9	180
107	Transcutaneous electrostimulation for osteoarthritis of the knee. The Cochrane Library, 2009, , CD002823.	1.5	173
108	Comparison of a Novel Biodegradable Polymer Sirolimus-Eluting Stent With a Durable Polymer Everolimus-Eluting Stent. Circulation: Cardiovascular Interventions, 2015, 8, e001441.	1.4	172

#	Article	IF	CITATIONS
109	Prevalence of camâ€ŧype deformity on hip magnetic resonance imaging in young males: A crossâ€sectional study. Arthritis Care and Research, 2010, 62, 1319-1327.	1.5	169
110	Five-Year Clinical and Angiographic Outcomes of a Randomized Comparison of Sirolimus-Eluting and Paclitaxel-Eluting Stents. Circulation, 2011, 123, 2819-2828.	1.6	169
111	Effect of high-intensity statin therapy on atherosclerosis in non-infarct-related coronary arteries (IBIS-4): a serial intravascular ultrasonography study. European Heart Journal, 2015, 36, 490-500.	1.0	168
112	Guidelines for Reporting Trial Protocols and Completed Trials Modified Due to the COVID-19 Pandemic and Other Extenuating Circumstances. JAMA - Journal of the American Medical Association, 2021, 326, 257.	3.8	168
113	Drug-eluting or bare-metal stents for percutaneous coronary intervention: a systematic review and individual patient data meta-analysis of randomised clinical trials. Lancet, The, 2019, 393, 2503-2510.	6.3	166
114	2021 ESC/EACTS Guidelines for the management of valvular heart disease. EuroIntervention, 2022, 17, e1126-e1196.	1.4	161
115	Long-Term Propensity Score–Matched Comparison of Percutaneous Closure of Patent Foramen Ovale With Medical Treatment After Paradoxical Embolism. Circulation, 2012, 125, 803-812.	1.6	160
116	Hylan versus hyaluronic acid for osteoarthritis of the knee: A systematic review and metaâ€analysis. Arthritis and Rheumatism, 2007, 57, 1410-1418.	6.7	159
117	Fractional flow reserve-guided percutaneous coronary intervention vs. medical therapy for patients with stable coronary lesions: meta-analysis of individual patient data. European Heart Journal, 2019, 40, 180-186.	1.0	159
118	Catching a resurgence: Increase in SARS-CoV-2 viral RNA identified in wastewater 48Âh before COVID-19 clinical tests and 96Âh before hospitalizations. Science of the Total Environment, 2021, 770, 145319.	3.9	159
119	Active surveillance for rheumatic heart disease in endemic regions: a systematic review and meta-analysis of prevalence among children and adolescents. The Lancet Global Health, 2014, 2, e717-e726.	2.9	156
120	Systematic reviews and meta-analyses of randomized trials: principles and pitfalls. European Heart Journal, 2014, 35, 3336-3345.	1.0	156
121	Oral or transdermal opioids for osteoarthritis of the knee or hip. The Cochrane Library, 2014, 2014, CD003115.	1.5	153
122	Clinical Outcomes of Patients With Severe Aortic Stenosis at Increased Surgical Risk According to Treatment Modality. Journal of the American College of Cardiology, 2011, 58, 2151-2162.	1.2	150
123	Relationship between the logistic EuroSCORE and the Society of Thoracic Surgeons Predicted Risk of Mortality score in patients implanted with the CoreValve ReValving System—A Bern-Rotterdam Study. American Heart Journal, 2010, 159, 323-329.	1.2	149
124	Impact of Stent Overlap on Angiographic and Long-Term Clinical Outcome in Patients Undergoing Drug-Eluting Stent Implantation. Journal of the American College of Cardiology, 2010, 55, 1178-1188.	1.2	146
125	P2Y12 inhibitor monotherapy or dual antiplatelet therapy after coronary revascularisation: individual patient level meta-analysis of randomised controlled trials. BMJ, The, 2021, 373, n1332.	3.0	144
126	Meta-Analysis: Accuracy of Rapid Tests for Malaria in Travelers Returning from Endemic Areas. Annals of Internal Medicine, 2005, 142, 836.	2.0	143

#	Article	IF	CITATIONS
127	Clinical outcomes of patients with estimated low or intermediate surgical risk undergoing transcatheter aortic valve implantation. European Heart Journal, 2013, 34, 1894-1905.	1.0	140
128	Coronary artery disease severity and aortic stenosis: clinical outcomes according to SYNTAX score in patients undergoing transcatheter aortic valve implantation. European Heart Journal, 2014, 35, 2530-2540.	1.0	140
129	Therapeutic ultrasound for osteoarthritis of the knee or hip. The Cochrane Library, 2010, , CD003132.	1.5	138
130	Biodegradable polymer sirolimus-eluting stents versus durable polymer everolimus-eluting stents in patients with ST-segment elevation myocardial infarction (BIOSTEMI): a single-blind, prospective, randomised superiority trial. Lancet, The, 2019, 394, 1243-1253.	6.3	138
131	First-year Analysis of the Operating Room Black Box Study. Annals of Surgery, 2020, 271, 122-127.	2.1	137
132	Comparison of drug-eluting stents with bare metal stents in patients with ST-segment elevation myocardial infarction. European Heart Journal, 2012, 33, 977-987.	1.0	134
133	Acute Kidney Injury After Radial or Femoral Access for Invasive Acute Coronary Syndrome Management. Journal of the American College of Cardiology, 2017, 69, 2592-2603.	1.2	132
134	Prevalence and management of familial hypercholesterolaemia in patients with acute coronary syndromes. European Heart Journal, 2015, 36, 2438-2445.	1.0	129
135	The importance of allocation concealment and patient blinding in osteoarthritis trials: A metaâ€epidemiologic study. Arthritis and Rheumatism, 2009, 61, 1633-1641.	6.7	127
136	Efficacy and safety of intraarticular hylan or hyaluronic acids for osteoarthritis of the knee: A randomized controlled trial. Arthritis and Rheumatism, 2007, 56, 3610-3619.	6.7	123
137	Delayed Coverage in Malapposed and Side-Branch Struts With Respect to Well-Apposed Struts in Drug-Eluting Stents. Circulation, 2011, 124, 612-623.	1.6	122
138	Prognostic value of PCSK9 levels in patients with acute coronary syndromes. European Heart Journal, 2016, 37, 546-553.	1.0	120
139	A Prospective Natural History Study ofÂCoronary Atherosclerosis Using Fractional Flow Reserve. Journal of the American College of Cardiology, 2016, 68, 2247-2255.	1.2	118
140	Methods to convert continuous outcomes into odds ratios of treatment response and numbers needed to treat: meta-epidemiological study. International Journal of Epidemiology, 2012, 41, 1445-1459.	0.9	116
141	Surgical versus conservative treatment for lumbar disc herniation: a prospective cohort study. BMJ Open, 2016, 6, e012938.	0.8	116
142	Lessons from the withdrawal of rofecoxib: ***. BMJ: British Medical Journal, 2004, 329, 867-868.	2.4	115
143	Clinical outcome and predictors for adverse events after transcatheter aortic valve implantation with the use of different devices and access routes. American Heart Journal, 2011, 161, 1114-1124.	1.2	115
144	Metamizole-Associated Adverse Events: A Systematic Review and Meta-Analysis. PLoS ONE, 2015, 10, e0122918.	1.1	114

9

#	Article	IF	CITATIONS
145	Serum glucose levels for predicting death in patients admitted to hospital for community acquired pneumonia: prospective cohort study. BMJ, The, 2012, 344, e3397-e3397.	3.0	113
146	Factor analysis of responses to thermal, electrical, and mechanical painful stimuli supports the importance of multi-modal pain assessment. Pain, 2011, 152, 1146-1155.	2.0	112
147	Vascular Tissue Reaction to Acute Malapposition in Human Coronary Arteries. Circulation: Cardiovascular Interventions, 2012, 5, 20-29.	1.4	112
148	Value of Age, Creatinine, and Ejection Fraction (ACEF Score) in Assessing Risk in Patients Undergoing Percutaneous Coronary Interventions in the â€~All-Comers' LEADERS Trial. Circulation: Cardiovascular Interventions, 2011, 4, 47-56.	1.4	109
149	Atrial Fibrillation and Aortic Stenosis. Circulation: Cardiovascular Interventions, 2013, 6, 77-84.	1.4	108
150	Prognostic Value of Fractional Flow Reserve Measured Immediately After Drug-Eluting Stent Implantation. Circulation: Cardiovascular Interventions, 2017, 10, .	1.4	108
151	Effectiveness and safety of non-steroidal anti-inflammatory drugs and opioid treatment for knee and hip osteoarthritis: network meta-analysis. BMJ, The, 2021, 375, n2321.	3.0	108
152	Combining follow-up and change data is valid in meta-analyses of continuous outcomes: a meta-epidemiological study. Journal of Clinical Epidemiology, 2013, 66, 847-855.	2.4	107
153	Symptomatic treatment of uncomplicated lower urinary tract infections in the ambulatory setting: randomised, double blind trial. BMJ: British Medical Journal, 2017, 359, j4784.	2.4	107
154	Time-varying intensity of mechanical ventilation and mortality in patients with acute respiratory failure: a registry-based, prospective cohort study. Lancet Respiratory Medicine,the, 2020, 8, 905-913.	5.2	106
155	Glucose-lowering drugs or strategies, atherosclerotic cardiovascular events, and heart failure in people with or at risk of type 2 diabetes: an updated systematic review and meta-analysis of randomised cardiovascular outcome trials. Lancet Diabetes and Endocrinology,the, 2020, 8, 418-435.	5.5	105
156	Percutaneous closure of patent foramen ovale in patients with cryptogenic embolism: a network meta-analysis. European Heart Journal, 2015, 36, 120-128.	1.0	104
157	Ultrathin-strut, biodegradable-polymer, sirolimus-eluting stents versus thin-strut, durable-polymer, everolimus-eluting stents for percutaneous coronary revascularisation: 5-year outcomes of the BIOSCIENCE randomised trial. Lancet, The, 2018, 392, 737-746.	6.3	101
158	Ticagrelor Alone Versus Dual Antiplatelet Therapy From 1 Month After Drug-Eluting Coronary Stenting. Journal of the American College of Cardiology, 2019, 74, 2223-2234.	1.2	101
159	Impact of incomplete stent apposition on long-term clinical outcome after drug-eluting stent implantation. European Heart Journal, 2012, 33, 1334-1343.	1.0	100
160	Cerebrovascular accidents complicating transcatheter aortic valve implantation: frequency, timing and impact on outcomes. EuroIntervention, 2012, 8, 62-70.	1.4	100
161	Anticoagulant interventions in hospitalized patients with COVIDâ€19: A scoping review of randomized controlled trials and call for international collaboration. Journal of Thrombosis and Haemostasis, 2020, 18, 2958-2967.	1.9	98
162	Comparison of Newer-Generation Drug-Eluting With Bare-Metal Stents inÂPatients With Acute ST-Segment Elevation Myocardial Infarction. JACC: Cardiovascular Interventions, 2014, 7, 55-63.	1.1	96

#	Article	IF	CITATIONS
163	Impact of long-term ticagrelor monotherapy following 1-month dual antiplatelet therapy in patients who underwent complex percutaneous coronary intervention: insights from the Global Leaders trial. European Heart Journal, 2019, 40, 2595-2604.	1.0	93
164	Long-Term Comparison of Everolimus-Eluting and Sirolimus-Eluting Stents for Coronary Revascularization. Journal of the American College of Cardiology, 2011, 57, 2143-2151.	1.2	92
165	Association between cam-type deformities and magnetic resonance imaging-detected structural hip damage: A cross-sectional study in young men. Arthritis and Rheumatism, 2011, 63, 4023-4030.	6.7	92
166	Long-term ticagrelor monotherapy versus standard dual antiplatelet therapy followed by aspirin monotherapy in patients undergoing biolimus-eluting stent implantation: rationale and design of the GLOBAL LEADERS trial. EuroIntervention, 2016, 12, 1239-1245.	1.4	92
167	Heterogeneity of Treatment Effects in an Analysis of Pooled Individual Patient Data From Randomized Trials of Device Closure of Patent Foramen Ovale After Stroke. JAMA - Journal of the American Medical Association, 2021, 326, 2277.	3.8	92
168	Impact of Diabetic Status on Outcomes After Revascularization With Drug-Eluting Stents in Relation to Coronary Artery Disease Complexity. Circulation: Cardiovascular Interventions, 2016, 9, e003255.	1.4	88
169	Systolic blood pressure below 110mmHg is associated with increased mortality in penetrating major trauma patients: Multicentre cohort study. Resuscitation, 2012, 83, 476-481.	1.3	86
170	Cost-Effectiveness of Percutaneous Coronary Intervention in Patients With Stable Coronary Artery Disease and Abnormal Fractional Flow Reserve. Circulation, 2013, 128, 1335-1340.	1.6	86
171	Outcomes of non-invasive diagnostic modalities for the detection of coronary artery disease: network meta-analysis of diagnostic randomised controlled trials. BMJ: British Medical Journal, 2018, 360, k504.	2.4	86
172	Restrictive compared with liberal red cell transfusion strategies in cardiac surgery: a meta-analysis. European Heart Journal, 2019, 40, 1081-1088.	1.0	85
173	Ten-year clinical outcomes of first-generation drug-eluting stents: the Sirolimus-Eluting vs. Paclitaxel-Eluting Stents for Coronary Revascularization (SIRTAX) VERY LATE trial. European Heart Journal, 2016, 37, 3386-3395.	1.0	80
174	Systolic blood pressure below 110mmHg is associated with increased mortality in blunt major trauma patients: Multicentre cohort study. Resuscitation, 2011, 82, 1202-1207.	1.3	78
175	Oral or transdermal opioids for osteoarthritis of the knee or hip. , 2009, , CD003115.		77
176	The association between in-stent neoatherosclerosis and native coronary artery disease progression: a long-term angiographic and optical coherence tomography cohort study. European Heart Journal, 2015, 36, 2167-2176.	1.0	77
177	Rate, Timing, Correlates, and Outcomes of Hemodynamic Valve Deterioration After Bioprosthetic Surgical Aortic Valve Replacement. Circulation, 2018, 138, 971-985.	1.6	77
178	Joint lavage for osteoarthritis of the knee. The Cochrane Library, 2010, , CD007320.	1.5	76
179	The association between admission systolic blood pressure and mortality in significant traumatic brain injury: A multi-centre cohort study. Injury, 2014, 45, 612-617.	0.7	76
180	Clinical Impact of Gastrointestinal Bleeding in Patients Undergoing Percutaneous Coronary Interventions. Circulation: Cardiovascular Interventions, 2015, 8, .	1.4	75

#	Article	IF	CITATIONS
181	Impact of Vessel Size on Outcome After Implantation of Sirolimus-Eluting and Paclitaxel-Eluting Stents. Journal of the American College of Cardiology, 2007, 50, 1123-1131.	1.2	73
182	Ranking of parameters of pain hypersensitivity according to their discriminative ability in chronic low back pain. Pain, 2012, 153, 2083-2091.	2.0	72
183	Improved risk stratification of patients with acute coronary syndromes using a combination of hsTnT, NT-proBNP and hsCRP with the GRACE score. European Heart Journal: Acute Cardiovascular Care, 2018, 7, 129-138.	0.4	70
184	Coronary evaginations are associated with positive vessel remodelling and are nearly absent following implantation of newer-generation drug-eluting stents: an optical coherence tomography and intravascular ultrasound study. European Heart Journal, 2014, 35, 795-807.	1.0	67
185	Safety and Efficacy of Resolute Zotarolimus-Eluting Stents Compared With Everolimus-Eluting Stents. Circulation: Cardiovascular Interventions, 2015, 8, .	1.4	67
186	Paediatric reference values for total psoas muscle area. Journal of Cachexia, Sarcopenia and Muscle, 2020, 11, 405-414.	2.9	66
187	Two-year clinical outcome after implantation of sirolimus-eluting and paclitaxel-eluting stents in diabetic patients. European Heart Journal, 2008, 29, 718-725.	1.0	64
188	Impact of Sex on Clinical and Angiographic Outcomes Among Patients Undergoing Revascularization With Drug-Eluting Stents. JACC: Cardiovascular Interventions, 2012, 5, 301-310.	1.1	64
189	Procedural Results and Clinical Outcomes of Transcatheter Aortic Valve Implantation in Switzerland. Circulation: Cardiovascular Interventions, 2015, 8, .	1.4	64
190	Conditioned Pain Modulation in Patients With Acute and Chronic Low Back Pain. Clinical Journal of Pain, 2016, 32, 116-121.	0.8	64
191	Standardized classification and framework for reporting, interpreting, and analysing medication non-adherence in cardiovascular clinical trials: a consensus report from the Non-adherence Academic Research Consortium (NARC). European Heart Journal, 2019, 40, 2070-2085.	1.0	64
192	Percutaneous Coronary Interventions forÂthe Treatment of Stenoses in Small Coronary Arteries. JACC: Cardiovascular Interventions, 2016, 9, 1324-1334.	1.1	63
193	Impact of total arterial revascularization on long term survival: A systematic review and meta-analysis of 130,305 patients. International Journal of Cardiology, 2017, 233, 29-36.	0.8	63
194	Sonographic Follow-Up of Patients With Carpal Tunnel Syndrome Undergoing Surgical or Nonsurgical Treatment: Prospective Cohort Study. Journal of Hand Surgery, 2010, 35, 1401-1409.	0.7	62
195	How Valuable are Multiple Treatment Comparison Methods in Evidence-Based Health-Care Evaluation?. Value in Health, 2011, 14, 371-380.	0.1	61
196	The Impact of Anemia on Long-Term Clinical Outcome in Patients Undergoing Revascularization With the Unrestricted Use of Drug-Eluting Stents. Circulation: Cardiovascular Interventions, 2012, 5, 202-210.	1.4	61
197	Risk and timing of recurrent ischemic events among patients with stable ischemic heart disease, non–ST-segment elevation acute coronary syndrome, and ST-segment elevation myocardial infarction. American Heart Journal, 2016, 175, 56-65.	1.2	61
198	Radiation Exposure and Vascular AccessÂinÂAcute Coronary Syndromes. Journal of the American College of Cardiology, 2017, 69, 2530-2537.	1.2	61

#	Article	IF	CITATIONS
199	Angiography Versus Hemodynamics to Predict the Natural History of Coronary Stenoses. Circulation, 2018, 137, 1475-1485.	1.6	61
200	Disagreements in meta-analyses using outcomes measured on continuous or rating scales: observer agreement study. BMJ: British Medical Journal, 2009, 339, b3128-b3128.	2.4	59
201	Considerations for the choice between coronary artery bypass grafting and percutaneous coronary intervention as revascularization strategies in major categories of patients with stable multivessel coronary artery disease: an accompanying article of the task force of the 2018 ESC/EACTS guidelines on myocardial revascularization. European Heart Journal. 2019. 40. 204-212.	1.0	59
202	Caesarean sections and for-profit status of hospitals: systematic review and meta-analysis. BMJ Open, 2017, 7, e013670.	0.8	58
203	Short-term clinical outcomes among patients undergoing transcatheter aortic valve implantation in Switzerland: the Swiss TAVI registry. EuroIntervention, 2014, 10, 982-989.	1.4	57
204	Biolimus-Eluting Stents With Biodegradable Polymer Versus Bare-Metal Stents in Acute Myocardial Infarction. Circulation: Cardiovascular Interventions, 2014, 7, 355-364.	1.4	56
205	Most published meta-regression analyses based on aggregate data suffer from methodological pitfalls: a meta-epidemiological study. BMC Medical Research Methodology, 2021, 21, 123.	1.4	56
206	Accuracy of B-Type Natriuretic Peptide Tests to Exclude Congestive Heart Failure. Archives of Internal Medicine, 2006, 166, 1073.	4.3	55
207	Long-Term Vascular Healing in Response to Sirolimus- and Paclitaxel-Eluting Stents. JACC: Cardiovascular Interventions, 2012, 5, 946-957.	1.1	55
208	Systematic review and meta-analysis of chordal replacement versus leaflet resection for posterior mitral leaflet prolapse. Journal of Thoracic and Cardiovascular Surgery, 2018, 155, 120-128.e10.	0.4	55
209	Rates and predictors of hospital readmission after transcatheter aortic valve implantation. European Heart Journal, 2017, 38, 2211-2217.	1.0	54
210	Pump, pipes, and filter: do SGLT2 inhibitors cover it all?. Lancet, The, 2019, 393, 3-5.	6.3	54
211	A comparison of patient characteristics and 30-day mortality outcomes after transcatheter aortic valve implantation and surgical aortic valve replacement for the treatment of aortic stenosis: a two-centre study. EuroIntervention, 2009, 5, 580-588.	1.4	54
212	Systematic review of the epidemiologic and trial evidence of an association between antidepressant medication and breast cancer. Journal of Clinical Epidemiology, 2003, 56, 155-163.	2.4	53
213	Prevalence of Subclinical Rheumatic Heart Disease in Eastern Nepal. JAMA Cardiology, 2016, 1, 89.	3.0	53
214	Design and rationale of the Management of High Bleeding Risk Patients Post Bioresorbable Polymer Coated Stent Implantation With an Abbreviated Versus Standard DAPT Regimen (MASTER DAPT) Study. American Heart Journal, 2019, 209, 97-105.	1.2	53
215	S-Adenosylmethionine for osteoarthritis of the knee or hip. The Cochrane Library, 2009, , CD007321.	1.5	52
216	Doxycycline for osteoarthritis of the knee or hip. The Cochrane Library, 2012, 11, CD007323.	1.5	52

#	Article	IF	CITATIONS
217	Radial versus femoral access in patients with acute coronary syndromes with or without ST-segment elevation. European Heart Journal, 2017, 38, 1069-1080.	1.0	52
218	Empagliflozin Reduces Myocardial Extracellular Volume in Patients WithÂType 2 Diabetes and CoronaryÂArtery Disease. JACC: Cardiovascular Imaging, 2021, 14, 1164-1173.	2.3	51
219	Are randomised controlled trials in the BMJ different?. BMJ: British Medical Journal, 2001, 323, 1253-1253.	2.4	51
220	Comparison of procedural and clinical outcomes with Evolut R versus Medtronic CoreValve: a Swiss TAVI registry analysis. EuroIntervention, 2017, 12, e2170-e2176.	1.4	51
221	Sleepless night, the moon is bright: longitudinal study of lunar phase and sleep. Journal of Sleep Research, 2006, 15, 149-153.	1.7	50
222	Comparative effectiveness of long term drug treatment strategies to prevent asthma exacerbations: network meta-analysis. BMJ, The, 2014, 348, g3009-g3009.	3.0	50
223	Ultrathin Strut Biodegradable Polymer Sirolimusâ€Eluting Stent Versus Durableâ€Polymer Everolimusâ€Eluting Stent for Percutaneous Coronary Revascularization: 2â€Year Results of the BIOSCIENCE Trial. Journal of the American Heart Association, 2016, 5, e003255.	1.6	50
224	The Impact of Body Mass Index on the One Year Outcomes of Patients Treated by Percutaneous Coronary Intervention With Biolimus- and Sirolimus-Eluting Stents (from the LEADERS Trial). American Journal of Cardiology, 2010, 105, 475-479.	0.7	49
225	Association of Sex With Outcomes in Patients Undergoing Percutaneous Coronary Intervention. JAMA Cardiology, 2020, 5, 21.	3.0	49
226	The twelve-month outcomes of a biolimus eluting stent with a biodegradable polymer compared with a sirolimus eluting stent with a durable polymer. EuroIntervention, 2010, 6, 233-239.	1.4	49
227	Impact of Vessel Size on Angiographic and Clinical Outcomes of Revascularization With Biolimus-Eluting Stent With Biodegradable Polymer and Sirolimus-Eluting Stent With Durable Polymer. JACC: Cardiovascular Interventions, 2009, 2, 861-870.	1.1	48
228	Effect of B-type Natriuretic Peptides on Long-Term Outcomes After Transcatheter Aortic Valve Implantation. American Journal of Cardiology, 2015, 116, 1560-1565.	0.7	47
229	Intra-articular Corticosteroids for Osteoarthritis of the Knee. JAMA - Journal of the American Medical Association, 2016, 316, 2671.	3.8	47
230	Whole milk compared with reduced-fat milk and childhood overweight: a systematic review and meta-analysis. American Journal of Clinical Nutrition, 2020, 111, 266-279.	2.2	47
231	Multiplicity of data in trial reports and the reliability of meta-analyses: empirical study. BMJ: British Medical Journal, 2011, 343, d4829-d4829.	2.4	46
232	Predictors of Clinical Outcomes in Patients With Severe Aortic Stenosis Undergoing TAVI. Circulation: Cardiovascular Interventions, 2012, 5, 856-861.	1.4	46
233	Cysteine-rich angiogenic inducer 61 (Cyr61): a novel soluble biomarker of acute myocardial injury improves risk stratification after acute coronary syndromes. European Heart Journal, 2017, 38, 3493-3502.	1.0	46
234	Long-term tissue coverage of a biodegradable polylactide polymer–coated biolimus-eluting stent: Comparative sequential assessment with optical coherence tomography until complete resorption of the polymer. American Heart Journal, 2011, 162, 922-931.	1.2	45

#	Article	IF	CITATIONS
235	Effect of standardized training on the reliability of the Cochrane risk of bias assessment tool: a prospective study. Systematic Reviews, 2017, 6, 44.	2.5	45
236	Report of an ESC-EAPCI Task Force on the evaluation and use of bioresorbable scaffolds for percutaneous coronary intervention: executive summary. European Heart Journal, 2018, 39, 1591-1601.	1.0	45
237	COX 2 inhibitors, traditional NSAIDs, and the heart. BMJ: British Medical Journal, 2005, 330, 1342-1343.	2.4	44
238	Differential healing response attributed to culprit lesions of patients with acute coronary syndromes and stable coronary artery after implantation of drug-eluting stents: An optical coherence tomography study. International Journal of Cardiology, 2014, 173, 259-267.	0.8	44
239	First generation versus second generation drugâ€eluting stents for the treatment of bifurcations: 5â€year followâ€up of the <scp>LEADERS</scp> allâ€comers randomized trial. Catheterization and Cardiovascular Interventions, 2016, 87, E248-60.	0.7	44
240	Bivalirudin or unfractionated heparin in patients with acute coronary syndromes managed invasively with and without ST elevation (MATRIX): randomised controlled trial. BMJ, The, 2016, 354, i4935.	3.0	43
241	A systematic review and meta-analysis of in situ versus composite bilateral internal thoracic artery grafting. Journal of Thoracic and Cardiovascular Surgery, 2017, 153, 1108-1116.e16.	0.4	43
242	Impact of atrial fibrillation on clinical outcomes among patients with coronary artery disease undergoing revascularisation with drug-eluting stents. EuroIntervention, 2013, 8, 1061-1071.	1.4	43
243	Postâ€Procedural Troponin Elevation and Clinical Outcomes Following Transcatheter Aortic Valve Implantation. Journal of the American Heart Association, 2016, 5, .	1.6	41
244	Should thoracic paravertebral blocks be used to prevent chronic postsurgical pain after breast cancer surgery? A systematic analysis of evidence in light of IMMPACT recommendations. Pain, 2018, 159, 1955-1971.	2.0	41
245	Effect on Treatment Adherence of Distributing Essential Medicines at No Charge. JAMA Internal Medicine, 2020, 180, 27.	2.6	41
246	Risk of Paradoxical Embolism (RoPE)–Estimated Attributable Fraction Correlates With the Benefit of Patent Foramen Ovale Closure. Stroke, 2020, 51, 3119-3123.	1.0	41
247	Abbreviated Antiplatelet Therapy in Patients at High Bleeding Risk With or Without Oral Anticoagulant Therapy After Coronary Stenting: An Open-Label, Randomized, Controlled Trial. Circulation, 2021, 144, 1196-1211.	1.6	41
248	Antiplatelets versus Anticoagulants for the Treatment of Cervical Artery Dissection: Bayesian Meta-Analysis. PLoS ONE, 2013, 8, e72697.	1.1	41
249	Commentary: Empirical evidence of attrition bias in clinical trials. International Journal of Epidemiology, 2004, 34, 87-88.	0.9	40
250	Placebo-controlled trials of Chinese herbal medicine and conventional medicine comparative study. International Journal of Epidemiology, 2007, 36, 1086-1092.	0.9	40
251	Caesarean sections and private insurance: systematic review and meta-analysis. BMJ Open, 2017, 7, e016600.	0.8	40
252	Consequences of different diagnostic â€~gold standards' in test accuracy research: Carpal Tunnel Syndrome as an example. International Journal of Epidemiology, 2005, 34, 953-955.	0.9	39

#	Article	IF	CITATIONS
253	Adverse events while awaiting myocardial revascularization: a systematic review and meta-analysis. European Journal of Cardio-thoracic Surgery, 2017, 52, 206-217.	0.6	39
254	PRECISE-DAPT score for bleeding risk prediction in patients on dual or single antiplatelet regimens: insights from the GLOBAL LEADERS and GLASSY. European Heart Journal - Cardiovascular Pharmacotherapy, 2022, 8, 28-38.	1.4	39
255	Randomized trials of therapeutic heparin for COVIDâ€19: A metaâ€analysis. Research and Practice in Thrombosis and Haemostasis, 2021, 5, e12638.	1.0	39
256	PRISMAtic reporting of systematic reviews and meta-analyses. Lancet, The, 2009, 374, 1221-1223.	6.3	38
257	Safety profile of prasugrel and clopidogrel in patients with acute coronary syndromes in Switzerland. Heart, 2015, 101, 854-863.	1.2	38
258	Comparative Effectiveness and Safety of New-Generation Versus Early-Generation Drug-Eluting Stents According to Complexity of Coronary Artery Disease. JACC: Cardiovascular Interventions, 2015, 8, 1657-1666.	1.1	38
259	Effect of a flow chart on use of blood transfusions in primary total hip and knee replacement: prospective before and after study. BMJ: British Medical Journal, 2004, 328, 934-938.	2.4	37
260	Differences across health care systems in outcome and cost-utility of surgical and conservative treatment of chronic low back pain: a study protocol. BMC Musculoskeletal Disorders, 2008, 9, 81.	0.8	37
261	ACUPUNCTURE FOR ALCOHOL WITHDRAWAL: A RANDOMIZED CONTROLLED TRIAL. Alcohol and Alcoholism, 2003, 38, 369-375.	0.9	37
262	Assessing bone loss on radiographs of the knee in osteoarthritis: A cross-sectional study. Arthritis and Rheumatism, 2005, 52, 3536-3541.	6.7	36
263	Non-Technical Skills for Surgeons (NOTSS): Critical appraisal of its measurement properties. American Journal of Surgery, 2018, 216, 990-997.	0.9	36
264	Association of diabetes with outcomes in patients undergoing contemporary percutaneous coronary intervention: Pre-specified subgroup analysis from the randomized GLOBAL LEADERS study. Atherosclerosis, 2020, 295, 45-53.	0.4	36
265	Rationale and design of OPtimising thERapy to prevent Avoidable hospital admissions in Multimorbid older people (OPERAM): a cluster randomised controlled trial. BMJ Open, 2019, 9, e026769.	0.8	36
266	The three year follow-up of the randomised "all-comers―trial of a biodegradable polymer biolimus-eluting stent versus permanent polymer sirolimus-eluting stent (LEADERS). EuroIntervention, 2011, 7, 789-795.	1.4	36
267	Do Central Hypersensitivity and Altered Pain Modulation Predict the Course of Chronic Low Back and Neck Pain?. Clinical Journal of Pain, 2013, 29, 673-680.	0.8	35
268	Efficacy of dexamethasone treatment for patients with the acute respiratory distress syndrome caused by COVID-19: study protocol for a randomized controlled superiority trial. Trials, 2020, 21, 717.	0.7	35
269	Midterm clinical outcomes with everolimus-eluting bioresorbable scaffolds versus everolimus-eluting metallic stents for percutaneous coronary interventions: a meta-analysis of randomised trials. EuroIntervention, 2018, 13, 1565-1573.	1.4	35
270	Report of an ESC-EAPCI Task Force on the evaluation and use of bioresorbable scaffolds for percutaneous coronary intervention: executive summary. EuroIntervention, 2018, 13, 1574-1586.	1.4	35

#	Article	IF	CITATIONS
271	Natural History of Asymptomatic Severe Aortic Stenosis and the Association of Early Intervention With Outcomes. JAMA Cardiology, 2020, 5, 1102.	3.0	34
272	Viscosupplementation for knee osteoarthritis: systematic review and meta-analysis. BMJ, The, 0, , e069722.	3.0	34
273	Clinical Scoring System for Vulvar Lichen Sclerosus. Journal of Sexual Medicine, 2012, 9, 2342-2350.	0.3	33
274	Predictive value of the age, creatinine, and ejection fraction (ACEF) score in patients with acute coronary syndromes. International Journal of Cardiology, 2018, 270, 7-13.	0.8	33
275	Tramadol for osteoarthritis. The Cochrane Library, 2019, 5, CD005522.	1.5	33
276	Biodegradable- Versus Durable-Polymer Drug-Eluting Stents for STEMI. JACC: Cardiovascular Interventions, 2021, 14, 639-648.	1.1	33
277	2-Year Clinical Follow-Up From the Randomized Comparison of Biolimus-Eluting Stents With Biodegradable Polymer and Sirolimus-Eluting Stents With Durable Polymer in Routine Clinical Practice. JACC: Cardiovascular Interventions, 2011, 4, 887-895.	1.1	32
278	Fractional Flow Reserve and Quality-of-Life Improvement After Percutaneous Coronary Intervention in Patients With Stable Coronary Artery Disease. Circulation, 2018, 138, 1797-1804.	1.6	32
279	Short Versus Long Duration of DAPT AfterÂDESÂImplantation: AÂMeta-Analysis. Journal of the American College of Cardiology, 2014, 64, 953-954.	1.2	31
280	Mortality after bleeding versus myocardial infarction in coronary artery disease: a systematic review and meta-analysis. EuroIntervention, 2021, 17, 550-560.	1.4	31
281	Low membrane protein sulfhydrils but not G6PD deficiency predict ribavirin-induced hemolysis in hepatitis C. Hepatology, 2004, 39, 1248-1255.	3.6	30
282	Severe structural damage of the seemingly non-diseased infrarenal aortic aneurysm neck. Journal of Vascular Surgery, 2008, 48, 425-434.	0.6	30
283	Corticosteroid therapy for critically ill patients with COVID-19: A structured summary of a study protocol for a prospective meta-analysis of randomized trials. Trials, 2020, 21, 734.	0.7	30
284	A disproportionate epidemic: COVID-19 cases and deaths among essential workers in Toronto, Canada. Annals of Epidemiology, 2021, 63, 63-67.	0.9	30
285	Long-term outcomes of biodegradable polymer versus durable polymer drug-eluting stents in patients with diabetes a pooled analysis of individual patient data from 3 randomized trials. International Journal of Cardiology, 2013, 168, 5162-5166.	0.8	29
286	Clinical Outcomes According to Diabetic Status in Patients Treated With Biodegradable Polymer Sirolimus-Eluting Stents Versus Durable Polymer Everolimus-Eluting Stents. Circulation: Cardiovascular Interventions, 2015, 8, .	1.4	29
287	Prognostic Value of Early Postoperative Troponin T in Patients Undergoing Coronary Artery Bypass Grafting. Journal of the American Heart Association, 2018, 7, .	1.6	29
288	Visual Analogue Scale has higher assay sensitivity than WOMAC pain in detecting between-group differences in treatment effects: a meta-epidemiological study. Osteoarthritis and Cartilage, 2021, 29, 304-312.	0.6	29

#	Article	IF	CITATIONS
289	Genetic Evidence Supporting the Association of Protease and Protease Inhibitor Genes with Inflammatory Bowel Disease: A Systematic Review. PLoS ONE, 2011, 6, e24106.	1.1	29
290	A pain assessment scale for population-based studies: Development and validation of the Pain Module of the Standard Evaluation Questionnaire. Pain, 2008, 136, 62-74.	2.0	28
291	Quality of Care after Acute Coronary Syndromes in a Prospective Cohort with Reasons for Non-Prescription of Recommended Medications. PLoS ONE, 2014, 9, e93147.	1.1	28
292	Randomized Trials in Cardiac Surgery. Journal of the American College of Cardiology, 2020, 75, 1593-1604.	1.2	28
293	Clinical Trial Design Principles and Outcomes Definitions for Device-Based Therapies for Hypertension: A Consensus Document From the Hypertension Academic Research Consortium. Circulation, 2022, 145, 847-863.	1.6	28
294	Effect of Biomechanical Footwear on Knee Pain in People With Knee Osteoarthritis. JAMA - Journal of the American Medical Association, 2020, 323, 1802.	3.8	27
295	Ticagrelor Monotherapy Versus Dual-Antiplatelet Therapy After PCI. JACC: Cardiovascular Interventions, 2021, 14, 444-456.	1.1	27
296	Comparison of biolimus eluted from an erodible stent coating with bare metal stents in acute ST-elevation myocardial infarction (COMFORTABLE AMI trial): rationale and design. EuroIntervention, 2012, 7, 1435-1443.	1.4	27
297	Biodegradable polymer sirolimus-eluting stents versus durable polymer everolimus-eluting stents for primary percutaneous coronary revascularisation of acute myocardial infarction. EuroIntervention, 2016, 12, e1343-e1354.	1.4	27
298	Allocation Concealment in Clinical Trials. JAMA - Journal of the American Medical Association, 2002, 288, 2407.	3.8	26
299	Long-term clinical and angiographic outcomes of diabetic patients after revascularization with early generation drug-eluting stents. American Heart Journal, 2012, 163, 876-886.e2.	1.2	26
300	Age- and Gender-related Disparities in Primary Percutaneous Coronary Interventions for Acute ST-segment elevation Myocardial Infarction. PLoS ONE, 2015, 10, e0137047.	1.1	26
301	Long-term outcome of elderly patients with severe aortic stenosis as a function of treatment modality. Heart, 2015, 101, 30-36.	1.2	26
302	Association of acute kidney injury and bleeding events with mortality after radial or femoral access in patients with acute coronary syndrome undergoing invasive management: secondary analysis of a randomized clinical trial. European Heart Journal, 2019, 40, 1226-1232.	1.0	26
303	Adverse Events in the Operating Room: Definitions, Prevalence, and Characteristics. A Systematic Review. World Journal of Surgery, 2019, 43, 2379-2392.	0.8	26
304	Commentary: Which meta-analyses are conclusive?. International Journal of Epidemiology, 2009, 38, 298-303.	0.9	25
305	Comparison of Titanium-Nitride-Oxide–Coated Stents With Zotarolimus-Eluting Stents for Coronary Revascularization. JACC: Cardiovascular Interventions, 2011, 4, 672-682.	1.1	25
306	Sono-Electro-Magnetic Therapy for Treating Chronic Pelvic Pain Syndrome in Men: A Randomized, Placebo-Controlled, Double-Blind Trial. PLoS ONE, 2014, 9, e113368.	1.1	25

#	Article	IF	CITATIONS
307	Randomized, Controlled Trial Comparing Mitral Valve Repair With Leaflet Resection Versus Leaflet Preservation on Functional Mitral Stenosis. Circulation, 2020, 142, 1342-1350.	1.6	25
308	Impact of B-type natriuretic peptide on short-term clinical outcomes following transcatheter aortic valve implantation. EuroIntervention, 2015, 10, e1-e8.	1.4	25
309	The MI SYNTAX score for risk stratification in patients undergoing primary percutaneous coronary intervention for treatment of acute myocardial infarction: A substudy of the COMFORTABLE AMI trial. International Journal of Cardiology, 2014, 175, 314-322.	0.8	24
310	Duration of Triple Antithrombotic TherapyÂand Outcomes Among PatientsÂUndergoing Percutaneous Coronary Intervention. JACC: Cardiovascular Interventions, 2016, 9, 1473-1483.	1.1	24
311	Effect of Continuous Electrocardiogram Monitoring on Detection of Undiagnosed Atrial Fibrillation After Hospitalization for Cardiac Surgery. JAMA Network Open, 2021, 4, e2121867.	2.8	24
312	Bibliographic study showed improving methodology of meta-analyses published in leading journals 1993–2002. Journal of Clinical Epidemiology, 2007, 60, 773-780.	2.4	23
313	Validation of the Valve Academic Research Consortium Bleeding Definition in Patients With Severe Aortic Stenosis Undergoing Transcatheter Aortic Valve Implantation. Journal of the American Heart Association, 2015, 4, e002135.	1.6	23
314	Effects of coronary artery disease in patients undergoing transcatheter aortic valve implantation: A study of age- and gender-matched cohorts. International Journal of Cardiology, 2017, 243, 150-155.	0.8	23
315	Protocol for a randomised trial evaluating a preconception-early childhood telephone-based intervention with tailored e-health resources for women and their partners to optimise growth and development among children in Canada: a Healthy Life Trajectory Initiative (HeLTI Canada). BMJ Open, 2021, 11, e046311.	0.8	23
316	Systematic review of celecoxib for osteoarthritis and rheumatoid arthritis. BMJ: British Medical Journal, 2003, 326, 334-334.	2.4	22
317	The Effectiveness and Safety of Proton Radiation Therapy for Indications of the Eye. Strahlentherapie Und Onkologie, 2009, 185, 211-221.	1.0	22
318	Case-based implementation of the 2017 ESC Focused Update on Dual Antiplatelet Therapy in Coronary Artery Disease. European Heart Journal, 2018, 39, e1-e33.	1.0	22
319	Effectiveness of Systematic Echocardiographic Screening for Rheumatic Heart Disease in Nepalese Schoolchildren. JAMA Cardiology, 2021, 6, 420.	3.0	22
320	Ranking of Tests for Pain Hypersensitivity According to Their Discriminative Ability in Chronic Neck Pain. Regional Anesthesia and Pain Medicine, 2013, 38, 308-320.	1.1	21
321	Long-Term Effect of Ultrathin-Strut Versus Thin-Strut Drug-Eluting Stents in Patients With Small Vessel Coronary Artery Disease Undergoing Percutaneous Coronary Intervention. Circulation: Cardiovascular Interventions, 2019, 12, e008024.	1.4	21
322	Debate: Prasugrel rather than ticagrelor is the preferred treatment for NSTE-ACS patients who proceed to PCI and pretreatment should not be performed in patients planned for an early invasive strategy. European Heart Journal, 2021, 42, 2973-2985.	1.0	21
323	Implantation of the biodegradable polymer biolimus-eluting stent in patients with high SYNTAX score is associated with decreased cardiac mortality compared to a permanent polymer sirolimus-eluting stent: two year follow-up results from the "Call-comers" LEADERS trial. EuroIntervention, 2011, 7, 605-613.	1.4	21
324	Long-term comparison of everolimus-eluting stents with sirolimus- and paclitaxel-eluting stents for percutaneous coronary intervention of saphenous vein grafts. EuroIntervention, 2014, 9, 1432-1440.	1.4	21

#	Article	IF	CITATIONS
325	Predicting transition from acute to chronic low back pain with quantitative sensory tests—A prospective cohort study in the primary care setting. European Journal of Pain, 2019, 23, 894-907.	1.4	20
326	Ticagrelor monotherapy beyond one month after PCI in ACS or stable CAD in elderly patients: a pre-specified analysis of the GLOBAL LEADERS trial. EuroIntervention, 2020, 15, e1605-e1614.	1.4	20
327	Long-term outcomes of biodegradable versus durable polymer drug-eluting stents in patients with acute ST-segment elevation myocardial infarction: a pooled analysis of individual patient data from three randomised trials. EuroIntervention, 2015, 10, 1425-1431.	1.4	20
328	Risk-stratification of febrile African children at risk of sepsis using sTREM-1 as basis for a rapid triage test. Nature Communications, 2021, 12, 6832.	5.8	20
329	Randomized clinical trial comparing percutaneous closure of patent foramen ovale (PFO) using the Amplatzer PFO Occluder with medical treatment in patients with cryptogenic embolism (PC-Trial): rationale and design. Trials, 2011, 12, 56.	0.7	19
330	Axillary versus innominate artery cannulation for antegrade cerebral perfusion in aortic surgery: design of the Aortic Surgery Cerebral Protection Evaluation (ACE) CardioLink-3 randomised trial. BMJ Open, 2017, 7, e014491.	0.8	19
331	Predictive ability of ACEF and ACEF II score in patients undergoing percutaneous coronary intervention in the GLOBAL LEADERS study. International Journal of Cardiology, 2019, 286, 43-50.	0.8	19
332	Coagulopathy of hospitalised COVID-19: A Pragmatic Randomised Controlled Trial of Therapeutic Anticoagulation versus Standard Care as a Rapid Response to the COVID-19 Pandemic (RAPID COVID) Tj ETQq0	0 0 rgBT /(Dverlock 10 T
	Trials, 2021, 22, 202.		
333	The outcome of bifurcation lesion stenting using a biolimus-eluting stent with a bio-degradable polymer compared to a sirolimus-eluting stent with a durable polymer. EuroIntervention, 2011, 6, 928-935.	1.4	19
334	Matched-pair study showed higher quality of placebo-controlled trials in Western phytotherapy than conventional medicine. Journal of Clinical Epidemiology, 2007, 60, 787.e1-787.e15.	2.4	18
335	Safety of drug-eluting stents. Nature Clinical Practice Cardiovascular Medicine, 2008, 5, 316-328.	3.3	18
336	Organ Donation in Switzerland - An Analysis of Factors Associated with Consent Rate. PLoS ONE, 2014, 9, e106845.	1.1	18
337	Low statin use in adults hospitalized with acute coronary syndrome. Preventive Medicine, 2015, 77, 131-136.	1.6	18
338	Preprocedural High-Sensitivity Cardiac Troponin T and Clinical Outcomes in Patients With Stable Coronary Artery Disease Undergoing Elective Percutaneous Coronary Intervention. Circulation: Cardiovascular Interventions, 2016, 9, .	1.4	18
339	Rationale and design of a prospective substudy of clinical endpoint adjudication processes within an investigator-reported randomised controlled trial in patients with coronary artery disease: the GLOBAL LEADERS Adjudication Sub-StudY (GLASSY). BMJ Open, 2019, 9, e026053.	0.8	18
340	Effects of Empagliflozin on Left Ventricular Remodeling in Patients with Type 2 Diabetes and Coronary Artery Disease: Echocardiographic Substudy of the EMPA-HEART CardioLink-6 Randomized Clinical Trial. Journal of the American Society of Echocardiography, 2020, 33, 644-646.	1.2	18
341	Efficacy and Safety of Ticagrelor Monotherapy by Clinical Presentation: Preâ€6pecified Analysis of the GLOBAL LEADERS Trial. Journal of the American Heart Association, 2021, 10, e015560.	1.6	18
342	Ticagrelor alone or conventional dual antiplatelet therapy in patients with stable or acute coronary syndromes. EuroIntervention, 2020, 16, 627-633.	1.4	18

#	Article	IF	CITATIONS
343	Tools & Techniques - Statistics: Propensity score techniques. EuroIntervention, 2014, 10, 761-767.	1.4	18
344	Older people should NOT be prescribed 'coxibs' in place of conventional NSAIDs. Age and Ageing, 2004, 33, 100-104.	0.7	17
345	Development of a combined database for metaâ€epidemiological research. Research Synthesis Methods, 2010, 1, 212-225.	4.2	17
346	Five‥ear Outcomes in Patients With Diabetes Mellitus Treated With Biodegradable Polymer Sirolimusâ€Eluting Stents Versus Durable Polymer Everolimusâ€Eluting Stents. Journal of the American Heart Association, 2019, 8, e013607.	1.6	17
347	DAPT Score and the Impact of TicagrelorÂMonotherapy During the Second Year After PCI. JACC: Cardiovascular Interventions, 2020, 13, 634-646.	1.1	17
348	Effects of the PCSK9 antibody alirocumab on coronary atherosclerosis in patients with acute myocardial infarction: a serial, multivessel, intravascular ultrasound, near-infrared spectroscopy and optical coherence tomography imaging study–Rationale and design of the PACMAN-AMI trial. American Heart Journal, 2021, 238, 33-44.	1.2	17
349	A randomized trial comparing axillary versus innominate artery cannulation for aortic arch surgery. Journal of Thoracic and Cardiovascular Surgery, 2022, 164, 1426-1438.e2.	0.4	17
350	Patent Foramen Ovale and Cryptogenic Stroke. New England Journal of Medicine, 2013, 369, 88-93.	13.9	16
351	Randomized comparison of biodegradable polymer sirolimus-eluting stents versus durable polymer everolimus-eluting stents for percutaneous coronary revascularization: Rationale and design of the BIOSCIENCE trial. American Heart Journal, 2014, 168, 256-261.	1.2	16
352	Effect of Diabetes Mellitus on Frequency of Adverse Events in Patients With Acute Coronary Syndromes Undergoing Percutaneous Coronary Intervention. American Journal of Cardiology, 2016, 118, 345-352.	0.7	16
353	Clinical relevance of ticagrelor monotherapy following 1â€month dual antiplatelet therapy after bifurcation percutaneous coronary intervention: Insight from GLOBAL LEADERS trial. Catheterization and Cardiovascular Interventions, 2020, 96, 100-111.	0.7	16
354	Randomized trials of invasive cardiovascular interventions that include a placebo control: a systematic review and meta-analysis. European Heart Journal, 2020, 41, 2556-2569.	1.0	16
355	Validation of the updated logistic clinical SYNTAX score for all-cause mortality in the GLOBAL LEADERS trial. EuroIntervention, 2019, 15, e539-e546.	1.4	16
356	Patient-oriented composite endpoints and net adverse clinical events with ticagrelor monotherapy following percutaneous coronary intervention: insights from the randomised GLOBAL LEADERS trial. EuroIntervention, 2019, 15, e1090-e1098.	1.4	16
357	Are the clinical effects of homoeopathy placebo effects? – Authors' reply. Lancet, The, 2005, 366, 2083-2085.	6.3	15
358	The role of correspondence sections in post-publication peer review: A bibliometric study of general and internal medicine journals. Scientometrics, 2009, 81, 747-755.	1.6	15
359	Long-Term Comparison of Everolimus- and Sirolimus-Eluting Stents in Patients With Acute Coronary Syndromes. JACC: Cardiovascular Interventions, 2012, 5, 145-154.	1.1	15
360	Biolimus-eluting stent with biodegradable polymer improves clinical outcomes in patients with acute myocardial infarction. Heart, 2015, 101, 271-278.	1.2	15

#	Article	IF	CITATIONS
361	Consensus on the Need for a Hierarchical List of Patient-reported Pain Outcomes for Metaanalyses of Knee Osteoarthritis Trials: An OMERACT Objective. Journal of Rheumatology, 2015, 42, 1971-1975.	1.0	15
362	Long-term oxygen therapy in COPD patients: population-based cohort study on mortality. International Journal of COPD, 2018, Volume 13, 979-988.	0.9	15
363	Impact of Bleeding and Myocardial Infarction on Mortality in All-Comer Patients Undergoing Percutaneous Coronary Intervention. Circulation: Cardiovascular Interventions, 2020, 13, e009177.	1.4	15
364	The mobility gap: estimating mobility thresholds required to control SARS-CoV-2 in Canada. Cmaj, 2021, 193, E592-E600.	0.9	15
365	Risk of Myocardial Infarction Associated With Selective COX-2 Inhibitors: Questions Remain. Archives of Internal Medicine, 2002, 162, 2639-a-2642.	4.3	15
366	Cold pain hypersensitivity predicts trajectories of pain and disability after low back surgery: a prospective cohort study. Pain, 2021, 162, 184-194.	2.0	15
367	Doxycycline for osteoarthritis of the knee or hip. , 2009, , CD007323.		14
368	Factors affecting screening for hepatocellular carcinoma. Annals of Hepatology, 2014, 13, 204-210.	0.6	14
369	Validation and reclassification of MGAP and GAP in hospital settings using data from the Trauma Audit and Research Network. Journal of Trauma and Acute Care Surgery, 2014, 77, 757-763.	1.1	14
370	Health utility indexes in patients with acute coronary syndromes. Open Heart, 2016, 3, e000419.	0.9	14
371	Can quantitative sensory tests predict failed back surgery?. European Journal of Anaesthesiology, 2019, 36, 695-704.	0.7	14
372	Prospective reporting of statistical analysis plans for randomised controlled trials. Trials, 2020, 21, 898.	0.7	14
373	Does empagliflozin modulate the autonomic nervous system among individuals with type 2 diabetes and coronary artery disease? The EMPA-HEART CardioLink-6 Holter analysis. Metabolism Open, 2020, 7, 100039.	1.4	14
374	The association of body mass index with long-term clinical outcomes after ticagrelor monotherapy following abbreviated dual antiplatelet therapy in patients undergoing percutaneous coronary intervention: a prespecified sub-analysis of the GLOBAL LEADERS Trial. Clinical Research in Cardiology, 2020, 109, 1125-1139.	1.5	14
375	Biolimus-eluting biodegradable polymer versus sirolimus-eluting permanent polymer stent performance in long lesions: results from the LEADERS multicentre trial substudy. EuroIntervention, 2009, 5, 310-317.	1.4	14
376	Association of bone attrition with knee pain, stiffness and disability: a cross-sectional study. Annals of the Rheumatic Diseases, 2011, 70, 293-298.	0.5	13
377	Screening for Rheumatic Heart Disease among Peruvian Children: A Two-Stage Sampling Observational Study. PLoS ONE, 2015, 10, e0133004.	1.1	13
378	Homograft versus Conventional Prosthesis for Surgical Management of Aortic Valve Infective Endocarditis. Innovations: Technology and Techniques in Cardiothoracic and Vascular Surgery, 2018, 13, 163-170.	0.4	13

#	Article	IF	CITATIONS
379	Development and Evaluation of a Novel Instrument to Measure Severity of Intraoperative Events Using Video Data. Annals of Surgery, 2020, 272, 220-226.	2.1	13
380	The effects of intravenous iron supplementation on fatigue and general health in non-anemic blood donors with iron deficiency: a randomized placebo-controlled superiority trial. Scientific Reports, 2020, 10, 14219.	1.6	13
381	Public Health Interventions, Epidemic Growth, and Regional Variation of the 1918 Influenza Pandemic Outbreak in a Swiss Canton and Its Greater Regions. Annals of Internal Medicine, 2021, 174, 533-539.	2.0	13
382	Additive Effect of Anemia and Renal Impairment on Long-Term Outcome after Percutaneous Coronary Intervention. PLoS ONE, 2014, 9, e114846.	1.1	13
383	Latest evidence on transcatheter aortic valve implantation vs. surgical aortic valve replacement for the treatment of aortic stenosis in high and intermediate-risk patients. Current Opinion in Cardiology, 2017, 32, 117-122.	0.8	12
384	Caesarean section in uninsured women in the USA: systematic review and meta-analysis. BMJ Open, 2019, 9, e025356.	0.8	12
385	Single early palliative care intervention added to usual oncology care for patients with advanced cancer: A randomized controlled trial (SENS Trial). Palliative Medicine, 2021, 35, 1108-1117.	1.3	12
386	Randomised trial of mitral valve repair with leaflet resection versus leaflet preservation on functional mitral stenosis (The CAMRA CardioLink-2 Trial). BMJ Open, 2017, 7, e015032.	0.8	12
387	Predictors of adverse events among patients undergoing primary percutaneous coronary intervention: insights from a pooled analysis of the COMFORTABLE AMI and EXAMINATION trials. EuroIntervention, 2015, 11, 391-398.	1.4	12
388	Identifying clinical subtypes in sepsis-survivors with different one-year outcomes: a secondary latent class analysis of the FROG-ICU cohort. Critical Care, 2022, 26, 114.	2.5	12
389	Does point of care prothrombin time measurement reduce the transfusion of fresh frozen plasma in patients undergoing major surgery? The POC-OP randomized-controlled trial. Trials, 2009, 10, 107.	0.7	11
390	Linking altered central pain processing and genetic polymorphism to drug efficacy in chronic low back pain. BMC Pharmacology & Toxicology, 2015, 16, 23.	1.0	11
391	External validity of the "all-comers―design: insights from the BIOSCIENCE trial. Clinical Research in Cardiology, 2016, 105, 744-754.	1.5	11
392	Health system factors and caesarean sections in Kosovo: a cross-sectional study. BMJ Open, 2019, 9, e026702.	0.8	11
393	Comparative Methodological Assessment of the Randomized GLOBAL LEADERS Trial Using Total Ischemic and Bleeding Events. Circulation: Cardiovascular Quality and Outcomes, 2020, 13, e006660.	0.9	11
394	Comparative frequency and prognostic impact of myocardial injury in hospitalized patients with COVID-19 and Influenza. European Heart Journal Open, 2021, 1, .	0.9	11
395	A comparison of an ultrathin-strut biodegradable polymer sirolimus-eluting stent with a durable polymer everolimus-eluting stent for patients with acute ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention: rationale and design of the BIOSTEMI trial. EuroIntervention. 2018. 14. 692-699.	1.4	11
396	Angiographic complexity of coronary artery disease according to SYNTAX score and clinical outcomes after revascularisation with newer-generation drug-eluting stents: a substudy of the BIOSCIENCE trial. EuroIntervention, 2016, 12, e595-e604.	1.4	11

#	Article	IF	CITATIONS
397	One in seven Swiss physicians has left patient care - results from a national cohort study from 1980-2009. Swiss Medical Weekly, 2019, 149, w20116.	0.8	11
398	Effect of transcutaneous electrical nerve stimulation (TENS) on knee pain and physical function in patients with symptomatic knee osteoarthritis: the ETRELKA randomized clinical trial. Osteoarthritis and Cartilage, 2022, 30, 426-435.	0.6	11
399	Effect of standardized training on the reliability of the Cochrane risk of bias assessment tool: a study protocol. Systematic Reviews, 2014, 3, 144.	2.5	10
400	Radial versus femoral access for cardiac catheterisation – Authors' reply. Lancet, The, 2015, 386, 2394.	6.3	10
401	Impact of Patient and Lesion Complexity on Long-Term Outcomes Following Coronary Revascularization With New-Generation Drug-Eluting Stents. American Journal of Cardiology, 2017, 119, 501-507.	0.7	10
402	Effect of single-dose imipramine on chronic low-back and experimental pain. A randomized controlled trial. PLoS ONE, 2018, 13, e0195776.	1.1	10
403	Impact of white blood cell count on clinical outcomes in patients treated with aspirin-free ticagrelor monotherapy after percutaneous coronary intervention: insights from the GLOBAL LEADERS trial. European Heart Journal - Cardiovascular Pharmacotherapy, 2020, , .	1.4	10
404	Comparison of Investigator-Reported and Clinical Event Committee–Adjudicated Outcome Events in GLASSY. Circulation: Cardiovascular Quality and Outcomes, 2021, 14, e006581.	0.9	10
405	The Impact of Renal Impairment on Long-Term Safety and Effectiveness of Drug-Eluting Stents. PLoS ONE, 2014, 9, e106450.	1.1	10
406	Sirolimus versus paclitaxel coronary stents in clinical practice. Catheterization and Cardiovascular Interventions, 2011, 77, 5-12.	0.7	9
407	It Is Time to Initiate Another Breast Cancer Screening Trial. Annals of Internal Medicine, 2014, 160, 864.	2.0	9
408	Association of radiographic osteoarthritis, pain on passive movement and knee range of motion: A cross-sectional study. Manual Therapy, 2015, 20, 361-365.	1.6	9
409	Response by Piroth et al to Letter Regarding Article, "Prognostic Value of Fractional Flow Reserve Measured Immediately After Drug-Eluting Stent Implantation― Circulation: Cardiovascular Interventions, 2017, 10, .	1.4	9
410	Prognostic Value of SYNTAX Score II in Patients with Acute Coronary Syndromes Referred for Invasive Management: A Subanalysis from the SPUM and COMFORTABLE AMI Cohorts. Cardiology Research and Practice, 2018, 2018, 1-11.	0.5	9
411	Global Fractional Flow Reserve Value Predicts 5â€Year Outcomes in Patients With Coronary Atherosclerosis But Without Ischemia. Journal of the American Heart Association, 2020, 9, e017729.	1.6	9
412	Adherence at 2 years with distribution of essential medicines at no charge: The CLEAN Meds randomized clinical trial. PLoS Medicine, 2021, 18, e1003590.	3.9	9
413	Clinical outcome of patients with stable ischaemic heart disease as compared to those with acute coronary syndromes after percutaneous coronary intervention. EuroIntervention, 2015, 11, 171-179.	1.4	9
414	Evaluation of Biomarkers in Critical Care and Perioperative Medicine. Anesthesiology, 2021, 134, 15-25.	1.3	9

#	Article	IF	CITATIONS
415	Medical Food and Food Supplements: Not Always as Safe as Generally Assumed. Annals of Internal Medicine, 2012, 156, 894.	2.0	8
416	Aspiration Thrombectomy for Treatment of ST-segment Elevation Myocardial Infarction: a Meta-analysis of 26 Randomized Trials in 11 943 Patients. Revista Espanola De Cardiologia (English Ed), 2015, 68, 746-752.	0.4	8
417	Does access to clinical study reports from the European Medicines Agency reduce reporting biases? A systematic review and meta-analysis of randomized controlled trials on the effect of erythropoiesis-stimulating agents in cancer patients. PLoS ONE, 2017, 12, e0189309.	1.1	8
418	Blood glucose, diabetes and metabolic control in patients with community-acquired pneumonia. Diabetologia, 2020, 63, 2488-2490.	2.9	8
419	A statistical primer on subgroup analyses. Interactive Cardiovascular and Thoracic Surgery, 2020, 30, 839-845.	0.5	8
420	Post-exposure prophylaxis against SARS-CoV-2 in close contacts of confirmed COVID-19 cases (CORIPREV): study protocol for a cluster-randomized trial. Trials, 2021, 22, 224.	0.7	8
421	One-Year Outcomes of a Randomized Trial Comparing a Self-Expanding With a Balloon-Expandable Transcatheter Aortic Valve. Circulation, 2021, 143, 1267-1269.	1.6	8
422	The association of preoperative blood markers with postoperative readmissions following arthroplasty. Bone & Joint Open, 2021, 2, 388-396.	1.1	8
423	Sodiumâ€Glucose Cotransporter 2 Inhibitors, Allâ€Cause Mortality, and Cardiovascular Outcomes in Adults with Type 2 Diabetes: A Bayesian Metaâ€Analysis and Metaâ€Regression. Journal of the American Heart Association, 2021, 10, e019918.	1.6	8
424	Evaluating the importance of sham-controlled trials in the investigation of medical devices in interventional cardiology. EuroIntervention, 2018, 14, 708-715.	1.4	8
425	Impact of arterial injury on neointimal hyperplasia after implantation of drug-eluting stents in coronary arteries: an intravascular ultrasound study. EuroIntervention, 2010, 6, 467-474.	1.4	8
426	Intricacies in the analysis and interpretation of optical coherence tomography findings. EuroIntervention, 2014, 9, 1374-1377.	1.4	8
427	Current State of Reporting Pain Outcomes in Cochrane Reviews of Chronic Musculoskeletal Pain Conditions and Considerations for an OMERACT Research Agenda. Journal of Rheumatology, 2015, 42, 1934-1942.	1.0	7
428	Protocol for a randomised controlled trial evaluating the effects of providing essential medicines at no charge: the Carefully seLected and Easily Accessible at No Charge Medicines (CLEAN Meds) trial. BMJ Open, 2017, 7, e015686.	0.8	7
429	Thrombus aspiration in acute coronary syndromes: prevalence, procedural success, change in serial troponin T levels and clinical outcomes in a contemporary Swiss cohort. European Heart Journal: Acute Cardiovascular Care, 2018, 7, 522-531.	0.4	7
430	Asymptomatic Patients With Abnormal Fractional Flow Reserve Treated With Medication Alone or With PCI. Journal of the American College of Cardiology, 2019, 74, 1642-1644.	1.2	7
431	Association between post-percutaneous coronary intervention bivalirudin infusion and net adverse clinical events: a post hoc analysis of the GLOBAL LEADERS study. European Heart Journal - Cardiovascular Pharmacotherapy, 2020, 6, 22-30.	1.4	7
432	Improving the Design of Future PCI Trials for Stable Coronary Artery Disease. Journal of the American College of Cardiology, 2020, 76, 435-450.	1.2	7

#	Article	IF	CITATIONS
433	Bias and Loss to Followâ€Up in Cardiovascular Randomized Trials: A Systematic Review. Journal of the American Heart Association, 2020, 9, e015361.	1.6	7
434	Protecting Frontline Health Care Workers from COVID-19 with Hydroxychloroquine Pre-exposure Prophylaxis: A structured summary of a study protocol for a randomised placebo-controlled multisite trial in Toronto, Canada. Trials, 2020, 21, 647.	0.7	7
435	Five-year results of a randomised comparison of titanium-nitride-oxide-coated stents with zotarolimus-eluting stents for coronary revascularisation. EuroIntervention, 2015, 10, 1284-1287.	1.4	7
436	Efficacy of topical progesterone versus topical clobetasol propionate in patients with vulvar Lichen sclerosus – A double-blind randomized phase II pilot study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2022, 272, 88-95.	0.5	7
437	Cash transfer during the COVID-19 pandemic: a multicentre, randomised controlled trial. Family Medicine and Community Health, 2021, 9, e001452.	0.6	7
438	The Drug-Eluting Stent Saga. Circulation, 2009, 119, 653-656.	1.6	6
439	Omega-3 Poly-Unsaturated Fatty Acids for the Prevention of Severe Neutropenic Enterocolitis in Patients with Acute Myeloid Leukemia. Nutrition and Cancer, 2013, 65, 834-842.	0.9	6
440	Safety of Prasugrel Loading Doses inÂPatients Pre-Loaded With ClopidogrelÂinÂtheÂSetting of Primary Percutaneous Coronary Intervention. JACC: Cardiovascular Interventions, 2015, 8, 1064-1074.	1.1	6
441	A randomized multicenter trial comparing the XIENCE everolimus eluting stent with the CYPHER sirolimus eluting stent in the treatment of female patients with de novo coronary artery lesions: The SPIRIT WOMEN study. PLoS ONE, 2017, 12, e0182632.	1.1	6
442	A Positive Association Between Dietary Intake of Higher Cow's Milk-Fat Percentage and Nonâ^'High-Density Lipoprotein Cholesterol in Young Children. Journal of Pediatrics, 2019, 211, 105-111.e2.	0.9	6
443	Clinical impact of a structured secondary cardiovascular prevention program following acute coronary syndromes: A prospective multicenter healthcare intervention. PLoS ONE, 2019, 14, e0211464.	1.1	6
444	Impact of established cardiovascular disease on outcomes in the randomized global leaders trial. Catheterization and Cardiovascular Interventions, 2020, 96, 1369-1378.	0.7	6
445	COVID-19 randomised trial protocols: rapid publication without barriers. Trials, 2020, 21, 327.	0.7	6
446	Predicting 2â€year allâ€eause mortality after contemporary <scp>PCI</scp> : Updating the logistic clinical <scp>SYNTAX</scp> score. Catheterization and Cardiovascular Interventions, 2021, 98, 1287-1297.	0.7	6
447	Clinical long-term outcome after implantation of titanium nitride-oxide coated stents compared with paclitaxel- or sirolimus-eluting stents: propensity-score matched analysis. EuroIntervention, 2012, 7, 1043-1050.	1.4	6
448	Viscosupplementation for Osteoarthritis of the Knee. Annals of Internal Medicine, 2013, 158, 75.	2.0	5
449	Ascertainment of Silent Myocardial Infarction in Patients Undergoing Percutaneous Coronary Intervention (from the GLOBAL LEADERS Trial). American Journal of Cardiology, 2019, 124, 1833-1840.	0.7	5
450	Usefulness of the updated logistic clinical SYNTAX score after percutaneous coronary intervention in patients with prior coronary artery bypass graft surgery: Insights from the GLOBAL LEADERS trial. Catheterization and Cardiovascular Interventions, 2020, 96, E516-E526.	0.7	5

#	Article	IF	CITATIONS
451	Five-Year Outcomes With Biodegradable-Polymer Sirolimus-Eluting Stents Versus Durable-Polymer Everolimus-Eluting Stents in Patients With Acute Coronary Syndrome: A Subgroup Analysis of the BIOSCIENCE Trial. Cardiovascular Revascularization Medicine, 2022, 34, 3-10.	0.3	5
452	Mixed methods feasibility study for the surviving opioid overdose with naloxone education and resuscitation (SOONER) trial. Resuscitation Plus, 2021, 6, 100131.	0.6	5
453	Revascularization Treatment of Emergency Patients with Acute ST-Segment Elevation Myocardial Infarction in Switzerland: Results from a Nationwide, Cross-Sectional Study in Switzerland for 2010-2011. PLoS ONE, 2016, 11, e0153326.	1.1	5
454	Accuracy of Cardiovascular Trial Outcome Ascertainment and Treatment Effect Estimates from Routine Health Data: A Systematic Review and Meta-Analysis. Circulation: Cardiovascular Quality and Outcomes, 2021, 14, e007903.	0.9	5
455	A Web-Based Health Application to Translate Nutrition Therapy for Cardiovascular Risk Reduction in Primary Care (PortfolioDiet.app): Quality Improvement and Usability Testing Study. JMIR Human Factors, 2022, 9, e34704.	1.0	5
456	Discontinuation of Vioxx. Lancet, The, 2005, 365, 26-27.	6.3	4
457	Protocol for a scoping review of post-trial extensions of randomised controlled trials using individually linked administrative and registry data. BMJ Open, 2017, 7, e013770.	0.8	4
458	Prospective cohort study of vitamin D and autism spectrum disorder diagnoses in early childhood. Autism, 2019, 23, 584-593.	2.4	4
459	Usefulness of updated logistic clinical SYNTAX score based on MIâ€SYNTAX score in patients with STâ€elevation myocardial infarction. Catheterization and Cardiovascular Interventions, 2021, 97, E919-E928.	0.7	4
460	Altered central pain processing in fibromyalgia—A multimodal neuroimaging case-control study using arterial spin labelling. PLoS ONE, 2021, 16, e0235879.	1.1	4
461	Revisiting the evidence for physical distancing, face masks, and eye protection. Lancet, The, 2021, 398, 663.	6.3	4
462	Acute kidney injury in patients with acute coronary syndrome undergoing invasive management treated with bivalirudin vs. unfractionated heparin: insights from the MATRIX trial. European Heart Journal: Acute Cardiovascular Care, 2021, 10, 1170-1179.	0.4	4
463	External validity of a contemporaneous primary percutaneous coronary intervention trial in patients with acute ST-elevation myocardial infarction: insights from a single-centre investigation. EuroIntervention, 2016, 12, 1135-1143.	1.4	4
464	Meeting report ESC Forum on Drug Eluting Stents, European Heart House, Nice, 27-28 September 2007. EuroIntervention, 2009, 4, 427-436.	1.4	4
465	Age and Sex Specific Prevalence of Clinical and Screen-Detected Atrial Fibrillation in Hospitalized Patients. Journal of Clinical Medicine, 2021, 10, 4871.	1.0	4
466	Drugâ€Eluting or Bareâ€Metal Stents for Left Anterior Descending or Left Main Coronary Artery Revascularization. Journal of the American Heart Association, 2021, 10, e018828.	1.6	4
467	Systematic review of celecoxib for osteoarthritis and rheumatoid arthritis. Problems compromise review's validity. BMJ, The, 2003, 326, 334; author reply 334.	3.0	4
468	Factors affecting screening for hepatocellular carcinoma. Annals of Hepatology, 2014, 13, 204-10.	0.6	4

#	Article	IF	CITATIONS
469	Ticagrelor Monotherapy or Dual Antiplatelet Therapy After Drugâ€Eluting Stent Implantation: Perâ€Protocol Analysis of the GLOBAL LEADERS Trial. Journal of the American Heart Association, 2022, 11, e024291.	1.6	4
470	Impact of proton pump inhibitors on efficacy of antiplatelet strategies with ticagrelor or aspirin after percutaneous coronary intervention: Insights from the GLOBAL LEADERS trial. Catheterization and Cardiovascular Interventions, 2022, 100, 72-82.	0.7	4
471	Measurement Error of a Simplified Protocol for Quantitative Sensory Tests in Chronic Pain Patients. Regional Anesthesia and Pain Medicine, 2017, 42, 660-668.	1.1	3
472	Dyspnoea in the GLOBAL LEADERS trial – Authors' reply. Lancet, The, 2019, 393, 2393-2394.	6.3	3
473	Increased subchondral bone thickness in hips with cam-type femoroacetabular impingement. HIP International, 2019, 29, 430-437.	0.9	3
474	Gender and age differences in outcomes of patients with acute coronary syndromes referred for coronary angiography. Catheterization and Cardiovascular Interventions, 2019, 93, 16-24.	0.7	3
475	Evaluation of Cumulative Meta-analysis of Rare Events as a Tool for Clinical Trials Safety Monitoring. JAMA Network Open, 2020, 3, e2015031.	2.8	3
476	Safety and Efficacy of 1-Month Dual Antiplatelet Therapy (Ticagrelor + Aspirin) Followed by 23-Month Ticagrelor Monotherapy in Patients Undergoing Staged Percutaneous Coronary Intervention (A) Tj ETQq0 0 0 rgE	3T Ø Ø verloc	kal0 Tf 50 4
477	The SilenT AtRial FIBrillation (STAR-FIB) study programme – design and rationale. Swiss Medical Weekly, 2021, 151, w20421.	0.8	3
478	PCI for Nonculprit Lesions in Patients with STEMI — No Role for FFR. New England Journal of Medicine, 2021, 385, 370-371.	13.9	3
479	Selective use of contemporary drug-eluting stents in primary angioplasty for ST-elevation myocardial infarction: pooled analysis of COMFORTABLE AMI and EXAMINATION. EuroIntervention, 2017, 12, 1577-1586.	1.4	3
480	The Compare-Acute trial of fractional flow reserve-guided multivessel angioplasty in myocardial infarction. EuroIntervention, 2017, 13, e613-e616.	1.4	3
481	Five-year outcomes of chronic total occlusion treatment with a biolimus A9-eluting biodegradable polymer stent versus a sirolimus-eluting permanent polymer stent in the LEADERS all-comers trial. Cardiology Journal, 2016, 23, 626-636.	0.5	3
482	TCT-569 5-year Clinical Outcomes of Biodegradable Polymer Biolimus-eluting Stents versus Durable Polymer Sirolimus-eluting Stents in Patients with and without Diabetes Mellitus: a LEADERS Sub-study. Journal of the American College of Cardiology, 2012, 60, B165-B166.	1.2	2
483	Discriminative ability of reflex receptive fields to distinguish patients with acute and chronic low back pain. Pain, 2016, 157, 2664-2671.	2.0	2
484	Quantitative sensory tests fairly reflect immediate effects of oxycodone in chronic low-back pain. Scandinavian Journal of Pain, 2017, 17, 107-115.	0.5	2
485	COMPARISON BETWEEN CARDIOVASCULAR TRIAL OUTCOMES AND TREATMENT EFFECTS USING CLINICAL ENDPOINT COMMITTEE ADJUDICATION VERSUS ROUTINE HEALTH DATA: A SYSTEMATIC REVIEW. Journal of the American College of Cardiology, 2019, 73, 1753.	1.2	2
486	Association of Pulse Pressure With Clinical Outcomes in Patients Under Different Antiplatelet Strategies After Percutaneous Coronary Intervention: Analysis of GLOBAL LEADERS. Canadian Journal of Cardiology, 2020, 36, 747-755.	0.8	2

#	Article	IF	CITATIONS
487	Cow's Milk Fat Obesity pRevention Trial (CoMFORT): a primary care embedded randomised controlled trial protocol to determine the effect of cow's milk fat on child adiposity. BMJ Open, 2020, 10, e035241.	0.8	2
488	A Meta-Analysis of Recent Trials Comparing Revascularization With Medical Therapy Alone in Patients With Chronic Coronary Syndrome. JACC: Cardiovascular Interventions, 2021, 14, 1388-1390.	1.1	2
489	What Now About Acetaminophen?. Archives of Internal Medicine, 2003, 163, 1862.	4.3	2
490	Will this trial change my practice? ACCOAST - early loading with a novel P2Y12 inhibitor in patients with an acute coronary syndrome. EuroIntervention, 2014, 10, 408-410.	1.4	2
491	Commentary: Difficulties in disentangling causes of social class inequities in musculoskeletal health. International Journal of Epidemiology, 2004, 33, 1360-1361.	0.9	1
492	Fractional Flow Reserve–Guided PCI. New England Journal of Medicine, 2015, 372, 94-95.	13.9	1
493	BEST—When a Study Falls Short of Its Acronym. American Journal of Cardiology, 2015, 116, 995.	0.7	1
494	Letter regarding "The effects of arthroscopic joint debridement in the knee osteoarthritis: results of a meta-analysis― Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 1259-1260.	2.3	1
495	GENDER-RELATED OUTCOMES IN ELDERLY (> 75 YEARS) PATIENTS PRESENTING WITH ACUTE CORONARY SYNDROMES: RESULTS FROM THE SWISS ACUTE CORONARY SYNDROME COHORT. Journal of the American College of Cardiology, 2017, 69, 1271.	1.2	1
496	PREDICTIVE ABILITY OF THE PARIS RISK SCORE IN ALL-COMERS PATIENTS UNDERGOING PCI WITH DRUG ELUTING STENTS: EXTERNAL VALIDATION IN THE GLOBAL LEADERS STUDY. Journal of the American College of Cardiology, 2019, 73, 245.	1.2	1
497	Biodegradable-polymer stents versus durable-polymer stents – Authors' reply. Lancet, The, 2019, 393, 1933.	6.3	1
498	PCI Guided by Fractional Flow Reserve at 5 Years. New England Journal of Medicine, 2019, 380, 102-105.	13.9	1
499	The impact of pre-procedure heart rate on adverse clinical outcomes in patients undergoing percutaneous coronary intervention: Results from a 2-year follow-up of the GLOBAL LEADERS trial. Atherosclerosis, 2020, 303, 1-7.	0.4	1
500	External validation of the GRACE risk score 2.0 in the contemporary allâ€comers GLOBAL LEADERS trial. Catheterization and Cardiovascular Interventions, 2021, 98, E513-E522.	0.7	1
501	†Ticagrelor alone vs. dual antiplatelet therapy from 1 month after drug-eluting coronary stenting among patients with STEMI': a post hoc analysis of the randomized GLOBAL LEADERS trial. European Heart Journal: Acute Cardiovascular Care, 2021, 10, 756-773.	0.4	1
502	Will this trial change my practice? ABSORB II trial (a bioresorbable vascular scaffold versus) Tj ETQq0 0 0 rgBT /C	verlock 10 1.4	0 Tf ₁ 50 142 To
503	Restrictive versus liberal transfusion in patients with diabetes undergoing cardiac surgery: An o <scp>penâ€label,</scp> randomized, blinded outcome evaluation trial. Diabetes, Obesity and Metabolism, 2022, 24, 421-431.	2.2	1
504	Is Internal Rotation Measurement of the Hip Useful for Ruling in Cam or Pincer Morphology in Asymptomatic Males? A Diagnostic Accuracy Study. Clinical Orthopaedics and Related Research, 2022,	0.7	1

Asymptomatic Males? A Diagnostic Accuracy Study. Clinical Orthopaedics and Related Research, 2022, Publish Ahead of Print, . 504 0.7

#	Article	IF	CITATIONS
505	Acetabular labral tear: do not miss the underlying deformity. Comment on the article by Haroon et al. Arthritis Care and Research, 2010, 62, 743-743.	1.5	0
506	Response to Letter Regarding Article, "Delayed Coverage in Malapposed and Side-Branch Struts With Respect to Well-Apposed Struts in Drug-Eluting Stents: In Vivo Assessment With Optical Coherence Tomography― Circulation, 2012, 125, .	1.6	0
507	TCT-263 Coronary Evaginations Are Caused By Positive Vessel Remodeling And Are Nearly Absent Following Implantation Of Newer-Generation Drug-Eluting Stents: An Optical Coherence Tomography and Intravascular Ultrasound Study. Journal of the American College of Cardiology, 2012, 60, B75.	1.2	0
508	TCT-361 Gender-based Analysis of Everolimus-Eluting Stent Safety in the Bern-Rotterdam Cohort. Journal of the American College of Cardiology, 2012, 60, B103.	1.2	0
509	TCT-605 Impact Of Stent Overlap On Long-Term Clinical Outcomes In Patients Treated With Newer-Generation Drug-Eluting Stents. Journal of the American College of Cardiology, 2012, 60, B175.	1.2	0
510	TCT-727 Impact Of Coronary Artery Disease Severity Assessed by SYNTAX-Score On Clinical Outcomes in Patients Undergoing Transcatheter Aortic Valve Implantation. Journal of the American College of Cardiology, 2013, 62, B222.	1.2	0
511	Response to Letter Regarding Article, "Cost-Effectiveness of Percutaneous Coronary Intervention in Patients With Stable Coronary Artery Disease and Abnormal Fractional Flow Reserve― Circulation, 2014, 129, e684.	1.6	0
512	TCT-387 Diagnostic Accuracy Of Optical Coherence Tomography Compared To Fractional Flow Reserve For The Severity Assessment Of Coronary Lesions: AÂBivariate Meta-analysis. Journal of the American College of Cardiology, 2014, 64, B113.	1.2	0
513	Consensus on the need for a hierarchical list of patient-reported pain outcomes for meta-analyses of knee osteoarthritis trials. Trials, 2015, 16, .	0.7	0
514	Comparing the incomparable: studies of echocardiographic rheumatic heart disease prevalence – Authors' reply. The Lancet Global Health, 2015, 3, e193.	2.9	0
515	TCT-335 Diagnostic concordance of intravascular ultrasound imaging compared to fractional flow reserve for the severity assessment of coronary lesions: A bivariate meta-analysis. Journal of the American College of Cardiology, 2015, 66, B135.	1.2	0
516	Bioresorbable scaffolds: in search of event-free dissolution. Lancet, The, 2017, 390, 720-722.	6.3	0
517	Interpretation of results of pooled analysis of individual patient data. Lancet, The, 2018, 392, 817-818.	6.3	0
518	TCT-547 Sham-Controlled Trials of Invasive Cardiovascular Interventions: A Systematic Review and Meta-Analysis. Journal of the American College of Cardiology, 2019, 74, B540.	1.2	0
519	Biomechanical Footwear for Osteoarthritic Knee Pain—Reply. JAMA - Journal of the American Medical Association, 2020, 324, 1351.	3.8	0
520	ACCURACY OF CARDIOVASCULAR TRIAL OUTCOME ASCERTAINMENT AND TREATMENT EFFECT ESTIMATES FROM ROUTINE HEALTH DATA: A SYSTEMATIC REVIEW AND META-ANALYSIS. Journal of the American College of Cardiology, 2021, 77, 187.	1.2	0
521	Chondroitin for Osteoarthritis of the Knee or Hip. Annals of Internal Medicine, 2007, 147, 884.	2.0	0
522	Will the PARTNER 3 Low Risk Trial change my practice?. EuroIntervention, 2019, 15, e1077-e1080.	1.4	0

#	Article	IF	CITATIONS
523	Will the Evolut Low Risk trial change my practice?. EuroIntervention, 2019, 15, e1072-e1076.	1.4	0
524	Cardiovascular meta-analyses: foolâ \in ™s gold or gold for fools?. European Heart Journal, 0, , .	1.0	0