

Peter Jni

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5260286/peter-juni-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

504
papers

101,555
citations

113
h-index

317
g-index

570
ext. papers

133,831
ext. citations

9.2
avg, IF

7.63
L-index

#	Paper	IF	Citations
504	The Cochrane Collaboration's tool for assessing risk of bias in randomised trials. <i>BMJ, The</i> , 2011 , 343, d5928	5.9	16010
503	ROBINS-I: a tool for assessing risk of bias in non-randomised studies of interventions. <i>BMJ, The</i> , 2016 , 355, i4919	5.9	4396
502	2017 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation: The Task Force for the management of acute myocardial infarction in patients presenting with ST-segment elevation of the European Society of Cardiology (ESC). <i>European Heart Journal</i> , 2018 , 39, 116-177	9.5	4237
501	ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. <i>European Heart Journal</i> , 2012 , 33, 2569-619	9.5	3978
500	RoB 2: a revised tool for assessing risk of bias in randomised trials. <i>BMJ, The</i> , 2019 , 366, l4898	5.9	3792
499	2018 ESC/ESH Guidelines for the management of arterial hypertension. <i>European Heart Journal</i> , 2018 , 39, 3021-3104	9.5	3698
498	2017 ESC/EACTS Guidelines for the management of valvular heart disease. <i>European Heart Journal</i> , 2017 , 38, 2739-2791	9.5	3615
497	2014 ESC/EACTS Guidelines on myocardial revascularization: The Task Force on Myocardial Revascularization of the European Society of Cardiology (ESC) and the European Association for Cardio-Thoracic Surgery (EACTS) Developed with the special contribution of the European Association of Percutaneous Cardiovascular Interventions (EAPCI). <i>European Heart Journal</i> , 2014 , 35, 2541-619	9.5	3467
496	2018 ESC/EACTS Guidelines on myocardial revascularization. <i>European Heart Journal</i> , 2019 , 40, 87-165	9.5	2408
495	2019 ESC/EAS Guidelines for the management of dyslipidaemias: lipid modification to reduce cardiovascular risk. <i>European Heart Journal</i> , 2020 , 41, 111-188	9.5	2236
494	Systematic reviews in health care: Assessing the quality of controlled clinical trials. <i>BMJ: British Medical Journal</i> , 2001 , 323, 42-6		2168
493	2019 ESC Guidelines for the diagnosis and management of chronic coronary syndromes. <i>European Heart Journal</i> , 2020 , 41, 407-477	9.5	1835
492	Empirical evidence of bias in treatment effect estimates in controlled trials with different interventions and outcomes: meta-epidemiological study. <i>BMJ, The</i> , 2008 , 336, 601-5	5.9	1798
491	Fractional flow reserve-guided PCI versus medical therapy in stable coronary disease. <i>New England Journal of Medicine</i> , 2012 , 367, 991-1001	59.2	1655
490	Early and late coronary stent thrombosis of sirolimus-eluting and paclitaxel-eluting stents in routine clinical practice: data from a large two-institutional cohort study. <i>Lancet, The</i> , 2007 , 369, 667-78	4 ⁰	1634
489	2017 ESC focused update on dual antiplatelet therapy in coronary artery disease developed in collaboration with EACTS: The Task Force for dual antiplatelet therapy in coronary artery disease of the European Society of Cardiology (ESC) and of the European Association for Cardio-Thoracic Surgery (EACTS). <i>European Heart Journal</i> , 2018 , 39, 213-260	9.5	1475
488	The hazards of scoring the quality of clinical trials for meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 1999 , 282, 1054-60	27.4	1369

487	2019 ESC Guidelines on diabetes, pre-diabetes, and cardiovascular diseases developed in collaboration with the EASD. <i>European Heart Journal</i> , 2020 , 41, 255-323	9.5	1360
486	2017 ESC Guidelines on the Diagnosis and Treatment of Peripheral Arterial Diseases, in collaboration with the European Society for Vascular Surgery (ESVS): Document covering atherosclerotic disease of extracranial carotid and vertebral, mesenteric, renal, upper and lower extremity arteries Endorsed by the European Stroke Organization (ESO) The Task Force for the	9.5	1274
485	Outcomes associated with drug-eluting and bare-metal stents: a collaborative network meta-analysis. <i>Lancet, The</i> , 2007 , 370, 937-48	40	1141
484	Association Between Administration of Systemic Corticosteroids and Mortality Among Critically Ill Patients With COVID-19: A Meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 1330-1341	27.4	1083
483	2019 ESC Guidelines for the diagnosis and management of acute pulmonary embolism developed in collaboration with the European Respiratory Society (ERS). <i>European Heart Journal</i> , 2020 , 41, 543-603	9.5	1043
482	2020 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation. <i>European Heart Journal</i> , 2021 , 42, 1289-1367	9.5	920
481	Radial versus femoral access in patients with acute coronary syndromes undergoing invasive management: a randomised multicentre trial. <i>Lancet, The</i> , 2015 , 385, 2465-76	40	790
480	2018 ESC Guidelines for the management of cardiovascular diseases during pregnancy. <i>European Heart Journal</i> , 2018 , 39, 3165-3241	9.5	735
479	Influence of reported study design characteristics on intervention effect estimates from randomized, controlled trials. <i>Annals of Internal Medicine</i> , 2012 , 157, 429-38	8	708
478	Cardiovascular safety of non-steroidal anti-inflammatory drugs: network meta-analysis. <i>BMJ, The</i> , 2011 , 342, c7086	5.9	706
477	Fractional flow reserve-guided PCI for stable coronary artery disease. <i>New England Journal of Medicine</i> , 2014 , 371, 1208-17	59.2	672
476	Risk of cardiovascular events and rofecoxib: cumulative meta-analysis. <i>Lancet, The</i> , 2004 , 364, 2021-9	40	664
475	Direction and impact of language bias in meta-analyses of controlled trials: empirical study. <i>International Journal of Epidemiology</i> , 2002 , 31, 115-23	7.8	653
474	Percutaneous closure of patent foramen ovale in cryptogenic embolism. <i>New England Journal of Medicine</i> , 2013 , 368, 1083-91	59.2	617
473	2014 ESC/EACTS Guidelines on myocardial revascularization: the Task Force on Myocardial Revascularization of the European Society of Cardiology (ESC) and the European Association for Cardio-Thoracic Surgery (EACTS). Developed with the special contribution of the European Association of Percutaneous Cardiovascular Interventions (EAPCI). <i>European Journal of</i>	3	588
472	Are the clinical effects of homoeopathy placebo effects? Comparative study of placebo-controlled trials of homoeopathy and allopathy. <i>Lancet, The</i> , 2005 , 366, 726-32	40	569
471	Biolimus-eluting stent with biodegradable polymer versus sirolimus-eluting stent with durable polymer for coronary revascularisation (LEADERS): a randomised non-inferiority trial. <i>Lancet, The</i> , 2008 , 372, 1163-73	40	531
470	Sirolimus-eluting and paclitaxel-eluting stents for coronary revascularization. <i>New England Journal of Medicine</i> , 2005 , 353, 653-62	59.2	480

469	All cause and disease specific mortality in patients with knee or hip osteoarthritis: population based cohort study. <i>BMJ, The</i> , 2011 , 342, d1165	5.9	426
468	Viscosupplementation for osteoarthritis of the knee: a systematic review and meta-analysis. <i>Annals of Internal Medicine</i> , 2012 , 157, 180-91	8	404
467	Incidence and correlates of drug-eluting stent thrombosis in routine clinical practice. 4-year results from a large 2-institutional cohort study. <i>Journal of the American College of Cardiology</i> , 2008 , 52, 1134-40	15.1	404
466	Small study effects in meta-analyses of osteoarthritis trials: meta-epidemiological study. <i>BMJ, The</i> , 2010 , 341, c3515	5.9	394
465	Predictors of permanent pacemaker implantation in patients with severe aortic stenosis undergoing TAVR: a meta-analysis. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 129-40	15.1	390
464	Correlation of intravascular ultrasound findings with histopathological analysis of thrombus aspirates in patients with very late drug-eluting stent thrombosis. <i>Circulation</i> , 2009 , 120, 391-9	16.7	388
463	Effects of glucosamine, chondroitin, or placebo in patients with osteoarthritis of hip or knee: network meta-analysis. <i>BMJ, The</i> , 2010 , 341, c4675	5.9	357
462	Ticagrelor plus aspirin for 1 month, followed by ticagrelor monotherapy for 23 months vs aspirin plus clopidogrel or ticagrelor for 12 months, followed by aspirin monotherapy for 12 months after implantation of a drug-eluting stent: a multicentre, open-label, randomised superiority trial. <i>Lancet, The</i> , 2018 , 392, 940-949	40	356
461	Five-Year Outcomes with PCI Guided by Fractional Flow Reserve. <i>New England Journal of Medicine</i> , 2018 , 379, 250-259	59.2	346
460	Restrictive or Liberal Red-Cell Transfusion for Cardiac Surgery. <i>New England Journal of Medicine</i> , 2017 , 377, 2133-2144	59.2	338
459	Glycemic control and macrovascular disease in types 1 and 2 diabetes mellitus: Meta-analysis of randomized trials. <i>American Heart Journal</i> , 2006 , 152, 27-38	4.9	338
458	Comparative efficacy of seven psychotherapeutic interventions for patients with depression: a network meta-analysis. <i>PLoS Medicine</i> , 2013 , 10, e1001454	11.6	314
457	Quality of reporting of randomized trials as a measure of methodologic quality. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 287, 2801-4	27.4	301
456	Biodegradable polymer drug-eluting stents reduce the risk of stent thrombosis at 4 years in patients undergoing percutaneous coronary intervention: a pooled analysis of individual patient data from the ISAR-TEST 3, ISAR-TEST 4, and LEADERS randomized trials. <i>European Heart Journal</i> , 2012 , 33, 1211-22	9.5	296
455	Long-term clinical outcomes of biodegradable polymer biolimus-eluting stents versus durable polymer sirolimus-eluting stents in patients with coronary artery disease (LEADERS): 4 year follow-up of a randomised non-inferiority trial. <i>Lancet, The</i> , 2011 , 378, 1940-8	40	283
454	Very late coronary stent thrombosis of a newer-generation everolimus-eluting stent compared with early-generation drug-eluting stents: a prospective cohort study. <i>Circulation</i> , 2012 , 125, 1110-21	16.7	280
453	Plasma ceramides predict cardiovascular death in patients with stable coronary artery disease and acute coronary syndromes beyond LDL-cholesterol. <i>European Heart Journal</i> , 2016 , 37, 1967-76	9.5	279
452	Bivalirudin or Unfractionated Heparin in Acute Coronary Syndromes. <i>New England Journal of Medicine</i> , 2015 , 373, 997-1009	59.2	263

451	2019 ESC/EAS guidelines for the management of dyslipidaemias: Lipid modification to reduce cardiovascular risk. <i>Atherosclerosis</i> , 2019 , 290, 140-205	3.1	259
450	Improved safety and reduction in stent thrombosis associated with biodegradable polymer-based biolimus-eluting stents versus durable polymer-based sirolimus-eluting stents in patients with coronary artery disease: final 5-year report of the LEADERS (Limus Eluted From A Durable Versus Biodegradable Stent Coating) randomized, noninferiority trial. <i>JACC: Cardiovascular Interventions</i> , 2019 , 11, 103-112	5	254
449	A meta-analysis of 16 randomized trials of sirolimus-eluting stents versus paclitaxel-eluting stents in patients with coronary artery disease. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 1373-80	15.1	253
448	Radial Versus Femoral Access for Coronary Interventions Across the Entire Spectrum of Patients With Coronary Artery Disease: A Meta-Analysis of Randomized Trials. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 1419-34	5	253
447	2018 ESC/EACTS Guidelines on myocardial revascularization. <i>European Journal of Cardio-thoracic Surgery</i> , 2019 , 55, 4-90	3	251
446	Statistical methods for assessing the influence of study characteristics on treatment effects in 'meta-epidemiological' research. <i>Statistics in Medicine</i> , 2002 , 21, 1513-24	2.3	249
445	An overview of the objectives of and the approaches to propensity score analyses. <i>European Heart Journal</i> , 2011 , 32, 1704-8	9.5	244
444	Effectiveness of non-steroidal anti-inflammatory drugs for the treatment of pain in knee and hip osteoarthritis: a network meta-analysis. <i>Lancet, The</i> , 2017 , 390, e21-e33	40	240
443	2021 ESC/EACTS Guidelines for the management of valvular heart disease. <i>European Heart Journal</i> , 2021 ,	9.5	226
442	Effect of biolimus-eluting stents with biodegradable polymer vs bare-metal stents on cardiovascular events among patients with acute myocardial infarction: the COMFORTABLE AMI randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 308, 777-87	27.4	225
441	Evaluation of multidimensional geriatric assessment as a predictor of mortality and cardiovascular events after transcatheter aortic valve implantation. <i>JACC: Cardiovascular Interventions</i> , 2012 , 5, 489-496	5	222
440	Meta-analysis: chondroitin for osteoarthritis of the knee or hip. <i>Annals of Internal Medicine</i> , 2007 , 146, 580-90	8	216
439	Predictors of functional decline in elderly patients undergoing transcatheter aortic valve implantation (TAVI). <i>European Heart Journal</i> , 2013 , 34, 684-92	9.5	211
438	Revascularisation versus medical treatment in patients with stable coronary artery disease: network meta-analysis. <i>BMJ, The</i> , 2014 , 348, g3859	5.9	210
437	An optical coherence tomography study of a biodegradable vs. durable polymer-coated limus-eluting stent: a LEADERS trial sub-study. <i>European Heart Journal</i> , 2010 , 31, 165-76	9.5	210
436	Drug eluting and bare metal stents in people with and without diabetes: collaborative network meta-analysis. <i>BMJ, The</i> , 2008 , 337, a1331	5.9	209
435	Extracorporeal Membrane Oxygenation for Severe Acute Respiratory Distress Syndrome and Posterior Probability of Mortality Benefit in a Post Hoc Bayesian Analysis of a Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 2251-2259	27.4	208
434	Percutaneous coronary intervention versus coronary artery bypass grafting in patients with three-vessel or left main coronary artery disease: 10-year follow-up of the multicentre randomised controlled SYNTAX trial. <i>Lancet, The</i> , 2019 , 394, 1325-1334	40	206

433	Effect of Empagliflozin on Left Ventricular Mass in Patients With Type 2 Diabetes Mellitus and Coronary Artery Disease: The EMPA-HEART CardioLink-6 Randomized Clinical Trial. <i>Circulation</i> , 2019 , 140, 1693-1702	16.7	205
432	Transcatheter aortic valve implantation vs. surgical aortic valve replacement for treatment of severe aortic stenosis: a meta-analysis of randomized trials. <i>European Heart Journal</i> , 2016 , 37, 3503-3512	9.5	202
431	Mechanisms of Very Late Drug-Eluting Stent Thrombosis Assessed by Optical Coherence Tomography. <i>Circulation</i> , 2016 , 133, 650-60	16.7	200
430	Accuracy of electrocardiography in diagnosis of left ventricular hypertrophy in arterial hypertension: systematic review. <i>BMJ, The</i> , 2007 , 335, 711	5.9	195
429	2014 ESC/EACTS guidelines on myocardial revascularization. <i>EuroIntervention</i> , 2015 , 10, 1024-94	3.1	195
428	Impact of treatment characteristics on response of different breast cancer phenotypes: pooled analysis of the German neo-adjuvant chemotherapy trials. <i>Breast Cancer Research and Treatment</i> , 2011 , 125, 145-56	4.4	193
427	Subclinical thyroid dysfunction and fracture risk: a meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 2055-65	27.4	190
426	Percutaneous coronary interventional strategies for treatment of in-stent restenosis: a network meta-analysis. <i>Lancet, The</i> , 2015 , 386, 655-64	4.0	186
425	Ultrathin strut biodegradable polymer sirolimus-eluting stent versus durable polymer everolimus-eluting stent for percutaneous coronary revascularisation (BIOSCIENCE): a randomised, single-blind, non-inferiority trial. <i>Lancet, The</i> , 2014 , 384, 2111-22	4.0	184
424	2018 ESC/EACTS Guidelines on myocardial revascularization. <i>EuroIntervention</i> , 2019 , 14, 1435-1534	3.1	180
423	Value of the SYNTAX score for risk assessment in the all-comers population of the randomized multicenter LEADERS (Limus Eluted from A Durable versus ERodable Stent coating) trial. <i>Journal of the American College of Cardiology</i> , 2010 , 56, 272-7	15.1	171
422	Rituximab or Cyclosporine in the Treatment of Membranous Nephropathy. <i>New England Journal of Medicine</i> , 2019 , 381, 36-46	59.2	169
421	The effects of excluding patients from the analysis in randomised controlled trials: meta-epidemiological study. <i>BMJ, The</i> , 2009 , 339, b3244	5.9	167
420	Impact of permanent pacemaker implantation on clinical outcome among patients undergoing transcatheter aortic valve implantation. <i>Journal of the American College of Cardiology</i> , 2012 , 60, 493-501	15.1	165
419	Intra-articular corticosteroid for knee osteoarthritis. <i>The Cochrane Library</i> , 2015 , CD005328	5.2	163
418	A 3-center comparison of 1-year mortality outcomes between transcatheter aortic valve implantation and surgical aortic valve replacement on the basis of propensity score matching among intermediate-risk surgical patients. <i>JACC: Cardiovascular Interventions</i> , 2013 , 6, 443-51	5	160
417	Abolishing mammography screening programs? A view from the Swiss Medical Board. <i>New England Journal of Medicine</i> , 2014 , 370, 1965-7	59.2	159
416	Diagnostic value of sonography in patients with suspected carpal tunnel syndrome: a prospective study. <i>Arthritis and Rheumatism</i> , 2005 , 52, 304-11		159

415	The performance of non-invasive tests to rule-in and rule-out significant coronary artery stenosis in patients with stable angina: a meta-analysis focused on post-test disease probability. <i>European Heart Journal</i> , 2018 , 39, 3322-3330	9.5	156
414	Comparative efficacy of pharmacological and non-pharmacological interventions in fibromyalgia syndrome: network meta-analysis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 955-62	2.4	153
413	Osteoarthritis: rational approach to treating the individual. <i>Best Practice and Research in Clinical Rheumatology</i> , 2006 , 20, 721-40	5.3	153
412	Device Closure of Patent Foramen Ovale After Stroke: Pooled Analysis of Completed Randomized Trials. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 907-917	15.1	152
411	Transcatheter aortic valve implantation vs. surgical aortic valve replacement for treatment of symptomatic severe aortic stenosis: an updated meta-analysis. <i>European Heart Journal</i> , 2019 , 40, 3143-3153	9.5	150
410	Prevalence of cam-type deformity on hip magnetic resonance imaging in young males: a cross-sectional study. <i>Arthritis Care and Research</i> , 2010 , 62, 1319-27	4.7	150
409	2017 ESC focused update on dual antiplatelet therapy in coronary artery disease developed in collaboration with EACTS. <i>European Journal of Cardio-thoracic Surgery</i> , 2018 , 53, 34-78	3	149
408	Report of a European Society of Cardiology-European Association of Percutaneous Cardiovascular Interventions task force on the evaluation of coronary stents in Europe: executive summary. <i>European Heart Journal</i> , 2015 , 36, 2608-20	9.5	145
407	Five-year clinical and angiographic outcomes of a randomized comparison of sirolimus-eluting and paclitaxel-eluting stents: results of the Sirolimus-Eluting Versus Paclitaxel-Eluting Stents for Coronary Revascularization LATE trial. <i>Circulation</i> , 2011 , 123, 2819-28, 6 p following 2828	16.7	143
406	Comparison of a novel biodegradable polymer sirolimus-eluting stent with a durable polymer everolimus-eluting stent: results of the randomized BIOFLOW-II trial. <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8, e001441	6	137
405	Relationship between the logistic EuroSCORE and the Society of Thoracic Surgeons Predicted Risk of Mortality score in patients implanted with the CoreValve ReValving system--a Bern-Rotterdam Study. <i>American Heart Journal</i> , 2010 , 159, 323-9	4.9	134
404	Impact of climate and public health interventions on the COVID-19 pandemic: a prospective cohort study. <i>Cmaj</i> , 2020 , 192, E566-E573	3.5	132
403	Hylan versus hyaluronic acid for osteoarthritis of the knee: a systematic review and meta-analysis. <i>Arthritis and Rheumatism</i> , 2007 , 57, 1410-8		130
402	Clinical Outcomes and Cost-Effectiveness of Fractional Flow Reserve-Guided Percutaneous Coronary Intervention in Patients With Stable Coronary Artery Disease: Three-Year Follow-Up of the FAME 2 Trial (Fractional Flow Reserve Versus Angiography for Multivessel Evaluation). <i>Circulation</i> , 2018 , 137, 103-117	16.7	129
401	Radial versus femoral access and bivalirudin versus unfractionated heparin in invasively managed patients with acute coronary syndrome (MATRIX): final 1-year results of a multicentre, randomised controlled trial. <i>Lancet, The</i> , 2018 , 392, 835-848	4.0	129
400	Long-term propensity score-matched comparison of percutaneous closure of patent foramen ovale with medical treatment after paradoxical embolism. <i>Circulation</i> , 2012 , 125, 803-12	16.7	129
399	Six-Month Outcomes after Restrictive or Liberal Transfusion for Cardiac Surgery. <i>New England Journal of Medicine</i> , 2018 , 379, 1224-1233	59.2	123
398	Transcutaneous electrostimulation for osteoarthritis of the knee. <i>The Cochrane Library</i> , 2009 , CD002823	5.2	123

397	Clinical outcomes of patients with severe aortic stenosis at increased surgical risk according to treatment modality. <i>Journal of the American College of Cardiology</i> , 2011 , 58, 2151-62	15.1	121
396	Impact of stent overlap on angiographic and long-term clinical outcome in patients undergoing drug-eluting stent implantation. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 1178-1188	15.1	117
395	Effect of high-intensity statin therapy on atherosclerosis in non-infarct-related coronary arteries (IBIS-4): a serial intravascular ultrasonography study. <i>European Heart Journal</i> , 2015 , 36, 490-500	9.5	115
394	Effect of Empagliflozin on Erythropoietin Levels, Iron Stores, and Red Blood Cell Morphology in Patients With Type 2 Diabetes Mellitus and Coronary Artery Disease. <i>Circulation</i> , 2020 , 141, 704-707	16.7	115
393	Comparison of drug-eluting stents with bare metal stents in patients with ST-segment elevation myocardial infarction. <i>European Heart Journal</i> , 2012 , 33, 977-87	9.5	114
392	Clinical outcomes of patients with estimated low or intermediate surgical risk undergoing transcatheter aortic valve implantation. <i>European Heart Journal</i> , 2013 , 34, 1894-905	9.5	113
391	Efficacy and safety of intraarticular hylan or hyaluronic acids for osteoarthritis of the knee: a randomized controlled trial. <i>Arthritis and Rheumatism</i> , 2007 , 56, 3610-9		111
390	Active surveillance for rheumatic heart disease in endemic regions: a systematic review and meta-analysis of prevalence among children and adolescents. <i>The Lancet Global Health</i> , 2014 , 2, e717-26 ^{13.6}		110
389	Meta-analysis: accuracy of rapid tests for malaria in travelers returning from endemic areas. <i>Annals of Internal Medicine</i> , 2005 , 142, 836-46	8	110
388	The importance of allocation concealment and patient blinding in osteoarthritis trials: a meta-epidemiologic study. <i>Arthritis and Rheumatism</i> , 2009 , 61, 1633-41		105
387	Systematic reviews and meta-analyses of randomized trials: principles and pitfalls. <i>European Heart Journal</i> , 2014 , 35, 3336-45	9.5	104
386	Delayed coverage in malapposed and side-branch struts with respect to well-apposed struts in drug-eluting stents: in vivo assessment with optical coherence tomography. <i>Circulation</i> , 2011 , 124, 612-23 ^{16.7}		104
385	Clinical outcome and predictors for adverse events after transcatheter aortic valve implantation with the use of different devices and access routes. <i>American Heart Journal</i> , 2011 , 161, 1114-24	4.9	103
384	Therapeutic ultrasound for osteoarthritis of the knee or hip. <i>The Cochrane Library</i> , 2010 , CD003132	5.2	97
383	Coronary artery disease severity and aortic stenosis: clinical outcomes according to SYNTAX score in patients undergoing transcatheter aortic valve implantation. <i>European Heart Journal</i> , 2014 , 35, 2530-40 ^{8.5}		96
382	Acute Kidney Injury After Radial or Femoral Access for Invasive Acute Coronary Syndrome Management: AKI-MATRIX. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2592-2592	15.1	95
381	Safety and efficacy of a self-expanding versus a balloon-expandable bioprosthesis for transcatheter aortic valve replacement in patients with symptomatic severe aortic stenosis: a randomised non-inferiority trial. <i>Lancet, The</i> , 2019 , 394, 1619-1628	4.0	94
380	Factor analysis of responses to thermal, electrical, and mechanical painful stimuli supports the importance of multi-modal pain assessment. <i>Pain</i> , 2011 , 152, 1146-1155	8	93

379	Methods to convert continuous outcomes into odds ratios of treatment response and numbers needed to treat: meta-epidemiological study. <i>International Journal of Epidemiology</i> , 2012 , 41, 1445-59	7.8	92
378	Prevalence and management of familial hypercholesterolaemia in patients with acute coronary syndromes. <i>European Heart Journal</i> , 2015 , 36, 2438-45	9.5	91
377	Oral or transdermal opioids for osteoarthritis of the knee or hip. <i>The Cochrane Library</i> , 2014 , CD003115	5.2	90
376	Fractional flow reserve-guided percutaneous coronary intervention vs. medical therapy for patients with stable coronary lesions: meta-analysis of individual patient data. <i>European Heart Journal</i> , 2019 , 40, 180-186	9.5	90
375	Prognostic value of PCSK9 levels in patients with acute coronary syndromes. <i>European Heart Journal</i> , 2016 , 37, 546-53	9.5	89
374	Serum glucose levels for predicting death in patients admitted to hospital for community acquired pneumonia: prospective cohort study. <i>BMJ, The</i> , 2012 , 344, e3397	5.9	88
373	Drug-eluting or bare-metal stents for percutaneous coronary intervention: a systematic review and individual patient data meta-analysis of randomised clinical trials. <i>Lancet, The</i> , 2019 , 393, 2503-2510	4.0	87
372	Vascular tissue reaction to acute malapposition in human coronary arteries: sequential assessment with optical coherence tomography. <i>Circulation: Cardiovascular Interventions</i> , 2012 , 5, 20-9, S1-8	6	86
371	Cerebrovascular accidents complicating transcatheter aortic valve implantation: frequency, timing and impact on outcomes. <i>EuroIntervention</i> , 2012 , 8, 62-70	3.1	86
370	Long-term ticagrelor monotherapy versus standard dual antiplatelet therapy followed by aspirin monotherapy in patients undergoing biolimus-eluting stent implantation: rationale and design of the GLOBAL LEADERS trial. <i>EuroIntervention</i> , 2016 , 12, 1239-1245	3.1	86
369	Value of age, creatinine, and ejection fraction (ACEF score) in assessing risk in patients undergoing percutaneous coronary interventions in the 'All-Comers' LEADERS trial. <i>Circulation: Cardiovascular Interventions</i> , 2011 , 4, 47-56	6	85
368	Percutaneous closure of patent foramen ovale in patients with cryptogenic embolism: a network meta-analysis. <i>European Heart Journal</i> , 2015 , 36, 120-8	9.5	82
367	Metamizole-associated adverse events: a systematic review and meta-analysis. <i>PLoS ONE</i> , 2015 , 10, e0122918	3.7	80
366	Association between cam-type deformities and magnetic resonance imaging-detected structural hip damage: a cross-sectional study in young men. <i>Arthritis and Rheumatism</i> , 2011 , 63, 4023-30		79
365	Biodegradable polymer sirolimus-eluting stents versus durable polymer everolimus-eluting stents in patients with ST-segment elevation myocardial infarction (BIOSTEMI): a single-blind, prospective, randomised superiority trial. <i>Lancet, The</i> , 2019 , 394, 1243-1253	4.0	78
364	Consensus on the need for a hierarchical list of patient-reported pain outcomes for meta-analyses of knee osteoarthritis trials. <i>Trials</i> , 2015 , 16,	2.8	78
363	Long-term comparison of everolimus-eluting and sirolimus-eluting stents for coronary revascularization. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 2143-51	15.1	78
362	First-year Analysis of the Operating Room Black Box Study. <i>Annals of Surgery</i> , 2020 , 271, 122-127	7.8	78

361	Atrial fibrillation and aortic stenosis: impact on clinical outcomes among patients undergoing transcatheter aortic valve implantation. <i>Circulation: Cardiovascular Interventions</i> , 2013 , 6, 77-84	6	77
360	Impact of incomplete stent apposition on long-term clinical outcome after drug-eluting stent implantation. <i>European Heart Journal</i> , 2012 , 33, 1334-43	9.5	76
359	Comparison of newer-generation drug-eluting with bare-metal stents in patients with acute ST-segment elevation myocardial infarction: a pooled analysis of the EXAMINATION (clinical Evaluation of the Xience-V stent in Acute Myocardial INfArcTION) and COMFORTABLE-AMI (Comparison of Biolimus Eluted From an Erodible Stent Coating With Bare Metal Stents in Acute A Prospective Natural History Study of Coronary Atherosclerosis Using Fractional Flow Reserve. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 2247-2255	5	75
358	Ultrathin-strut, biodegradable-polymer, sirolimus-eluting stents versus thin-strut, durable-polymer, everolimus-eluting stents for percutaneous coronary revascularisation: 5-year outcomes of the BIOSCIENCE randomised trial. <i>Lancet, The</i> , 2018 , 392, 737-746	15.1	73
357	Symptomatic treatment of uncomplicated lower urinary tract infections in the ambulatory setting: randomised, double blind trial. <i>BMJ, The</i> , 2017 , 359, j4784	40	71
356	Anticoagulant interventions in hospitalized patients with COVID-19: A scoping review of randomized controlled trials and call for international collaboration. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 2958-2967	5.9	69
355	Systolic blood pressure below 110 mmHg is associated with increased mortality in penetrating major trauma patients: Multicentre cohort study. <i>Resuscitation</i> , 2012 , 83, 476-81	15.4	69
354	Oral or transdermal opioids for osteoarthritis of the knee or hip. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD003115	4	67
353	Impact of Diabetic Status on Outcomes After Revascularization With Drug-Eluting Stents in Relation to Coronary Artery Disease Complexity: Patient-Level Pooled Analysis of 6081 Patients. <i>Circulation: Cardiovascular Interventions</i> , 2016 , 9, e003255	6	67
352	The association between in-stent neoatherosclerosis and native coronary artery disease progression: a long-term angiographic and optical coherence tomography cohort study. <i>European Heart Journal</i> , 2015 , 36, 2167-76	9.5	66
351	Cost-effectiveness of percutaneous coronary intervention in patients with stable coronary artery disease and abnormal fractional flow reserve. <i>Circulation</i> , 2013 , 128, 1335-40	9.5	65
350	Impact of vessel size on outcome after implantation of sirolimus-eluting and paclitaxel-eluting stents: a subgroup analysis of the SIRTAX trial. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 1123-31	16.7	65
349	Ten-year clinical outcomes of first-generation drug-eluting stents: the Sirolimus-Eluting vs. Paclitaxel-Eluting Stents for Coronary Revascularization (SIRTAX) VERY LATE trial. <i>European Heart Journal</i> , 2016 , 37, 3386-3395	15.1	65
348	Systolic blood pressure below 110 mm Hg is associated with increased mortality in blunt major trauma patients: multicentre cohort study. <i>Resuscitation</i> , 2011 , 82, 1202-7	9.5	64
347	Combining follow-up and change data is valid in meta-analyses of continuous outcomes: a meta-epidemiological study. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 847-55	4	64
346	Prognostic Value of Fractional Flow Reserve Measured Immediately After Drug-Eluting Stent Implantation. <i>Circulation: Cardiovascular Interventions</i> , 2017 , 10,	5.7	62
345	Surgical versus conservative treatment for lumbar disc herniation: a prospective cohort study. <i>BMJ Open</i> , 2016 , 6, e012938	6	62
344		3	62

343	Joint lavage for osteoarthritis of the knee. <i>The Cochrane Library</i> , 2010 , CD007320	5.2	60
342	2021 ESC/EACTS Guidelines for the management of valvular heart disease. <i>European Journal of Cardio-thoracic Surgery</i> , 2021 , 60, 727-800	3	60
341	Glucose-lowering drugs or strategies, atherosclerotic cardiovascular events, and heart failure in people with or at risk of type 2 diabetes: an updated systematic review and meta-analysis of randomised cardiovascular outcome trials. <i>Lancet Diabetes and Endocrinology</i> , 2020 , 8, 418-435	18.1	59
340	Catching a resurgence: Increase in SARS-CoV-2 viral RNA identified in wastewater 48 h before COVID-19 clinical tests and 96 h before hospitalizations. <i>Science of the Total Environment</i> , 2021 , 770, 145319	10.2	59
339	Clinical impact of gastrointestinal bleeding in patients undergoing percutaneous coronary interventions. <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8,	6	58
338	Two-year clinical outcome after implantation of sirolimus-eluting and paclitaxel-eluting stents in diabetic patients. <i>European Heart Journal</i> , 2008 , 29, 718-25	9.5	58
337	Impact of sex on clinical and angiographic outcomes among patients undergoing revascularization with drug-eluting stents. <i>JACC: Cardiovascular Interventions</i> , 2012 , 5, 301-10	5	57
336	Ranking of parameters of pain hypersensitivity according to their discriminative ability in chronic low back pain. <i>Pain</i> , 2012 , 153, 2083-2091	8	57
335	Outcomes of non-invasive diagnostic modalities for the detection of coronary artery disease: network meta-analysis of diagnostic randomised controlled trials. <i>BMJ, The</i> , 2018 , 360, k504	5.9	56
334	Procedural Results and Clinical Outcomes of Transcatheter Aortic Valve Implantation in Switzerland: An Observational Cohort Study of Sapien 3 Versus Sapien XT Transcatheter Heart Valves. <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8,	6	54
333	Effectiveness of therapeutic heparin versus prophylactic heparin on death, mechanical ventilation, or intensive care unit admission in moderately ill patients with covid-19 admitted to hospital: RAPID randomised clinical trial. <i>BMJ, The</i> , 2021 , 375, n2400	5.9	54
332	P2Y12 inhibitor monotherapy or dual antiplatelet therapy after coronary revascularisation: individual patient level meta-analysis of randomised controlled trials. <i>BMJ, The</i> , 2021 , 373, n1332	5.9	54
331	The association between admission systolic blood pressure and mortality in significant traumatic brain injury: a multi-centre cohort study. <i>Injury</i> , 2014 , 45, 612-7	2.5	53
330	Improved risk stratification of patients with acute coronary syndromes using a combination of hsTnT, NT-proBNP and hsCRP with the GRACE score. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018 , 7, 129-138	4.3	52
329	Impact of long-term ticagrelor monotherapy following 1-month dual antiplatelet therapy in patients who underwent complex percutaneous coronary intervention: insights from the Global Leaders trial. <i>European Heart Journal</i> , 2019 , 40, 2595-2604	9.5	51
328	Ticagrelor Alone Versus Dual Antiplatelet Therapy From 1 Month After Drug-Eluting Coronary Stenting. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 2223-2234	15.1	51
327	Coronary evaginations are associated with positive vessel remodelling and are nearly absent following implantation of newer-generation drug-eluting stents: an optical coherence tomography and intravascular ultrasound study. <i>European Heart Journal</i> , 2014 , 35, 795-807	9.5	51
326	Restrictive compared with liberal red cell transfusion strategies in cardiac surgery: a meta-analysis. <i>European Heart Journal</i> , 2019 , 40, 1081-1088	9.5	50

325	Biolimus-eluting stents with biodegradable polymer versus bare-metal stents in acute myocardial infarction: two-year clinical results of the COMFORTABLE AMI trial. <i>Circulation: Cardiovascular Interventions</i> , 2014 , 7, 355-64	6	50
324	The impact of anemia on long-term clinical outcome in patients undergoing revascularization with the unrestricted use of drug-eluting stents. <i>Circulation: Cardiovascular Interventions</i> , 2012 , 5, 202-10	6	50
323	Impact of total arterial revascularization on long term survival: A systematic review and meta-analysis of 130,305 patients. <i>International Journal of Cardiology</i> , 2017 , 233, 29-36	3.2	49
322	Sonographic follow-up of patients with carpal tunnel syndrome undergoing surgical or nonsurgical treatment: prospective cohort study. <i>Journal of Hand Surgery</i> , 2010 , 35, 1401-9	2.6	49
321	Long-term vascular healing in response to sirolimus- and paclitaxel-eluting stents: an optical coherence tomography study. <i>JACC: Cardiovascular Interventions</i> , 2012 , 5, 946-57	5	48
320	How valuable are multiple treatment comparison methods in evidence-based health-care evaluation?. <i>Value in Health</i> , 2011 , 14, 371-80	3.3	48
319	Short-term clinical outcomes among patients undergoing transcatheter aortic valve implantation in Switzerland: the Swiss TAVI registry. <i>EuroIntervention</i> , 2014 , 10, 982-9	3.1	48
318	Conditioned Pain Modulation in Patients With Acute and Chronic Low Back Pain. <i>Clinical Journal of Pain</i> , 2016 , 32, 116-21	3.5	48
317	Systematic review of the epidemiologic and trial evidence of an association between antidepressant medication and breast cancer. <i>Journal of Clinical Epidemiology</i> , 2003 , 56, 155-63	5.7	47
316	Rate, Timing, Correlates, and Outcomes of Hemodynamic Valve Deterioration After Bioprosthetic Surgical Aortic Valve Replacement. <i>Circulation</i> , 2018 , 138, 971-985	16.7	47
315	Safety and efficacy of resolute zotarolimus-eluting stents compared with everolimus-eluting stents: a meta-analysis. <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8,	6	46
314	Dual Antiplatelet Therapy after PCI in Patients at High Bleeding Risk. <i>New England Journal of Medicine</i> , 2021 , 385, 1643-1655	59.2	46
313	Ultrathin Strut Biodegradable Polymer Sirolimus-Eluting Stent Versus Durable-Polymer Everolimus-Eluting Stent for Percutaneous Coronary Revascularization: 2-Year Results of the BIOSCIENCE Trial. <i>Journal of the American Heart Association</i> , 2016 , 5, e003255	6	45
312	Percutaneous Coronary Interventions for the Treatment of Stenoses in Small Coronary Arteries: A Network Meta-Analysis. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 1324-34	5	44
311	Comparative effectiveness of long term drug treatment strategies to prevent asthma exacerbations: network meta-analysis. <i>BMJ, The</i> , 2014 , 348, g3009	5.9	44
310	Disagreements in meta-analyses using outcomes measured on continuous or rating scales: observer agreement study. <i>BMJ, The</i> , 2009 , 339, b3128	5.9	44
309	The impact of body mass index on the one year outcomes of patients treated by percutaneous coronary intervention with Biolimus- and Sirolimus-eluting stents (from the LEADERS Trial). <i>American Journal of Cardiology</i> , 2010 , 105, 475-9	3	44
308	A comparison of patient characteristics and 30-day mortality outcomes after transcatheter aortic valve implantation and surgical aortic valve replacement for the treatment of aortic stenosis: a two-centre study. <i>EuroIntervention</i> , 2009 , 5, 580-8	3.1	44

307	Prevalence of Subclinical Rheumatic Heart Disease in Eastern Nepal: A School-Based Cross-sectional Study. <i>JAMA Cardiology</i> , 2016 , 1, 89-96	16.2	43
306	Caesarean sections and for-profit status of hospitals: systematic review and meta-analysis. <i>BMJ Open</i> , 2017 , 7, e013670	3	42
305	Risk and timing of recurrent ischemic events among patients with stable ischemic heart disease, non-ST-segment elevation acute coronary syndrome, and ST-segment elevation myocardial infarction. <i>American Heart Journal</i> , 2016 , 175, 56-65	4.9	42
304	S-Adenosylmethionine for osteoarthritis of the knee or hip. <i>The Cochrane Library</i> , 2009 , CD007321	5.2	42
303	Accuracy of B-type natriuretic peptide tests to exclude congestive heart failure: systematic review of test accuracy studies. <i>Archives of Internal Medicine</i> , 2006 , 166, 1073-80		42
302	Radiation Exposure and Vascular Access in Acute Coronary Syndromes: The RAD-Matrix Trial. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2530-2537	15.1	41
301	Doxycycline for osteoarthritis of the knee or hip. <i>The Cochrane Library</i> , 2012 , 11, CD007323	5.2	41
300	Sleepless night, the moon is bright: longitudinal study of lunar phase and sleep. <i>Journal of Sleep Research</i> , 2006 , 15, 149-53	5.8	41
299	Comparison of procedural and clinical outcomes with Evolut R versus Medtronic CoreValve: a Swiss TAVI registry analysis. <i>EuroIntervention</i> , 2017 , 12, e2170-e2176	3.1	41
298	Long-term tissue coverage of a biodegradable polylactide polymer-coated biolimus-eluting stent: comparative sequential assessment with optical coherence tomography until complete resorption of the polymer. <i>American Heart Journal</i> , 2011 , 162, 922-31	4.9	40
297	Predictors of clinical outcomes in patients with severe aortic stenosis undergoing TAVI: a multistate analysis. <i>Circulation: Cardiovascular Interventions</i> , 2012 , 5, 856-61	6	39
296	The twelve-month outcomes of a biolimus eluting stent with a biodegradable polymer compared with a sirolimus eluting stent with a durable polymer. <i>EuroIntervention</i> , 2010 , 6, 233-239	3.1	39
295	Design and rationale of the Management of High Bleeding Risk Patients Post Bioresorbable Polymer Coated Stent Implantation With an Abbreviated Versus Standard DAPT Regimen (MASTER DAPT) Study. <i>American Heart Journal</i> , 2019 , 209, 97-105	4.9	39
294	Radial versus femoral access in patients with acute coronary syndromes with or without ST-segment elevation. <i>European Heart Journal</i> , 2017 , 38, 1069-1080	9.5	38
293	Differential healing response attributed to culprit lesions of patients with acute coronary syndromes and stable coronary artery after implantation of drug-eluting stents: an optical coherence tomography study. <i>International Journal of Cardiology</i> , 2014 , 173, 259-67	3.2	38
292	Impact of vessel size on angiographic and clinical outcomes of revascularization with biolimus-eluting stent with biodegradable polymer and sirolimus-eluting stent with durable polymer the LEADERS trial substudy. <i>JACC: Cardiovascular Interventions</i> , 2009 , 2, 861-70	5	38
291	Pump, pipes, and filter: do SGLT2 inhibitors cover it all?. <i>Lancet, The</i> , 2019 , 393, 3-5	4.0	38
290	Multiplicity of data in trial reports and the reliability of meta-analyses: empirical study. <i>BMJ, The</i> , 2011 , 343, d4829	5.9	37

289	Bivalirudin or unfractionated heparin in patients with acute coronary syndromes managed invasively with and without ST elevation (MATRIX): randomised controlled trial. <i>BMJ, The</i> , 2016 , 354, i4935	5.9	36
288	Considerations for the choice between coronary artery bypass grafting and percutaneous coronary intervention as revascularization strategies in major categories of patients with stable multivessel coronary artery disease: an accompanying article of the task force of the 2018 ESC/EACTS Guidelines for the Management of Acute Coronary Syndromes. <i>European Heart Journal</i> , 2018 , 39, 2018-2019	9.5	36
287	Standardized classification and framework for reporting, interpreting, and analysing medication non-adherence in cardiovascular clinical trials: a consensus report from the Non-adherence Academic Research Consortium (NARC). <i>European Heart Journal</i> , 2019 , 40, 2070-2085	9.5	35
286	Safety profile of prasugrel and clopidogrel in patients with acute coronary syndromes in Switzerland. <i>Heart</i> , 2015 , 101, 854-63	5.1	34
285	Effect of B-type natriuretic peptides on long-term outcomes after transcatheter aortic valve implantation. <i>American Journal of Cardiology</i> , 2015 , 116, 1560-5	3	34
284	Commentary: Empirical evidence of attrition bias in clinical trials. <i>International Journal of Epidemiology</i> , 2005 , 34, 87-8	7.8	34
283	Consequences of different diagnostic "gold standards" in test accuracy research: Carpal Tunnel Syndrome as an example. <i>International Journal of Epidemiology</i> , 2005 , 34, 953-5	7.8	34
282	Antiplatelets versus anticoagulants for the treatment of cervical artery dissection: Bayesian meta-analysis. <i>PLoS ONE</i> , 2013 , 8, e72697	3.7	34
281	The three year follow-up of the randomised "all-comers" trial of a biodegradable polymer biolimus-eluting stent versus permanent polymer sirolimus-eluting stent (LEADERS). <i>EuroIntervention</i> , 2011 , 7, 789-95	3.1	34
280	Intra-articular Corticosteroids for Osteoarthritis of the Knee. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 2671-2672	27.4	34
279	Effect of standardized training on the reliability of the Cochrane risk of bias assessment tool: a prospective study. <i>Systematic Reviews</i> , 2017 , 6, 44	3	33
278	Cysteine-rich angiogenic inducer 61 (Cyr61): a novel soluble biomarker of acute myocardial injury improves risk stratification after acute coronary syndromes. <i>European Heart Journal</i> , 2017 , 38, 3493-3502	9.5	33
277	Assessing bone loss on radiographs of the knee in osteoarthritis: a cross-sectional study. <i>Arthritis and Rheumatism</i> , 2005 , 52, 3536-41		33
276	Impact of atrial fibrillation on clinical outcomes among patients with coronary artery disease undergoing revascularisation with drug-eluting stents. <i>EuroIntervention</i> , 2013 , 8, 1061-71	3.1	33
275	Time-varying intensity of mechanical ventilation and mortality in patients with acute respiratory failure: a registry-based, prospective cohort study. <i>Lancet Respiratory Medicine</i> , 2020 , 8, 905-913	35.1	33
274	First generation versus second generation drug-eluting stents for the treatment of bifurcations: 5-year follow-up of the LEADERS all-comers randomized trial. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 87, E248-60	2.7	33
273	Angiography Versus Hemodynamics to Predict the Natural History of Coronary Stenoses: Fractional Flow Reserve Versus Angiography in Multivessel Evaluation 2 Substudy. <i>Circulation</i> , 2018 , 137, 1475-1485	16.7	33
272	COX 2 inhibitors, traditional NSAIDs, and the heart. <i>BMJ, The</i> , 2005 , 330, 1342-3	5.9	32

271	Acupuncture for alcohol withdrawal: a randomized controlled trial. <i>Alcohol and Alcoholism</i> , 2003 , 38, 369-75	3.5	32
270	Rates and predictors of hospital readmission after transcatheter aortic valve implantation. <i>European Heart Journal</i> , 2017 , 38, 2211-2217	9.5	31
269	Report of an ESC-EAPCI Task Force on the evaluation and use of bioresorbable scaffolds for percutaneous coronary intervention: executive summary. <i>European Heart Journal</i> , 2018 , 39, 1591-1601	9.5	31
268	Placebo-controlled trials of Chinese herbal medicine and conventional medicine comparative study. <i>International Journal of Epidemiology</i> , 2007 , 36, 1086-92	7.8	31
267	Effect of a flow chart on use of blood transfusions in primary total hip and knee replacement: prospective before and after study. <i>BMJ, The</i> , 2004 , 328, 934-8	5.9	31
266	Guidelines for Reporting Trial Protocols and Completed Trials Modified Due to the COVID-19 Pandemic and Other Extenuating Circumstances: The CONSERVE 2021 Statement. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 257-265	27.4	30
265	Systematic review and meta-analysis of chordal replacement versus leaflet resection for posterior mitral leaflet prolapse. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018 , 155, 120-128.e10	1.5	29
264	2-year clinical follow-up from the randomized comparison of biolimus-eluting stents with biodegradable polymer and sirolimus-eluting stents with durable polymer in routine clinical practice. <i>JACC: Cardiovascular Interventions</i> , 2011 , 4, 887-95	5	29
263	PRISMA reporting of systematic reviews and meta-analyses. <i>Lancet, The</i> , 2009 , 374, 1221-3	40	29
262	Midterm clinical outcomes with everolimus-eluting bioresorbable scaffolds versus everolimus-eluting metallic stents for percutaneous coronary interventions: a meta-analysis of randomised trials. <i>EuroIntervention</i> , 2018 , 13, 1565-1573	3.1	29
261	Long-term outcomes of biodegradable polymer versus durable polymer drug-eluting stents in patients with diabetes a pooled analysis of individual patient data from 3 randomized trials. <i>International Journal of Cardiology</i> , 2013 , 168, 5162-6	3.2	28
260	Severe structural damage of the seemingly non-diseased infrarenal aortic aneurysm neck. <i>Journal of Vascular Surgery</i> , 2008 , 48, 425-34	3.5	28
259	Should thoracic paravertebral blocks be used to prevent chronic postsurgical pain after breast cancer surgery? A systematic analysis of evidence in light of IMMPACT recommendations. <i>Pain</i> , 2018 , 159, 1955-1971	8	28
258	A systematic review and meta-analysis of in situ versus composite bilateral internal thoracic artery grafting. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2017 , 153, 1108-1116.e16	1.5	27
257	Clinical outcomes according to diabetic status in patients treated with biodegradable polymer sirolimus-eluting stents versus durable polymer everolimus-eluting stents: prespecified subgroup analysis of the BIOSCIENCE trial. <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8,	6	27
256	Post-Procedural Troponin Elevation and Clinical Outcomes Following Transcatheter Aortic Valve Implantation. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	27
255	Differences across health care systems in outcome and cost-utility of surgical and conservative treatment of chronic low back pain: a study protocol. <i>BMC Musculoskeletal Disorders</i> , 2008 , 9, 81	2.8	27
254	Do central hypersensitivity and altered pain modulation predict the course of chronic low back and neck pain?. <i>Clinical Journal of Pain</i> , 2013 , 29, 673-80	3.5	26

253	Low membrane protein sulphhydryls but not G6PD deficiency predict ribavirin-induced hemolysis in hepatitis C. <i>Hepatology</i> , 2004 , 39, 1248-55	11.2	26
252	Are randomised controlled trials in the BMJ different? 2001 , 323, 1253-1253		26
251	Report of an ESC-EAPCI Task Force on the evaluation and use of bioresorbable scaffolds for percutaneous coronary intervention: executive summary. <i>EuroIntervention</i> , 2018 , 13, 1574-1586	3.1	26
250	Non-Technical Skills for Surgeons (NOTSS): Critical appraisal of its measurement properties. <i>American Journal of Surgery</i> , 2018 , 216, 990-997	2.7	25
249	Quality of care after acute coronary syndromes in a prospective cohort with reasons for non-prescription of recommended medications. <i>PLoS ONE</i> , 2014 , 9, e93147	3.7	25
248	Comparison of biolimus eluted from an erodible stent coating with bare metal stents in acute ST-elevation myocardial infarction (COMFORTABLE AMI trial): rationale and design. <i>EuroIntervention</i> , 2012 , 7, 1435-43	3.1	25
247	Paediatric reference values for total psoas muscle area. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020 , 11, 405-414	10.3	25
246	Short versus long duration of DAPT after DES implantation: a meta-analysis. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 953-4	15.1	24
245	A pain assessment scale for population-based studies: development and validation of the pain module of the Standard Evaluation Questionnaire. <i>Pain</i> , 2008 , 136, 62-74	8	24
244	Genetic evidence supporting the association of protease and protease inhibitor genes with inflammatory bowel disease: a systematic review. <i>PLoS ONE</i> , 2011 , 6, e24106	3.7	24
243	Adverse events while awaiting myocardial revascularization: a systematic review and meta-analysis. <i>European Journal of Cardio-thoracic Surgery</i> , 2017 , 52, 206-217	3	23
242	Long-term outcome of elderly patients with severe aortic stenosis as a function of treatment modality. <i>Heart</i> , 2015 , 101, 30-6	5.1	23
241	Predictive value of the age, creatinine, and ejection fraction (ACEF) score in patients with acute coronary syndromes. <i>International Journal of Cardiology</i> , 2018 , 270, 7-13	3.2	23
240	Age- and Gender-related Disparities in Primary Percutaneous Coronary Interventions for Acute ST-segment elevation Myocardial Infarction. <i>PLoS ONE</i> , 2015 , 10, e0137047	3.7	23
239	Association of Sex With Outcomes in Patients Undergoing Percutaneous Coronary Intervention: A Subgroup Analysis of the GLOBAL LEADERS Randomized Clinical Trial. <i>JAMA Cardiology</i> , 2020 , 5, 21-29	16.2	23
238	Comparative Effectiveness and Safety of New-Generation Versus Early-Generation Drug-Eluting Stents According to Complexity of Coronary Artery Disease: A Patient-Level Pooled Analysis of 6,081 Patients. <i>JACC: Cardiovascular Interventions</i> , 2015 , 8, 1657-66	5	22
237	Caesarean sections and private insurance: systematic review and meta-analysis. <i>BMJ Open</i> , 2017 , 7, e016600		22
236	Impact of B-type natriuretic peptide on short-term clinical outcomes following transcatheter aortic valve implantation. <i>EuroIntervention</i> , 2015 , 10, e1-8	3.1	22

235	Association of acute kidney injury and bleeding events with mortality after radial or femoral access in patients with acute coronary syndrome undergoing invasive management: secondary analysis of a randomized clinical trial. <i>European Heart Journal</i> , 2019 , 40, 1226-1232	9.5	21
234	Commentary: Which meta-analyses are conclusive?. <i>International Journal of Epidemiology</i> , 2009 , 38, 298-303	3.03	21
233	Bibliographic study showed improving methodology of meta-analyses published in leading journals 1993-2002. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 773-80	5.7	21
232	Allocation concealment in clinical trials. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 288, 2407-8; author reply 2408-9	27.4	21
231	Rationale and design of Optimising thERapy to prevent Avoidable hospital admissions in Multimorbid older people (OPERAM): a cluster randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e026769 ³		21
230	Whole milk compared with reduced-fat milk and childhood overweight: a systematic review and meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 266-279	7	21
229	Duration of Triple Antithrombotic Therapy and Outcomes Among Patients Undergoing Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 1473-83	5	20
228	Clinical scoring system for vulvar lichen sclerosus. <i>Journal of Sexual Medicine</i> , 2012 , 9, 2342-50	1.1	20
227	Long-term clinical and angiographic outcomes of diabetic patients after revascularization with early generation drug-eluting stents. <i>American Heart Journal</i> , 2012 , 163, 876-886.e2	4.9	20
226	Implantation of the biodegradable polymer biolimus-eluting stent in patients with high SYNTAX score is associated with decreased cardiac mortality compared to a permanent polymer sirolimus-eluting stent: two year follow-up results from the "all-comers" LEADERS trial. <i>EuroIntervention</i> , 2011 , 7, 605-13	3.1	20
225	Efficacy of dexamethasone treatment for patients with the acute respiratory distress syndrome caused by COVID-19: study protocol for a randomized controlled superiority trial. <i>Trials</i> , 2020 , 21, 717	2.8	20
224	Validation of the Valve Academic Research Consortium Bleeding Definition in Patients With Severe Aortic Stenosis Undergoing Transcatheter Aortic Valve Implantation. <i>Journal of the American Heart Association</i> , 2015 , 4, e002135	6	19
223	The MI SYNTAX score for risk stratification in patients undergoing primary percutaneous coronary intervention for treatment of acute myocardial infarction: a substudy of the COMFORTABLE AMI trial. <i>International Journal of Cardiology</i> , 2014 , 175, 314-22	3.2	19
222	Sono-electro-magnetic therapy for treating chronic pelvic pain syndrome in men: a randomized, placebo-controlled, double-blind trial. <i>PLoS ONE</i> , 2014 , 9, e113368	3.7	19
221	Case-based implementation of the 2017 ESC Focused Update on Dual Antiplatelet Therapy in Coronary Artery Disease. <i>European Heart Journal</i> , 2018 , 39, e1-e33	9.5	18
220	Comparison of titanium-nitride-oxide-coated stents with zotarolimus-eluting stents for coronary revascularization a randomized controlled trial. <i>JACC: Cardiovascular Interventions</i> , 2011 , 4, 672-82	5	18
219	Systematic review of celecoxib for osteoarthritis and rheumatoid arthritis 2003 , 326, 334-334		18
218	Empagliflozin Reduces Myocardial Extracellular Volume in Patients With Type 2 Diabetes and Coronary Artery Disease. <i>JACC: Cardiovascular Imaging</i> , 2021 , 14, 1164-1173	8.4	18

217	Tramadol for osteoarthritis. <i>The Cochrane Library</i> , 2019 , 5, CD005522	5.2	18
216	Effect on Treatment Adherence of Distributing Essential Medicines at No Charge: The CLEAN Meds Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2019 ,	11.5	18
215	Effects of coronary artery disease in patients undergoing transcatheter aortic valve implantation: A study of age- and gender-matched cohorts. <i>International Journal of Cardiology</i> , 2017 , 243, 150-155	3.2	17
214	Association of diabetes with outcomes in patients undergoing contemporary percutaneous coronary intervention: Pre-specified subgroup analysis from the randomized GLOBAL LEADERS study. <i>Atherosclerosis</i> , 2020 , 295, 45-53	3.1	17
213	The effectiveness and safety of proton radiation therapy for indications of the eye : a systematic review. <i>Strahlentherapie Und Onkologie</i> , 2009 , 185, 211-21	4.3	17
212	Safety of drug-eluting stents. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2008 , 5, 316-28		17
211	Effectiveness and safety of non-steroidal anti-inflammatory drugs and opioid treatment for knee and hip osteoarthritis: network meta-analysis. <i>BMJ, The</i> , 2021 , 375, n2321	5.9	17
210	Ticagrelor monotherapy beyond one month after PCI in ACS or stable CAD in elderly patients: a pre-specified analysis of the GLOBAL LEADERS trial. <i>EuroIntervention</i> , 2020 , 15, e1605-e1614	3.1	16
209	The outcome of bifurcation lesion stenting using a biolimus-eluting stent with a bio-degradable polymer compared to a sirolimus-eluting stent with a durable polymer. <i>EuroIntervention</i> , 2011 , 6, 928-35 ^{3.1}		16
208	Long-term comparison of everolimus-eluting stents with sirolimus- and paclitaxel-eluting stents for percutaneous coronary intervention of saphenous vein grafts. <i>EuroIntervention</i> , 2014 , 9, 1432-40	3.1	16
207	Biodegradable polymer sirolimus-eluting stents versus durable polymer everolimus-eluting stents for primary percutaneous coronary revascularisation of acute myocardial infarction. <i>EuroIntervention</i> , 2016 , 12, e1343-e1354	3.1	16
206	Rationale and design of a prospective substudy of clinical endpoint adjudication processes within an investigator-reported randomised controlled trial in patients with coronary artery disease: the GLOBAL LEADERS Adjudication Sub-Study (GLASSY). <i>BMJ Open</i> , 2019 , 9, e026053	3	15
205	Randomized Trials in Cardiac Surgery: JACC Review Topic of the Week. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 1593-1604	15.1	15
204	Organ donation in Switzerland--an analysis of factors associated with consent rate. <i>PLoS ONE</i> , 2014 , 9, e106845	3.7	15
203	Long-term comparison of everolimus- and sirolimus-eluting stents in patients with acute coronary syndromes. <i>JACC: Cardiovascular Interventions</i> , 2012 , 5, 145-54	5	15
202	Tools & techniques--statistics: propensity score techniques. <i>EuroIntervention</i> , 2014 , 10, 761-7	3.1	15
201	Corticosteroid therapy for critically ill patients with COVID-19: A structured summary of a study protocol for a prospective meta-analysis of randomized trials. <i>Trials</i> , 2020 , 21, 734	2.8	15
200	Risk of Paradoxical Embolism (RoPE)-Estimated Attributable Fraction Correlates With the Benefit of Patent Foramen Ovale Closure: An Analysis of 3 Trials. <i>Stroke</i> , 2020 , 51, 3119-3123	6.7	15

199	Consensus on the Need for a Hierarchical List of Patient-reported Pain Outcomes for Metaanalyses of Knee Osteoarthritis Trials: An OMERACT Objective. <i>Journal of Rheumatology</i> , 2015 , 42, 1971-1975	4.1	14
198	Effect of Biomechanical Footwear on Knee Pain in People With Knee Osteoarthritis: The BIOTOK Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 1802-1812	27.4	14
197	Randomized comparison of biodegradable polymer sirolimus-eluting stents versus durable polymer everolimus-eluting stents for percutaneous coronary revascularization: rationale and design of the BIOSCIENCE trial. <i>American Heart Journal</i> , 2014 , 168, 256-61	4.9	14
196	Ranking of tests for pain hypersensitivity according to their discriminative ability in chronic neck pain. <i>Regional Anesthesia and Pain Medicine</i> , 2013 , 38, 308-20	3.4	14
195	Matched-pair study showed higher quality of placebo-controlled trials in Western phytotherapy than conventional medicine. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 787-94	5.7	14
194	Are the clinical effects of homoeopathy placebo effects? [Authors' reply]. <i>Lancet, The</i> , 2005 , 366, 2083-2085	4.5	14
193	Older people should NOT be prescribed 'coxibs' in place of conventional NSAIDs. <i>Age and Ageing</i> , 2004 , 33, 100-4	3	14
192	2021 ESC/EACTS Guidelines for the management of valvular heart disease.. <i>EuroIntervention</i> , 2021 ,	3.1	14
191	Long-term outcomes of biodegradable versus durable polymer drug-eluting stents in patients with acute ST-segment elevation myocardial infarction: a pooled analysis of individual patient data from three randomised trials. <i>EuroIntervention</i> , 2015 , 10, 1425-31	3.1	14
190	Fractional Flow Reserve and Quality-of-Life Improvement After Percutaneous Coronary Intervention in Patients With Stable Coronary Artery Disease. <i>Circulation</i> , 2018 , 138, 1797-1804	16.7	14
189	Predictive ability of ACEF and ACEF II score in patients undergoing percutaneous coronary intervention in the GLOBAL LEADERS study. <i>International Journal of Cardiology</i> , 2019 , 286, 43-50	3.2	13
188	Randomized clinical trial comparing percutaneous closure of patent foramen ovale (PFO) using the Amplatzer PFO Occluder with medical treatment in patients with cryptogenic embolism (PC-Trial): rationale and design. <i>Trials</i> , 2011 , 12, 56	2.8	13
187	Heterogeneity of Treatment Effects in an Analysis of Pooled Individual Patient Data From Randomized Trials of Device Closure of Patent Foramen Ovale After Stroke.. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 2277-2286	27.4	13
186	Patient-oriented composite endpoints and net adverse clinical events with ticagrelor monotherapy following percutaneous coronary intervention: insights from the randomised GLOBAL LEADERS trial. <i>EuroIntervention</i> , 2019 , 15, e1090-e1098	3.1	13
185	PRECISE-DAPT score for bleeding risk prediction in patients on dual or single antiplatelet regimens: insights from the GLOBAL LEADERS and GLASSY. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 ,	6.4	13
184	Preprocedural High-Sensitivity Cardiac Troponin T and Clinical Outcomes in Patients With Stable Coronary Artery Disease Undergoing Elective Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2016 , 9,	6	13
183	Adverse Events in the Operating Room: Definitions, Prevalence, and Characteristics. A Systematic Review. <i>World Journal of Surgery</i> , 2019 , 43, 2379-2392	3.3	12
182	Trombectomía por aspiración para el tratamiento del infarto agudo de miocardio con elevación del segmento ST: un metanálisis de 26 ensayos aleatorizados con 11.943 pacientes. <i>Revista Espanola De Cardiologia</i> , 2015 , 68, 746-752	1.5	12

181	Natural History of Asymptomatic Severe Aortic Stenosis and the Association of Early Intervention With Outcomes: A Systematic Review and Meta-analysis. <i>JAMA Cardiology</i> , 2020 , 5, 1102-1112	16.2	12
180	Prognostic Value of Early Postoperative Troponin T in Patients Undergoing Coronary Artery Bypass Grafting. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	12
179	Long-Term Effect of Ultrathin-Strut Versus Thin-Strut Drug-Eluting Stents in Patients With Small Vessel Coronary Artery Disease Undergoing Percutaneous Coronary Intervention: A Subgroup Analysis of the BIOSCIENCE Randomized Trial. <i>Circulation: Cardiovascular Interventions</i> , 2019 , 12, e008024	6	12
178	Doxycycline for osteoarthritis of the knee or hip. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD007323		12
177	Association of bone attrition with knee pain, stiffness and disability: a cross-sectional study. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 293-8	2.4	12
176	Biolimus-eluting biodegradable polymer versus sirolimus-eluting permanent polymer stent performance in long lesions: results from the LEADERS multicentre trial substudy. <i>EuroIntervention</i> , 2009 , 5, 310-7	3.1	12
175	Coagulopathy of hospitalised COVID-19: A Pragmatic Randomised Controlled Trial of Therapeutic Anticoagulation versus Standard Care as a Rapid Response to the COVID-19 Pandemic (RAPID COVID COAG - RAPID Trial): A structured summary of a study protocol for a randomised controlled trial. <i>Trials</i> , 2021 , 22, 202	2.8	12
174	Axillary versus innominate artery cannulation for antegrade cerebral perfusion in aortic surgery: design of the Aortic Surgery Cerebral Protection Evaluation (ACE) CardioLink-3 randomised trial. <i>BMJ Open</i> , 2017 , 7, e014491	3	11
173	Effect of Diabetes Mellitus on Frequency of Adverse Events in Patients With Acute Coronary Syndromes Undergoing Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2016 , 118, 345-52	3	11
172	Five-Year Outcomes in Patients With Diabetes Mellitus Treated With Biodegradable Polymer Sirolimus-Eluting Stents Versus Durable Polymer Everolimus-Eluting Stents. <i>Journal of the American Heart Association</i> , 2019 , 8, e013607	6	11
171	Linking altered central pain processing and genetic polymorphism to drug efficacy in chronic low back pain. <i>BMC Pharmacology & Toxicology</i> , 2015 , 16, 23	2.6	11
170	Low statin use in adults hospitalized with acute coronary syndrome. <i>Preventive Medicine</i> , 2015 , 77, 131-64.3		11
169	Biolimus-eluting stent with biodegradable polymer improves clinical outcomes in patients with acute myocardial infarction. <i>Heart</i> , 2015 , 101, 271-8	5.1	11
168	Factors affecting screening for hepatocellular carcinoma. <i>Annals of Hepatology</i> , 2014 , 13, 204-210	3.1	11
167	Patent foramen ovale and cryptogenic stroke. <i>New England Journal of Medicine</i> , 2013 , 369, 91	59.2	11
166	Biodegradable- Versus Durable-Polymer Drug-Eluting Stents for STEMI: Final 2-Year Outcomes of the BIOSTEMI Trial. <i>JACC: Cardiovascular Interventions</i> , 2021 , 14, 639-648	5	11
165	Protocol for a randomised trial evaluating a preconception-early childhood telephone-based intervention with tailored e-health resources for women and their partners to optimise growth and development among children in Canada: a Healthy Life Trajectory Initiative (HeLTI Canada). <i>BMJ Open</i> , 2021 , 11, e046311	3	11
164	Effects of Empagliflozin on Left Ventricular Remodeling in Patients with Type 2 Diabetes and Coronary Artery Disease: Echocardiographic Substudy of the EMPA-HEART CardioLink-6 Randomized Clinical Trial. <i>Journal of the American Society of Echocardiography</i> , 2020 , 33, 644-646	5.8	10

163	External validity of the "all-comers" design: insights from the BIOSCIENCE trial. <i>Clinical Research in Cardiology</i> , 2016 , 105, 744-54	6.1	10
162	Screening for Rheumatic Heart Disease among Peruvian Children: A Two-Stage Sampling Observational Study. <i>PLoS ONE</i> , 2015 , 10, e0133004	3.7	10
161	Effect of standardized training on the reliability of the Cochrane risk of bias assessment tool: a study protocol. <i>Systematic Reviews</i> , 2014 , 3, 144	3	10
160	Development of a combined database for meta-epidemiological research. <i>Research Synthesis Methods</i> , 2010 , 1, 212-25	7.2	10
159	Debate: Prasugrel rather than ticagrelor is the preferred treatment for NSTEMI-ACS patients who proceed to PCI and pretreatment should not be performed in patients planned for an early invasive strategy. <i>European Heart Journal</i> , 2021 , 42, 2973-2985	9.5	10
158	Randomized trials of therapeutic heparin for COVID-19: A meta-analysis.. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2021 , 5, e12638	5.1	10
157	Does empagliflozin modulate the autonomic nervous system among individuals with type 2 diabetes and coronary artery disease? The EMPA-HEART CardioLink-6 Holter analysis. <i>Metabolism Open</i> , 2020 , 7, 100039	2.8	9
156	Does point of care prothrombin time measurement reduce the transfusion of fresh frozen plasma in patients undergoing major surgery? The POC-OP randomized-controlled trial. <i>Trials</i> , 2009 , 10, 107	2.8	9
155	Additive effect of anemia and renal impairment on long-term outcome after percutaneous coronary intervention. <i>PLoS ONE</i> , 2014 , 9, e114846	3.7	9
154	Validation of the updated logistic clinical SYNTAX score for all-cause mortality in the GLOBAL LEADERS trial. <i>EuroIntervention</i> , 2019 , 15, e539-e546	3.1	9
153	Clinical outcome of patients with stable ischaemic heart disease as compared to those with acute coronary syndromes after percutaneous coronary intervention. <i>EuroIntervention</i> , 2015 , 11, 171-9	3.1	9
152	Angiographic complexity of coronary artery disease according to SYNTAX score and clinical outcomes after revascularisation with newer-generation drug-eluting stents: a substudy of the BIOSCIENCE trial. <i>EuroIntervention</i> , 2016 , 12, e595-604	3.1	9
151	Predictors of adverse events among patients undergoing primary percutaneous coronary intervention: insights from a pooled analysis of the COMFORTABLE AMI and EXAMINATION trials. <i>EuroIntervention</i> , 2015 , 11, 391-8	3.1	9
150	Health utility indexes in patients with acute coronary syndromes. <i>Open Heart</i> , 2016 , 3, e000419	3	9
149	Can quantitative sensory tests predict failed back surgery?: A prospective cohort study. <i>European Journal of Anaesthesiology</i> , 2019 , 36, 695-704	2.3	9
148	Risk of myocardial infarction associated with selective COX-2 inhibitors: questions remain. <i>Archives of Internal Medicine</i> , 2002 , 162, 2639-40; author reply 2640-2		9
147	Latest evidence on transcatheter aortic valve implantation vs. surgical aortic valve replacement for the treatment of aortic stenosis in high and intermediate-risk patients. <i>Current Opinion in Cardiology</i> , 2017 , 32, 117-122	2.1	8
146	Long-term oxygen therapy in COPD patients: population-based cohort study on mortality. <i>International Journal of COPD</i> , 2018 , 13, 979-988	3	8

145	Validation and reclassification of MGAP and GAP in hospital settings using data from the Trauma Audit and Research Network. <i>Journal of Trauma and Acute Care Surgery</i> , 2014 , 77, 757-763	3.3	8
144	Sirolimus versus paclitaxel coronary stents in clinical practice. <i>Catheterization and Cardiovascular Interventions</i> , 2011 , 77, 5-12	2.7	8
143	Randomised trial of mitral valve repair with leaflet resection versus leaflet preservation on functional mitral stenosis (The CAMRA CardioLink-2 Trial). <i>BMJ Open</i> , 2017 , 7, e015032	3	8
142	The impact of renal impairment on long-term safety and effectiveness of drug-eluting stents. <i>PLoS ONE</i> , 2014 , 9, e106450	3.7	8
141	Effectiveness of Systematic Echocardiographic Screening for Rheumatic Heart Disease in Nepalese Schoolchildren: A Cluster Randomized Clinical Trial. <i>JAMA Cardiology</i> , 2021 , 6, 420-426	16.2	8
140	Predicting transition from acute to chronic low back pain with quantitative sensory tests-A prospective cohort study in the primary care setting. <i>European Journal of Pain</i> , 2019 , 23, 894-907	3.7	8
139	Homograft Versus Conventional Prosthesis for Surgical Management of Aortic Valve Infective Endocarditis: A Systematic Review and Meta-analysis. <i>Innovations: Technology and Techniques in Cardiothoracic and Vascular Surgery</i> , 2018 , 13, 163-170	1.5	8
138	Heparin for Moderately Ill Patients with Covid-19 2021 ,		8
137	Impact of Patient and Lesion Complexity on Long-Term Outcomes Following Coronary Revascularization With New-Generation Drug-Eluting Stents. <i>American Journal of Cardiology</i> , 2017 , 119, 501-507	3	7
136	Health system factors and caesarean sections in Kosovo: a cross-sectional study. <i>BMJ Open</i> , 2019 , 9, e026702	5	7
135	A statistical primer on subgroup analyses. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2020 , 30, 839-845	8.5	7
134	A comparison of an ultrathin-strut biodegradable polymer sirolimus-eluting stent with a durable polymer everolimus-eluting stent for patients with acute ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention: rationale and design of the BISCAYA trial. <i>European Heart Journal</i> , 2019 , 40, 100-109	3.1	7
133	Randomized, Controlled Trial Comparing Mitral Valve Repair With Leaflet Resection Versus Leaflet Preservation on Functional Mitral Stenosis: The CAMRA CardioLink-2 Study. <i>Circulation</i> , 2020 , 142, 1342-1350	16.7	7
132	Development and Evaluation of a Novel Instrument to Measure Severity of Intraoperative Events Using Video Data. <i>Annals of Surgery</i> , 2020 , 272, 220-226	7.8	7
131	Randomized trials of invasive cardiovascular interventions that include a placebo control: a systematic review and meta-analysis. <i>European Heart Journal</i> , 2020 , 41, 2556-2569	9.5	7
130	Clinical relevance of ticagrelor monotherapy following 1-month dual antiplatelet therapy after bifurcation percutaneous coronary intervention: Insight from GLOBAL LEADERS trial. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, 100-111	2.7	7
129	Effect of single-dose imipramine on chronic low-back and experimental pain. A randomized controlled trial. <i>PLoS ONE</i> , 2018 , 13, e0195776	3.7	7
128	Abbreviated Antiplatelet Therapy in Patients at High Bleeding Risk With or Without Oral Anticoagulant Therapy After Coronary Stenting: An Open-Label, Randomized, Controlled Trial. <i>Circulation</i> , 2021 , 144, 1196-1211	16.7	7

127	Protocol for a randomised controlled trial evaluating the effects of providing essential medicines at no charge: the Carefully selected and Easily Accessible at No Charge Medicines (CLEAN Meds) trial. <i>BMJ Open</i> , 2017 , 7, e015686	3	6
126	Caesarean section in uninsured women in the USA: systematic review and meta-analysis. <i>BMJ Open</i> , 2019 , 9, e025356	3	6
125	Current State of Reporting Pain Outcomes in Cochrane Reviews of Chronic Musculoskeletal Pain Conditions and Considerations for an OMERACT Research Agenda. <i>Journal of Rheumatology</i> , 2015 , 42, 1934-1942	4.1	6
124	DAPT Score and the Impact of Ticagrelor Monotherapy During the Second Year After PCI. <i>JACC: Cardiovascular Interventions</i> , 2020 , 13, 634-646	5	6
123	It is time to initiate another breast cancer screening trial. <i>Annals of Internal Medicine</i> , 2014 , 160, 864-6	8	6
122	Omega-3 poly-unsaturated fatty acids for the prevention of severe neutropenic enterocolitis in patients with acute myeloid leukemia. <i>Nutrition and Cancer</i> , 2013 , 65, 834-42	2.8	6
121	Radial versus femoral access for cardiac catheterisation - Authors' reply. <i>Lancet, The</i> , 2015 , 386, 2394	40	6
120	The drug-eluting stent saga. <i>Circulation</i> , 2009 , 119, 653-6	16.7	6
119	The role of correspondence sections in post-publication peer review: A bibliometric study of general and internal medicine journals. <i>Scientometrics</i> , 2009 , 81, 747-755	3	6
118	Ticagrelor alone or conventional dual antiplatelet therapy in patients with stable or acute coronary syndromes. <i>EuroIntervention</i> , 2020 , 16, 627-633	3.1	6
117	Cold pain hypersensitivity predicts trajectories of pain and disability after low back surgery: a prospective cohort study. <i>Pain</i> , 2021 , 162, 184-194	8	6
116	Blood glucose, diabetes and metabolic control in patients with community-acquired pneumonia. <i>Diabetologia</i> , 2020 , 63, 2488-2490	10.3	6
115	Protecting Frontline Health Care Workers from COVID-19 with Hydroxychloroquine Pre-exposure Prophylaxis: A structured summary of a study protocol for a randomised placebo-controlled multisite trial in Toronto, Canada. <i>Trials</i> , 2020 , 21, 647	2.8	6
114	Comparative Methodological Assessment of the Randomized GLOBAL LEADERS Trial Using Total Ischemic and Bleeding Events. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2020 , 13, e006660	5.8	6
113	Most published meta-regression analyses based on aggregate data suffer from methodological pitfalls: a meta-epidemiological study. <i>BMC Medical Research Methodology</i> , 2021 , 21, 123	4.7	6
112	Comparison of Investigator-Reported and Clinical Event Committee-Adjudicated Outcome Events in GLASSY. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2021 , 14, e006581	5.8	6
111	Mortality after bleeding versus myocardial infarction in coronary artery disease: a systematic review and meta-analysis. <i>EuroIntervention</i> , 2021 , 17, 550-560	3.1	6
110	A disproportionate epidemic: COVID-19 cases and deaths among essential workers in Toronto, Canada. <i>Annals of Epidemiology</i> , 2021 , 63, 63-67	6.4	6

109	Asymptomatic Patients With Abnormal Fractional Flow Reserve Treated With Medication Alone or With PCI. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 1642-1644	15.1	5
108	Association of radiographic osteoarthritis, pain on passive movement and knee range of motion: a cross-sectional study. <i>Manual Therapy</i> , 2015 , 20, 361-5		5
107	Global Fractional Flow Reserve Value Predicts 5-Year Outcomes in Patients With Coronary Atherosclerosis But Without Ischemia. <i>Journal of the American Heart Association</i> , 2020 , 9, e017729	6	5
106	Does access to clinical study reports from the European Medicines Agency reduce reporting biases? A systematic review and meta-analysis of randomized controlled trials on the effect of erythropoiesis-stimulating agents in cancer patients. <i>PLoS ONE</i> , 2017 , 12, e0189309	3.7	5
105	Thrombus aspiration in acute coronary syndromes: prevalence, procedural success, change in serial troponin T levels and clinical outcomes in a contemporary Swiss cohort. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018 , 7, 522-531	4.3	5
104	Revascularization Treatment of Emergency Patients with Acute ST-Segment Elevation Myocardial Infarction in Switzerland: Results from a Nationwide, Cross-Sectional Study in Switzerland for 2010-2011. <i>PLoS ONE</i> , 2016 , 11, e0153326	3.7	5
103	Evaluating the importance of sham-controlled trials in the investigation of medical devices in interventional cardiology. <i>EuroIntervention</i> , 2018 , 14, 708-715	3.1	5
102	Impact of arterial injury on neointimal hyperplasia after implantation of drug-eluting stents in coronary arteries: an intravascular ultrasound study. <i>EuroIntervention</i> , 2010 , 6, 467-74	3.1	5
101	Improving the Design of Future PCI Trials for Stable Coronary Artery Disease: JACC State-of-the-Art Review. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 435-450	15.1	5
100	Impact of Bleeding and Myocardial Infarction on Mortality in All-Coroner Patients Undergoing Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2020 , 13, e009177	6	5
99	The effects of intravenous iron supplementation on fatigue and general health in non-anemic blood donors with iron deficiency: a randomized placebo-controlled superiority trial. <i>Scientific Reports</i> , 2020 , 10, 14219	4.9	5
98	Prognostic Value of SYNTAX Score II in Patients with Acute Coronary Syndromes Referred for Invasive Management: A Subanalysis from the SPUM and COMFORTABLE AMI Cohorts. <i>Cardiology Research and Practice</i> , 2018 , 2018, 9762176	1.9	5
97	Effect of Continuous Electrocardiogram Monitoring on Detection of Undiagnosed Atrial Fibrillation After Hospitalization for Cardiac Surgery: A Randomized Clinical Trial. <i>JAMA Network Open</i> , 2021 , 4, e2121867	10.4	5
96	Response by Piroth et al to Letter Regarding Article, "Prognostic Value of Fractional Flow Reserve Measured Immediately After Drug-Eluting Stent Implantation". <i>Circulation: Cardiovascular Interventions</i> , 2017 , 10,	6	4
95	Safety of Prasugrel Loading Doses in Patients Pre-Loaded With Clopidogrel in the Setting of Primary Percutaneous Coronary Intervention: Results of a Nonrandomized Observational Study. <i>JACC: Cardiovascular Interventions</i> , 2015 , 8, 1064-1074	5	4
94	Aspiration Thrombectomy for Treatment of ST-segment Elevation Myocardial Infarction: a Meta-analysis of 26 Randomized Trials in 11,943 Patients. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2015 , 68, 746-52	0.7	4
93	Viscosupplementation for osteoarthritis of the knee. <i>Annals of Internal Medicine</i> , 2013 , 158, 75	8	4
92	Systematic review of celecoxib for osteoarthritis and rheumatoid arthritis. Problems compromise review's validity. <i>BMJ, The</i> , 2003 , 326, 334; author reply 334	5.9	4

91	A randomized trial comparing axillary versus innominate artery cannulation for aortic arch surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2020 ,	1.5	4
90	Impact of White Blood Cell Count on Clinical Outcomes in Patients Treated with Aspirin-Free Ticagrelor Monotherapy after Percutaneous Coronary Intervention: Insights from the GLOBAL LEADERS Trial. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 ,	6.4	4
89	Post-exposure prophylaxis against SARS-CoV-2 in close contacts of confirmed COVID-19 cases (CORIPREV): study protocol for a cluster-randomized trial. <i>Trials</i> , 2021 , 22, 224	2.8	4
88	Public Health Interventions, Epidemic Growth, and Regional Variation of the 1918 Influenza Pandemic Outbreak in a Swiss Canton and Its Greater Regions. <i>Annals of Internal Medicine</i> , 2021 , 174, 533-539	8	4
87	The mobility gap: estimating mobility thresholds required to control SARS-CoV-2 in Canada. <i>Cmaj</i> , 2021 , 193, E592-E600	3.5	4
86	Visual Analogue Scale has higher assay sensitivity than WOMAC pain in detecting between-group differences in treatment effects: a meta-epidemiological study. <i>Osteoarthritis and Cartilage</i> , 2021 , 29, 304-312	6.2	4
85	Factors affecting screening for hepatocellular carcinoma. <i>Annals of Hepatology</i> , 2014 , 13, 204-10	3.1	4
84	Protocol for a scoping review of post-trial extensions of randomised controlled trials using individually linked administrative and registry data. <i>BMJ Open</i> , 2017 , 7, e013770	3	3
83	Ascertainment of Silent Myocardial Infarction in Patients Undergoing Percutaneous Coronary Intervention (from the GLOBAL LEADERS Trial). <i>American Journal of Cardiology</i> , 2019 , 124, 1833-1840	3	3
82	A Positive Association Between Dietary Intake of Higher Cow's Milk-Fat Percentage and Non-High-Density Lipoprotein Cholesterol in Young Children. <i>Journal of Pediatrics</i> , 2019 , 211, 105-111.e2 ^{3,6}	3.6	3
81	A randomized multicenter trial comparing the XIENCE everolimus eluting stent with the CYPHER sirolimus eluting stent in the treatment of female patients with de novo coronary artery lesions: The SPIRIT WOMEN study. <i>PLoS ONE</i> , 2017 , 12, e0182632	3.7	3
80	External validity of a contemporaneous primary percutaneous coronary intervention trial in patients with acute ST-elevation myocardial infarction: insights from a single-centre investigation. <i>EuroIntervention</i> , 2016 , 12, 1135-1143	3.1	3
79	Clinical long-term outcome after implantation of titanium nitride-oxide coated stents compared with paclitaxel- or sirolimus-eluting stents: propensity-score matched analysis. <i>EuroIntervention</i> , 2012 , 7, 1043-50	3.1	3
78	Five-year outcomes of chronic total occlusion treatment with a biolimus A9-eluting biodegradable polymer stent versus a sirolimus-eluting permanent polymer stent in the LEADERS all-comers trial. <i>Cardiology Journal</i> , 2016 , 23, 626-636	1.4	3
77	One in seven Swiss physicians has left patient care - results from a national cohort study from 1980-2009. <i>Swiss Medical Weekly</i> , 2019 , 149, w20116	3.1	3
76	The association of body mass index with long-term clinical outcomes after ticagrelor monotherapy following abbreviated dual antiplatelet therapy in patients undergoing percutaneous coronary intervention: a prespecified sub-analysis of the GLOBAL LEADERS Trial. <i>Clinical Research in Cardiology</i> , 2020 , 109, 1125-1139	6.1	3
75	Impact of established cardiovascular disease on outcomes in the randomized global leaders trial. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, 1369-1378	2.7	3
74	Association between post-percutaneous coronary intervention bivalirudin infusion and net adverse clinical events: a post hoc analysis of the GLOBAL LEADERS study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 , 6, 22-30	6.4	3

73	Increased subchondral bone thickness in hips with cam-type femoroacetabular impingement. <i>HIP International</i> , 2019 , 29, 430-437	1.7	3
72	Prospective cohort study of vitamin D and autism spectrum disorder diagnoses in early childhood. <i>Autism</i> , 2019 , 23, 584-593	6.6	3
71	Usefulness of the updated logistic clinical SYNTAX score after percutaneous coronary intervention in patients with prior coronary artery bypass graft surgery: Insights from the GLOBAL LEADERS trial. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, E516-E526	2.7	3
70	Usefulness of updated logistic clinical SYNTAX score based on MI-SYNTAX score in patients with ST-elevation myocardial infarction. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 97, E919-E928	2.7	3
69	Ticagrelor Monotherapy Versus Dual-Antiplatelet Therapy After PCI: An Individual Patient-Level Meta-Analysis. <i>JACC: Cardiovascular Interventions</i> , 2021 , 14, 444-456	5	3
68	Efficacy and Safety of Ticagrelor Monotherapy by Clinical Presentation: Pre-Specified Analysis of the GLOBAL LEADERS Trial. <i>Journal of the American Heart Association</i> , 2021 , 10, e015560	6	3
67	Clinical Trial Design Principles and Outcomes Definitions for Device-Based Therapies for Hypertension: A Consensus Document From the Hypertension Academic Research Consortium.. <i>Circulation</i> , 2022 , 145, 847-863	16.7	3
66	Clinical impact of a structured secondary cardiovascular prevention program following acute coronary syndromes: A prospective multicenter healthcare intervention. <i>PLoS ONE</i> , 2019 , 14, e0211464	3.7	2
65	Actualizaci3n ESC 2017 sobre el tratamiento antiagregante plaquetario doble en la enfermedad coronaria, desarrollada en colaboraci3n con la EACTS. <i>Revista Espanola De Cardiologia</i> , 2018 , 71, 42.e1-42.e58	1.5	2
64	Measurement Error of a Simplified Protocol for Quantitative Sensory Tests in Chronic Pain Patients. <i>Regional Anesthesia and Pain Medicine</i> , 2017 , 42, 660-668	3.4	2
63	TCT-569 5-year Clinical Outcomes of Biodegradable Polymer Biolimus-eluting Stents versus Durable Polymer Sirolimus-eluting Stents in Patients with and without Diabetes Mellitus: a LEADERS Sub-study. <i>Journal of the American College of Cardiology</i> , 2012 , 60, B165-B166	15.1	2
62	Selective use of contemporary drug-eluting stents in primary angioplasty for ST-elevation myocardial infarction: pooled analysis of COMFORTABLE AMI and EXAMINATION. <i>EuroIntervention</i> , 2017 , 12, 1577-1586	3.1	2
61	Will this trial change my practice? ACCOAST - early loading with a novel P2Y12 inhibitor in patients with an acute coronary syndrome. <i>EuroIntervention</i> , 2014 , 10, 408-10	3.1	2
60	The Compare-Acute trial of fractional flow reserve-guided multivessel angioplasty in myocardial infarction. <i>EuroIntervention</i> , 2017 , 13, e613-e616	3.1	2
59	Meeting report ESC Forum on Drug Eluting Stents, European Heart House, Nice, 27-28 September 2007. <i>EuroIntervention</i> , 2009 , 4, 427-436	3.1	2
58	Five-year results of a randomised comparison of titanium-nitride-oxide-coated stents with zotarolimus-eluting stents for coronary revascularisation. <i>EuroIntervention</i> , 2015 , 10, 1284-7	3.1	2
57	Bias and Loss to Follow-Up in Cardiovascular Randomized Trials: A Systematic Review. <i>Journal of the American Heart Association</i> , 2020 , 9, e015361	6	2
56	Adherence at 2 years with distribution of essential medicines at no charge: The CLEAN Meds randomized clinical trial. <i>PLoS Medicine</i> , 2021 , 18, e1003590	11.6	2

55	Safety and Efficacy of 1-Month Dual Antiplatelet Therapy (Ticagrelor + Aspirin) Followed by 23-Month Ticagrelor Monotherapy in Patients Undergoing Staged Percutaneous Coronary Intervention (A Sub-Study from GLOBAL LEADERS). <i>American Journal of Cardiology</i> , 2021 , 138, 1-10	3	2
54	Predicting 2-year all-cause mortality after contemporary PCI: Updating the logistic clinical SYNTAX score. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 98, 1287-1297	2.7	2
53	Effects of the PCSK9 antibody alirocumab on coronary atherosclerosis in patients with acute myocardial infarction: a serial, multivessel, intravascular ultrasound, near-infrared spectroscopy and optical coherence tomography imaging study-Rationale and design of the PACMAN-AMI trial. <i>American Heart Journal</i> , 2021 , 238, 33-44	4.9	2
52	Comparative frequency and prognostic impact of myocardial injury in hospitalized patients with COVID-19 and Influenza. <i>European Heart Journal Open</i> ,		2
51	What now about acetaminophen?. <i>Archives of Internal Medicine</i> , 2003 , 163, 1862-3; author reply 1863		2
50	Dyspnoea in the GLOBAL LEADERS trial - Authors' reply. <i>Lancet, The</i> , 2019 , 393, 2393-2394	4.0	1
49	Biodegradable-polymer stents versus durable-polymer stents - Authors' reply. <i>Lancet, The</i> , 2019 , 393, 1933	4.0	1
48	Letter regarding "The effects of arthroscopic joint debridement in the knee osteoarthritis: results of a meta-analysis". <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015 , 23, 1259-60	5.5	1
47	Cow's Milk Fat Obesity pRevention Trial (CoMFORT): a primary care embedded randomised controlled trial protocol to determine the effect of cow's milk fat on child adiposity. <i>BMJ Open</i> , 2020 , 10, e035241	3	1
46	The impact of pre-procedure heart rate on adverse clinical outcomes in patients undergoing percutaneous coronary intervention: Results from a 2-year follow-up of the GLOBAL LEADERS trial. <i>Atherosclerosis</i> , 2020 , 303, 1-7	3.1	1
45	Discriminative ability of reflex receptive fields to distinguish patients with acute and chronic low back pain. <i>Pain</i> , 2016 , 157, 2664-2671	8	1
44	Quantitative sensory tests fairly reflect immediate effects of oxycodone in chronic low-back pain. <i>Scandinavian Journal of Pain</i> , 2017 , 17, 107-115	1.9	1
43	Fractional flow reserve-guided PCI. <i>New England Journal of Medicine</i> , 2015 , 372, 95	59.2	1
42	Arthroscopic lavage for osteoarthritis of the knee 2008 ,		1
41	S-Adenosylmethionine for osteoarthritis of the knee or hip 2008 ,		1
40	Discontinuation of Vioxx. <i>Lancet, The</i> , 2005 , 365, 26-27	4.0	1
39	Commentary: Difficulties in disentangling causes of social class inequities in musculoskeletal health. <i>International Journal of Epidemiology</i> , 2004 , 33, 1360-1	7.8	1
38	Evaluation of Biomarkers in Critical Care and Perioperative Medicine: A Clinician's Overview of Traditional Statistical Methods and Machine Learning Algorithms. <i>Anesthesiology</i> , 2021 , 134, 15-25	4.3	1

37	Risk-stratification of febrile African children at risk of sepsis using sTREM-1 as basis for a rapid triage test. <i>Nature Communications</i> , 2021 , 12, 6832	17.4	1
36	Effect of transcutaneous electrical nerve stimulation (TENS) on knee pain and physical function in patients with symptomatic knee osteoarthritis: the ETRILKA randomized clinical trial. <i>Osteoarthritis and Cartilage</i> , 2021 ,	6.2	1
35	Drug-Eluting or Bare-Metal Stents for Left Anterior Descending or Left Main Coronary Artery Revascularization. <i>Journal of the American Heart Association</i> , 2021 , 10, e018828	6	1
34	Association of Pulse Pressure With Clinical Outcomes in Patients Under Different Antiplatelet Strategies After Percutaneous Coronary Intervention: Analysis of GLOBAL LEADERS. <i>Canadian Journal of Cardiology</i> , 2020 , 36, 747-755	3.8	1
33	Evaluation of Cumulative Meta-analysis of Rare Events as a Tool for Clinical Trials Safety Monitoring. <i>JAMA Network Open</i> , 2020 , 3, e2015031	10.4	1
32	One-Year Outcomes of a Randomized Trial Comparing a Self-Expanding With a Balloon-Expandable Transcatheter Aortic Valve. <i>Circulation</i> , 2021 , 143, 1267-1269	16.7	1
31	Single early palliative care intervention added to usual oncology care for patients with advanced cancer: A randomized controlled trial (SENS Trial). <i>Palliative Medicine</i> , 2021 , 35, 1108-1117	5.5	1
30	Guía ESC 2020 sobre el diagnóstico y tratamiento del síndrome coronario agudo sin elevación del segmento ST. <i>Revista Espanola De Cardiologia</i> , 2021 , 74, 544.e1-544.e73	1.5	1
29	Gender and age differences in outcomes of patients with acute coronary syndromes referred for coronary angiography. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 93, 16-24	2.7	1
28	Five-year outcomes with biodegradable polymer sirolimus-eluting stents versus durable polymer everolimus-eluting stents in patients with acute coronary syndrome: A subgroup analysis of the BIOSCIENCE trial. <i>Cardiovascular Revascularization Medicine</i> , 2021 ,	1.6	1
27	Altered central pain processing in fibromyalgia-A multimodal neuroimaging case-control study using arterial spin labelling. <i>PLoS ONE</i> , 2021 , 16, e0235879	3.7	1
26	Sodium-Glucose Cotransporter 2 Inhibitors, All-Cause Mortality, and Cardiovascular Outcomes in Adults with Type 2 Diabetes: A Bayesian Meta-Analysis and Meta-Regression. <i>Journal of the American Heart Association</i> , 2021 , 10, e019918	6	1
25	Efficacy of topical progesterone versus topical clobetasol propionate in patients with vulvar Lichen sclerosus - A double-blind randomized phase II pilot study.. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2022 , 272, 88-95	2.4	1
24	BEST-When a Study Falls Short of Its Acronym. <i>American Journal of Cardiology</i> , 2015 , 116, 995	3	0
23	Will this trial change my practice? ABSORB II trial (a bioresorbable vascular scaffold versus drug-eluting stent in coronary disease). <i>EuroIntervention</i> , 2015 , 11, 366-8	3.1	0
22	External validation of the GRACE risk score 2.0 in the contemporary all-comers GLOBAL LEADERS trial. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 98, E513-E522	2.7	0
21	A Meta-Analysis of Recent Trials Comparing Revascularization With Medical Therapy Alone in Patients With Chronic Coronary Syndrome. <i>JACC: Cardiovascular Interventions</i> , 2021 , 14, 1388-1390	5	0
20	The association of preoperative blood markers with postoperative readmissions following arthroplasty. <i>Bone & Joint Open</i> , 2021 , 2, 388-396	2.8	0

19	Mixed methods feasibility study for the surviving opioid overdose with naloxone education and resuscitation (SOONER) trial. <i>Resuscitation Plus</i> , 2021 , 6, 100131	1.4	o
18	'Ticagrelor alone vs. dual antiplatelet therapy from 1 month after drug-eluting coronary stenting among patients with STEMI': a post hoc analysis of the randomized GLOBAL LEADERS trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 , 10, 756-773	4.3	o
17	The SilenT AtRial FIBrillation (STAR-FIB) study programme - design and rationale. <i>Swiss Medical Weekly</i> , 2021 , 151, w20421	3.1	o
16	Acute kidney injury in patients with acute coronary syndrome undergoing invasive management treated with bivalirudin vs. unfractionated heparin: insights from the MATRIX trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 ,	4.3	o
15	Accuracy of Cardiovascular Trial Outcome Ascertainment and Treatment Effect Estimates from Routine Health Data: A Systematic Review and Meta-Analysis. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2021 , 14, e007903	5.8	o
14	Ticagrelor Monotherapy or Dual Antiplatelet Therapy After Drug-Eluting Stent Implantation: Per-Protocol Analysis of the GLOBAL LEADERS Trial.. <i>Journal of the American Heart Association</i> , 2022 , e024291	6	o
13	A Web-Based Health Application to Translate Nutrition Therapy for Cardiovascular Risk Reduction in Primary Care (PortfolioDiet.app): Quality Improvement and Usability Testing Study.. <i>JMIR Human Factors</i> , 2022 , 9, e34704	2.5	o
12	Identifying clinical subtypes in sepsis-survivors with different one-year outcomes: a secondary latent class analysis of the FROG-ICU cohort.. <i>Critical Care</i> , 2022 , 26, 114	10.8	o
11	Biomechanical Footwear for Osteoarthritic Knee Pain-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 1351-1352	27.4	
10	Bioresorbable scaffolds: in search of event-free dissolution. <i>Lancet, The</i> , 2017 , 390, 720-722	40	
9	Comparing the incomparable: studies of echocardiographic rheumatic heart disease prevalence - authors' reply. <i>The Lancet Global Health</i> , 2015 , 3, e193	13.6	
8	Response to letter regarding article, "Cost-effectiveness of percutaneous coronary intervention in patients with stable coronary artery disease and abnormal fractional flow reserve". <i>Circulation</i> , 2014 , 129, e684	16.7	
7	Acetabular labral tear: do not miss the underlying deformity. Comment on the article by Haroon et al. <i>Arthritis Care and Research</i> , 2010 , 62, 743; author reply 743-4	4.7	
6	Chondroitin for Osteoarthritis of the Knee or Hip. <i>Annals of Internal Medicine</i> , 2007 , 147, 884	8	
5	Will the PARTNER 3 Low Risk Trial change my practice?. <i>EuroIntervention</i> , 2019 , 15, e1077-e1080	3.1	
4	Will the Evolut Low Risk trial change my practice?. <i>EuroIntervention</i> , 2019 , 15, e1072-e1076	3.1	
3	PCI Guided by Fractional Flow Reserve at 5 Years. <i>New England Journal of Medicine</i> , 2019 , 380, 102	59.2	
2	Interpretation of results of pooled analysis of individual patient data. <i>Lancet, The</i> , 2018 , 392, 817-818	40	

- 1 Revisiting the evidence for physical distancing, face masks, and eye protection. *Lancet, The*, 2021, 398, 663

40