

Peter Jni

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5260286/peter-juni-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

504
papers

101,555
citations

113
h-index

317
g-index

570
ext. papers

133,831
ext. citations

9.2
avg, IF

7.63
L-index

#	Paper	IF	Citations
504	Ticagrelor Monotherapy or Dual Antiplatelet Therapy After Drug-Eluting Stent Implantation: Per-Protocol Analysis of the GLOBAL LEADERS Trial.. <i>Journal of the American Heart Association</i> , 2022 , e024291	6	0
503	Clinical Trial Design Principles and Outcomes Definitions for Device-Based Therapies for Hypertension: A Consensus Document From the Hypertension Academic Research Consortium.. <i>Circulation</i> , 2022 , 145, 847-863	16.7	3
502	Efficacy of topical progesterone versus topical clobetasol propionate in patients with vulvar Lichen sclerosus - A double-blind randomized phase II pilot study.. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2022 , 272, 88-95	2.4	1
501	A Web-Based Health Application to Translate Nutrition Therapy for Cardiovascular Risk Reduction in Primary Care (PortfolioDiet.app): Quality Improvement and Usability Testing Study.. <i>JMIR Human Factors</i> , 2022 , 9, e34704	2.5	0
500	Identifying clinical subtypes in sepsis-survivors with different one-year outcomes: a secondary latent class analysis of the FROG-ICU cohort.. <i>Critical Care</i> , 2022 , 26, 114	10.8	0
499	2021 ESC/EACTS Guidelines for the management of valvular heart disease.. <i>EuroIntervention</i> , 2021 ,	3.1	14
498	Heterogeneity of Treatment Effects in an Analysis of Pooled Individual Patient Data From Randomized Trials of Device Closure of Patent Foramen Ovale After Stroke.. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 2277-2286	27.4	13
497	Evaluation of Biomarkers in Critical Care and Perioperative Medicine: A Clinician's Overview of Traditional Statistical Methods and Machine Learning Algorithms. <i>Anesthesiology</i> , 2021 , 134, 15-25	4.3	1
496	Risk-stratification of febrile African children at risk of sepsis using sTREM-1 as basis for a rapid triage test. <i>Nature Communications</i> , 2021 , 12, 6832	17.4	1
495	Effect of transcutaneous electrical nerve stimulation (TENS) on knee pain and physical function in patients with symptomatic knee osteoarthritis: the ETRELKA randomized clinical trial. <i>Osteoarthritis and Cartilage</i> , 2021 ,	6.2	1
494	Effectiveness of therapeutic heparin versus prophylactic heparin on death, mechanical ventilation, or intensive care unit admission in moderately ill patients with covid-19 admitted to hospital: RAPID randomised clinical trial. <i>BMJ, The</i> , 2021 , 375, n2400	5.9	54
493	Drug-Eluting or Bare-Metal Stents for Left Anterior Descending or Left Main Coronary Artery Revascularization. <i>Journal of the American Heart Association</i> , 2021 , 10, e018828	6	1
492	Effectiveness and safety of non-steroidal anti-inflammatory drugs and opioid treatment for knee and hip osteoarthritis: network meta-analysis. <i>BMJ, The</i> , 2021 , 375, n2321	5.9	17
491	Cold pain hypersensitivity predicts trajectories of pain and disability after low back surgery: a prospective cohort study. <i>Pain</i> , 2021 , 162, 184-194	8	6
490	Biodegradable- Versus Durable-Polymer Drug-Eluting Stents for STEMI: Final '2-Year' Outcomes of the BIOSTEMI Trial. <i>JACC: Cardiovascular Interventions</i> , 2021 , 14, 639-648	5	11
489	Post-exposure prophylaxis against SARS-CoV-2 in close contacts of confirmed COVID-19 cases (CORIPREV): study protocol for a cluster-randomized trial. <i>Trials</i> , 2021 , 22, 224	2.8	4
488	One-Year Outcomes of a Randomized Trial Comparing a Self-Expanding With a Balloon-Expandable Transcatheter Aortic Valve. <i>Circulation</i> , 2021 , 143, 1267-1269	16.7	1

487	Coagulopathy of hospitalised COVID-19: A Pragmatic Randomised Controlled Trial of Therapeutic Anticoagulation versus Standard Care as a Rapid Response to the COVID-19 Pandemic (RAPID COVID COAG - RAPID Trial): A structured summary of a study protocol for a randomised controlled trial. <i>Trials</i> , 2021 , 22, 202	2.8	12
486	Effectiveness of Systematic Echocardiographic Screening for Rheumatic Heart Disease in Nepalese Schoolchildren: A Cluster Randomized Clinical Trial. <i>JAMA Cardiology</i> , 2021 , 6, 420-426	16.2	8
485	Public Health Interventions, Epidemic Growth, and Regional Variation of the 1918 Influenza Pandemic Outbreak in a Swiss Canton and Its Greater Regions. <i>Annals of Internal Medicine</i> , 2021 , 174, 533-539	8	4
484	Single early palliative care intervention added to usual oncology care for patients with advanced cancer: A randomized controlled trial (SENS Trial). <i>Palliative Medicine</i> , 2021 , 35, 1108-1117	5.5	1
483	The mobility gap: estimating mobility thresholds required to control SARS-CoV-2 in Canada. <i>Cmaj</i> , 2021 , 193, E592-E600	3.5	4
482	Adherence at 2 years with distribution of essential medicines at no charge: The CLEAN Meds randomized clinical trial. <i>PLoS Medicine</i> , 2021 , 18, e1003590	11.6	2
481	Catching a resurgence: Increase in SARS-CoV-2 viral RNA identified in wastewater 48 h before COVID-19 clinical tests and 96 h before hospitalizations. <i>Science of the Total Environment</i> , 2021 , 770, 145319	10.2	59
480	External validation of the GRACE risk score 2.0 in the contemporary all-comers GLOBAL LEADERS trial. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 98, E513-E522	2.7	0
479	A Meta-Analysis of Recent Trials Comparing Revascularization With Medical Therapy Alone in Patients With Chronic Coronary Syndrome. <i>JACC: Cardiovascular Interventions</i> , 2021 , 14, 1388-1390	5	0
478	The association of preoperative blood markers with postoperative readmissions following arthroplasty. <i>Bone & Joint Open</i> , 2021 , 2, 388-396	2.8	0
477	P2Y12 inhibitor monotherapy or dual antiplatelet therapy after coronary revascularisation: individual patient level meta-analysis of randomised controlled trials. <i>BMJ, The</i> , 2021 , 373, n1332	5.9	54
476	Guía ESC 2020 sobre el diagnóstico y tratamiento del síndrome coronario agudo sin elevación del segmento ST. <i>Revista Espanola De Cardiologia</i> , 2021 , 74, 544.e1-544.e73	1.5	1
475	Mixed methods feasibility study for the surviving opioid overdose with naloxone education and resuscitation (SOONER) trial. <i>Resuscitation Plus</i> , 2021 , 6, 100131	1.4	0
474	Most published meta-regression analyses based on aggregate data suffer from methodological pitfalls: a meta-epidemiological study. <i>BMC Medical Research Methodology</i> , 2021 , 21, 123	4.7	6
473	Debate: Prasugrel rather than ticagrelor is the preferred treatment for NSTEMI-ACS patients who proceed to PCI and pretreatment should not be performed in patients planned for an early invasive strategy. <i>European Heart Journal</i> , 2021 , 42, 2973-2985	9.5	10
472	Empagliflozin Reduces Myocardial Extracellular Volume in Patients With Type 2 Diabetes and Coronary Artery Disease. <i>JACC: Cardiovascular Imaging</i> , 2021 , 14, 1164-1173	8.4	18
471	'Ticagrelor alone vs. dual antiplatelet therapy from 1 month after drug-eluting coronary stenting among patients with STEMI': a post hoc analysis of the randomized GLOBAL LEADERS trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 , 10, 756-773	4.3	0
470	Visual Analogue Scale has higher assay sensitivity than WOMAC pain in detecting between-group differences in treatment effects: a meta-epidemiological study. <i>Osteoarthritis and Cartilage</i> , 2021 , 29, 304-312	6.2	4

469	Usefulness of updated logistic clinical SYNTAX score based on MI-SYNTAX score in patients with ST-elevation myocardial infarction. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 97, E919-E928 ²⁻⁷	3	3
468	Safety and Efficacy of 1-Month Dual Antiplatelet Therapy (Ticagrelor + Aspirin) Followed by 23-Month Ticagrelor Monotherapy in Patients Undergoing Staged Percutaneous Coronary Intervention (A Sub-Study from GLOBAL LEADERS). <i>American Journal of Cardiology</i> , 2021 , 138, 1-10	3	2
467	2020 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation. <i>European Heart Journal</i> , 2021 , 42, 1289-1367	9.5	920
466	Five-year outcomes with biodegradable polymer sirolimus-eluting stents versus durable polymer everolimus-eluting stents in patients with acute coronary syndrome: A subgroup analysis of the BIOSCIENCE trial. <i>Cardiovascular Revascularization Medicine</i> , 2021 ,	1.6	1
465	Ticagrelor Monotherapy Versus Dual-Antiplatelet Therapy After PCI: An Individual Patient-Level Meta-Analysis. <i>JACC: Cardiovascular Interventions</i> , 2021 , 14, 444-456	5	3
464	Predicting 2-year all-cause mortality after contemporary PCI: Updating the logistic clinical SYNTAX score. <i>Catheterization and Cardiovascular Interventions</i> , 2021 , 98, 1287-1297	2.7	2
463	The SilenT AtRial FIBrillation (STAR-FIB) study programme - design and rationale. <i>Swiss Medical Weekly</i> , 2021 , 151, w20421	3.1	0
462	Comparison of Investigator-Reported and Clinical Event Committee-Adjudicated Outcome Events in GLASSY. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2021 , 14, e006581	5.8	6
461	Protocol for a randomised trial evaluating a preconception-early childhood telephone-based intervention with tailored e-health resources for women and their partners to optimise growth and development among children in Canada: a Healthy Life Trajectory Initiative (HeLTI Canada). <i>BMJ Open</i> , 2021 , 11, e046311	3	11
460	Altered central pain processing in fibromyalgia-A multimodal neuroimaging case-control study using arterial spin labelling. <i>PLoS ONE</i> , 2021 , 16, e0235879	3.7	1
459	Guidelines for Reporting Trial Protocols and Completed Trials Modified Due to the COVID-19 Pandemic and Other Extenuating Circumstances: The CONSERVE 2021 Statement. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 257-265	27.4	30
458	Heparin for Moderately Ill Patients with Covid-19 2021 ,		8
457	Effect of Continuous Electrocardiogram Monitoring on Detection of Undiagnosed Atrial Fibrillation After Hospitalization for Cardiac Surgery: A Randomized Clinical Trial. <i>JAMA Network Open</i> , 2021 , 4, e2121867 ^{19.4}	19.4	5
456	2021 ESC/EACTS Guidelines for the management of valvular heart disease. <i>European Heart Journal</i> , 2021 ,	9.5	226
455	Effects of the PCSK9 antibody alirocumab on coronary atherosclerosis in patients with acute myocardial infarction: a serial, multivessel, intravascular ultrasound, near-infrared spectroscopy and optical coherence tomography imaging study-Rationale and design of the PACMAN-AMI trial. <i>American Heart Journal</i> , 2021 , 238, 33-44	4.9	2
454	Revisiting the evidence for physical distancing, face masks, and eye protection. <i>Lancet, The</i> , 2021 , 398, 663	40	
453	2021 ESC/EACTS Guidelines for the management of valvular heart disease. <i>European Journal of Cardio-thoracic Surgery</i> , 2021 , 60, 727-800	3	60
452	Dual Antiplatelet Therapy after PCI in Patients at High Bleeding Risk. <i>New England Journal of Medicine</i> , 2021 , 385, 1643-1655	59.2	46

451	Abbreviated Antiplatelet Therapy in Patients at High Bleeding Risk With or Without Oral Anticoagulant Therapy After Coronary Stenting: An Open-Label, Randomized, Controlled Trial. <i>Circulation</i> , 2021 , 144, 1196-1211	16.7	7
450	Mortality after bleeding versus myocardial infarction in coronary artery disease: a systematic review and meta-analysis. <i>EuroIntervention</i> , 2021 , 17, 550-560	3.1	6
449	Acute kidney injury in patients with acute coronary syndrome undergoing invasive management treated with bivalirudin vs. unfractionated heparin: insights from the MATRIX trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021 ,	4.3	0
448	Sodium-Glucose Cotransporter 2 Inhibitors, All-Cause Mortality, and Cardiovascular Outcomes in Adults with Type 2 Diabetes: A Bayesian Meta-Analysis and Meta-Regression. <i>Journal of the American Heart Association</i> , 2021 , 10, e019918	6	1
447	Efficacy and Safety of Ticagrelor Monotherapy by Clinical Presentation: Pre-Specified Analysis of the GLOBAL LEADERS Trial. <i>Journal of the American Heart Association</i> , 2021 , 10, e015560	6	3
446	A disproportionate epidemic: COVID-19 cases and deaths among essential workers in Toronto, Canada. <i>Annals of Epidemiology</i> , 2021 , 63, 63-67	6.4	6
445	Accuracy of Cardiovascular Trial Outcome Ascertainment and Treatment Effect Estimates from Routine Health Data: A Systematic Review and Meta-Analysis. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2021 , 14, e007903	5.8	0
444	Randomized trials of therapeutic heparin for COVID-19: A meta-analysis.. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2021 , 5, e12638	5.1	10
443	Global Fractional Flow Reserve Value Predicts 5-Year Outcomes in Patients With Coronary Atherosclerosis But Without Ischemia. <i>Journal of the American Heart Association</i> , 2020 , 9, e017729	6	5
442	Biomechanical Footwear for Osteoarthritic Knee Pain-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 1351-1352	27.4	
441	Impact of climate and public health interventions on the COVID-19 pandemic: a prospective cohort study. <i>Cmaj</i> , 2020 , 192, E566-E573	3.5	132
440	Effect of Biomechanical Footwear on Knee Pain in People With Knee Osteoarthritis: The BIOTOK Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 1802-1812	27.4	14
439	Cow's Milk Fat Obesity pRevention Trial (CoMFORT): a primary care embedded randomised controlled trial protocol to determine the effect of cow's milk fat on child adiposity. <i>BMJ Open</i> , 2020 , 10, e035241	3	1
438	Glucose-lowering drugs or strategies, atherosclerotic cardiovascular events, and heart failure in people with or at risk of type 2 diabetes: an updated systematic review and meta-analysis of randomised cardiovascular outcome trials. <i>Lancet Diabetes and Endocrinology</i> , 2020 , 8, 418-435	18.1	59
437	Effects of Empagliflozin on Left Ventricular Remodeling in Patients with Type 2 Diabetes and Coronary Artery Disease: Echocardiographic Substudy of the EMPA-HEART CardioLink-6 Randomized Clinical Trial. <i>Journal of the American Society of Echocardiography</i> , 2020 , 33, 644-646	5.8	10
436	Natural History of Asymptomatic Severe Aortic Stenosis and the Association of Early Intervention With Outcomes: A Systematic Review and Meta-analysis. <i>JAMA Cardiology</i> , 2020 , 5, 1102-1112	16.2	12
435	Does empagliflozin modulate the autonomic nervous system among individuals with type 2 diabetes and coronary artery disease? The EMPA-HEART CardioLink-6 Holter analysis. <i>Metabolism Open</i> , 2020 , 7, 100039	2.8	9
434	DAPT Score and the Impact of Ticagrelor Monotherapy During the Second Year After PCI. <i>JACC: Cardiovascular Interventions</i> , 2020 , 13, 634-646	5	6

433	Association of diabetes with outcomes in patients undergoing contemporary percutaneous coronary intervention: Pre-specified subgroup analysis from the randomized GLOBAL LEADERS study. <i>Atherosclerosis</i> , 2020 , 295, 45-53	3.1	17
432	The impact of pre-procedure heart rate on adverse clinical outcomes in patients undergoing percutaneous coronary intervention: Results from a 2-year follow-up of the GLOBAL LEADERS trial. <i>Atherosclerosis</i> , 2020 , 303, 1-7	3.1	1
431	A statistical primer on subgroup analyses. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2020 , 30, 839-845	3.1	7
430	Randomized Trials in Cardiac Surgery: JACC Review Topic of the Week. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 1593-1604	15.1	15
429	Ticagrelor monotherapy beyond one month after PCI in ACS or stable CAD in elderly patients: a pre-specified analysis of the GLOBAL LEADERS trial. <i>EuroIntervention</i> , 2020 , 15, e1605-e1614	3.1	16
428	Ticagrelor alone or conventional dual antiplatelet therapy in patients with stable or acute coronary syndromes. <i>EuroIntervention</i> , 2020 , 16, 627-633	3.1	6
427	The association of body mass index with long-term clinical outcomes after ticagrelor monotherapy following abbreviated dual antiplatelet therapy in patients undergoing percutaneous coronary intervention: a prespecified sub-analysis of the GLOBAL LEADERS Trial. <i>Clinical Research in Cardiology</i> , 2020 , 109, 1125-1139	6.1	3
426	A randomized trial comparing axillary versus innominate artery cannulation for aortic arch surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2020 ,	1.5	4
425	Association of Sex With Outcomes in Patients Undergoing Percutaneous Coronary Intervention: A Subgroup Analysis of the GLOBAL LEADERS Randomized Clinical Trial. <i>JAMA Cardiology</i> , 2020 , 5, 21-29	16.2	23
424	Association of Pulse Pressure With Clinical Outcomes in Patients Under Different Antiplatelet Strategies After Percutaneous Coronary Intervention: Analysis of GLOBAL LEADERS. <i>Canadian Journal of Cardiology</i> , 2020 , 36, 747-755	3.8	1
423	Effect of Empagliflozin on Erythropoietin Levels, Iron Stores, and Red Blood Cell Morphology in Patients With Type 2 Diabetes Mellitus and Coronary Artery Disease. <i>Circulation</i> , 2020 , 141, 704-707	16.7	115
422	Paediatric reference values for total psoas muscle area. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020 , 11, 405-414	10.3	25
421	Impact of established cardiovascular disease on outcomes in the randomized global leaders trial. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, 1369-1378	2.7	3
420	Whole milk compared with reduced-fat milk and childhood overweight: a systematic review and meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 266-279	7	21
419	Association between post-percutaneous coronary intervention bivalirudin infusion and net adverse clinical events: a post hoc analysis of the GLOBAL LEADERS study. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 , 6, 22-30	6.4	3
418	Randomized, Controlled Trial Comparing Mitral Valve Repair With Leaflet Resection Versus Leaflet Preservation on Functional Mitral Stenosis: The CAMRA CardioLink-2 Study. <i>Circulation</i> , 2020 , 142, 1342-1350	16.7	7
417	Improving the Design of Future PCI Trials for Stable Coronary Artery Disease: JACC State-of-the-Art Review. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 435-450	15.1	5
416	Development and Evaluation of a Novel Instrument to Measure Severity of Intraoperative Events Using Video Data. <i>Annals of Surgery</i> , 2020 , 272, 220-226	7.8	7

415	Blood glucose, diabetes and metabolic control in patients with community-acquired pneumonia. <i>Diabetologia</i> , 2020 , 63, 2488-2490	10.3	6
414	Bias and Loss to Follow-Up in Cardiovascular Randomized Trials: A Systematic Review. <i>Journal of the American Heart Association</i> , 2020 , 9, e015361	6	2
413	Randomized trials of invasive cardiovascular interventions that include a placebo control: a systematic review and meta-analysis. <i>European Heart Journal</i> , 2020 , 41, 2556-2569	9.5	7
412	Protecting Frontline Health Care Workers from COVID-19 with Hydroxychloroquine Pre-exposure Prophylaxis: A structured summary of a study protocol for a randomised placebo-controlled multisite trial in Toronto, Canada. <i>Trials</i> , 2020 , 21, 647	2.8	6
411	Time-varying intensity of mechanical ventilation and mortality in patients with acute respiratory failure: a registry-based, prospective cohort study. <i>Lancet Respiratory Medicine</i> , 2020 , 8, 905-913	35.1	33
410	Comparative Methodological Assessment of the Randomized GLOBAL LEADERS Trial Using Total Ischemic and Bleeding Events. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2020 , 13, e006660	5.8	6
409	Association Between Administration of Systemic Corticosteroids and Mortality Among Critically Ill Patients With COVID-19: A Meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 1330-1341	27.4	1083
408	Evaluation of Cumulative Meta-analysis of Rare Events as a Tool for Clinical Trials Safety Monitoring. <i>JAMA Network Open</i> , 2020 , 3, e2015031	10.4	1
407	Anticoagulant interventions in hospitalized patients with COVID-19: A scoping review of randomized controlled trials and call for international collaboration. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 2958-2967	15.4	69
406	Impact of Bleeding and Myocardial Infarction on Mortality in All-Coroner Patients Undergoing Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2020 , 13, e009177	6	5
405	PRECISE-DAPT score for bleeding risk prediction in patients on dual or single antiplatelet regimens: insights from the GLOBAL LEADERS and GLASSY. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 ,	6.4	13
404	Impact of White Blood Cell Count on Clinical Outcomes in Patients Treated with Aspirin-Free Ticagrelor Monotherapy after Percutaneous Coronary Intervention: Insights from the GLOBAL LEADERS Trial. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 ,	6.4	4
403	Corticosteroid therapy for critically ill patients with COVID-19: A structured summary of a study protocol for a prospective meta-analysis of randomized trials. <i>Trials</i> , 2020 , 21, 734	2.8	15
402	The effects of intravenous iron supplementation on fatigue and general health in non-anemic blood donors with iron deficiency: a randomized placebo-controlled superiority trial. <i>Scientific Reports</i> , 2020 , 10, 14219	4.9	5
401	Risk of Paradoxical Embolism (RoPE)-Estimated Attributable Fraction Correlates With the Benefit of Patent Foramen Ovale Closure: An Analysis of 3 Trials. <i>Stroke</i> , 2020 , 51, 3119-3123	6.7	15
400	Efficacy of dexamethasone treatment for patients with the acute respiratory distress syndrome caused by COVID-19: study protocol for a randomized controlled superiority trial. <i>Trials</i> , 2020 , 21, 717	2.8	20
399	First-year Analysis of the Operating Room Black Box Study. <i>Annals of Surgery</i> , 2020 , 271, 122-127	7.8	78
398	Clinical relevance of ticagrelor monotherapy following 1-month dual antiplatelet therapy after bifurcation percutaneous coronary intervention: Insight from GLOBAL LEADERS trial. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, 100-111	2.7	7

397	2019 ESC Guidelines for the diagnosis and management of chronic coronary syndromes. <i>European Heart Journal</i> , 2020 , 41, 407-477	9.5	1835
396	2019 ESC/EAS Guidelines for the management of dyslipidaemias: lipid modification to reduce cardiovascular risk. <i>European Heart Journal</i> , 2020 , 41, 111-188	9.5	2236
395	2019 ESC Guidelines on diabetes, pre-diabetes, and cardiovascular diseases developed in collaboration with the EASD. <i>European Heart Journal</i> , 2020 , 41, 255-323	9.5	1360
394	2019 ESC Guidelines for the diagnosis and management of acute pulmonary embolism developed in collaboration with the European Respiratory Society (ERS). <i>European Heart Journal</i> , 2020 , 41, 543-603	9.5	1043
393	Usefulness of the updated logistic clinical SYNTAX score after percutaneous coronary intervention in patients with prior coronary artery bypass graft surgery: Insights from the GLOBAL LEADERS trial. <i>Catheterization and Cardiovascular Interventions</i> , 2020 , 96, E516-E526	2.7	3
392	Ascertainment of Silent Myocardial Infarction in Patients Undergoing Percutaneous Coronary Intervention (from the GLOBAL LEADERS Trial). <i>American Journal of Cardiology</i> , 2019 , 124, 1833-1840	3	3
391	Effect of Empagliflozin on Left Ventricular Mass in Patients With Type 2 Diabetes Mellitus and Coronary Artery Disease: The EMPA-HEART CardioLink-6 Randomized Clinical Trial. <i>Circulation</i> , 2019 , 140, 1693-1702	16.7	205
390	2019 ESC/EAS guidelines for the management of dyslipidaemias: Lipid modification to reduce cardiovascular risk. <i>Atherosclerosis</i> , 2019 , 290, 140-205	3.1	259
389	Biodegradable polymer sirolimus-eluting stents versus durable polymer everolimus-eluting stents in patients with ST-segment elevation myocardial infarction (BIOSTEMI): a single-blind, prospective, randomised superiority trial. <i>Lancet, The</i> , 2019 , 394, 1243-1253	40	78
388	Percutaneous coronary intervention versus coronary artery bypass grafting in patients with three-vessel or left main coronary artery disease: 10-year follow-up of the multicentre randomised controlled SYNTAX trial. <i>Lancet, The</i> , 2019 , 394, 1325-1334	40	206
387	Asymptomatic Patients With Abnormal Fractional Flow Reserve Treated With Medication Alone or With PCI. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 1642-1644	15.1	5
386	Association of acute kidney injury and bleeding events with mortality after radial or femoral access in patients with acute coronary syndrome undergoing invasive management: secondary analysis of a randomized clinical trial. <i>European Heart Journal</i> , 2019 , 40, 1226-1232	9.5	21
385	Health system factors and caesarean sections in Kosovo: a cross-sectional study. <i>BMJ Open</i> , 2019 , 9, e026702	6	7
384	Dyspnoea in the GLOBAL LEADERS trial - Authors' reply. <i>Lancet, The</i> , 2019 , 393, 2393-2394	40	1
383	Adverse Events in the Operating Room: Definitions, Prevalence, and Characteristics. A Systematic Review. <i>World Journal of Surgery</i> , 2019 , 43, 2379-2392	3.3	12
382	Biodegradable-polymer stents versus durable-polymer stents - Authors' reply. <i>Lancet, The</i> , 2019 , 393, 1933	40	1
381	A Positive Association Between Dietary Intake of Higher Cow's Milk-Fat Percentage and Non-High-Density Lipoprotein Cholesterol in Young Children. <i>Journal of Pediatrics</i> , 2019 , 211, 105-111.e2	3.6	3
380	Transcatheter aortic valve implantation vs. surgical aortic valve replacement for treatment of symptomatic severe aortic stenosis: an updated meta-analysis. <i>European Heart Journal</i> , 2019 , 40, 3143-3153	9.5	150

379	Drug-eluting or bare-metal stents for percutaneous coronary intervention: a systematic review and individual patient data meta-analysis of randomised clinical trials. <i>Lancet, The</i> , 2019 , 393, 2503-2510	40	87
378	Caesarean section in uninsured women in the USA: systematic review and meta-analysis. <i>BMJ Open</i> , 2019 , 9, e025356	3	6
377	Clinical impact of a structured secondary cardiovascular prevention program following acute coronary syndromes: A prospective multicenter healthcare intervention. <i>PLoS ONE</i> , 2019 , 14, e0211464	3.7	2
376	Rationale and design of a prospective substudy of clinical endpoint adjudication processes within an investigator-reported randomised controlled trial in patients with coronary artery disease: the GLOBAL LEADERS Adjudication Sub-Study (GLASSY). <i>BMJ Open</i> , 2019 , 9, e026053	3	15
375	Predictive ability of ACEF and ACEF II score in patients undergoing percutaneous coronary intervention in the GLOBAL LEADERS study. <i>International Journal of Cardiology</i> , 2019 , 286, 43-50	3.2	13
374	2018 ESC/EACTS Guidelines on myocardial revascularization. <i>European Heart Journal</i> , 2019 , 40, 87-165	9.5	2408
373	Considerations for the choice between coronary artery bypass grafting and percutaneous coronary intervention as revascularization strategies in major categories of patients with stable multivessel coronary artery disease: an accompanying article of the task force of the 2018 ESC/EACTS guidelines on myocardial revascularization. <i>European Heart Journal</i> , 2019 , 40, 204-212	9.5	36
372	Restrictive compared with liberal red cell transfusion strategies in cardiac surgery: a meta-analysis. <i>European Heart Journal</i> , 2019 , 40, 1081-1088	9.5	50
371	2018 ESC/EACTS Guidelines on myocardial revascularization. <i>European Journal of Cardio-thoracic Surgery</i> , 2019 , 55, 4-90	3	251
370	Standardized classification and framework for reporting, interpreting, and analysing medication non-adherence in cardiovascular clinical trials: a consensus report from the Non-adherence Academic Research Consortium (NARC). <i>European Heart Journal</i> , 2019 , 40, 2070-2085	9.5	35
369	Long-Term Effect of Ultrathin-Strut Versus Thin-Strut Drug-Eluting Stents in Patients With Small Vessel Coronary Artery Disease Undergoing Percutaneous Coronary Intervention: A Subgroup Analysis of the BIOSCIENCE Randomized Trial. <i>Circulation: Cardiovascular Interventions</i> , 2019 , 12, e008024	6	12
368	Impact of long-term ticagrelor monotherapy following 1-month dual antiplatelet therapy in patients who underwent complex percutaneous coronary intervention: insights from the Global Leaders trial. <i>European Heart Journal</i> , 2019 , 40, 2595-2604	9.5	51
367	Rituximab or Cyclosporine in the Treatment of Membranous Nephropathy. <i>New England Journal of Medicine</i> , 2019 , 381, 36-46	59.2	169
366	Safety and efficacy of a self-expanding versus a balloon-expandable bioprosthesis for transcatheter aortic valve replacement in patients with symptomatic severe aortic stenosis: a randomised non-inferiority trial. <i>Lancet, The</i> , 2019 , 394, 1619-1628	40	94
365	Five-Year Outcomes in Patients With Diabetes Mellitus Treated With Biodegradable Polymer Sirolimus-Eluting Stents Versus Durable Polymer Everolimus-Eluting Stents. <i>Journal of the American Heart Association</i> , 2019 , 8, e013607	6	11
364	Ticagrelor Alone Versus Dual Antiplatelet Therapy From 1 Month After Drug-Eluting Coronary Stenting. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 2223-2234	15.1	51
363	Rationale and design of OPTimising thERapy to prevent Avoidable hospital admissions in Multimorbid older people (OPERAM): a cluster randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e026769	3	21
362	Validation of the updated logistic clinical SYNTAX score for all-cause mortality in the GLOBAL LEADERS trial. <i>EuroIntervention</i> , 2019 , 15, e539-e546	3.1	9

361	Patient-oriented composite endpoints and net adverse clinical events with ticagrelor monotherapy following percutaneous coronary intervention: insights from the randomised GLOBAL LEADERS trial. <i>EuroIntervention</i> , 2019 , 15, e1090-e1098	3.1	13
360	2018 ESC/EACTS Guidelines on myocardial revascularization. <i>EuroIntervention</i> , 2019 , 14, 1435-1534	3.1	180
359	One in seven Swiss physicians has left patient care - results from a national cohort study from 1980-2009. <i>Swiss Medical Weekly</i> , 2019 , 149, w20116	3.1	3
358	Will the PARTNER 3 Low Risk Trial change my practice?. <i>EuroIntervention</i> , 2019 , 15, e1077-e1080	3.1	
357	Will the Evolut Low Risk trial change my practice?. <i>EuroIntervention</i> , 2019 , 15, e1072-e1076	3.1	
356	Can quantitative sensory tests predict failed back surgery?: A prospective cohort study. <i>European Journal of Anaesthesiology</i> , 2019 , 36, 695-704	2.3	9
355	RoB 2: a revised tool for assessing risk of bias in randomised trials. <i>BMJ, The</i> , 2019 , 366, l4898	5.9	3792
354	Tramadol for osteoarthritis. <i>The Cochrane Library</i> , 2019 , 5, CD005522	5.2	18
353	Increased subchondral bone thickness in hips with cam-type femoroacetabular impingement. <i>HIP International</i> , 2019 , 29, 430-437	1.7	3
352	Predicting transition from acute to chronic low back pain with quantitative sensory tests-A prospective cohort study in the primary care setting. <i>European Journal of Pain</i> , 2019 , 23, 894-907	3.7	8
351	PCI Guided by Fractional Flow Reserve at 5 Years. <i>New England Journal of Medicine</i> , 2019 , 380, 102	59.2	
350	Fractional flow reserve-guided percutaneous coronary intervention vs. medical therapy for patients with stable coronary lesions: meta-analysis of individual patient data. <i>European Heart Journal</i> , 2019 , 40, 180-186	9.5	90
349	Pump, pipes, and filter: do SGLT2 inhibitors cover it all?. <i>Lancet, The</i> , 2019 , 393, 3-5	40	38
348	Design and rationale of the Management of High Bleeding Risk Patients Post Bioresorbable Polymer Coated Stent Implantation With an Abbreviated Versus Standard DAPT Regimen (MASTER DAPT) Study. <i>American Heart Journal</i> , 2019 , 209, 97-105	4.9	39
347	Gender and age differences in outcomes of patients with acute coronary syndromes referred for coronary angiography. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 93, 16-24	2.7	1
346	Prospective cohort study of vitamin D and autism spectrum disorder diagnoses in early childhood. <i>Autism</i> , 2019 , 23, 584-593	6.6	3
345	Effect on Treatment Adherence of Distributing Essential Medicines at No Charge: The CLEAN Meds Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2019 ,	11.5	18
344	Non-Technical Skills for Surgeons (NOTSS): Critical appraisal of its measurement properties. <i>American Journal of Surgery</i> , 2018 , 216, 990-997	2.7	25

343	Prognostic Value of Early Postoperative Troponin T in Patients Undergoing Coronary Artery Bypass Grafting. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	12
342	Actualizaci3n ESC 2017 sobre el tratamiento antiagregante plaquetario doble en la enfermedad coronaria, desarrollada en colaboraci3n con la EACTS. <i>Revista Espanola De Cardiologia</i> , 2018 , 71, 42.e1-42.e58	1.5	2
341	Case-based implementation of the 2017 ESC Focused Update on Dual Antiplatelet Therapy in Coronary Artery Disease. <i>European Heart Journal</i> , 2018 , 39, e1-e33	9.5	18
340	Improved risk stratification of patients with acute coronary syndromes using a combination of hsTnT, NT-proBNP and hsCRP with the GRACE score. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018 , 7, 129-138	4.3	52
339	Thrombus aspiration in acute coronary syndromes: prevalence, procedural success, change in serial troponin T levels and clinical outcomes in a contemporary Swiss cohort. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018 , 7, 522-531	4.3	5
338	2017 ESC Guidelines on the Diagnosis and Treatment of Peripheral Arterial Diseases, in collaboration with the European Society for Vascular Surgery (ESVS): Document covering atherosclerotic disease of extracranial carotid and vertebral, mesenteric, renal, upper and lower	9.5	1274
337	2017 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation: The Task Force for the management of acute myocardial infarction in patients presenting with ST-segment elevation of the European Society of Cardiology (ESC). <i>European Heart Journal</i> , 2018 , 39, 119-177	9.5	4237
336	2017 ESC focused update on dual antiplatelet therapy in coronary artery disease developed in collaboration with EACTS: The Task Force for dual antiplatelet therapy in coronary artery disease of the European Society of Cardiology (ESC) and of the European Association for Cardio-Thoracic Surgery (EACTS). <i>European Heart Journal</i> , 2018 , 39, 213-216	9.5	1475
335	Report of an ESC-EAPCI Task Force on the evaluation and use of bioresorbable scaffolds for percutaneous coronary intervention: executive summary. <i>European Heart Journal</i> , 2018 , 39, 1591-1601	9.5	31
334	2017 ESC focused update on dual antiplatelet therapy in coronary artery disease developed in collaboration with EACTS. <i>European Journal of Cardio-thoracic Surgery</i> , 2018 , 53, 34-78	3	149
333	Clinical Outcomes and Cost-Effectiveness of Fractional Flow Reserve-Guided Percutaneous Coronary Intervention in Patients With Stable Coronary Artery Disease: Three-Year Follow-Up of the FAME 2 Trial (Fractional Flow Reserve Versus Angiography for Multivessel Evaluation). <i>Circulation</i> , 2018 , 137, 480-487	16.7	129
332	Systematic review and meta-analysis of chordal replacement versus leaflet resection for posterior mitral leaflet prolapse. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018 , 155, 120-128.e10	1.5	29
331	Outcomes of non-invasive diagnostic modalities for the detection of coronary artery disease: network meta-analysis of diagnostic randomised controlled trials. <i>BMJ, The</i> , 2018 , 360, k504	5.9	56
330	2018 ESC/ESH Guidelines for the management of arterial hypertension. <i>European Heart Journal</i> , 2018 , 39, 3021-3104	9.5	3698
329	Radial versus femoral access and bivalirudin versus unfractionated heparin in invasively managed patients with acute coronary syndrome (MATRIX): final 1-year results of a multicentre, randomised controlled trial. <i>Lancet, The</i> , 2018 , 392, 835-848	4.0	129
328	2018 ESC Guidelines for the management of cardiovascular diseases during pregnancy. <i>European Heart Journal</i> , 2018 , 39, 3165-3241	9.5	735
327	Six-Month Outcomes after Restrictive or Liberal Transfusion for Cardiac Surgery. <i>New England Journal of Medicine</i> , 2018 , 379, 1224-1233	59.2	123
326	Ultrathin-strut, biodegradable-polymer, sirolimus-eluting stents versus thin-strut, durable-polymer, everolimus-eluting stents for percutaneous coronary revascularisation: 5-year outcomes of the BIOSCIENCE randomised trial. <i>Lancet, The</i> , 2018 , 392, 737-746	4.0	71

325	Ticagrelor plus aspirin for 1 month, followed by ticagrelor monotherapy for 23 months vs aspirin plus clopidogrel or ticagrelor for 12 months, followed by aspirin monotherapy for 12 months after implantation of a drug-eluting stent: a multicentre, open-label, randomised superiority trial. <i>Lancet, The</i> , 2018 , 392, 940-949	4.0	356
324	Long-term oxygen therapy in COPD patients: population-based cohort study on mortality. <i>International Journal of COPD</i> , 2018 , 13, 979-988	3	8
323	Predictive value of the age, creatinine, and ejection fraction (ACEF) score in patients with acute coronary syndromes. <i>International Journal of Cardiology</i> , 2018 , 270, 7-13	3.2	23
322	Midterm clinical outcomes with everolimus-eluting bioresorbable scaffolds versus everolimus-eluting metallic stents for percutaneous coronary interventions: a meta-analysis of randomised trials. <i>EuroIntervention</i> , 2018 , 13, 1565-1573	3.1	29
321	A comparison of an ultrathin-strut biodegradable polymer sirolimus-eluting stent with a durable polymer everolimus-eluting stent for patients with acute ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention: rationale and design of the BIOSTEMI trial. <i>EuroIntervention</i> , 2018 , 14, 692-699	3.1	7
320	Evaluating the importance of sham-controlled trials in the investigation of medical devices in interventional cardiology. <i>EuroIntervention</i> , 2018 , 14, 708-715	3.1	5
319	Report of an ESC-EAPCI Task Force on the evaluation and use of bioresorbable scaffolds for percutaneous coronary intervention: executive summary. <i>EuroIntervention</i> , 2018 , 13, 1574-1586	3.1	26
318	Angiography Versus Hemodynamics to Predict the Natural History of Coronary Stenoses: Fractional Flow Reserve Versus Angiography in Multivessel Evaluation 2 Substudy. <i>Circulation</i> , 2018 , 137, 1475-1485	16.7	33
317	Homograft Versus Conventional Prosthesis for Surgical Management of Aortic Valve Infective Endocarditis: A Systematic Review and Meta-analysis. <i>Innovations: Technology and Techniques in Cardiothoracic and Vascular Surgery</i> , 2018 , 13, 163-170	1.5	8
316	Fractional Flow Reserve and Quality-of-Life Improvement After Percutaneous Coronary Intervention in Patients With Stable Coronary Artery Disease. <i>Circulation</i> , 2018 , 138, 1797-1804	16.7	14
315	Prognostic Value of SYNTAX Score II in Patients with Acute Coronary Syndromes Referred for Invasive Management: A Subanalysis from the SPUM and COMFORTABLE AMI Cohorts. <i>Cardiology Research and Practice</i> , 2018 , 2018, 9762176	1.9	5
314	Extracorporeal Membrane Oxygenation for Severe Acute Respiratory Distress Syndrome and Posterior Probability of Mortality Benefit in a Post Hoc Bayesian Analysis of a Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 2251-2259	27.4	208
313	Interpretation of results of pooled analysis of individual patient data. <i>Lancet, The</i> , 2018 , 392, 817-818	4.0	
312	Rate, Timing, Correlates, and Outcomes of Hemodynamic Valve Deterioration After Bioprosthetic Surgical Aortic Valve Replacement. <i>Circulation</i> , 2018 , 138, 971-985	16.7	47
311	The performance of non-invasive tests to rule-in and rule-out significant coronary artery stenosis in patients with stable angina: a meta-analysis focused on post-test disease probability. <i>European Heart Journal</i> , 2018 , 39, 3322-3330	9.5	156
310	Should thoracic paravertebral blocks be used to prevent chronic postsurgical pain after breast cancer surgery? A systematic analysis of evidence in light of IMMPACT recommendations. <i>Pain</i> , 2018 , 159, 1955-1971	8	28
309	Five-Year Outcomes with PCI Guided by Fractional Flow Reserve. <i>New England Journal of Medicine</i> , 2018 , 379, 250-259	59.2	346
308	Effect of single-dose imipramine on chronic low-back and experimental pain. A randomized controlled trial. <i>PLoS ONE</i> , 2018 , 13, e0195776	3.7	7

307	Caesarean sections and for-profit status of hospitals: systematic review and meta-analysis. <i>BMJ Open</i> , 2017 , 7, e013670	3	42
306	Protocol for a scoping review of post-trial extensions of randomised controlled trials using individually linked administrative and registry data. <i>BMJ Open</i> , 2017 , 7, e013770	3	3
305	Effect of standardized training on the reliability of the Cochrane risk of bias assessment tool: a prospective study. <i>Systematic Reviews</i> , 2017 , 6, 44	3	33
304	Impact of total arterial revascularization on long term survival: A systematic review and meta-analysis of 130,305 patients. <i>International Journal of Cardiology</i> , 2017 , 233, 29-36	3.2	49
303	Rates and predictors of hospital readmission after transcatheter aortic valve implantation. <i>European Heart Journal</i> , 2017 , 38, 2211-2217	9.5	31
302	Adverse events while awaiting myocardial revascularization: a systematic review and meta-analysis. <i>European Journal of Cardio-thoracic Surgery</i> , 2017 , 52, 206-217	3	23
301	A systematic review and meta-analysis of in situ versus composite bilateral internal thoracic artery grafting. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2017 , 153, 1108-1116.e16	1.5	27
300	Protocol for a randomised controlled trial evaluating the effects of providing essential medicines at no charge: the Carefully seLected and Easily Accessible at No Charge Medicines (CLEAN Meds) trial. <i>BMJ Open</i> , 2017 , 7, e015686	3	6
299	Acute Kidney Injury After Radial or Femoral Access for Invasive Acute Coronary Syndrome Management: AKI-MATRIX. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2592-2592	15.1	95
298	Axillary versus innominate artery cannulation for antegrade cerebral perfusion in aortic surgery: design of the Aortic Surgery Cerebral Protection Evaluation (ACE) CardioLink-3 randomised trial. <i>BMJ Open</i> , 2017 , 7, e014491	3	11
297	Latest evidence on transcatheter aortic valve implantation vs. surgical aortic valve replacement for the treatment of aortic stenosis in high and intermediate-risk patients. <i>Current Opinion in Cardiology</i> , 2017 , 32, 117-122	2.1	8
296	Effects of coronary artery disease in patients undergoing transcatheter aortic valve implantation: A study of age- and gender-matched cohorts. <i>International Journal of Cardiology</i> , 2017 , 243, 150-155	3.2	17
295	Radial versus femoral access in patients with acute coronary syndromes with or without ST-segment elevation. <i>European Heart Journal</i> , 2017 , 38, 1069-1080	9.5	38
294	Radiation Exposure and Vascular Access in Acute Coronary Syndromes: The RAD-Matrix Trial. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 2530-2537	15.1	41
293	Impact of Patient and Lesion Complexity on Long-Term Outcomes Following Coronary Revascularization With New-Generation Drug-Eluting Stents. <i>American Journal of Cardiology</i> , 2017 , 119, 501-507	3	7
292	Response by Piroth et al to Letter Regarding Article, "Prognostic Value of Fractional Flow Reserve Measured Immediately After Drug-Eluting Stent Implantation". <i>Circulation: Cardiovascular Interventions</i> , 2017 , 10,	6	4
291	2017 ESC/EACTS Guidelines for the management of valvular heart disease. <i>European Heart Journal</i> , 2017 , 38, 2739-2791	9.5	3615
290	A randomized multicenter trial comparing the XIENCE everolimus eluting stent with the CYPHER sirolimus eluting stent in the treatment of female patients with de novo coronary artery lesions: The SPIRIT WOMEN study. <i>PLoS ONE</i> , 2017 , 12, e0182632	3.7	3

289	Does access to clinical study reports from the European Medicines Agency reduce reporting biases? A systematic review and meta-analysis of randomized controlled trials on the effect of erythropoiesis-stimulating agents in cancer patients. <i>PLoS ONE</i> , 2017 , 12, e0189309	3.7	5
288	Symptomatic treatment of uncomplicated lower urinary tract infections in the ambulatory setting: randomised, double blind trial. <i>BMJ, The</i> , 2017 , 359, j4784	5.9	69
287	Caesarean sections and private insurance: systematic review and meta-analysis. <i>BMJ Open</i> , 2017 , 7, e016600		22
286	Quantitative sensory tests fairly reflect immediate effects of oxycodone in chronic low-back pain. <i>Scandinavian Journal of Pain</i> , 2017 , 17, 107-115	1.9	1
285	Bioresorbable scaffolds: in search of event-free dissolution. <i>Lancet, The</i> , 2017 , 390, 720-722	4.0	
284	Measurement Error of a Simplified Protocol for Quantitative Sensory Tests in Chronic Pain Patients. <i>Regional Anesthesia and Pain Medicine</i> , 2017 , 42, 660-668	3.4	2
283	Prognostic Value of Fractional Flow Reserve Measured Immediately After Drug-Eluting Stent Implantation. <i>Circulation: Cardiovascular Interventions</i> , 2017 , 10,	6	62
282	Restrictive or Liberal Red-Cell Transfusion for Cardiac Surgery. <i>New England Journal of Medicine</i> , 2017 , 377, 2133-2144	59.2	338
281	Effectiveness of non-steroidal anti-inflammatory drugs for the treatment of pain in knee and hip osteoarthritis: a network meta-analysis. <i>Lancet, The</i> , 2017 , 390, e21-e33	4.0	24.0
280	Cysteine-rich angiogenic inducer 61 (Cyr61): a novel soluble biomarker of acute myocardial injury improves risk stratification after acute coronary syndromes. <i>European Heart Journal</i> , 2017 , 38, 3493-3502	9.5	33
279	Randomised trial of mitral valve repair with leaflet resection versus leaflet preservation on functional mitral stenosis (The CAMRA CardioLink-2 Trial). <i>BMJ Open</i> , 2017 , 7, e015032	3	8
278	Selective use of contemporary drug-eluting stents in primary angioplasty for ST-elevation myocardial infarction: pooled analysis of COMFORTABLE AMI and EXAMINATION. <i>EuroIntervention</i> , 2017 , 12, 1577-1586	3.1	2
277	Comparison of procedural and clinical outcomes with Evolut R versus Medtronic CoreValve: a Swiss TAVI registry analysis. <i>EuroIntervention</i> , 2017 , 12, e2170-e2176	3.1	4.1
276	The Compare-Acute trial of fractional flow reserve-guided multivessel angioplasty in myocardial infarction. <i>EuroIntervention</i> , 2017 , 13, e613-e616	3.1	2
275	Ten-year clinical outcomes of first-generation drug-eluting stents: the Sirolimus-Eluting vs. Paclitaxel-Eluting Stents for Coronary Revascularization (SIRTAX) VERY LATE trial. <i>European Heart Journal</i> , 2016 , 37, 3386-3395	9.5	64
274	A Prospective Natural History Study of Coronary Atherosclerosis Using Fractional Flow Reserve. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 2247-2255	15.1	73
273	Duration of Triple Antithrombotic Therapy and Outcomes Among Patients Undergoing Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 1473-83	5	20
272	Prevalence of Subclinical Rheumatic Heart Disease in Eastern Nepal: A School-Based Cross-sectional Study. <i>JAMA Cardiology</i> , 2016 , 1, 89-96	16.2	43

271	ROBINS-I: a tool for assessing risk of bias in non-randomised studies of interventions. <i>BMJ, The</i> , 2016 , 355, i4919	5.9	4396
270	Bivalirudin or unfractionated heparin in patients with acute coronary syndromes managed invasively with and without ST elevation (MATRIX): randomised controlled trial. <i>BMJ, The</i> , 2016 , 354, i4935	5.9	36
269	Discriminative ability of reflex receptive fields to distinguish patients with acute and chronic low back pain. <i>Pain</i> , 2016 , 157, 2664-2671	8	1
268	External validity of the "all-comers" design: insights from the BIOSCIENCE trial. <i>Clinical Research in Cardiology</i> , 2016 , 105, 744-54	6.1	10
267	Percutaneous Coronary Interventions for the Treatment of Stenoses in Small Coronary Arteries: A Network Meta-Analysis. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 1324-34	5	44
266	Effect of Diabetes Mellitus on Frequency of Adverse Events in Patients With Acute Coronary Syndromes Undergoing Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2016 , 118, 345-52	3	11
265	Mechanisms of Very Late Drug-Eluting Stent Thrombosis Assessed by Optical Coherence Tomography. <i>Circulation</i> , 2016 , 133, 650-60	16.7	200
264	Prognostic value of PCSK9 levels in patients with acute coronary syndromes. <i>European Heart Journal</i> , 2016 , 37, 546-53	9.5	89
263	Device Closure of Patent Foramen Ovale After Stroke: Pooled Analysis of Completed Randomized Trials. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 907-917	15.1	152
262	Impact of Diabetic Status on Outcomes After Revascularization With Drug-Eluting Stents in Relation to Coronary Artery Disease Complexity: Patient-Level Pooled Analysis of 6081 Patients. <i>Circulation: Cardiovascular Interventions</i> , 2016 , 9, e003255	6	66
261	Risk and timing of recurrent ischemic events among patients with stable ischemic heart disease, non-ST-segment elevation acute coronary syndrome, and ST-segment elevation myocardial infarction. <i>American Heart Journal</i> , 2016 , 175, 56-65	4.9	42
260	Post-Procedural Troponin Elevation and Clinical Outcomes Following Transcatheter Aortic Valve Implantation. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	27
259	Revascularization Treatment of Emergency Patients with Acute ST-Segment Elevation Myocardial Infarction in Switzerland: Results from a Nationwide, Cross-Sectional Study in Switzerland for 2010-2011. <i>PLoS ONE</i> , 2016 , 11, e0153326	3.7	5
258	Angiographic complexity of coronary artery disease according to SYNTAX score and clinical outcomes after revascularisation with newer-generation drug-eluting stents: a substudy of the BIOSCIENCE trial. <i>EuroIntervention</i> , 2016 , 12, e595-604	3.1	9
257	External validity of a contemporaneous primary percutaneous coronary intervention trial in patients with acute ST-elevation myocardial infarction: insights from a single-centre investigation. <i>EuroIntervention</i> , 2016 , 12, 1135-1143	3.1	3
256	Long-term ticagrelor monotherapy versus standard dual antiplatelet therapy followed by aspirin monotherapy in patients undergoing biolimus-eluting stent implantation: rationale and design of the GLOBAL LEADERS trial. <i>EuroIntervention</i> , 2016 , 12, 1239-1245	3.1	86
255	Biodegradable polymer sirolimus-eluting stents versus durable polymer everolimus-eluting stents for primary percutaneous coronary revascularisation of acute myocardial infarction. <i>EuroIntervention</i> , 2016 , 12, e1343-e1354	3.1	16
254	Five-year outcomes of chronic total occlusion treatment with a biolimus A9-eluting biodegradable polymer stent versus a sirolimus-eluting permanent polymer stent in the LEADERS all-comers trial. <i>Cardiology Journal</i> , 2016 , 23, 626-636	1.4	3

253	Conditioned Pain Modulation in Patients With Acute and Chronic Low Back Pain. <i>Clinical Journal of Pain</i> , 2016 , 32, 116-21	3.5	48
252	Preprocedural High-Sensitivity Cardiac Troponin T and Clinical Outcomes in Patients With Stable Coronary Artery Disease Undergoing Elective Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2016 , 9,	6	13
251	Radial Versus Femoral Access for Coronary Interventions Across the Entire Spectrum of Patients With Coronary Artery Disease: A Meta-Analysis of Randomized Trials. <i>JACC: Cardiovascular Interventions</i> , 2016 , 9, 1419-34	5	253
250	First generation versus second generation drug-eluting stents for the treatment of bifurcations: 5-year follow-up of the LEADERS all-comers randomized trial. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 87, E248-60	2.7	33
249	Transcatheter aortic valve implantation vs. surgical aortic valve replacement for treatment of severe aortic stenosis: a meta-analysis of randomized trials. <i>European Heart Journal</i> , 2016 , 37, 3503-3512	9.5	202
248	Intra-articular Corticosteroids for Osteoarthritis of the Knee. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 316, 2671-2672	27.4	34
247	Health utility indexes in patients with acute coronary syndromes. <i>Open Heart</i> , 2016 , 3, e000419	3	9
246	Surgical versus conservative treatment for lumbar disc herniation: a prospective cohort study. <i>BMJ Open</i> , 2016 , 6, e012938	3	62
245	Plasma ceramides predict cardiovascular death in patients with stable coronary artery disease and acute coronary syndromes beyond LDL-cholesterol. <i>European Heart Journal</i> , 2016 , 37, 1967-76	9.5	279
244	Ultrathin Strut Biodegradable Polymer Sirolimus-Eluting Stent Versus Durable-Polymer Everolimus-Eluting Stent for Percutaneous Coronary Revascularization: 2-Year Results of the BIOSCIENCE Trial. <i>Journal of the American Heart Association</i> , 2016 , 5, e003255	6	45
243	Safety of Prasugrel Loading Doses in Patients Pre-Loaded With Clopidogrel in the Setting of Primary Percutaneous Coronary Intervention: Results of a Nonrandomized Observational Study. <i>JACC: Cardiovascular Interventions</i> , 2015 , 8, 1064-1074	5	4
242	Clinical outcomes according to diabetic status in patients treated with biodegradable polymer sirolimus-eluting stents versus durable polymer everolimus-eluting stents: prespecified subgroup analysis of the BIOSCIENCE trial. <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8,	6	27
241	Prevalence and management of familial hypercholesterolaemia in patients with acute coronary syndromes. <i>European Heart Journal</i> , 2015 , 36, 2438-45	9.5	91
240	Report of a European Society of Cardiology-European Association of Percutaneous Cardiovascular Interventions task force on the evaluation of coronary stents in Europe: executive summary. <i>European Heart Journal</i> , 2015 , 36, 2608-20	9.5	145
239	BEST-When a Study Falls Short of Its Acronym. <i>American Journal of Cardiology</i> , 2015 , 116, 995	3	0
238	Aspiration Thrombectomy for Treatment of ST-segment Elevation Myocardial Infarction: a Meta-analysis of 26 Randomized Trials in 11,943 Patients. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2015 , 68, 746-52	0.7	4
237	Safety and efficacy of resolute zotarolimus-eluting stents compared with everolimus-eluting stents: a meta-analysis. <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8,	6	46
236	Comparison of a novel biodegradable polymer sirolimus-eluting stent with a durable polymer everolimus-eluting stent: results of the randomized BIOFLOW-II trial. <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8, e001441	6	137

235	Metamizole-associated adverse events: a systematic review and meta-analysis. <i>PLoS ONE</i> , 2015 , 10, e0122918	80	37
234	Radial versus femoral access in patients with acute coronary syndromes undergoing invasive management: a randomised multicentre trial. <i>Lancet, The</i> , 2015 , 385, 2465-76	40	790
233	Consensus on the Need for a Hierarchical List of Patient-reported Pain Outcomes for Metaanalyses of Knee Osteoarthritis Trials: An OMERACT Objective. <i>Journal of Rheumatology</i> , 2015 , 42, 1971-1975	4.1	14
232	Safety profile of prasugrel and clopidogrel in patients with acute coronary syndromes in Switzerland. <i>Heart</i> , 2015 , 101, 854-63	5.1	34
231	Validation of the Valve Academic Research Consortium Bleeding Definition in Patients With Severe Aortic Stenosis Undergoing Transcatheter Aortic Valve Implantation. <i>Journal of the American Heart Association</i> , 2015 , 4, e002135	6	19
230	Intra-articular corticosteroid for knee osteoarthritis. <i>The Cochrane Library</i> , 2015 , CD005328	5.2	163
229	Effect of B-type natriuretic peptides on long-term outcomes after transcatheter aortic valve implantation. <i>American Journal of Cardiology</i> , 2015 , 116, 1560-5	3	34
228	Bivalirudin or Unfractionated Heparin in Acute Coronary Syndromes. <i>New England Journal of Medicine</i> , 2015 , 373, 997-1009	59.2	263
227	Percutaneous coronary interventional strategies for treatment of in-stent restenosis: a network meta-analysis. <i>Lancet, The</i> , 2015 , 386, 655-64	40	186
226	Current State of Reporting Pain Outcomes in Cochrane Reviews of Chronic Musculoskeletal Pain Conditions and Considerations for an OMERACT Research Agenda. <i>Journal of Rheumatology</i> , 2015 , 42, 1934-1942	4.1	6
225	Trombectomía por aspiración para el tratamiento del infarto agudo de miocardio con elevación del segmento ST: un metanálisis de 26 ensayos aleatorizados con 11.943 pacientes. <i>Revista Espanola De Cardiologia</i> , 2015 , 68, 746-752	1.5	12
224	Comparative Effectiveness and Safety of New-Generation Versus Early-Generation Drug-Eluting Stents According to Complexity of Coronary Artery Disease: A Patient-Level Pooled Analysis of 6,081 Patients. <i>JACC: Cardiovascular Interventions</i> , 2015 , 8, 1657-66	5	22
223	Association of radiographic osteoarthritis, pain on passive movement and knee range of motion: a cross-sectional study. <i>Manual Therapy</i> , 2015 , 20, 361-5		5
222	Letter regarding "The effects of arthroscopic joint debridement in the knee osteoarthritis: results of a meta-analysis". <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015 , 23, 1259-60	5.5	1
221	Effect of high-intensity statin therapy on atherosclerosis in non-infarct-related coronary arteries (IBIS-4): a serial intravascular ultrasonography study. <i>European Heart Journal</i> , 2015 , 36, 490-500	9.5	115
220	Percutaneous closure of patent foramen ovale in patients with cryptogenic embolism: a network meta-analysis. <i>European Heart Journal</i> , 2015 , 36, 120-8	9.5	82
219	Long-term outcome of elderly patients with severe aortic stenosis as a function of treatment modality. <i>Heart</i> , 2015 , 101, 30-6	5.1	23
218	Linking altered central pain processing and genetic polymorphism to drug efficacy in chronic low back pain. <i>BMC Pharmacology & Toxicology</i> , 2015 , 16, 23	2.6	11

217	Consensus on the need for a hierarchical list of patient-reported pain outcomes for meta-analyses of knee osteoarthritis trials. <i>Trials</i> , 2015 , 16,	2.8	78
216	Screening for Rheumatic Heart Disease among Peruvian Children: A Two-Stage Sampling Observational Study. <i>PLoS ONE</i> , 2015 , 10, e0133004	3.7	10
215	Age- and Gender-related Disparities in Primary Percutaneous Coronary Interventions for Acute ST-segment elevation Myocardial Infarction. <i>PLoS ONE</i> , 2015 , 10, e0137047	3.7	23
214	The association between in-stent neoatherosclerosis and native coronary artery disease progression: a long-term angiographic and optical coherence tomography cohort study. <i>European Heart Journal</i> , 2015 , 36, 2167-76	9.5	65
213	Clinical impact of gastrointestinal bleeding in patients undergoing percutaneous coronary interventions. <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8,	6	58
212	Low statin use in adults hospitalized with acute coronary syndrome. <i>Preventive Medicine</i> , 2015 , 77, 131-64.3	4.3	11
211	Subclinical thyroid dysfunction and fracture risk: a meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 2055-65	27.4	190
210	Radial versus femoral access for cardiac catheterisation - Authors' reply. <i>Lancet, The</i> , 2015 , 386, 2394	4.0	6
209	Comparing the incomparable: studies of echocardiographic rheumatic heart disease prevalence - authors' reply. <i>The Lancet Global Health</i> , 2015 , 3, e193	13.6	
208	Procedural Results and Clinical Outcomes of Transcatheter Aortic Valve Implantation in Switzerland: An Observational Cohort Study of Sapien 3 Versus Sapien XT Transcatheter Heart Valves. <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8,	6	54
207	Biolimus-eluting stent with biodegradable polymer improves clinical outcomes in patients with acute myocardial infarction. <i>Heart</i> , 2015 , 101, 271-8	5.1	11
206	Fractional flow reserve-guided PCI. <i>New England Journal of Medicine</i> , 2015 , 372, 95	59.2	1
205	Impact of B-type natriuretic peptide on short-term clinical outcomes following transcatheter aortic valve implantation. <i>EuroIntervention</i> , 2015 , 10, e1-8	3.1	22
204	Long-term outcomes of biodegradable versus durable polymer drug-eluting stents in patients with acute ST-segment elevation myocardial infarction: a pooled analysis of individual patient data from three randomised trials. <i>EuroIntervention</i> , 2015 , 10, 1425-31	3.1	14
203	Clinical outcome of patients with stable ischaemic heart disease as compared to those with acute coronary syndromes after percutaneous coronary intervention. <i>EuroIntervention</i> , 2015 , 11, 171-9	3.1	9
202	Predictors of adverse events among patients undergoing primary percutaneous coronary intervention: insights from a pooled analysis of the COMFORTABLE AMI and EXAMINATION trials. <i>EuroIntervention</i> , 2015 , 11, 391-8	3.1	9
201	2014 ESC/EACTS guidelines on myocardial revascularization. <i>EuroIntervention</i> , 2015 , 10, 1024-94	3.1	195
200	Five-year results of a randomised comparison of titanium-nitride-oxide-coated stents with zotarolimus-eluting stents for coronary revascularisation. <i>EuroIntervention</i> , 2015 , 10, 1284-7	3.1	2

199	Will this trial change my practice? ABSORB II trial (a bioresorbable vascular scaffold versus drug-eluting stent in coronary disease). <i>EuroIntervention</i> , 2015 , 11, 366-8	3.1	0
198	Comparison of newer-generation drug-eluting with bare-metal stents in patients with acute ST-segment elevation myocardial infarction: a pooled analysis of the EXAMINATION (clinical Evaluation of the Xience-V stent in Acute Myocardial INfArction) and COMFORTABLE-AMI (Comparative Effectiveness of Drug-Eluting Stents with Durable Metal Stents in Acute Myocardial INfArction) trials. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 129-40	5	75
197	Ultrathin strut biodegradable polymer sirolimus-eluting stent versus durable polymer everolimus-eluting stent for percutaneous coronary revascularisation (BIOSCIENCE): a randomised, single-blind, non-inferiority trial. <i>Lancet, The</i> , 2014 , 384, 2111-22	40	184
196	Short versus long duration of DAPT after DES implantation: a meta-analysis. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 953-4	15.1	24
195	Predictors of permanent pacemaker implantation in patients with severe aortic stenosis undergoing TAVR: a meta-analysis. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 129-40	15.1	390
194	2014 ESC/EACTS Guidelines on myocardial revascularization: The Task Force on Myocardial Revascularization of the European Society of Cardiology (ESC) and the European Association for Cardio-Thoracic Surgery (EACTS) Developed with the special contribution of the European Association of Percutaneous Cardiovascular Intervention (APCI). <i>European Heart Journal</i> , 2014 , 35, 254-237	9.5	3467
193	Fractional flow reserve-guided PCI for stable coronary artery disease. <i>New England Journal of Medicine</i> , 2014 , 371, 1208-17	59.2	672
192	Abolishing mammography screening programs? A view from the Swiss Medical Board. <i>New England Journal of Medicine</i> , 2014 , 370, 1965-7	59.2	159
191	Biolimus-eluting stents with biodegradable polymer versus bare-metal stents in acute myocardial infarction: two-year clinical results of the COMFORTABLE AMI trial. <i>Circulation: Cardiovascular Interventions</i> , 2014 , 7, 355-64	6	50
190	Comparative effectiveness of long term drug treatment strategies to prevent asthma exacerbations: network meta-analysis. <i>BMJ, The</i> , 2014 , 348, g3009	5.9	44
189	Revascularisation versus medical treatment in patients with stable coronary artery disease: network meta-analysis. <i>BMJ, The</i> , 2014 , 348, g3859	5.9	210
188	Randomized comparison of biodegradable polymer sirolimus-eluting stents versus durable polymer everolimus-eluting stents for percutaneous coronary revascularization: rationale and design of the BIOSCIENCE trial. <i>American Heart Journal</i> , 2014 , 168, 256-61	4.9	14
187	The MI SYNTAX score for risk stratification in patients undergoing primary percutaneous coronary intervention for treatment of acute myocardial infarction: a substudy of the COMFORTABLE AMI trial. <i>International Journal of Cardiology</i> , 2014 , 175, 314-22	3.2	19
186	It is time to initiate another breast cancer screening trial. <i>Annals of Internal Medicine</i> , 2014 , 160, 864-6	8	6
185	Oral or transdermal opioids for osteoarthritis of the knee or hip. <i>The Cochrane Library</i> , 2014 , CD003115	5.2	90
184	Quality of care after acute coronary syndromes in a prospective cohort with reasons for non-prescription of recommended medications. <i>PLoS ONE</i> , 2014 , 9, e93147	3.7	25
183	Organ donation in Switzerland--an analysis of factors associated with consent rate. <i>PLoS ONE</i> , 2014 , 9, e106845	3.7	15
182	Sono-electro-magnetic therapy for treating chronic pelvic pain syndrome in men: a randomized, placebo-controlled, double-blind trial. <i>PLoS ONE</i> , 2014 , 9, e113368	3.7	19

181	Factors affecting screening for hepatocellular carcinoma. <i>Annals of Hepatology</i> , 2014 , 13, 204-210	3.1	11
180	Active surveillance for rheumatic heart disease in endemic regions: a systematic review and meta-analysis of prevalence among children and adolescents. <i>The Lancet Global Health</i> , 2014 , 2, e717-26 ^{13.6}	13.6	110
179	Response to letter regarding article, "Cost-effectiveness of percutaneous coronary intervention in patients with stable coronary artery disease and abnormal fractional flow reserve". <i>Circulation</i> , 2014 , 129, e684	16.7	
178	Coronary artery disease severity and aortic stenosis: clinical outcomes according to SYNTAX score in patients undergoing transcatheter aortic valve implantation. <i>European Heart Journal</i> , 2014 , 35, 2530-40 ^{8.5}	8.5	96
177	Systematic reviews and meta-analyses of randomized trials: principles and pitfalls. <i>European Heart Journal</i> , 2014 , 35, 3336-45	9.5	104
176	2014 ESC/EACTS Guidelines on myocardial revascularization: the Task Force on Myocardial Revascularization of the European Society of Cardiology (ESC) and the European Association for Cardio-Thoracic Surgery (EACTS). Developed with the special contribution of the European Association of Percutaneous Cardiovascular Interventions (APCI)	3	588
175	Coronary evaginations are associated with positive vessel remodelling and are nearly absent following implantation of newer-generation drug-eluting stents: an optical coherence tomography and intravascular ultrasound study. <i>European Heart Journal</i> , 2014 , 35, 795-807	9.5	51
174	Effect of standardized training on the reliability of the Cochrane risk of bias assessment tool: a study protocol. <i>Systematic Reviews</i> , 2014 , 3, 144	3	10
173	Validation and reclassification of MGAP and GAP in hospital settings using data from the Trauma Audit and Research Network. <i>Journal of Trauma and Acute Care Surgery</i> , 2014 , 77, 757-763	3.3	8
172	The association between admission systolic blood pressure and mortality in significant traumatic brain injury: a multi-centre cohort study. <i>Injury</i> , 2014 , 45, 612-7	2.5	53
171	Differential healing response attributed to culprit lesions of patients with acute coronary syndromes and stable coronary artery after implantation of drug-eluting stents: an optical coherence tomography study. <i>International Journal of Cardiology</i> , 2014 , 173, 259-67	3.2	38
170	The impact of renal impairment on long-term safety and effectiveness of drug-eluting stents. <i>PLoS ONE</i> , 2014 , 9, e106450	3.7	8
169	Additive effect of anemia and renal impairment on long-term outcome after percutaneous coronary intervention. <i>PLoS ONE</i> , 2014 , 9, e114846	3.7	9
168	Will this trial change my practice? ACCOAST - early loading with a novel P2Y12 inhibitor in patients with an acute coronary syndrome. <i>EuroIntervention</i> , 2014 , 10, 408-10	3.1	2
167	Tools & techniques--statistics: propensity score techniques. <i>EuroIntervention</i> , 2014 , 10, 761-7	3.1	15
166	Short-term clinical outcomes among patients undergoing transcatheter aortic valve implantation in Switzerland: the Swiss TAVI registry. <i>EuroIntervention</i> , 2014 , 10, 982-9	3.1	48
165	Long-term comparison of everolimus-eluting stents with sirolimus- and paclitaxel-eluting stents for percutaneous coronary intervention of saphenous vein grafts. <i>EuroIntervention</i> , 2014 , 9, 1432-40	3.1	16
164	Factors affecting screening for hepatocellular carcinoma. <i>Annals of Hepatology</i> , 2014 , 13, 204-10	3.1	4

163	Omega-3 poly-unsaturated fatty acids for the prevention of severe neutropenic enterocolitis in patients with acute myeloid leukemia. <i>Nutrition and Cancer</i> , 2013 , 65, 834-42	2.8	6
162	Combining follow-up and change data is valid in meta-analyses of continuous outcomes: a meta-epidemiological study. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 847-55	5.7	62
161	Long-term outcomes of biodegradable polymer versus durable polymer drug-eluting stents in patients with diabetes a pooled analysis of individual patient data from 3 randomized trials. <i>International Journal of Cardiology</i> , 2013 , 168, 5162-6	3.2	28
160	Comparative efficacy of pharmacological and non-pharmacological interventions in fibromyalgia syndrome: network meta-analysis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 955-62	2.4	153
159	Improved safety and reduction in stent thrombosis associated with biodegradable polymer-based biolimus-eluting stents versus durable polymer-based sirolimus-eluting stents in patients with coronary artery disease: final 5-year report of the LEADERS (Limus Eluted From A Durable Versus Biodegradable Stent Coating) randomized, noninferiority trial. <i>JACC: Cardiovascular Interventions</i> , 2013 , 6, 443-51	5	254
158	A 3-center comparison of 1-year mortality outcomes between transcatheter aortic valve implantation and surgical aortic valve replacement on the basis of propensity score matching among intermediate-risk surgical patients. <i>JACC: Cardiovascular Interventions</i> , 2013 , 6, 443-51	5	160
157	Percutaneous closure of patent foramen ovale in cryptogenic embolism. <i>New England Journal of Medicine</i> , 2013 , 368, 1083-91	59.2	617
156	Predictors of functional decline in elderly patients undergoing transcatheter aortic valve implantation (TAVI). <i>European Heart Journal</i> , 2013 , 34, 684-92	9.5	211
155	Clinical outcomes of patients with estimated low or intermediate surgical risk undergoing transcatheter aortic valve implantation. <i>European Heart Journal</i> , 2013 , 34, 1894-905	9.5	113
154	Comparative efficacy of seven psychotherapeutic interventions for patients with depression: a network meta-analysis. <i>PLoS Medicine</i> , 2013 , 10, e1001454	11.6	314
153	Do central hypersensitivity and altered pain modulation predict the course of chronic low back and neck pain?. <i>Clinical Journal of Pain</i> , 2013 , 29, 673-80	3.5	26
152	Ranking of tests for pain hypersensitivity according to their discriminative ability in chronic neck pain. <i>Regional Anesthesia and Pain Medicine</i> , 2013 , 38, 308-20	3.4	14
151	Atrial fibrillation and aortic stenosis: impact on clinical outcomes among patients undergoing transcatheter aortic valve implantation. <i>Circulation: Cardiovascular Interventions</i> , 2013 , 6, 77-84	6	77
150	Cost-effectiveness of percutaneous coronary intervention in patients with stable coronary artery disease and abnormal fractional flow reserve. <i>Circulation</i> , 2013 , 128, 1335-40	16.7	65
149	Patent foramen ovale and cryptogenic stroke. <i>New England Journal of Medicine</i> , 2013 , 369, 91	59.2	11
148	Viscosupplementation for osteoarthritis of the knee. <i>Annals of Internal Medicine</i> , 2013 , 158, 75	8	4
147	Antiplatelets versus anticoagulants for the treatment of cervical artery dissection: Bayesian meta-analysis. <i>PLoS ONE</i> , 2013 , 8, e72697	3.7	34
146	Impact of atrial fibrillation on clinical outcomes among patients with coronary artery disease undergoing revascularisation with drug-eluting stents. <i>EuroIntervention</i> , 2013 , 8, 1061-71	3.1	33

145	Clinical scoring system for vulvar lichen sclerosus. <i>Journal of Sexual Medicine</i> , 2012 , 9, 2342-50	1.1	20
144	Doxycycline for osteoarthritis of the knee or hip. <i>The Cochrane Library</i> , 2012 , 11, CD007323	5.2	41
143	Fractional flow reserve-guided PCI versus medical therapy in stable coronary disease. <i>New England Journal of Medicine</i> , 2012 , 367, 991-1001	59.2	1655
142	Systolic blood pressure below 110 mmHg is associated with increased mortality in penetrating major trauma patients: Multicentre cohort study. <i>Resuscitation</i> , 2012 , 83, 476-81	4	67
141	Very late coronary stent thrombosis of a newer-generation everolimus-eluting stent compared with early-generation drug-eluting stents: a prospective cohort study. <i>Circulation</i> , 2012 , 125, 1110-21	16.7	280
140	Impact of incomplete stent apposition on long-term clinical outcome after drug-eluting stent implantation. <i>European Heart Journal</i> , 2012 , 33, 1334-43	9.5	76
139	Long-term clinical and angiographic outcomes of diabetic patients after revascularization with early generation drug-eluting stents. <i>American Heart Journal</i> , 2012 , 163, 876-886.e2	4.9	20
138	Impact of permanent pacemaker implantation on clinical outcome among patients undergoing transcatheter aortic valve implantation. <i>Journal of the American College of Cardiology</i> , 2012 , 60, 493-501	15.1	165
137	TCT-569 5-year Clinical Outcomes of Biodegradable Polymer Biolimus-eluting Stents versus Durable Polymer Sirolimus-eluting Stents in Patients with and without Diabetes Mellitus: a LEADERS Sub-study. <i>Journal of the American College of Cardiology</i> , 2012 , 60, B165-B166	15.1	2
136	Long-term comparison of everolimus- and sirolimus-eluting stents in patients with acute coronary syndromes. <i>JACC: Cardiovascular Interventions</i> , 2012 , 5, 145-54	5	15
135	Impact of sex on clinical and angiographic outcomes among patients undergoing revascularization with drug-eluting stents. <i>JACC: Cardiovascular Interventions</i> , 2012 , 5, 301-10	5	57
134	Evaluation of multidimensional geriatric assessment as a predictor of mortality and cardiovascular events after transcatheter aortic valve implantation. <i>JACC: Cardiovascular Interventions</i> , 2012 , 5, 489-495	5	222
133	Long-term vascular healing in response to sirolimus- and paclitaxel-eluting stents: an optical coherence tomography study. <i>JACC: Cardiovascular Interventions</i> , 2012 , 5, 946-57	5	48
132	Ranking of parameters of pain hypersensitivity according to their discriminative ability in chronic low back pain. <i>Pain</i> , 2012 , 153, 2083-2091	8	57
131	Viscosupplementation for osteoarthritis of the knee: a systematic review and meta-analysis. <i>Annals of Internal Medicine</i> , 2012 , 157, 180-91	8	404
130	Effect of biolimus-eluting stents with biodegradable polymer vs bare-metal stents on cardiovascular events among patients with acute myocardial infarction: the COMFORTABLE AMI randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 308, 777-87	27.4	225
129	Long-term propensity score-matched comparison of percutaneous closure of patent foramen ovale with medical treatment after paradoxical embolism. <i>Circulation</i> , 2012 , 125, 803-12	16.7	129
128	Serum glucose levels for predicting death in patients admitted to hospital for community acquired pneumonia: prospective cohort study. <i>BMJ, The</i> , 2012 , 344, e3397	5.9	88

127	ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. <i>European Heart Journal</i> , 2012 , 33, 2569-619	9.5	3978
126	Comparison of drug-eluting stents with bare metal stents in patients with ST-segment elevation myocardial infarction. <i>European Heart Journal</i> , 2012 , 33, 977-87	9.5	114
125	Biodegradable polymer drug-eluting stents reduce the risk of stent thrombosis at 4 years in patients undergoing percutaneous coronary intervention: a pooled analysis of individual patient data from the ISAR-TEST 3, ISAR-TEST 4, and LEADERS randomized trials. <i>European Heart Journal</i> , 2012 , 33, 1214-22	9.5	296
124	Vascular tissue reaction to acute malapposition in human coronary arteries: sequential assessment with optical coherence tomography. <i>Circulation: Cardiovascular Interventions</i> , 2012 , 5, 20-9, S1-8	6	86
123	The impact of anemia on long-term clinical outcome in patients undergoing revascularization with the unrestricted use of drug-eluting stents. <i>Circulation: Cardiovascular Interventions</i> , 2012 , 5, 202-10	6	50
122	Predictors of clinical outcomes in patients with severe aortic stenosis undergoing TAVI: a multistate analysis. <i>Circulation: Cardiovascular Interventions</i> , 2012 , 5, 856-61	6	39
121	Methods to convert continuous outcomes into odds ratios of treatment response and numbers needed to treat: meta-epidemiological study. <i>International Journal of Epidemiology</i> , 2012 , 41, 1445-59	7.8	92
120	Influence of reported study design characteristics on intervention effect estimates from randomized, controlled trials. <i>Annals of Internal Medicine</i> , 2012 , 157, 429-38	8	708
119	Comparison of biolimus eluted from an erodible stent coating with bare metal stents in acute ST-elevation myocardial infarction (COMFORTABLE AMI trial): rationale and design. <i>EuroIntervention</i> , 2012 , 7, 1435-43	3.1	25
118	Clinical long-term outcome after implantation of titanium nitride-oxide coated stents compared with paclitaxel- or sirolimus-eluting stents: propensity-score matched analysis. <i>EuroIntervention</i> , 2012 , 7, 1043-50	3.1	3
117	Cerebrovascular accidents complicating transcatheter aortic valve implantation: frequency, timing and impact on outcomes. <i>EuroIntervention</i> , 2012 , 8, 62-70	3.1	86
116	Long-term comparison of everolimus-eluting and sirolimus-eluting stents for coronary revascularization. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 2143-51	15.1	78
115	Clinical outcomes of patients with severe aortic stenosis at increased surgical risk according to treatment modality. <i>Journal of the American College of Cardiology</i> , 2011 , 58, 2151-62	15.1	121
114	2-year clinical follow-up from the randomized comparison of biolimus-eluting stents with biodegradable polymer and sirolimus-eluting stents with durable polymer in routine clinical practice. <i>JACC: Cardiovascular Interventions</i> , 2011 , 4, 887-95	5	29
113	How valuable are multiple treatment comparison methods in evidence-based health-care evaluation?. <i>Value in Health</i> , 2011 , 14, 371-80	3.3	48
112	All cause and disease specific mortality in patients with knee or hip osteoarthritis: population based cohort study. <i>BMJ, The</i> , 2011 , 342, d1165	5.9	426
111	Randomized clinical trial comparing percutaneous closure of patent foramen ovale (PFO) using the Amplatzer PFO Occluder with medical treatment in patients with cryptogenic embolism (PC-Trial): rationale and design. <i>Trials</i> , 2011 , 12, 56	2.8	13
110	Clinical outcome and predictors for adverse events after transcatheter aortic valve implantation with the use of different devices and access routes. <i>American Heart Journal</i> , 2011 , 161, 1114-24	4.9	103

109	Long-term tissue coverage of a biodegradable polylactide polymer-coated biolimus-eluting stent: comparative sequential assessment with optical coherence tomography until complete resorption of the polymer. <i>American Heart Journal</i> , 2011 , 162, 922-31	4.9	40
108	Systolic blood pressure below 110 mm Hg is associated with increased mortality in blunt major trauma patients: multicentre cohort study. <i>Resuscitation</i> , 2011 , 82, 1202-7	4	64
107	Long-term clinical outcomes of biodegradable polymer biolimus-eluting stents versus durable polymer sirolimus-eluting stents in patients with coronary artery disease (LEADERS): 4 year follow-up of a randomised non-inferiority trial. <i>Lancet, The</i> , 2011 , 378, 1940-8	40	283
106	Factor analysis of responses to thermal, electrical, and mechanical painful stimuli supports the importance of multi-modal pain assessment. <i>Pain</i> , 2011 , 152, 1146-1155	8	93
105	Impact of treatment characteristics on response of different breast cancer phenotypes: pooled analysis of the German neo-adjuvant chemotherapy trials. <i>Breast Cancer Research and Treatment</i> , 2011 , 125, 145-56	4.4	193
104	Association between cam-type deformities and magnetic resonance imaging-detected structural hip damage: a cross-sectional study in young men. <i>Arthritis and Rheumatism</i> , 2011 , 63, 4023-30		79
103	Sirolimus versus paclitaxel coronary stents in clinical practice. <i>Catheterization and Cardiovascular Interventions</i> , 2011 , 77, 5-12	2.7	8
102	Comparison of titanium-nitride-oxide-coated stents with zotarolimus-eluting stents for coronary revascularization a randomized controlled trial. <i>JACC: Cardiovascular Interventions</i> , 2011 , 4, 672-82	5	18
101	Multiplicity of data in trial reports and the reliability of meta-analyses: empirical study. <i>BMJ, The</i> , 2011 , 343, d4829	5.9	37
100	An overview of the objectives of and the approaches to propensity score analyses. <i>European Heart Journal</i> , 2011 , 32, 1704-8	9.5	244
99	Association of bone attrition with knee pain, stiffness and disability: a cross-sectional study. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 293-8	2.4	12
98	Delayed coverage in malapposed and side-branch struts with respect to well-apposed struts in drug-eluting stents: in vivo assessment with optical coherence tomography. <i>Circulation</i> , 2011 , 124, 612-23	16.7	104
97	Value of age, creatinine, and ejection fraction (ACEF score) in assessing risk in patients undergoing percutaneous coronary interventions in the 'All-Comers' LEADERS trial. <i>Circulation: Cardiovascular Interventions</i> , 2011 , 4, 47-56	6	85
96	Cardiovascular safety of non-steroidal anti-inflammatory drugs: network meta-analysis. <i>BMJ, The</i> , 2011 , 342, c7086	5.9	706
95	The Cochrane Collaboration's tool for assessing risk of bias in randomised trials. <i>BMJ, The</i> , 2011 , 343, d5928	5.9	16010
94	Five-year clinical and angiographic outcomes of a randomized comparison of sirolimus-eluting and paclitaxel-eluting stents: results of the Sirolimus-Eluting Versus Paclitaxel-Eluting Stents for Coronary Revascularization LATE trial. <i>Circulation</i> , 2011 , 123, 2819-28, 6 p following 2828	16.7	143
93	Genetic evidence supporting the association of protease and protease inhibitor genes with inflammatory bowel disease: a systematic review. <i>PLoS ONE</i> , 2011 , 6, e24106	3.7	24
92	The outcome of bifurcation lesion stenting using a biolimus-eluting stent with a bio-degradable polymer compared to a sirolimus-eluting stent with a durable polymer. <i>EuroIntervention</i> , 2011 , 6, 928-35 ^{3.1}		16

91	Implantation of the biodegradable polymer biolimus-eluting stent in patients with high SYNTAX score is associated with decreased cardiac mortality compared to a permanent polymer sirolimus-eluting stent: two year follow-up results from the "all-comers" LEADERS trial. <i>EuroIntervention</i> , 2011 , 7, 605-13	3.1	20
90	The three year follow-up of the randomised "all-comers" trial of a biodegradable polymer biolimus-eluting stent versus permanent polymer sirolimus-eluting stent (LEADERS). <i>EuroIntervention</i> , 2011 , 7, 789-95	3.1	34
89	An optical coherence tomography study of a biodegradable vs. durable polymer-coated limus-eluting stent: a LEADERS trial sub-study. <i>European Heart Journal</i> , 2010 , 31, 165-76	9.5	210
88	Small study effects in meta-analyses of osteoarthritis trials: meta-epidemiological study. <i>BMJ, The</i> , 2010 , 341, c3515	5.9	394
87	Therapeutic ultrasound for osteoarthritis of the knee or hip. <i>The Cochrane Library</i> , 2010 , CD003132	5.2	97
86	Impact of stent overlap on angiographic and long-term clinical outcome in patients undergoing drug-eluting stent implantation. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 1178-1188	15.1	117
85	Value of the SYNTAX score for risk assessment in the all-comers population of the randomized multicenter LEADERS (Limus Eluted from A Durable versus ERodable Stent coating) trial. <i>Journal of the American College of Cardiology</i> , 2010 , 56, 272-7	15.1	171
84	Effects of glucosamine, chondroitin, or placebo in patients with osteoarthritis of hip or knee: network meta-analysis. <i>BMJ, The</i> , 2010 , 341, c4675	5.9	357
83	Sonographic follow-up of patients with carpal tunnel syndrome undergoing surgical or nonsurgical treatment: prospective cohort study. <i>Journal of Hand Surgery</i> , 2010 , 35, 1401-9	2.6	49
82	Relationship between the logistic EuroSCORE and the Society of Thoracic Surgeons Predicted Risk of Mortality score in patients implanted with the CoreValve ReValving system--a Bern-Rotterdam Study. <i>American Heart Journal</i> , 2010 , 159, 323-9	4.9	134
81	Joint lavage for osteoarthritis of the knee. <i>The Cochrane Library</i> , 2010 , CD007320	5.2	60
80	The impact of body mass index on the one year outcomes of patients treated by percutaneous coronary intervention with Biolimus- and Sirolimus-eluting stents (from the LEADERS Trial). <i>American Journal of Cardiology</i> , 2010 , 105, 475-9	3	44
79	Acetabular labral tear: do not miss the underlying deformity. Comment on the article by Haroon et al. <i>Arthritis Care and Research</i> , 2010 , 62, 743; author reply 743-4	4.7	
78	Prevalence of cam-type deformity on hip magnetic resonance imaging in young males: a cross-sectional study. <i>Arthritis Care and Research</i> , 2010 , 62, 1319-27	4.7	150
77	Development of a combined database for meta-epidemiological research. <i>Research Synthesis Methods</i> , 2010 , 1, 212-25	7.2	10
76	Impact of arterial injury on neointimal hyperplasia after implantation of drug-eluting stents in coronary arteries: an intravascular ultrasound study. <i>EuroIntervention</i> , 2010 , 6, 467-74	3.1	5
75	The twelve-month outcomes of a biolimus eluting stent with a biodegradable polymer compared with a sirolimus eluting stent with a durable polymer. <i>EuroIntervention</i> , 2010 , 6, 233-239	3.1	39
74	The drug-eluting stent saga. <i>Circulation</i> , 2009 , 119, 653-6	16.7	6

73	Doxycycline for osteoarthritis of the knee or hip. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD007323		12
72	Commentary: Which meta-analyses are conclusive?. <i>International Journal of Epidemiology</i> , 2009 , 38, 298-303		21
71	The importance of allocation concealment and patient blinding in osteoarthritis trials: a meta-epidemiologic study. <i>Arthritis and Rheumatism</i> , 2009 , 61, 1633-41		105
70	The role of correspondence sections in post-publication peer review: A bibliometric study of general and internal medicine journals. <i>Scientometrics</i> , 2009 , 81, 747-755	3	6
69	The effectiveness and safety of proton radiation therapy for indications of the eye : a systematic review. <i>Strahlentherapie Und Onkologie</i> , 2009 , 185, 211-21	4.3	17
68	Does point of care prothrombin time measurement reduce the transfusion of fresh frozen plasma in patients undergoing major surgery? The POC-OP randomized-controlled trial. <i>Trials</i> , 2009 , 10, 107	2.8	9
67	Impact of vessel size on angiographic and clinical outcomes of revascularization with biolimus-eluting stent with biodegradable polymer and sirolimus-eluting stent with durable polymer the LEADERS trial substudy. <i>JACC: Cardiovascular Interventions</i> , 2009 , 2, 861-70	5	38
66	S-Adenosylmethionine for osteoarthritis of the knee or hip. <i>The Cochrane Library</i> , 2009 , CD007321	5.2	42
65	Transcutaneous electrostimulation for osteoarthritis of the knee. <i>The Cochrane Library</i> , 2009 , CD002823	5.2	123
64	Correlation of intravascular ultrasound findings with histopathological analysis of thrombus aspirates in patients with very late drug-eluting stent thrombosis. <i>Circulation</i> , 2009 , 120, 391-9	16.7	388
63	PRISMAic reporting of systematic reviews and meta-analyses. <i>Lancet, The</i> , 2009 , 374, 1221-3	40	29
62	Oral or transdermal opioids for osteoarthritis of the knee or hip. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD003115		67
61	The effects of excluding patients from the analysis in randomised controlled trials: meta-epidemiological study. <i>BMJ, The</i> , 2009 , 339, b3244	5.9	167
60	Disagreements in meta-analyses using outcomes measured on continuous or rating scales: observer agreement study. <i>BMJ, The</i> , 2009 , 339, b3128	5.9	44
59	Meeting report ESC Forum on Drug Eluting Stents, European Heart House, Nice, 27-28 September 2007. <i>EuroIntervention</i> , 2009 , 4, 427-436	3.1	2
58	A comparison of patient characteristics and 30-day mortality outcomes after transcatheter aortic valve implantation and surgical aortic valve replacement for the treatment of aortic stenosis: a two-centre study. <i>EuroIntervention</i> , 2009 , 5, 580-8	3.1	44
57	Biolimus-eluting biodegradable polymer versus sirolimus-eluting permanent polymer stent performance in long lesions: results from the LEADERS multicentre trial substudy. <i>EuroIntervention</i> , 2009 , 5, 310-7	3.1	12
56	Differences across health care systems in outcome and cost-utility of surgical and conservative treatment of chronic low back pain: a study protocol. <i>BMC Musculoskeletal Disorders</i> , 2008 , 9, 81	2.8	27

55	Severe structural damage of the seemingly non-diseased infrarenal aortic aneurysm neck. <i>Journal of Vascular Surgery</i> , 2008 , 48, 425-34	3.5	28
54	Incidence and correlates of drug-eluting stent thrombosis in routine clinical practice. 4-year results from a large 2-institutional cohort study. <i>Journal of the American College of Cardiology</i> , 2008 , 52, 1134-40	15.1	404
53	A pain assessment scale for population-based studies: development and validation of the pain module of the Standard Evaluation Questionnaire. <i>Pain</i> , 2008 , 136, 62-74	8	24
52	Biolimus-eluting stent with biodegradable polymer versus sirolimus-eluting stent with durable polymer for coronary revascularisation (LEADERS): a randomised non-inferiority trial. <i>Lancet, The</i> , 2008 , 372, 1163-73	40	531
51	Safety of drug-eluting stents. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2008 , 5, 316-28		17
50	Empirical evidence of bias in treatment effect estimates in controlled trials with different interventions and outcomes: meta-epidemiological study. <i>BMJ, The</i> , 2008 , 336, 601-5	5.9	1798
49	Drug eluting and bare metal stents in people with and without diabetes: collaborative network meta-analysis. <i>BMJ, The</i> , 2008 , 337, a1331	5.9	209
48	Two-year clinical outcome after implantation of sirolimus-eluting and paclitaxel-eluting stents in diabetic patients. <i>European Heart Journal</i> , 2008 , 29, 718-25	9.5	58
47	Arthroscopic lavage for osteoarthritis of the knee 2008 ,		1
46	S-Adenosylmethionine for osteoarthritis of the knee or hip 2008 ,		1
45	Impact of vessel size on outcome after implantation of sirolimus-eluting and paclitaxel-eluting stents: a subgroup analysis of the SIRTAX trial. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 1123-31	15.1	65
44	A meta-analysis of 16 randomized trials of sirolimus-eluting stents versus paclitaxel-eluting stents in patients with coronary artery disease. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 1373-80	15.1	253
43	Efficacy and safety of intraarticular hylan or hyaluronic acids for osteoarthritis of the knee: a randomized controlled trial. <i>Arthritis and Rheumatism</i> , 2007 , 56, 3610-9		111
42	Hylan versus hyaluronic acid for osteoarthritis of the knee: a systematic review and meta-analysis. <i>Arthritis and Rheumatism</i> , 2007 , 57, 1410-8		130
41	Placebo-controlled trials of Chinese herbal medicine and conventional medicine comparative study. <i>International Journal of Epidemiology</i> , 2007 , 36, 1086-92	7.8	31
40	Accuracy of electrocardiography in diagnosis of left ventricular hypertrophy in arterial hypertension: systematic review. <i>BMJ, The</i> , 2007 , 335, 711	5.9	195
39	Bibliographic study showed improving methodology of meta-analyses published in leading journals 1993-2002. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 773-80	5.7	21
38	Matched-pair study showed higher quality of placebo-controlled trials in Western phytotherapy than conventional medicine. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 787-94	5.7	14

37	Early and late coronary stent thrombosis of sirolimus-eluting and paclitaxel-eluting stents in routine clinical practice: data from a large two-institutional cohort study. <i>Lancet, The</i> , 2007 , 369, 667-78	4 ⁰	1634
36	Outcomes associated with drug-eluting and bare-metal stents: a collaborative network meta-analysis. <i>Lancet, The</i> , 2007 , 370, 937-48	4 ⁰	1141
35	Meta-analysis: chondroitin for osteoarthritis of the knee or hip. <i>Annals of Internal Medicine</i> , 2007 , 146, 580-90	8	216
34	Chondroitin for Osteoarthritis of the Knee or Hip. <i>Annals of Internal Medicine</i> , 2007 , 147, 884	8	
33	Osteoarthritis: rational approach to treating the individual. <i>Best Practice and Research in Clinical Rheumatology</i> , 2006 , 20, 721-40	5.3	153
32	Accuracy of B-type natriuretic peptide tests to exclude congestive heart failure: systematic review of test accuracy studies. <i>Archives of Internal Medicine</i> , 2006 , 166, 1073-80		42
31	Glycemic control and macrovascular disease in types 1 and 2 diabetes mellitus: Meta-analysis of randomized trials. <i>American Heart Journal</i> , 2006 , 152, 27-38	4.9	338
30	Sleepless night, the moon is bright: longitudinal study of lunar phase and sleep. <i>Journal of Sleep Research</i> , 2006 , 15, 149-53	5.8	41
29	COX 2 inhibitors, traditional NSAIDs, and the heart. <i>BMJ, The</i> , 2005 , 330, 1342-3	5.9	32
28	Discontinuation of Vioxx. <i>Lancet, The</i> , 2005 , 365, 26-27	4 ⁰	1
27	Are the clinical effects of homoeopathy placebo effects? Comparative study of placebo-controlled trials of homoeopathy and allopathy. <i>Lancet, The</i> , 2005 , 366, 726-32	4 ⁰	569
26	Are the clinical effects of homoeopathy placebo effects? Authors' reply. <i>Lancet, The</i> , 2005 , 366, 2083-2085	4 ⁰	14
25	Sirolimus-eluting and paclitaxel-eluting stents for coronary revascularization. <i>New England Journal of Medicine</i> , 2005 , 353, 653-62	59.2	480
24	Commentary: Empirical evidence of attrition bias in clinical trials. <i>International Journal of Epidemiology</i> , 2005 , 34, 87-8	7.8	34
23	Meta-analysis: accuracy of rapid tests for malaria in travelers returning from endemic areas. <i>Annals of Internal Medicine</i> , 2005 , 142, 836-46	8	110
22	Diagnostic value of sonography in patients with suspected carpal tunnel syndrome: a prospective study. <i>Arthritis and Rheumatism</i> , 2005 , 52, 304-11		159
21	Assessing bone loss on radiographs of the knee in osteoarthritis: a cross-sectional study. <i>Arthritis and Rheumatism</i> , 2005 , 52, 3536-41		33
20	Consequences of different diagnostic "gold standards" in test accuracy research: Carpal Tunnel Syndrome as an example. <i>International Journal of Epidemiology</i> , 2005 , 34, 953-5	7.8	34

19	Commentary: Difficulties in disentangling causes of social class inequities in musculoskeletal health. <i>International Journal of Epidemiology</i> , 2004 , 33, 1360-1	7.8	1
18	Effect of a flow chart on use of blood transfusions in primary total hip and knee replacement: prospective before and after study. <i>BMJ, The</i> , 2004 , 328, 934-8	5.9	31
17	Older people should NOT be prescribed 'coxibs' in place of conventional NSAIDs. <i>Age and Ageing</i> , 2004 , 33, 100-4	3	14
16	Low membrane protein sulphhydryls but not G6PD deficiency predict ribavirin-induced hemolysis in hepatitis C. <i>Hepatology</i> , 2004 , 39, 1248-55	11.2	26
15	Risk of cardiovascular events and rofecoxib: cumulative meta-analysis. <i>Lancet, The</i> , 2004 , 364, 2021-9	40	664
14	Systematic review of celecoxib for osteoarthritis and rheumatoid arthritis 2003 , 326, 334-334		18
13	Systematic review of the epidemiologic and trial evidence of an association between antidepressant medication and breast cancer. <i>Journal of Clinical Epidemiology</i> , 2003 , 56, 155-63	5.7	47
12	Systematic review of celecoxib for osteoarthritis and rheumatoid arthritis. Problems compromise review's validity. <i>BMJ, The</i> , 2003 , 326, 334; author reply 334	5.9	4
11	Acupuncture for alcohol withdrawal: a randomized controlled trial. <i>Alcohol and Alcoholism</i> , 2003 , 38, 369-75	3.5	32
10	What now about acetaminophen?. <i>Archives of Internal Medicine</i> , 2003 , 163, 1862-3; author reply 1863		2
9	Statistical methods for assessing the influence of study characteristics on treatment effects in 'meta-epidemiological' research. <i>Statistics in Medicine</i> , 2002 , 21, 1513-24	2.3	249
8	Direction and impact of language bias in meta-analyses of controlled trials: empirical study. <i>International Journal of Epidemiology</i> , 2002 , 31, 115-23	7.8	653
7	Allocation concealment in clinical trials. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 288, 2407-8; author reply 2408-9	27.4	21
6	Quality of reporting of randomized trials as a measure of methodologic quality. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 287, 2801-4	27.4	301
5	Risk of myocardial infarction associated with selective COX-2 inhibitors: questions remain. <i>Archives of Internal Medicine</i> , 2002 , 162, 2639-40; author reply 2640-2		9
4	Systematic reviews in health care: Assessing the quality of controlled clinical trials. <i>BMJ: British Medical Journal</i> , 2001 , 323, 42-6		2168
3	Are randomised controlled trials in the BMJ different? 2001 , 323, 1253-1253		26
2	The hazards of scoring the quality of clinical trials for meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 1999 , 282, 1054-60	27.4	1369

- 1 Comparative frequency and prognostic impact of myocardial injury in hospitalized patients with COVID-19 and Influenza. *European Heart Journal Open*,

2