D Lee Taylor

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5260697/d-lee-taylor-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80 7,098 78 39 h-index g-index citations papers 80 8,472 5.64 5.2 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
78	Culturable root endophyte communities are shaped by both warming and plant host identity in the Rocky Mountains, USA. <i>Fungal Ecology</i> , 2021 , 49, 101002	4.1	3
77	Soil fungal composition changes with shrub encroachment in the northern Chihuahuan Desert. <i>Fungal Ecology</i> , 2021 , 53, 101096	4.1	2
76	Limited overall impacts of ectomycorrhizal inoculation on recruitment of boreal trees into Arctic tundra following wildfire belie species-specific responses. <i>PLoS ONE</i> , 2020 , 15, e0235932	3.7	1
75	Mycobiont contribution to tundra plant acquisition of permafrost-derived nitrogen. <i>New Phytologist</i> , 2020 , 226, 126-141	9.8	17
74	Plant Identity Influences Foliar Fungal Symbionts More Than Elevation in the Colorado Rocky Mountains. <i>Microbial Ecology</i> , 2019 , 78, 688-698	4.4	11
73	Altitudinal gradients fail to predict fungal symbiont responses to warming. <i>Ecology</i> , 2019 , 100, e02740	4.6	8
72	Fomitopsis mounceae and F. schrenkii-two new species from North America in the F. pinicola complex. <i>Mycologia</i> , 2019 , 111, 339-357	2.4	12
71	Phosphorus Mobilizing Enzymes of Alnus-Associated Ectomycorrhizal Fungi in an Alaskan Boreal Floodplain. <i>Forests</i> , 2019 , 10, 554	2.8	8
70	Below-ground plant traits influence tundra plant acquisition of newly thawed permafrost nitrogen. <i>Journal of Ecology</i> , 2019 , 107, 950-962	6	28
69	Rivers may constitute an overlooked avenue of dispersal for terrestrial fungi. <i>Fungal Ecology</i> , 2018 , 32, 72-79	4.1	9
68	Variable retention harvesting influences belowground plant-fungal interactions of seedlings in forests of southern Patagonia. <i>PeerJ</i> , 2018 , 6, e5008	3.1	7
67	The potential for mycobiont sharing between shrubs and seedlings to facilitate tree establishment after wildfire at Alaska arctic treeline. <i>Molecular Ecology</i> , 2017 , 26, 3826-3838	5.7	15
66	Change in soil fungal community structure driven by a decline in ectomycorrhizal fungi following a mountain pine beetle (Dendroctonus ponderosae) outbreak. <i>New Phytologist</i> , 2017 , 213, 864-873	9.8	37
65	Phylogeny of Fomitopsis pinicola: a species complex. <i>Mycologia</i> , 2016 , 108, 925-938	2.4	17
64	Getting to the root of the matter: landscape implications of plant-fungal interactions for tree migration in Alaska. <i>Landscape Ecology</i> , 2016 , 31, 895-911	4.3	11
63	Fire-severity effects on plant-fungal interactions after a novel tundra wildfire disturbance: implications for arctic shrub and tree migration. <i>BMC Ecology</i> , 2016 , 16, 25	2.7	17
62	Germination patterns in three terrestrial orchids relate to abundance of mycorrhizal fungi. <i>Journal of Ecology</i> , 2016 , 104, 744-754	6	35

61	Accurate Estimation of Fungal Diversity and Abundance through Improved Lineage-Specific Primers Optimized for Illumina Amplicon Sequencing. <i>Applied and Environmental Microbiology</i> , 2016 , 82, 7217-7	2 4 8	180
60	The Soil Fungi 2015 , 77-109		22
59	Rich and cold: diversity, distribution and drivers of fungal communities in patterned-ground ecosystems of the North American Arctic. <i>Molecular Ecology</i> , 2014 , 23, 3258-72	5.7	102
58	A first comprehensive census of fungi in soil reveals both hyperdiversity and fine-scale niche partitioning. <i>Ecological Monographs</i> , 2014 , 84, 3-20	9	223
57	Nitrogen deposition alters plant-fungal relationships: linking belowground dynamics to aboveground vegetation change. <i>Molecular Ecology</i> , 2014 , 23, 1364-78	5.7	51
56	Habitat preferences, distribution, and temporal persistence of a novel fungal taxon in Alaskan boreal forest soils. <i>Fungal Ecology</i> , 2014 , 12, 70-77	4.1	2
55	Towards a unified paradigm for sequence-based identification of fungi. <i>Molecular Ecology</i> , 2013 , 22, 52	7 ţ.-7	2019
54	Resilience of Arctic mycorrhizal fungal communities after wildfire facilitated by resprouting shrubs. <i>Ecoscience</i> , 2013 , 20, 296-310	1.1	22
53	Evaluation of the authenticity of a highly novel environmental sequence from boreal forest soil using ribosomal RNA secondary structure modeling. <i>Molecular Phylogenetics and Evolution</i> , 2013 , 67, 234-45	4.1	15
52	Progress and Prospects for the Ecological Genetics of Mycoheterotrophs 2013 , 245-266		5
51	A narrowly endemic photosynthetic orchid is non-specific in its mycorrhizal associations. <i>Molecular Ecology</i> , 2013 , 22, 2341-54	5.7	41
50	Uncommon ectomycorrhizal networks: richness and distribution of Alnus-associating ectomycorrhizal fungal communities. <i>New Phytologist</i> , 2013 , 198, 978-980	9.8	10
49	Phylogeny and assemblage composition of Frankia in Alnus tenuifolia nodules across a primary successional sere in interior Alaska. <i>Molecular Ecology</i> , 2013 , 22, 3864-77	5.7	7
48	Ecosystem-level consequences of symbiont partnerships in an N-fixing shrub from interior Alaskan floodplains. <i>Ecological Monographs</i> , 2013 , 83, 177-194	9	18
47	Meeting report: fungal its workshop (october 2012). Standards in Genomic Sciences, 2013, 8, 118-23		26
46	Archaeorhizomycetes: Patterns of Distribution and Abundance in Soil. <i>Soil Biology</i> , 2013 , 333-349	1	14
45	Limitations on orchid recruitment: not a simple picture. <i>Molecular Ecology</i> , 2012 , 21, 1511-23	5.7	103
44	Intercontinental divergence in the Populus-associated ectomycorrhizal fungus, Tricholoma populinum. <i>New Phytologist</i> , 2012 , 194, 548-560	9.8	23

43	Frequent circumarctic and rare transequatorial dispersals in the lichenised agaric genus Lichenomphalia (Hygrophoraceae, Basidiomycota). <i>Fungal Biology</i> , 2012 , 116, 388-400	2.8	37
42	Peeking through a frosty window: molecular insights into the ecology of Arctic soil fungi. <i>Fungal Ecology</i> , 2012 , 5, 419-429	4.1	59
41	An arctic community of symbiotic fungi assembled by long-distance dispersers: phylogenetic diversity of ectomycorrhizal basidiomycetes in Svalbard based on soil and sporocarp DNA. <i>Journal of Biogeography</i> , 2012 , 39, 74-88	4.1	119
40	A bioinformatics pipeline for sequence-based analyses of fungal biodiversity. <i>Methods in Molecular Biology</i> , 2011 , 722, 141-55	1.4	22
39	Mycorrhizal specificity in the fully mycoheterotrophic Hexalectris Raf. (Orchidaceae: Epidendroideae). <i>Molecular Ecology</i> , 2011 , 20, 1303-16	5.7	41
38	Root-associated ectomycorrhizal fungi shared by various boreal forest seedlings naturally regenerating after a fire in interior alaska and correlation of different fungi with host growth responses. <i>Applied and Environmental Microbiology</i> , 2011 , 77, 3351-9	4.8	50
37	Microsatellite loci development in mycoheterotrophic Corallorhiza maculata (Orchidaceae) with amplification in C. mertensiana. <i>American Journal of Botany</i> , 2011 , 98, e253-5	2.7	5
36	Phylogenetic and ecological analyses of soil and sporocarp DNA sequences reveal high diversity and strong habitat partitioning in the boreal ectomycorrhizal genus Russula (Russulales; Basidiomycota). <i>New Phytologist</i> , 2010 , 187, 494-507	9.8	40
35	Surviving climate changes: high genetic diversity and transoceanic gene flow in two arctic lpine lichens, Flavocetraria cucullata and F. nivalis (Parmeliaceae, Ascomycota). <i>Journal of Biogeography</i> , 2010 , 37, 1529	4.1	53
34	Rangewide analysis of fungal associations in the fully mycoheterotrophic Corallorhiza striata complex (Orchidaceae) reveals extreme specificity on ectomycorrhizal Tomentella (Thelephoraceae) across North America. <i>American Journal of Botany</i> , 2010 , 97, 628-43	2.7	38
33	Resilience of Alaska boreal forest to climatic changeThis article is one of a selection of papers from The Dynamics of Change in Alaska Boreal Forests: Resilience and Vulnerability in Response to Climate Warming <i>Canadian Journal of Forest Research</i> , 2010 , 40, 1360-1370	1.9	109
32	Direct amplification of DNA from fresh and preserved ectomycorrhizal root tips. <i>Journal of Microbiological Methods</i> , 2010 , 80, 206-8	2.8	10
31	Phylogeographic Analyses of a Boreal-Temperate Ectomycorrhizal Basidiomycete, Amanita Muscaria, Suggest Forest Refugia in Alaska During the Last Glacial Maximum 2010 , 173-186		4
30	Structure and resilience of fungal communities in Alaskan boreal forest soilsThis article is one of a selection of papers from The Dynamics of Change in Alaska Boreal Forests: Resilience and Vulnerability in Response to Climate Warming <i>Canadian Journal of Forest Research</i> , 2010 , 40, 1288-130	1.9) 1	78
29	Host species and habitat affect nodulation by specific Frankia genotypes in two species of Alnus in interior Alaska. <i>Oecologia</i> , 2009 , 160, 619-30	2.9	25
28	Molecular phylogenetic biodiversity assessment of arctic and boreal ectomycorrhizal Lactarius Pers. (Russulales; Basidiomycota) in Alaska, based on soil and sporocarp DNA. <i>Molecular Ecology</i> , 2009 , 18, 2213-27	5.7	56
27	Abundance and distribution of Corallorhiza odontorhiza reflect variations in climate and ectomycorrhizae. <i>Ecological Monographs</i> , 2009 , 79, 619-635	9	57
26	Stable isotope fingerprinting: a novel method for identifying plant, fungal, or bacterial origins of amino acids. <i>Ecology</i> , 2009 , 90, 3526-35	4.6	140

(2002-2008)

25	Internal transcribed spacer primers and sequences for improved characterization of basidiomycetous orchid mycorrhizas. <i>New Phytologist</i> , 2008 , 177, 1020-1033	9.8	202
24	Increasing ecological inference from high throughput sequencing of fungi in the environment through a tagging approach. <i>Molecular Ecology Resources</i> , 2008 , 8, 742-52	8.4	41
23	Isolation and characterization of new polymorphic microsatellite loci in the mixotrophic orchid Limodorum abortivum L. Swartz (Orchidaceae). <i>Molecular Ecology Resources</i> , 2008 , 8, 1117-20	8.4	4
22	Molecular diversity assessment of arctic and boreal Agaricus taxa. <i>Mycologia</i> , 2008 , 100, 577-89	2.4	39
21	Evidence for strong inter- and intracontinental phylogeographic structure in Amanita muscaria, a wind-dispersed ectomycorrhizal basidiomycete. <i>Molecular Phylogenetics and Evolution</i> , 2008 , 48, 694-70)A ^{.1}	102
20	Increasing ecological inference from high throughput sequencing of fungi in the environment through a tagging approach. <i>Molecular Ecology Resources</i> , 2008 , 080310190901533-???	8.4	
19	TOPO TA is A-OK: a test of phylogenetic bias in fungal environmental clone library construction. <i>Environmental Microbiology</i> , 2007 , 9, 1329-34	5.2	58
18	The evolutionary history of mycorrhizal specificity among lady's slipper orchids. <i>Evolution; International Journal of Organic Evolution</i> , 2007 , 61, 1380-90	3.8	115
17	An empirical test of partner choice mechanisms in a wild legume-rhizobium interaction. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2006 , 273, 77-81	4.4	146
16	Beringian origins and cryptic speciation events in the fly agaric (Amanita muscaria). <i>Molecular Ecology</i> , 2006 , 15, 225-39	5.7	124
15	High specificity generally characterizes mycorrhizal association in rare lady's slipper orchids, genus Cypripedium. <i>Molecular Ecology</i> , 2005 , 14, 613-26	5.7	135
14	Evidence for mycorrhizal races in a cheating orchid. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2004 , 271, 35-43	4.4	81
13	Myco-heterotroph-fungus marriages - is fidelity over-rated?. New Phytologist, 2004, 163, 217-221	9.8	17
12	Detection of forest stand-level spatial structure in ectomycorrhizal fungal communities. <i>FEMS Microbiology Ecology</i> , 2004 , 49, 319-32	4.3	178
11	Divergence in mycorrhizal specialization within Hexalectris spicata (Orchidaceae), a nonphotosynthetic desert orchid. <i>American Journal of Botany</i> , 2003 , 90, 1168-79	2.7	125
10	Symbiotic germination and development of the myco-heterotrophic orchid Neottia nidus-avis in nature and its requirement for locally distributed Sebacina spp <i>New Phytologist</i> , 2002 , 154, 233-247	9.8	178
9	Host specificity in ectomycorrhizal communities: what do the exceptions tell us?. <i>Integrative and Comparative Biology</i> , 2002 , 42, 352-9	2.8	187
8	Partner choice in nitrogen-fixation mutualisms of legumes and rhizobia. <i>Integrative and Comparative Biology</i> , 2002 , 42, 369-80	2.8	127

7	single-strand conformation polymorphism and mitochondrial ribosomal large subunit DNA sequences. <i>Molecular Ecology</i> , 2001 , 10, 2089-93	5.7	74
6	Symbiotic germination and development of myco-heterotrophic plants in nature: ontogeny of Corallorhiza trifida and characterization of its mycorrhizal fungi. <i>New Phytologist</i> , 2000 , 145, 523-537	9.8	129
5	A new dawn Ithe ecological genetics of mycorrhizal fungi. New Phytologist, 2000, 147, 236-239	9.8	14
4	Population, habitat and genetic correlates of mycorrhizal specialization in the 'cheating' orchids corallorhiza maculata and C. mertensiana. <i>Molecular Ecology</i> , 1999 , 8, 1719-32	5.7	139
3	Community structure of ectomycorrhizal fungi in a Pinus muricata forest: minimal overlap between the mature forest and resistant propagule communities. <i>Molecular Ecology</i> , 1999 , 8, 1837-50	5.7	339
2	A sequence database for the identification of ectomycorrhizal basidiomycetes by phylogenetic analysis. <i>Molecular Ecology</i> , 1998 , 7, 257-272	5.7	253
1	Independent, specialized invasions of ectomycorrhizal mutualism by two nonphotosynthetic orchids. <i>Proceedings of the National Academy of Sciences of the United States of America</i> . 1997 . 94, 4510	-5 ^{11.5}	226