

Wei-Sheng Feng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5261435/publications.pdf>

Version: 2024-02-01

148
papers

1,786
citations

377584

21
h-index

511568

30
g-index

165
all docs

165
docs citations

165
times ranked

2025
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | A new flavonoid from the thorn of <i>Gleditsia sinensis</i> Lam. <i>Natural Product Research</i> , 2023, 37, 283-288. | 1.0 | 3 |
| 2 | Alkaloids from the stem of <i>Ephedra equisetina</i> . <i>Journal of Asian Natural Products Research</i> , 2023, 25, 238-244. | 0.7 | 2 |
| 3 | Two new guaianolide-type sesquiterpenoids with NO inhibitory activity from <i>Chrysanthemum indicum</i> . <i>Journal of Asian Natural Products Research</i> , 2023, 25, 316-323. | 0.7 | 4 |
| 4 | Renoprotective activity of a new amide and a new hydroxycinnamic acid derivative from the fresh roots of <i>Rehmannia glutinosa</i> . <i>Journal of Asian Natural Products Research</i> , 2022, 24, 163-169. | 0.7 | 4 |
| 5 | Oleic acid alleviates LPS-induced acute kidney injury by restraining inflammation and oxidative stress via the Ras/MAPKs/PPAR- γ signaling pathway. <i>Phytomedicine</i> , 2022, 94, 153818. | 2.3 | 34 |
| 6 | Bimetallic Cd/Zr-UiO-66 material as a turn-on/off probe for As ⁵⁺ /Fe ³⁺ in organic media. <i>Chemosphere</i> , 2022, 291, 132827. | 4.2 | 7 |
| 7 | An electrochemical biosensor based on ARGET ATRP with DSN-assisted target recycling for sensitive detection of tobacco mosaic virus RNA. <i>Bioelectrochemistry</i> , 2022, 144, 108037. | 2.4 | 12 |
| 8 | Diarylheptanoid glycosides from <i>Zingiber officinale</i> peel and their anti-apoptotic activity. <i>F\ddot{A}-totera\ddot{P}-$\ddot{A}$$\ddot{C}$</i> , 2022, 157, 105109. | 1.1 | 2 |
| 9 | Five new compounds from <i>Zingiberis Rhizoma Recens</i> and their anti-apoptotic activity. <i>Journal of Asian Natural Products Research</i> , 2022, , 1-10. | 0.7 | 0 |
| 10 | Four New Benzoylamide Derivatives Isolated from the Seeds of <i>Lepidium apetalum</i> Willd. and Ameliorated LPS-Induced NRK52e Cells via Nrf2/Keap1 Pathway. <i>Molecules</i> , 2022, 27, 722. | 1.7 | 2 |
| 11 | Cytotoxic Polyhydroxylated Oleanane Triterpenoids from <i>Cissampelos pareira</i> var. <i>hirsuta</i> . <i>Molecules</i> , 2022, 27, 1183. | 1.7 | 4 |
| 12 | LSD1 inhibitors from the roots of <i>Pueraria lobata</i> . <i>Journal of Asian Natural Products Research</i> , 2022, , 1-9. | 0.7 | 1 |
| 13 | Hypeisoxazole A, a Racemic Pair of Tetrahydroisoxazole-Fused Benzylisoquinoline Alkaloids from <i>Hypocoum erectum</i> and Structural Revision of Hypecoleptopine. <i>Organic Letters</i> , 2022, 24, 1476-1480. | 2.4 | 4 |
| 14 | Extract of <i>Coraliodiscus flabellata</i> attenuates renal fibrosis in SAMP8 mice via the Wnt/ β -catenin/RAS signaling pathway. <i>BMC Complementary Medicine and Therapies</i> , 2022, 22, 52. | 1.2 | 6 |
| 15 | Metabolomic strategies and biochemical analysis of the effect of processed <i>Rehmanniae radix</i> extract on a blood-deficient rat model. <i>BMC Complementary Medicine and Therapies</i> , 2022, 22, 89. | 1.2 | 4 |
| 16 | Pseudoephedrine Nanoparticles Alleviate Adriamycin-Induced Reproductive Toxicity Through the GnRhR Signaling Pathway. <i>International Journal of Nanomedicine</i> , 2022, Volume 17, 1549-1566. | 3.3 | 2 |
| 17 | Total flavonoids of <i>Selaginella tamariscina</i> (P.Beauv.) Spring ameliorates doxorubicin-induced cardiotoxicity by modulating mitochondrial dysfunction and endoplasmic reticulum stress via activating MFN2/PERK. <i>Phytomedicine</i> , 2022, 100, 154065. | 2.3 | 11 |
| 18 | Eriodictyol and Homoeriodictyol Improve Memory Impairment in A β ²⁵⁻³⁵ -Induced Mice by Inhibiting the NLRP3 Inflammasome. <i>Molecules</i> , 2022, 27, 2488. | 1.7 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Lignans and terpenoids from the stem of <i>Ephedra equisetina</i> Bunge. <i>Phytochemistry</i> , 2022, 200, 113230. | 1.4 | 3 |
| 20 | Structure elucidation of linear triquinane sesquiterpenoids, hirsutuminoids A-Q, from the fungus <i>Stereum hirsutum</i> and their activities. <i>Phytochemistry</i> , 2022, 200, 113227. | 1.4 | 3 |
| 21 | Ten undescribed diterpenoid quinones derived from the <i>Salvia miltiorrhiza</i> . <i>Phytochemistry</i> , 2022, 200, 113224. | 1.4 | 6 |
| 22 | Chemical Constituents from the Flowers of <i>Carthamus tinctorius</i> L. and Their Lung Protective Activity. <i>Molecules</i> , 2022, 27, 3573. | 1.7 | 5 |
| 23 | β -Sitosterol inhibits ovalbumin-induced asthma-related inflammation by regulating dendritic cells. <i>Immunopharmacology and Immunotoxicology</i> , 2022, 44, 1013-1021. | 1.1 | 4 |
| 24 | Sesquiterpenoids from <i>Artemisia argyi</i> and their NO production inhibitory activity in RAW264.7 cells. <i>Natural Product Research</i> , 2021, 35, 2887-2894. | 1.0 | 10 |
| 25 | Two new flavonoid glucosides from the fruits of <i>Sinopodophyllum hexandrum</i> . <i>Natural Product Research</i> , 2021, 35, 2164-2169. | 1.0 | 2 |
| 26 | Two new phenylpropanoids and a new dihydrostilbenoid from the flower buds of <i>Magnolia biondii</i> pamp and their acetylcholinesterase inhibitory activities. <i>Natural Product Research</i> , 2021, 35, 3233-3240. | 1.0 | 2 |
| 27 | Two new norsesquiterpenoids with estrogenic activity from the stems and leaves of <i>Dioscorea oppositifolia</i> L. <i>Natural Product Research</i> , 2021, 35, 3018-3025. | 1.0 | 9 |
| 28 | Anti-inflammatory Dendranacetylene A, a new polyacetylene glucoside from the flower of <i>Chrysanthemum morifolium</i> Ramat. <i>Natural Product Research</i> , 2021, 35, 5692-5698. | 1.0 | 6 |
| 29 | 1,10-seco guaianolide-type sesquiterpenoids from <i>Chrysanthemum indicum</i> . <i>Journal of Asian Natural Products Research</i> , 2021, 23, 877-883. | 0.7 | 5 |
| 30 | Qualitative analysis on chemical constituents from different polarity extracted fractions of the pulp and peel of ginger rhizomes by ultra-high performance liquid chromatography coupled with electrospray ionization quadrupole time-of-flight tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2021, 35, e9029. | 0.7 | 7 |
| 31 | De novo genome assembly of the potent medicinal plant <i>Rehmannia glutinosa</i> using nanopore technology. <i>Computational and Structural Biotechnology Journal</i> , 2021, 19, 3954-3963. | 1.9 | 26 |
| 32 | Saffloflavone, a new flavonoid from the flowers of <i>Carthamus tinctorius</i> L. and its cardioprotective activity. <i>Natural Product Research</i> , 2021, , 1-6. | 1.0 | 3 |
| 33 | Amentoflavone Ameliorates Memory Deficits and Abnormal Autophagy in $\text{A}\beta_{25-35}$ -Induced Mice by mTOR Signaling. <i>Neurochemical Research</i> , 2021, 46, 921-934. | 1.6 | 30 |
| 34 | Structure and absolute configuration assignments of ochracines F-L, chamigrane and cadinane sesquiterpenes from the basidiomycete <i>Steccherinum ochraceum</i> HFG119. <i>RSC Advances</i> , 2021, 11, 18693-18701. | 1.7 | 8 |
| 35 | Neuroinflammatory inhibitors from <i>Gardneria nutans</i> Siebold & Zuccarini. <i>RSC Advances</i> , 2021, 11, 27085-27091. | 1.7 | 5 |
| 36 | Two New Terpenoids From the Fruits of <i>Chaenomeles sinensis</i> (Thouin) Koehne. <i>Natural Product Communications</i> , 2021, 16, 1934578X2199615. | 0.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | In vitro Non-Small Cell Lung Cancer Inhibitory Effect by New Diphenylethane Isolated From Stems and Leaves of <i>Dioscorea oppositifolia</i> L. via ER ^{1/2} -STAT3 Pathway. <i>Frontiers in Pharmacology</i> , 2021, 12, 622681. | 1.6 | 4 |
| 38 | Arbutin attenuates LPS-induced acute kidney injury by inhibiting inflammation and apoptosis via the PI3K/Akt/Nrf2 pathway. <i>Phytomedicine</i> , 2021, 82, 153466. | 2.3 | 54 |
| 39 | Electrochemiluminescence immunosensor for cytokeratin fragment antigen 21-1 detection using electrochemically mediated atom transfer radical polymerization. <i>Mikrochimica Acta</i> , 2021, 188, 115. | 2.5 | 14 |
| 40 | Geniposide from <i>Gardenia jasminoides</i> var. <i>radicans</i> Makino Attenuates Myocardial Injury in Spontaneously Hypertensive Rats via Regulating Apoptotic and Energy Metabolism Signalling Pathway. <i>Drug Design, Development and Therapy</i> , 2021, Volume 15, 949-962. | 2.0 | 8 |
| 41 | Correlation analysis between extracts and endogenous metabolites to characterise the influence of salt-processing on compatibility mechanism of <i>Psoraleae Fructus</i> & <i>Foeniculi Fructus</i> . <i>Journal of Ethnopharmacology</i> , 2021, 270, 113782. | 2.0 | 5 |
| 42 | A UPLC-Q-TOF/MS-Based Metabolomics Study on the Effect of <i>Corallodiscus flabellatus</i> (Craib) B. L. Burt Extract on Alzheimer's Disease. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021, 2021, 1-11. | 0.5 | 1 |
| 43 | Acetone Extract of <i>Cornus officinalis</i> Leaves Exerts Anti-Melanoma Effects via Inhibiting STAT3 Signaling. <i>OncoTargets and Therapy</i> , 2021, Volume 14, 3487-3501. | 1.0 | 7 |
| 44 | The nephroprotective effects and mechanisms of rehmapicrogenin include ROS inhibition via an oestrogen-like pathway both in vivo and in vitro. <i>Biomedicine and Pharmacotherapy</i> , 2021, 138, 111305. | 2.5 | 10 |
| 45 | Comparative transcriptome analysis of the hyperaccumulator plant <i>Phytolacca americana</i> in response to cadmium stress. <i>3 Biotech</i> , 2021, 11, 327. | 1.1 | 14 |
| 46 | A new quinic acid derivative with α -glucosidase inhibitory activity from the fruit of <i>Gardenia jasminoides</i> J.Ellis. <i>Natural Product Research</i> , 2021, , 1-7. | 1.0 | 2 |
| 47 | Two New Coumarins from the Aerial Part of <i>Gendarussa vulgaris</i> . <i>Chemistry of Natural Compounds</i> , 2021, 57, 631-634. | 0.2 | 0 |
| 48 | Two new diarylheptanoids and a new phenylhexanol derivative from the bulbils of <i>Dioscorea opposita</i> Thunb. and their α -glucosidase inhibitory activity. <i>Phytochemistry Letters</i> , 2021, 44, 142-148. | 0.6 | 1 |
| 49 | Chemical constituents from <i>Gendarussa vulgaris</i> Nees and their chemotaxonomic significance. <i>Biochemical Systematics and Ecology</i> , 2021, 97, 104296. | 0.6 | 0 |
| 50 | Three New 2,2-Difurylketone Derivatives and Two New Chromones from the <i>Rehmanniae Radix Praeparata</i> . <i>Chemistry and Biodiversity</i> , 2021, 18, e2100237. | 1.0 | 3 |
| 51 | Structural characterization and immunomodulatory activities of two polysaccharides from <i>Rehmanniae Radix Praeparata</i> . <i>International Journal of Biological Macromolecules</i> , 2021, 186, 385-395. | 3.6 | 27 |
| 52 | Inhibitory activity of acteoside in melanoma via regulation of the ER ^{1/2} -Ras/Raf1-STAT3 pathway. <i>Archives of Biochemistry and Biophysics</i> , 2021, 710, 108978. | 1.4 | 9 |
| 53 | Two new flavonoids from the thorns of <i>Gleditsia sinensis</i> . <i>Phytochemistry Letters</i> , 2021, 45, 168-170. | 0.6 | 0 |
| 54 | Iridoid glycosides and lignans from the fruits of <i>Gardenia jasminoides</i> Eills. <i>Phytochemistry</i> , 2021, 190, 112893. | 1.4 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Photoinduced atom transfer radical polymerization combined with click chemistry for highly sensitive detection of tobacco mosaic virus RNA. <i>Talanta</i> , 2021, 235, 122803. | 2.9 | 11 |
| 56 | Lycibarbarines A–C, Three Tetrahydroquinoline Alkaloids Possessing a Spiro-Heterocycle Moiety from the Fruits of <i>Lycium barbarum</i> . <i>Organic Letters</i> , 2021, 23, 858-862. | 2.4 | 14 |
| 57 | Phenolic Compounds from Mori Cortex Ameliorate Sodium Oleate-Induced Epithelial–Mesenchymal Transition and Fibrosis in NRK-52e Cells through CD36. <i>Molecules</i> , 2021, 26, 6133. | 1.7 | 3 |
| 58 | Two new ionones from the fresh roots of <i>Rehmannia glutinosa</i> . <i>Phytochemistry Letters</i> , 2021, 46, 114-118. | 0.6 | 6 |
| 59 | Investigating the basis for the antidepressant effects of using an integrated metabolomic strategy. <i>Iranian Journal of Basic Medical Sciences</i> , 2021, 24, 524-530. | 1.0 | 1 |
| 60 | Fissisternoids A and B, two 2,5-quinodihydrochalcone-based meroterpenoid enantiomers with unusual carbon skeletons from <i>Fissistigma bracteolatum</i> . <i>Organic Chemistry Frontiers</i> , 2021, 9, 190-196. | 2.3 | 2 |
| 61 | Cytotoxic polyhydroxylated pregnane glycosides from <i>Cissampelos pareira</i> var. <i>hirsuta</i> . <i>RSC Advances</i> , 2021, 12, 498-508. | 1.7 | 4 |
| 62 | Solanubiellin A, a hydroanthraquinone dimer with antibacterial and cytotoxic activity from <i>Solanum lyratum</i> . <i>Natural Product Research</i> , 2020, 34, 3176-3181. | 1.0 | 10 |
| 63 | Four C-geranyl flavonoids from the flowers of <i>Paulownia fortunei</i> and their anti-inflammatory activity. <i>Natural Product Research</i> , 2020, 34, 3189-3198. | 1.0 | 12 |
| 64 | Ultrasensitive fluorescent detection of HTLV-II DNA based on magnetic nanoparticles and atom transfer radical polymerization signal amplification. <i>Talanta</i> , 2020, 207, 120290. | 2.9 | 20 |
| 65 | Dual signal amplification by polysaccharide and eATRP for ultrasensitive detection of CYFRA 21 DNA. <i>Biosensors and Bioelectronics</i> , 2020, 150, 111895. | 5.3 | 32 |
| 66 | Protopine Protects Mice against LPS-Induced Acute Kidney Injury by Inhibiting Apoptosis and Inflammation via the TLR4 Signaling Pathway. <i>Molecules</i> , 2020, 25, 15. | 1.7 | 46 |
| 67 | Oligosaccharides composition of <i>Descurainia sophia</i> exerts anti-heart failure by improving heart function and water-liquid metabolism in rats with heart failure. <i>Biomedicine and Pharmacotherapy</i> , 2020, 129, 110487. | 2.5 | 4 |
| 68 | A new bisepoxy lignan dendranlignan A isolated from <i>Chrysanthemum</i> Flower inhibits the production of inflammatory mediators via the TLR4 pathway in LPS-induced H9c2 cardiomyocytes. <i>Archives of Biochemistry and Biophysics</i> , 2020, 690, 108506. | 1.4 | 10 |
| 69 | Dual atom transfer radical polymerization for ultrasensitive electrochemical DNA detection. <i>Bioelectrochemistry</i> , 2020, 133, 107462. | 2.4 | 12 |
| 70 | A metabolomic study on the anti-depressive effects of two active components from <i>Chrysanthemum morifolium</i> . <i>Artificial Cells, Nanomedicine and Biotechnology</i> , 2020, 48, 718-727. | 1.9 | 12 |
| 71 | A New C13-Norisoprenoid from the Fruits of <i>Chaenomeles sinensis</i> . <i>Chemistry of Natural Compounds</i> , 2020, 56, 1064-1067. | 0.2 | 0 |
| 72 | Four New Prenylated Flavonoids from the Fruits of <i>Sinopodophyllum hexandrum</i> . <i>Chemistry of Natural Compounds</i> , 2020, 56, 827-831. | 0.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Geniposide in <i>Gardenia jasminoides</i> var. <i>radicans</i> Makino modulates blood pressure via inhibiting WNK pathway mediated by the estrogen receptors. <i>Journal of Pharmacy and Pharmacology</i> , 2020, 72, 1956-1969. | 1.2 | 6 |
| 74 | Iridoid glycosides isolated from <i>Nardostachys chinensis</i> Batal with NO production inhibitory activity. <i>Natural Product Research</i> , 2020, , 1-7. | 1.0 | 1 |
| 75 | Acacetin improves endothelial dysfunction and aortic fibrosis in insulin-resistant SHR rats by estrogen receptors. <i>Molecular Biology Reports</i> , 2020, 47, 6899-6918. | 1.0 | 24 |
| 76 | NBS-activated cross-dehydrogenative esterification of carboxylic acids with DMSO. <i>Organic Chemistry Frontiers</i> , 2020, 7, 2719-2724. | 2.3 | 7 |
| 77 | Taxifolin improves disorders of glucose metabolism and water-salt metabolism in kidney via PI3K/AKT signaling pathway in metabolic syndrome rats. <i>Life Sciences</i> , 2020, 263, 118713. | 2.0 | 27 |
| 78 | Effect of processing on the reduction of pesticide residues in a traditional Chinese medicine (TCM). <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2020, 37, 1156-1164. | 1.1 | 13 |
| 79 | Alkaloids and lignans with acetylcholinesterase inhibitory activity from the flower buds of <i>Magnolia biondii</i> Pamp. <i>New Journal of Chemistry</i> , 2020, 44, 10309-10316. | 1.4 | 10 |
| 80 | Raw and salt-processed <i>Achyranthes bidentata</i> attenuate LPS-induced acute kidney injury by inhibiting ROS and apoptosis via an estrogen-like pathway. <i>Biomedicine and Pharmacotherapy</i> , 2020, 129, 110403. | 2.5 | 43 |
| 81 | Duzhong Butiansu Prescription Improves Heat Stress-Induced Spermatogenic Dysfunction by Regulating Sperm Formation and Heat Stress Pathway. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-11. | 0.5 | 6 |
| 82 | <i>Corallodiscus flabellata</i> B.L. Burt Extracts Stimulate Diuretic Activity and Regulate the Renal Expression of Aquaporins. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-10. | 0.5 | 4 |
| 83 | Renoprotective Mono- and Triterpenoids from the Fruit of <i>Gardenia jasminoides</i> . <i>Journal of Natural Products</i> , 2020, 83, 1118-1130. | 1.5 | 16 |
| 84 | Helveticoside Exhibited p53-dependent Anticancer Activity Against Colorectal Cancer. <i>Archives of Medical Research</i> , 2020, 51, 224-232. | 1.5 | 8 |
| 85 | Effect of phenylacetamide isolated from <i>Lepidium apetalum</i> on myocardial injury in spontaneously hypertensive rats and its possible mechanism. <i>Pharmaceutical Biology</i> , 2020, 58, 597-609. | 1.3 | 2 |
| 86 | Oleanolic acid derivative isolated from <i>Gardenia jasminoides</i> var. <i>radicans</i> alleviates LPS-induced acute kidney injury in mice by reducing oxidative stress and inflammatory responses via the TLR4/NF- κ B/NLRP3 signaling pathway. <i>New Journal of Chemistry</i> , 2020, 44, 2091-2101. | 1.4 | 9 |
| 87 | 5-O-methyl-dihydroquercetin and ciliacine B isolated from <i>Spina Gleditsiae</i> ameliorate lipopolysaccharide-induced acute kidney injury in mice by inhibiting inflammation and oxidative stress via the TLR4/MyD88/TRIF/NLRP3 signaling pathway. <i>International Immunopharmacology</i> , 2020, 80, 106194. | 1.7 | 18 |
| 88 | Isolation of endophytic bacteria from <i>Rehmannia glutinosa</i> Libosch and their potential to promote plant growth. <i>Journal of General and Applied Microbiology</i> , 2020, 66, 279-288. | 0.4 | 13 |
| 89 | B. L. Burt extract alleviates lipopolysaccharide/D-galactosamine-induced acute liver failure and brain injury by inhibiting oxidative stress, apoptosis, and inflammation. <i>Iranian Journal of Basic Medical Sciences</i> , 2020, 23, 1445-1452. | 1.0 | 2 |
| 90 | Antihyperlipidemic glycosides from the root bark of <i>Lycium chinense</i> . <i>Natural Product Research</i> , 2019, 33, 2655-2661. | 1.0 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Integrated metabolomics and 16S rRNA sequencing to investigate the regulation of Chinese yam on antibiotic-induced intestinal dysbiosis in rats. <i>Artificial Cells, Nanomedicine and Biotechnology</i> , 2019, 47, 3382-3390. | 1.9 | 17 |
| 92 | Dual Roles of <i>tert</i> -Butyl Nitrite in the Transition Metal- and External Oxidant-Free Trifluoromethyloximation of Alkenes. <i>ChemSusChem</i> , 2019, 12, 3960-3966. | 3.6 | 17 |
| 93 | Ochracines A-E, chamigrane-related norsesquiterpene derivatives from the basidiomycete <i>Steccherinum ochraceum</i> HFG119. <i>Fungal Biotechnology</i> , 2019, 139, 104362. | 1.1 | 4 |
| 94 | An electrochemical aptasensor based on eATRP amplification for the detection of bisphenol A. <i>Analyst</i> , 2019, 144, 5691-5699. | 1.7 | 15 |
| 95 | The protective effect and mechanism of catalpol on high glucose-induced podocyte injury. <i>BMC Complementary and Alternative Medicine</i> , 2019, 19, 244. | 3.7 | 35 |
| 96 | Sixteen New Prenylated Flavonoids from the Fruit of <i>Sinopodophyllum hexandrum</i> . <i>Molecules</i> , 2019, 24, 3196. | 1.7 | 12 |
| 97 | Quantitative analysis, pharmacokinetics and metabolomics study for the comprehensive characterization of the salt-processing mechanism of <i>Psoraleae Fructus</i> . <i>Scientific Reports</i> , 2019, 9, 661. | 1.6 | 11 |
| 98 | Adenosine Attenuates LPS-Induced Cardiac Dysfunction by Inhibition of Mitochondrial Function via the ER Pathway. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019, 2019, 1-10. | 0.5 | 8 |
| 99 | Antidiabetic Activity and Potential Mechanism of Amentoflavone in Diabetic Mice. <i>Molecules</i> , 2019, 24, 2184. | 1.7 | 36 |
| 100 | Rosmarinic inhibits cell proliferation, invasion and migration via up-regulating miR-506 and suppressing MMP2/16 expression in pancreatic cancer. <i>Biomedicine and Pharmacotherapy</i> , 2019, 115, 108878. | 2.5 | 36 |
| 101 | Integrating strategies of chemistry, biochemistry and metabolomics for characterization of the medication principle of "treating cold/heat syndrome with hot/cold herbs". <i>Journal of Ethnopharmacology</i> , 2019, 239, 111899. | 2.0 | 22 |
| 102 | Six New Coumarin Glycosides from the Aerial Parts of <i>Gendarussa vulgaris</i> . <i>Molecules</i> , 2019, 24, 1456. | 1.7 | 10 |
| 103 | Iridium(III)-Catalyzed C-H Amidation of Nitrones with Dioxazolones. <i>Journal of Organic Chemistry</i> , 2019, 84, 5305-5312. | 1.7 | 27 |
| 104 | Chinese yam extract and adenosine attenuated LPS-induced cardiac dysfunction by inhibiting RAS and apoptosis via the ER-mediated activation of SHC/Ras/Raf1 pathway. <i>Phytomedicine</i> , 2019, 61, 152857. | 2.3 | 17 |
| 105 | Catalpol Ameliorates Podocyte Injury by Stabilizing Cytoskeleton and Enhancing Autophagy in Diabetic Nephropathy. <i>Frontiers in Pharmacology</i> , 2019, 10, 1477. | 1.6 | 43 |
| 106 | Unusual constituents from the medicinal mushroom <i>Ganoderma lingzhi</i> . <i>RSC Advances</i> , 2019, 9, 36931-36939. | 1.7 | 6 |
| 107 | Epigenetic Targets and their Inhibitors in Cancer Therapy. <i>Current Topics in Medicinal Chemistry</i> , 2019, 18, 2395-2419. | 1.0 | 33 |
| 108 | Different meridian tropism in three Chinese medicines: Tinglizi (Semen <i>Lepidii Apetali</i>), Yiyiren (Semen) <i>Tj ETQq0 0 0 rgBT /Overlock 10 T</i> | 0.1 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Ethanol extract of <i>Rehmannia glutinosa</i> exerts antidepressant-like effects on a rat chronic unpredictable mild stress model by involving monoamines and BDNF. <i>Metabolic Brain Disease</i> , 2018, 33, 885-892. | 1.4 | 30 |
| 110 | Two new phenolic constituents from the root bark of <i>Morus alba</i> L. and their cardioprotective activity. <i>Natural Product Research</i> , 2018, 32, 391-398. | 1.0 | 18 |
| 111 | Homoisoflavanones with estrogenic activity from the rhizomes of <i>Polygonatum sibiricum</i> . <i>Journal of Asian Natural Products Research</i> , 2018, 20, 92-100. | 0.7 | 12 |
| 112 | Lepidiumuridine A: A New Natural Uridine Derivative as a Phytoestrogen Isolated from the Seeds of <i>Lepidium apetalum</i> Willd.. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018, 2018, 1-7. | 0.5 | 2 |
| 113 | An integrated metabolomic strategy for the characterization of the effects of Chinese yam and its three active components on septic cardiomyopathy. <i>Food and Function</i> , 2018, 9, 4989-4997. | 2.1 | 14 |
| 114 | 2-Phenylacetamide Isolated from the Seeds of <i>Lepidium apetalum</i> and Its Estrogen-Like Effects In Vitro and In Vivo. <i>Molecules</i> , 2018, 23, 2293. | 1.7 | 15 |
| 115 | Two New Biflavonoids from the Roots and Rhizomes of <i>Sinopodophyllum emodi</i> . <i>Chemistry of Natural Compounds</i> , 2018, 54, 649-653. | 0.2 | 3 |
| 116 | Uridine derivatives from the seeds of <i>Lepidium apetalum</i> Willd. and their estrogenic effects. <i>Phytochemistry</i> , 2018, 155, 45-52. | 1.4 | 11 |
| 117 | Estrogenic Effects of the Extracts from the Chinese Yam (<i>Dioscorea opposita</i> Thunb.) and Its Effective Compounds in Vitro and in Vivo. <i>Molecules</i> , 2018, 23, 11. | 1.7 | 57 |
| 118 | Mechanism of the diuretic activity of <i>Descurainia sophia</i> seed. <i>Bangladesh Journal of Pharmacology</i> , 2018, 13, 157. | 0.1 | 2 |
| 119 | Phenolic constituents from the root bark of <i>Morus alba</i> L. and their cardioprotective activity in vitro. <i>Phytochemistry</i> , 2017, 135, 128-134. | 1.4 | 21 |
| 120 | Lignanamides with potent antihyperlipidemic activities from the root bark of <i>Lycium chinense</i> . <i>FA-toterap</i> , 2017, 122, 119-125. | 1.1 | 25 |
| 121 | Two Sulfur Glycoside Compounds Isolated from <i>Lepidium apetalum</i> Willd Protect NRK52e Cells against Hypertonic-Induced Adhesion and Inflammation by Suppressing the MAPK Signaling Pathway and RAAS. <i>Molecules</i> , 2017, 22, 1956. | 1.7 | 12 |
| 122 | A Metabolomics-Based Strategy for the Mechanism Exploration of Traditional Chinese Medicine: <i>Descurainia sophia</i> Seeds Extract and Fractions as a Case Study. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017, 2017, 1-11. | 0.5 | 16 |
| 123 | Four New Monoterpenoid Glycosides from the Flower Buds of <i>Magnolia biondii</i> . <i>Molecules</i> , 2016, 21, 728. | 1.7 | 7 |
| 124 | The Mechanism by Which Amentoflavone Improves Insulin Resistance in HepG2 Cells. <i>Molecules</i> , 2016, 21, 624. | 1.7 | 36 |
| 125 | Three new sulphur glycosides from the seeds of <i>Descurainia sophia</i> . <i>Natural Product Research</i> , 2016, 30, 1675-1681. | 1.0 | 13 |
| 126 | Extractions of Oil from <i>Descurainia sophia</i> Seed Using Supercritical CO ₂ , Chemical Compositions by GC-MS and Evaluation of the Anti-Tussive, Expectorant and Anti-Asthmatic Activities. <i>Molecules</i> , 2015, 20, 13296-13312. | 1.7 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | A New Ionone Glycoside and Three New Rhemaneolignans from the Roots of <i>Rehmannia glutinosa</i> . <i>Molecules</i> , 2015, 20, 15192-15201. | 1.7 | 14 |
| 128 | Study on Enhancing the Slurry Performance of Coal-Water Slurry Prepared with Low-Rank Coal. <i>Journal of Dispersion Science and Technology</i> , 2015, 36, 1247-1256. | 1.3 | 24 |
| 129 | BDNF and COX-2 participate in anti-depressive mechanisms of catalpol in rats undergoing chronic unpredictable mild stress. <i>Physiology and Behavior</i> , 2015, 151, 360-368. | 1.0 | 56 |
| 130 | Two new ionone glycosides from the roots of <i>Rehmannia glutinosa</i> Libosch.. <i>Natural Product Research</i> , 2015, 29, 59-63. | 1.0 | 20 |
| 131 | A new kaempferol trioside from <i>Silphium perfoliatum</i> . <i>Journal of Asian Natural Products Research</i> , 2014, 16, 393-399. | 0.7 | 10 |
| 132 | Adsorption separation of CO ₂ and N ₂ on MIL-101 metal-organic framework and activated carbon. <i>Journal of the Iranian Chemical Society</i> , 2014, 11, 741-749. | 1.2 | 11 |
| 133 | Isolation of two new prenylated flavonoids from <i>Sinopodophyllum emodi</i> fruit by silica gel column and high-speed counter-current chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 969, 190-198. | 1.2 | 28 |
| 134 | Sinensioside A, a new sesquiligann glycoside from <i>Selaginella sinensis</i> . <i>Chinese Journal of Natural Medicines</i> , 2014, 12, 148-150. | 0.7 | 7 |
| 135 | Three new ursane-type triterpenes from the leaves of <i>Rehmannia glutinosa</i> . <i>Fä-toterapÄ-Äç</i> , 2013, 89, 15-19. | 1.1 | 21 |
| 136 | A new megastigmane from fresh roots of <i>Rehmannia glutinosa</i> . <i>Acta Pharmaceutica Sinica B</i> , 2013, 3, 333-336. | 5.7 | 8 |
| 137 | A new acylated flavonol glycoside from the aerial parts of <i>Cardamine tangutorum</i> . <i>Journal of Asian Natural Products Research</i> , 2012, 14, 805-810. | 0.7 | 6 |
| 138 | Two new C-glycosylflavones from <i>Boea hygrometrica</i> . <i>Journal of Asian Natural Products Research</i> , 2011, 13, 618-623. | 0.7 | 8 |
| 139 | Three new flavonoid glycosides from <i>Pinus tabulaeformis</i> Carr. <i>Journal of Asian Natural Products Research</i> , 2011, 13, 36-41. | 0.7 | 2 |
| 140 | Two new dihydrobenzofuran lignans from <i>Rabdosia lophanthoides</i> (Buch.-Ham.ex D.Don) Hara. <i>Journal of Asian Natural Products Research</i> , 2010, 12, 557-561. | 0.7 | 14 |
| 141 | Chemical constituents of <i>Saxifraga stolonifera</i> (L.) Meeb. <i>Yaoxue Xuebao</i> , 2010, 45, 742-6. | 0.2 | 1 |
| 142 | Two new secolignans from <i>Selaginella sinensis</i> (Desv.) Spring. <i>Journal of Asian Natural Products Research</i> , 2009, 11, 658-662. | 0.7 | 22 |
| 143 | Chemical constituents from the leaves of <i>Broussonetia papyrifera</i> . <i>Yaoxue Xuebao</i> , 2008, 43, 173-80. | 0.2 | 1 |
| 144 | Chemical constituents from leaves of <i>Celastrus gemmatus</i> Loes. <i>Yaoxue Xuebao</i> , 2007, 42, 625-30. | 0.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Flavanone O-glycosides from the rhizomes of <i>Dryopteris sublaeta</i> . <i>Yaoxue Xuebao</i> , 2007, 42, 867-71. | 0.2 | 3 |
| 146 | A new flavanone from <i>Dryopteris sublaeta</i> . <i>Yaoxue Xuebao</i> , 2005, 40, 443-6. | 0.2 | 2 |
| 147 | A new stilbene glycoside from <i>Dryopteris sublaeta</i> . <i>Yaoxue Xuebao</i> , 2005, 40, 1131-4. | 0.2 | 2 |
| 148 | Enolase, a cadmium resistance related protein from hyperaccumulator plant <i>Phytolacca americana</i> , increase the tolerance of <i>Escherichia coli</i> to cadmium stress. <i>International Journal of Phytoremediation</i> , 0, , 1-10. | 1.7 | 1 |