

Ana Juan-Garcia

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5261734/ana-juan-garcia-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82
papers

2,497
citations

30
h-index

48
g-index

95
ext. papers

2,885
ext. citations

4.6
avg, IF

5.48
L-index

#	Paper	IF	Citations
82	Development of an Extraction Method of Aflatoxins and Ochratoxin A from Oral, Gastric and Intestinal Phases of Digested Bread by In Vitro Model.. <i>Toxins</i> , 2022 , 14,	4.9	2
81	Biological Mechanisms behind Wischnewsky Spots Finding on Gastric Mucosa: Autopsy Cases and Literature Review.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	0
80	Effects of Voghiera garlic extracts in neuronal human cell line against zearalenone's derivates and beauvericin.. <i>Food and Chemical Toxicology</i> , 2022 , 162, 112905	4.7	0
79	Multimycotoxin Analysis in Oat, Rice, Almond and Soy Beverages by Liquid Chromatography-Tandem Mass Spectrometry. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 3942	2.6	1
78	Biomarkers of Exposure to Zearalenone in In Vivo and In Vitro Studies. <i>Toxins</i> , 2022 , 14, 291	4.9	1
77	Effectiveness of beetroot extract in SH-SY5Y neuronal cell protection against Fumonisin B1, Ochratoxin A and its combination. <i>Food and Chemical Toxicology</i> , 2022 , 113164	4.7	0
76	Protective Effects of the Hydroethanolic Extract of on Undifferentiated Human Neuroblastoma Cells Exposed to Zearalenol (ZEL) and Zearalenol (ZEL). <i>Toxins</i> , 2021 , 13,	4.9	1
75	Antioxidant and Anti-Inflammatory Profiles of Spent Coffee Ground Extracts for the Treatment of Neurodegeneration. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 6620913	6.7	6
74	Neurotoxicity of zearalenone's metabolites and beauvericin mycotoxins via apoptosis and cell cycle disruption. <i>Toxicology</i> , 2021 , 456, 152784	4.4	4
73	Cytoprotection assessment against mycotoxins on HepG2 cells by extracts from <i>Allium sativum</i> L. <i>Food and Chemical Toxicology</i> , 2021 , 151, 112129	4.7	5
72	Study of enzymatic activity in human neuroblastoma cells SH-SY5Y exposed to zearalenone's derivates and beauvericin. <i>Food and Chemical Toxicology</i> , 2021 , 152, 112227	4.7	3
71	Extraction of Phenolic Compounds from Fresh Apple Pomace by Different Non-Conventional Techniques. <i>Molecules</i> , 2021 , 26,	4.8	8
70	Study of locomotion response and development in zebrafish (<i>Danio rerio</i>) embryos and larvae exposed to enniatin A, enniatin B, and beauvericin. <i>Science of the Total Environment</i> , 2021 , 777, 146075	10.2	5
69	Multi-mycotoxin contamination of green tea infusion and dietary exposure assessment in Moroccan population. <i>Food Research International</i> , 2021 , 140, 109958	7	7
68	Coffee Silverskin and Spent Coffee Suitable as Neuroprotectors against Cell Death by Beauvericin and Zearalenol: Evaluating Strategies of Treatment. <i>Toxins</i> , 2021 , 13,	4.9	3
67	Occurrence of Free and Conjugated Mycotoxins in Aromatic and Medicinal Plants and Dietary Exposure Assessment in the Moroccan Population. <i>Toxins</i> , 2021 , 13,	4.9	2
66	Evaluation of Mycotoxins in Infant Breast Milk and Infant Food, Reviewing the Literature Data. <i>Toxins</i> , 2021 , 13,	4.9	3

65	Emerging contaminants and priority substances in marine sediments from Cartagena Bay and the Grand Marsh of Santa Marta (Ramsar site), Colombia. <i>Environmental Monitoring and Assessment</i> , 2021 , 193, 596	3.1	4
64	Phenolic Acids from <i>Lycium barbarum</i> Leaves: In Vitro and In Silico Studies of the Inhibitory Activity against Porcine Pancreatic α -Amylase. <i>Processes</i> , 2020 , 8, 1388	2.9	7
63	Multiple Mycotoxin Determination on Tunisian Cereals-Based Food and Evaluation of the Population Exposure. <i>Food Analytical Methods</i> , 2020 , 13, 1271-1281	3.4	15
62	Beauvericin and ochratoxin A mycotoxins individually and combined in HepG2 cells alter lipid peroxidation, levels of reactive oxygen species and glutathione. <i>Food and Chemical Toxicology</i> , 2020 , 139, 111247	4.7	14
61	Larval zebrafish as an in vitro model for evaluating toxicological effects of mycotoxins. <i>Ecotoxicology and Environmental Safety</i> , 2020 , 202, 110909	7	9
60	Mycotoxins presence in pre- and post-fermented silage from Tunisia. <i>Arabian Journal of Chemistry</i> , 2020 , 13, 6753-6761	5.9	6
59	Individual and Combined Effect of Zearalenone Derivates and Beauvericin Mycotoxins on SH-SY5Y Cells. <i>Toxins</i> , 2020 , 12,	4.9	19
58	Chemoprotective effect of carotenoids from <i>Lycium barbarum</i> L. on SH-SY5Y neuroblastoma cells treated with beauvericin. <i>Food and Chemical Toxicology</i> , 2020 , 141, 111414	4.7	14
57	In silico methods for metabolomic and toxicity prediction of zearalenone, β -zearalenone and α -zearalenone. <i>Food and Chemical Toxicology</i> , 2020 , 146, 111818	4.7	15
56	Reducing the effect of beauvericin on neuroblastoma SH-SY5Y cell line by natural products. <i>Toxicon</i> , 2020 , 188, 164-171	2.8	4
55	Oxidative stress, glutathione, and gene expression as key indicators in SH-SY5Y cells exposed to zearalenone metabolites and beauvericin. <i>Toxicology Letters</i> , 2020 , 334, 44-52	4.4	13
54	Does low concentration mycotoxin exposure induce toxicity in HepG2 cells through oxidative stress?. <i>Toxicology Mechanisms and Methods</i> , 2020 , 30, 417-426	3.6	7
53	Cytoprotective effects of carotenoids-rich extract from <i>Lycium barbarum</i> L. on the beauvericin-induced cytotoxicity on Caco-2 cells. <i>Food and Chemical Toxicology</i> , 2019 , 133, 110798	4.7	15
52	Cytotoxicity, Genotoxicity and Disturbance of Cell Cycle in HepG2 Cells Exposed to OTA and BEA: Single and Combined Actions. <i>Toxins</i> , 2019 , 11,	4.9	30
51	Study on Trichothecene and Zearalenone Presence in Romanian Wheat Relative to Weather Conditions. <i>Toxins</i> , 2019 , 11,	4.9	20
50	Effects of deoxynivalenol, 3-acetyl-deoxynivalenol and 15-acetyl-deoxynivalenol on parameters associated with oxidative stress in HepG2 cells. <i>Mycotoxin Research</i> , 2019 , 35, 197-205	4	30
49	Multimycotoxin Determination in Tunisian Farm Animal Feed. <i>Journal of Food Science</i> , 2019 , 84, 3885-3893	3.4	18
48	Transfer of <i>Fusarium</i> mycotoxins from malt to boiled wort. <i>Food Chemistry</i> , 2019 , 278, 700-710	8.5	8

47	Beauvericin and enniatin B effects on a human lymphoblastoid Jurkat T-cell model. <i>Food and Chemical Toxicology</i> , 2018 , 115, 127-135	4.7	24
46	Micronucleus induction and cell cycle alterations produced by deoxynivalenol and its acetylated derivatives in individual and combined exposure on HepG2 cells. <i>Food and Chemical Toxicology</i> , 2018 , 118, 719-725	4.7	15
45	First study on trichothecene and zearalenone exposure of the Romanian population through wheat-based products consumption. <i>Food and Chemical Toxicology</i> , 2018 , 121, 336-342	4.7	15
44	Analysis of enniatins and beauvericin by LC-MS/MS in wheat-based products. <i>CYTA - Journal of Food</i> , 2017 , 15, 433-440	2.3	8
43	Climatic conditions influence emerging mycotoxin presence in wheat grown in Romania A 2-year survey. <i>Crop Protection</i> , 2017 , 100, 124-133	2.7	18
42	Determination of mycotoxins in fruit berry by-products using QuEChERS extraction method. <i>LWT - Food Science and Technology</i> , 2017 , 86, 344-351	5.4	33
41	Occurrence and co-occurrence of Fusarium mycotoxins in wheat grains and wheat flour from Romania. <i>Food Control</i> , 2017 , 73, 147-155	6.2	60
40	Presence of Enniatins and Beauvericin in Romanian Wheat Samples: From Raw Material to Products for Direct Human Consumption. <i>Toxins</i> , 2017 , 9,	4.9	30
39	Mechanisms of beauvericin toxicity and antioxidant cellular defense. <i>Toxicology Letters</i> , 2016 , 246, 28-34	4.4	40
38	Alternariol induce toxicity via cell death and mitochondrial damage on Caco-2 cells. <i>Food and Chemical Toxicology</i> , 2016 , 88, 32-9	4.7	22
37	Rapid Quantification Method of Three Alternaria Mycotoxins in Strawberries. <i>Food Analytical Methods</i> , 2016 , 9, 1573-1579	3.4	11
36	Simultaneous analysis of twenty-six mycotoxins in durum wheat grain from Italy. <i>Food Control</i> , 2016 , 62, 322-329	6.2	72
35	Blood, breast milk and urine: potential biomarkers of exposure and estimated daily intake of ochratoxin A: a review. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2016 , 33, 313-28	3.2	11
34	Development and Validation of a LC-ESI-MS/MS Method for the Determination of Alternaria Toxins Alternariol, Alternariol Methyl-Ether and Tentoxin in Tomato and Tomato-Based Products. <i>Toxins</i> , 2016 , 8,	4.9	41
33	Binary and tertiary combination of alternariol, 3-acetyl-deoxynivalenol and 15-acetyl-deoxynivalenol on HepG2 cells: Toxic effects and evaluation of degradation products. <i>Toxicology in Vitro</i> , 2016 , 34, 264-273	3.6	26
32	Evaluation of Alternaria mycotoxins in strawberries: quantification and storage condition. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2016 , 33, 861-8	3.2	16
31	Cytotoxic effects and degradation products of three mycotoxins: alternariol, 3-acetyl-deoxynivalenol and 15-acetyl-deoxynivalenol in liver hepatocellular carcinoma cells. <i>Toxicology Letters</i> , 2015 , 235, 8-16	4.4	30
30	Enniatin A1, enniatin B1 and beauvericin on HepG2: Evaluation of toxic effects. <i>Food and Chemical Toxicology</i> , 2015 , 84, 188-96	4.7	23

29	Fusarium species, chemotype characterisation and trichothecene contamination of durum and soft wheat in an area of central Italy. <i>Journal of the Science of Food and Agriculture</i> , 2015 , 95, 540-51	4.3	87
28	Presence of mycotoxin in commercial infant formulas and baby foods from Italian market. <i>Food Control</i> , 2014 , 39, 227-236	6.2	95
27	Presence of ochratoxin A (OTA) mycotoxin in alcoholic drinks from southern European countries: wine and beer. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 7643-51	5.7	54
26	Evaluation of immunologic effect of Enniatin A and quantitative determination in feces, urine and serum on treated Wistar rats. <i>Toxicol</i> , 2014 , 87, 45-53	2.8	29
25	Emerging mycotoxins: enniatins (A, A1, B and B1) and beauvericin 2014 , 68-89		1
24	Beauvericin-induced cytotoxicity via ROS production and mitochondrial damage in Caco-2 cells. <i>Toxicology Letters</i> , 2013 , 222, 204-11	4.4	82
23	Involvement of enniatins-induced cytotoxicity in human HepG2 cells. <i>Toxicology Letters</i> , 2013 , 218, 166-74	4.4	46
22	Reactive oxygen species involvement in apoptosis and mitochondrial damage in Caco-2 cells induced by enniatins A, A ₁ and B ₁ . <i>Toxicology Letters</i> , 2013 , 222, 36-44	4.4	49
21	Evaluation of beauvericin and enniatins in Italian cereal products and multicereal food by liquid chromatography coupled to triple quadrupole mass spectrometry. <i>Food Chemistry</i> , 2013 , 140, 755-62	8.5	63
20	Occurrence of Fusarium mycotoxins in Italian cereal and cereal products from organic farming. <i>Food Chemistry</i> , 2013 , 141, 1747-55	8.5	91
19	Applications of flow cytometry to toxicological mycotoxin effects in cultured mammalian cells: a review. <i>Food and Chemical Toxicology</i> , 2013 , 56, 40-59	4.7	25
18	Differential mitochondrial toxicity screening and multi-parametric data analysis. <i>PLoS ONE</i> , 2012 , 7, e45226	4.7	35
17	Determination of trichothecenes and zearalenones in grain cereal, flour and bread by liquid chromatography tandem mass spectrometry. <i>Food Chemistry</i> , 2012 , 134, 2389-97	8.5	77
16	Toxicological interactions between the mycotoxins beauvericin, deoxynivalenol and T-2 toxin in CHO-K1 cells in vitro. <i>Toxicol</i> , 2011 , 58, 315-26	2.8	74
15	Cytotoxic effects of mycotoxin combinations in mammalian kidney cells. <i>Food and Chemical Toxicology</i> , 2011 , 49, 2718-24	4.7	83
14	Determination of macrolide and lincosamide antibiotics by pressurised liquid extraction and liquid chromatography-tandem mass spectrometry in meat and milk. <i>Food Control</i> , 2010 , 21, 1703-1709	6.2	45
13	Pressurised liquid extraction and capillary electrophoresis-mass spectrometry for the analysis of pesticide residues in fruits from Valencian markets, Spain. <i>Food Chemistry</i> , 2010 , 120, 1242-1249	8.5	39
12	Nanoelectrospray with ion-trap mass spectrometry for the determination of beta-casomorphins in derived milk products. <i>Talanta</i> , 2009 , 80, 294-306	6.2	17

11	Reactive oxygen species induced by beauvericin, patulin and zearalenone in CHO-K1 cells. <i>Toxicology in Vitro</i> , 2009 , 23, 1504-9	3.6	135
10	Simultaneous determination of different classes of antibiotics in fish and livestock by CE-MS. <i>Electrophoresis</i> , 2007 , 28, 4180-91	3.6	58
9	On-line preconcentration strategies for analyzing pesticides in fruits and vegetables by micellar electrokinetic chromatography. <i>Journal of Chromatography A</i> , 2007 , 1153, 104-13	4.5	33
8	Pressurized liquid extraction combined with capillary electrophoresis-mass spectrometry as an improved methodology for the determination of sulfonamide residues in meat. <i>Journal of Chromatography A</i> , 2007 , 1159, 233-41	4.5	99
7	Determination of quinolone residues in chicken and fish by capillary electrophoresis-mass spectrometry. <i>Electrophoresis</i> , 2006 , 27, 2240-9	3.6	81
6	Residues and persistence of neem formulations on strawberry after field treatment. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 10026-32	5.7	41
5	Accelerated solvent extraction of ochratoxin a from rice samples. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 9348-51	5.7	24
4	Quantitative analysis of six pesticides in fruits by capillary electrophoresis-electrospray-mass spectrometry. <i>Electrophoresis</i> , 2005 , 26, 1550-61	3.6	45
3	Determination of organic contaminants in food by capillary electrophoresis. <i>Journal of Separation Science</i> , 2005 , 28, 793-812	3.4	39
2	Capillary electrophoresis for analyzing pesticides in fruits and vegetables using solid-phase extraction and stir-bar sorptive extraction. <i>Journal of Chromatography A</i> , 2005 , 1073, 229-36	4.5	87
1	Evaluation of solid-phase extraction and stir-bar sorptive extraction for the determination of fungicide residues at low-microg kg(-1) levels in grapes by liquid chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2004 , 1050, 119-27	4.5	65