Simon Rogers

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5262477/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	Survival following primary surgery for oral cancer. Oral Oncology, 2009, 45, 201-211.	0.8	353
2	The addition of mood and anxiety domains to the University of Washington quality of life scale. Head and Neck, 2002, 24, 521-529.	0.9	343
3	The prognostic implications of the surgical margin in oral squamous cell carcinoma. International Journal of Oral and Maxillofacial Surgery, 2003, 32, 30-34.	0.7	315
4	A modified classification for the maxillectomy defect. , 2000, 22, 17-26.		287
5	Cervical lymph node metastasis in oral cancer: the importance of even microscopic extracapsular spread. Oral Oncology, 2003, 39, 130-137.	0.8	227
6	Health-Related Quality of Life in Oral Cancer: A Review. Journal of Oral and Maxillofacial Surgery, 2006, 64, 495-502.	0.5	212
7	A structured review and theme analysis of papers published on â€~quality of life' in head and neck cancer: 2000–2005. Oral Oncology, 2007, 43, 843-868.	0.8	202
8	Promoter methylation of P16, RARβ, E-cadherin, cyclin A1 and cytoglobin in oral cancer: quantitative evaluation using pyrosequencing. British Journal of Cancer, 2006, 94, 561-568.	2.9	199
9	Health-related quality of life after maxillectomy: A comparison between prosthetic obturation and free flap. Journal of Oral and Maxillofacial Surgery, 2003, 61, 174-181.	0.5	197
10	Factors that influence the outcome of salvage in free tissue transfer. British Journal of Oral and Maxillofacial Surgery, 2003, 41, 16-20.	0.4	181
11	The development of a Patients Concerns Inventory (PCI) to help reveal patients concerns in the head and neck clinic. Oral Oncology, 2009, 45, 555-561.	0.8	161
12	Vascularized iliac crest with internal oblique muscle for immediate reconstruction after maxillectomy. British Journal of Oral and Maxillofacial Surgery, 2002, 40, 183-190.	0.4	156
13	Extracapsular spread in oral squamous cell carcinoma. Head and Neck, 2010, 32, 714-722.	0.9	155
14	Health-related quality of life and clinical function after primary surgery for oral cancer. British Journal of Oral and Maxillofacial Surgery, 2002, 40, 11-18.	0.4	154
15	Antimuscarinic antibodies in primary Sjögren's syndrome reversibly inhibit the mechanism of fluid secretion by human submandibular salivary acinar cells. Arthritis and Rheumatism, 2006, 54, 1165-1173.	6.7	149
16	The University of Washington head and neck cancer measure as a predictor of outcome following primary surgery for oral cancer. , 1999, 21, 394-401.		145
17	A Comparison of the Long-Term Morbidity following Deep Circumflex Iliac and Fibula Free Flaps for Reconstruction following Head and Neck Cancer. Plastic and Reconstructive Surgery, 2003, 112, 1517-1525.	0.7	135
18	Factors associated with restricted mouth opening and its relationship to health-related quality of life in patients attending a Maxillofacial Oncology clinic. Oral Oncology, 2008, 44, 430-438.	0.8	126

#	Article	IF	CITATIONS
19	Oral rehabilitation after treatment for head and neck malignancy. Head and Neck, 2005, 27, 459-470.	0.9	123
20	The Physical Function and Social-Emotional Function Subscales of the University of Washington Quality of Life Questionnaire. JAMA Otolaryngology, 2010, 136, 352.	1.5	118
21	The clinical determinants of malignant transformation in oral epithelial dysplasia. Oral Oncology, 2012, 48, 969-976.	0.8	117
22	Changing concepts in the surgical management of the cervical node metastasis. Oral Oncology, 2003, 39, 429-435.	0.8	116
23	The Impact of Neck Dissection on Health-Related Quality of Life. JAMA Otolaryngology, 2004, 130, 149.	1.5	112
24	The influence of the pattern of mandibular invasion on recurrence and survival in oral squamous cell carcinoma. Head and Neck, 2004, 26, 861-869.	0.9	110
25	Quality of life 5–10 years after primary surgery for oral and oro-pharyngeal cancer. Journal of Cranio-Maxillo-Facial Surgery, 1999, 27, 187-191.	0.7	106
26	Importance-rating using the University of Washington Quality of Life questionnaire in patients treated by primary surgery for oral and oro-pharyngeal cancer. Journal of Cranio-Maxillo-Facial Surgery, 2002, 30, 125-132.	0.7	106
27	Fear of recurrence among head and neck cancer survivors: longitudinal trends. Psycho-Oncology, 2013, 22, 807-813.	1.0	105
28	Predictors of speech and swallowing function following primary surgery for oral and oropharyngeal cancer. Clinical Otolaryngology, 2005, 30, 428-437.	0.6	97
29	The effect of smoking on immediate post-extraction socket filling with blood and on the incidence of painful socket. British Journal of Oral and Maxillofacial Surgery, 1988, 26, 402-409.	0.4	96
30	Screening for Dysfunction to Promote Multidisciplinary Intervention by Using the University of Washington Quality of Life Questionnaire. JAMA Otolaryngology, 2009, 135, 369.	1.5	96
31	The impact of surgery for oral cancer on quality of life as measured by the Medical Outcomes Short Form 36. Oral Oncology, 1998, 34, 171-179.	0.8	90
32	A review of quality of life assessment in oral cancer. International Journal of Oral and Maxillofacial Surgery, 1999, 28, 99-117.	0.7	88
33	Quality of life perspectives in patients with oral cancer. Oral Oncology, 2010, 46, 445-447.	0.8	88
34	p16 Promoter Methylation Is a Potential Predictor of Malignant Transformation in Oral Epithelial Dysplasia. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 2174-2179.	1.1	87
35	A comparison between the University of Washington Head and Neck Disease-Specific Measure and the Medical Short Form 36, EORTC QOQ-C33 and EORTC Head and Neck 35. Oral Oncology, 1998, 34, 361-372.	0.8	81
36	Content comparison of quality of life questionnaires used in head and neck cancer based on the international classification of functioning, disability and health: a systematic review. European Archives of Oto-Rhino-Laryngology, 2008, 265, 627-637.	0.8	81

#	Article	IF	CITATIONS
37	Patients experience with long-term percutaneous endoscopic gastrostomy feeding following primary surgery for oral and oropharyngeal cancer. Oral Oncology, 2007, 43, 499-507.	0.8	80
38	lssues of intimacy and sexual dysfunction following major head and neck cancer treatment. Oral Oncology, 2009, 45, 898-903.	0.8	78
39	Time to onset of bisphosphonateâ€related osteonecrosis of the jaws: a multicentre retrospective cohort study. Oral Diseases, 2017, 23, 477-483.	1.5	78
40	Swallowing rehabilitation after oro-pharyngeal resection for squamous cell carcinoma. British Journal of Oral and Maxillofacial Surgery, 2000, 38, 513-518.	0.4	77
41	Longitudinal health-related quality of life after mandibular resection for oral cancer: a comparison between rim and segment. Head and Neck, 2004, 26, 54-62.	0.9	77
42	Reasons for delayed presentation in oral and oropharyngeal cancer: the patients perspective. British Journal of Oral and Maxillofacial Surgery, 2011, 49, 349-353.	0.4	77
43	A comparison of aesthetic, functional and patient subjective outcomes following lip-split mandibulotomy and mandibular lingual releasing access procedures. International Journal of Oral and Maxillofacial Surgery, 2001, 30, 199-204.	0.7	76
44	Trends in head and neck microvascular reconstructive surgery in Liverpool (1992–2001). British Journal of Oral and Maxillofacial Surgery, 2006, 44, 364-370.	0.4	73
45	Systematic review of primary osseointegrated dental implants in head and neck oncology. British Journal of Oral and Maxillofacial Surgery, 2011, 49, 29-36.	0.4	70
46	Facial appearance after operations for oral and oropharyngeal cancer: A comparison of casenotes and patient-completed questionnaire. British Journal of Oral and Maxillofacial Surgery, 2006, 44, 358-363.	0.4	65
47	A systematic review of patient self-completed questionnaires suitable for oral and maxillofacial surgery. British Journal of Oral and Maxillofacial Surgery, 2010, 48, 579-590.	0.4	65
48	Accuracy of MRI in prediction of tumour thickness and nodal stage in oral squamous cell carcinoma. Oral Oncology, 2012, 48, 149-154.	0.8	65
49	Quality of life following neck dissections. Acta Oto-Laryngologica, 2004, 124, 231-236.	0.3	63
50	The influence of allogenic blood transfusion in patients having free-flap primary surgery for oral and oropharyngeal squamous cell carcinoma. British Journal of Cancer, 2006, 94, 647-653.	2.9	63
51	A comparison of outcomes for patients with oral squamous cell carcinoma at intermediate risk of recurrence treated by surgery alone or with post-operative radiotherapy. Oral Oncology, 2007, 43, 764-773.	0.8	63
52	Systematic review of the current evidence in the use of postoperative radiotherapy for oral squamous cell carcinoma. British Journal of Oral and Maxillofacial Surgery, 2012, 50, 481-489.	0.4	63
53	An assessment of deprivation as a factor in the delays in presentation, diagnosis and treatment in patients with oral and oropharyngeal squamous cell carcinoma. Oral Oncology, 2007, 43, 648-655.	0.8	62
54	Patients' perception of the financial impact of head and neck cancer and the relationship to health related quality of life. British Journal of Oral and Maxillofacial Surgery, 2012, 50, 410-416.	0.4	61

#	Article	IF	CITATIONS
55	Comparison of miniplates and reconstruction plates in mandibular reconstruction. Head and Neck, 2004, 26, 456-463.	0.9	60
56	Timing and presentation of recurrent oral and oropharyngeal squamous cell carcinoma and awareness in the outpatient clinic. British Journal of Oral and Maxillofacial Surgery, 2006, 44, 371-376.	0.4	60
57	Longitudinal evaluation of restricted mouth opening (trismus) in patients following primary surgery for oral and oropharyngeal squamous cell carcinoma. British Journal of Oral and Maxillofacial Surgery, 2011, 49, 106-111.	0.4	60
58	Traumatic aneurysm of the maxillary artery: the role of interventional radiology. International Journal of Oral and Maxillofacial Surgery, 1995, 24, 336-339.	0.7	59
59	Health-related quality of life measured by the UW-QoL—reference values from a general dental practice. Oral Oncology, 2006, 42, 281-287.	0.8	59
60	Treatment of head and neck cancer in the elderly. European Archives of Oto-Rhino-Laryngology, 2010, 267, 1619-1621.	0.8	59
61	Bisphosphonate osteonecrosis of the jaw—a literature review of UK policies versus international policies on bisphosphonates, risk factors and prevention. British Journal of Oral and Maxillofacial Surgery, 2011, 49, 251-257.	0.4	58
62	The association of cigarette smoking and anxiety, depression and fears of recurrence in patients following treatment of oral and oropharyngeal malignancy. European Journal of Cancer Care, 2004, 13, 328-335.	0.7	57
63	A comparison of tongue and soft palate squamous cell carcinoma treated by primary surgery in terms of survival and quality of life outcomes. International Journal of Oral and Maxillofacial Surgery, 2006, 35, 208-214.	0.7	57
64	Patients' perceived health status following primary surgery for oral and oropharyngeal cancer. International Journal of Oral and Maxillofacial Surgery, 2006, 35, 913-919.	0.7	57
65	Development of ICF core sets for head and neck cancer. Head and Neck, 2010, 32, 210-220.	0.9	57
66	Fear of recurrence following head and neck cancer in the outpatient clinic. European Archives of Oto-Rhino-Laryngology, 2010, 267, 1943-1949.	0.8	57
67	Outcomes of oral squamous cell carcinoma arising from oral epithelial dysplasia: rationale for monitoring premalignant oral lesions in a multidisciplinary clinic. British Journal of Oral and Maxillofacial Surgery, 2013, 51, 594-599.	0.4	55
68	Longitudinal evaluation of health-related quality of life after osteoradionecrosis of the mandible. British Journal of Oral and Maxillofacial Surgery, 2015, 53, 854-857.	0.4	54
69	Clinical function after primary surgery for oral and oropharyngealcancer: an 11-item examination. British Journal of Oral and Maxillofacial Surgery, 2002, 40, 1-10.	0.4	53
70	A national survey of health-related quality of life questionnaires in head and neck oncology. Annals of the Royal College of Surgeons of England, 2004, 86, 6-10.	0.3	53
71	Psychologic response of the edentulous patient after primary surgery for oral cancer: A cross-sectional study. Journal of Prosthetic Dentistry, 1999, 82, 317-321.	1.1	52
72	Quantitative methylation analysis of resection margins and lymph nodes in oral squamous cell carcinoma. British Journal of Oral and Maxillofacial Surgery, 2007, 45, 617-622.	0.4	52

#	Article	IF	CITATIONS
73	Bisphosphonate osteonecrosis of the jaw: a literature review of UK policies versus international policies on the management of bisphosphonate osteonecrosis of the jaw. British Journal of Oral and Maxillofacial Surgery, 2011, 49, 335-342.	0.4	52
74	Patient-Reported Outcomes in Breast Oncology: A Review of Validated Outcome Instruments. Tumori, 2012, 98, 678-688.	0.6	52
75	Changing trends and the role of medical management on the outcome of patients treated for osteoradionecrosis of the mandible: experience from a regional head and neck unit. British Journal of Oral and Maxillofacial Surgery, 2014, 52, 356-362.	0.4	52
76	lssues patients would like to discuss at their review consultation: variation by early and late stage oral, oropharyngeal and laryngeal subsites. European Archives of Oto-Rhino-Laryngology, 2013, 270, 1067-1074.	0.8	51
77	Quality of life considerations in head and neck cancer: United Kingdom National Multidisciplinary Guidelines. Journal of Laryngology and Otology, 2016, 130, S49-S52.	0.4	51
78	Developing core sets for patients with head and neck cancer based on the International Classification of Functioning, Disability and Health (ICF). European Archives of Oto-Rhino-Laryngology, 2007, 264, 1215-1222.	0.8	50
79	Assessment of problems with appearance, following surgery for oral and oro-pharyngeal cancer using the University of Washington appearance domain and the Derriford appearance scale. Oral Oncology, 2008, 44, 927-934.	0.8	50
80	A structured review of journal articles reporting outcomes using the University of Washington Quality of Life Scale. British Journal of Oral and Maxillofacial Surgery, 2012, 50, 122-131.	0.4	50
81	A review of question prompt lists used in the oncology setting with comparison to the Patient Concerns Inventory. European Journal of Cancer Care, 2018, 27, e12489.	0.7	49
82	Evaluating sequelae after head and neck cancer from the patient perspective with the help of the International Classification of Functioning, Disability and Health. European Archives of Oto-Rhino-Laryngology, 2009, 266, 425-436.	0.8	48
83	The Liverpool Oral Rehabilitation Questionnaire: a pilot study. Journal of Oral Rehabilitation, 2004, 31, 609-617.	1.3	47
84	A feasibility study of computer-assisted health-related quality of life data collection in patients with oral and oropharyngeal cancer. International Journal of Oral and Maxillofacial Surgery, 2006, 35, 761-764.	0.7	47
85	Health-related quality of life, fear of recurrence, and emotional distress in patients treated for thyroid cancer. British Journal of Oral and Maxillofacial Surgery, 2017, 55, 666-673.	0.4	47
86	The patients' account of outcome following primary surgery for oral and oropharyngeal cancer using a â€~quality of life' questionnaire. European Journal of Cancer Care, 2008, 17, 182-188.	0.7	46
87	Salvage outcomes of free tissue transfer in Liverpool: trends over 18 years (1992–2009). British Journal of Oral and Maxillofacial Surgery, 2012, 50, 13-18.	0.4	46
88	Survey of oral rehabilitation in a consecutive series of 130 patients treated by primary resection for oral and oropharyngeal squamous cell carcinoma. British Journal of Oral and Maxillofacial Surgery, 2005, 43, 23-30.	0.4	43
89	An evaluation of the University of Washington Quality of Life swallowing domain following oropharyngeal cancer. European Archives of Oto-Rhino-Laryngology, 2008, 265, 29-37.	0.8	43
90	Marginal mandibular nerve injury during neck dissection and its impact on patient perception of appearance. Head and Neck, 2009, 31, 673-678.	0.9	43

#	Article	IF	CITATIONS
91	The influence of hyperbaric oxygen on the outcome of patients treated for osteoradionecrosis: 8 year study. International Journal of Oral and Maxillofacial Surgery, 2007, 36, 783-787.	0.7	42
92	Quality of life for head and neck cancer patients – has treatment planning altered?. Oral Oncology, 2009, 45, 435-439.	0.8	42
93	Prognostic importance of site in squamous cell carcinoma of the buccal mucosa. British Journal of Oral and Maxillofacial Surgery, 2009, 47, 356-359.	0.4	42
94	Establishing a large prospective clinical cohort in people with head and neck cancer as a biomedical resource: head and neck 5000. BMC Cancer, 2014, 14, 973.	1.1	42
95	Awareness of oral cancer in the Mersey region. British Journal of Oral and Maxillofacial Surgery, 2011, 49, 176-181.	0.4	41
96	UK temporomandibular joint replacement database: report on baseline data. British Journal of Oral and Maxillofacial Surgery, 2014, 52, 203-207.	0.4	41
97	The identification of mood and anxiety concerns using the patients concerns inventory following head and neck cancer. International Journal of Oral and Maxillofacial Surgery, 2012, 41, 429-436.	0.7	40
98	Identifying appearance-related concerns in routine follow-up clinics following treatment for oral and oropharyngeal cancer. British Journal of Oral and Maxillofacial Surgery, 2012, 50, 314-320.	0.4	40
99	Influence of surgical margins on local recurrence in T1/T2 oral squamous cell carcinoma. Head and Neck, 2015, 37, 1176-1180.	0.9	40
100	Quality of life in older people with oral cancer. British Journal of Oral and Maxillofacial Surgery, 2012, 50, 715-720.	0.4	39
101	Management of the neck and regional recurrence in squamous cell carcinoma of the maxillary alveolus and hard palate compared with other sites in the oral cavity. Head and Neck, 2013, 35, 265-269.	0.9	39
102	The zygomatic implant perforated (ZIP) flap: a new technique for combined surgical reconstruction and rapid fixed dental rehabilitation following low-level maxillectomy. International Journal of Implant Dentistry, 2017, 3, 37.	1.1	39
103	Genomic determinants of normal tissue toxicity after radiotherapy for head and neck malignancy: A systematic review. Oral Oncology, 2012, 48, 1090-1100.	0.8	37
104	Using PROMs to guide patients and practitioners through the head and neck cancer journey. Patient Related Outcome Measures, 2017, Volume 8, 133-142.	0.7	37
105	The further development and validation of the Liverpool Oral Rehabilitation Questionnaire: a cross-sectional survey of patients attending for oral rehabilitation and general dental practice. International Journal of Oral and Maxillofacial Surgery, 2006, 35, 72-78.	0.7	36
106	Recruitment, response rates and characteristics of 5511 people enrolled in a prospective clinical cohort study: head and neck 5000. Clinical Otolaryngology, 2016, 41, 804-809.	0.6	36
107	A UK multi-centre pilot study of speech and swallowing outcomes following head and neck cancer. Clinical Otolaryngology, 2004, 29, 376-381.	0.0	35
108	Rationale for the use of the implantable Doppler probe based on 7 years' experience. British Journal of Oral and Maxillofacial Surgery, 2014, 52, 530-534.	0.4	35

#	Article	IF	CITATIONS
109	Randomised feasibility study to compare the use of Therabite ® with wooden spatulas to relieve and prevent trismus in patients with cancer of the head and neck. British Journal of Oral and Maxillofacial Surgery, 2018, 56, 283-291.	0.4	35
110	An evaluation of the shoulder domain of the University of Washington quality of life scale. British Journal of Oral and Maxillofacial Surgery, 2007, 45, 5-10.	0.4	34
111	Internet use among head and neck cancer survivors in the North West of England. British Journal of Oral and Maxillofacial Surgery, 2012, 50, 208-214.	0.4	34
112	Structured review of papers reporting specific functions in patients with cancer of the head and neck: 2006 - 2013. British Journal of Oral and Maxillofacial Surgery, 2016, 54, e45-e51.	0.4	34
113	Feasibility study of the retrospective use of the Adult Comorbidity Evaluation index (ACE-27) in patients with cancer of the head and neck who had radiotherapy. British Journal of Oral and Maxillofacial Surgery, 2006, 44, 283-288.	0.4	33
114	Comparison of outcome measures in head and neck cancer—Literature review 2000–2006. Head and Neck, 2009, 31, 251-259.	0.9	33
115	An exploration of the perceived changes in intimacy of patients' relationships following head and neck cancer. Journal of Clinical Nursing, 2012, 21, 2499-2508.	1.4	33
116	Distinct patient groups in oral cancer: a prospective study of perceived health status following primary surgery. Oral Oncology, 2000, 36, 529-538.	0.8	31
117	A Guide of the Questionnaires Used in the Measurement of Health-Related Quality of Life in Head and Neck Oncology. Tumori, 2008, 94, 724-731.	0.6	31
118	A double blind randomised trial of IIb or not IIb neck dissections on electromyography, clinical examination, and questionnaire-based outcomes: a feasibility study. British Journal of Oral and Maxillofacial Surgery, 2012, 50, 394-403.	0.4	31
119	United Kingdom nationwide study of avascular necrosis of the jaws including bisphosphonate-related necrosis. British Journal of Oral and Maxillofacial Surgery, 2015, 53, 176-182.	0.4	31
120	A single-item screening question for fear of recurrence in head and neck cancer. European Archives of Oto-Rhino-Laryngology, 2016, 273, 1235-1242.	0.8	31
121	Routine post-traumatic radiographic screening of midfacial injuries: is one view sufficient?. Injury, 1996, 27, 311-313.	0.7	29
122	The correlation between indices of deprivation and health-related quality of life in patients with oral and oropharyngeal squamous cell carcinoma. British Journal of Oral and Maxillofacial Surgery, 2006, 44, 177-186.	0.4	29
123	The further development and validation of the Liverpool Oral Rehabilitation Questionnaire (LORQ) version 3: A cross-sectional survey of patients referred to a dental hospital for removable prostheses replacement. Journal of Prosthetic Dentistry, 2008, 99, 233-242.	1.1	29
124	Improving quality of life through the routine use of the patient concerns inventory for head and neck cancer patients: a cluster preference randomized controlled trial. BMC Cancer, 2018, 18, 444.	1.1	29
125	Patient-reported outcomes in breast oncology: a review of validated outcome instruments. Tumori, 2012, 98, 678-88.	0.6	29
126	A Second National Survey of Health-Related Quality of Life Questionnaires in Head and Neck Oncology. Annals of the Royal College of Surgeons of England, 2009, 91, 420-425.	0.3	28

#	Article	IF	CITATIONS
127	Adjuvant radiotherapy and health-related quality of life of patients at intermediate risk of recurrence following primary surgery for oral squamous cell carcinoma. Oral Oncology, 2011, 47, 967-973.	0.8	28
128	Randomised controlled feasibility trial on the use of medical grade honey following microvascular free tissue transfer to reduce the incidence of wound infection. British Journal of Oral and Maxillofacial Surgery, 2012, 50, 321-327.	0.4	28
129	Enhanced patient reported outcome measurement suitable for head and neck cancer follow-up clinics. Head & Neck Oncology, 2012, 4, 32.	2.3	28
130	Patients concerns inventory highlights perceived needs and concerns in head and neck cancer survivors and its impact on health-related quality of life. British Journal of Oral and Maxillofacial Surgery, 2015, 53, 371-379.	0.4	28
131	Development of the International Classification of Functioning, Disability and Health as a brief head and neck cancer patient questionnaire. International Journal of Oral and Maxillofacial Surgery, 2010, 39, 975-982.	0.7	27
132	Dental rehabilitation after surgery for oral cancer. Current Opinion in Otolaryngology and Head and Neck Surgery, 2012, 20, 109-113.	0.8	27
133	First report of elective selective neck dissection in the management of squamous cell carcinoma of the maxillary sinus. British Journal of Oral and Maxillofacial Surgery, 2013, 51, 103-107.	0.4	27
134	Uncovering patients' concerns in routine head and neck oncology follow up clinics: an exploratory study. British Journal of Oral and Maxillofacial Surgery, 2013, 51, 294-300.	0.4	27
135	Comparison of the domains of anxiety and mood of the University of Washington Head and Neck Cancer Questionnaire (UW-QOL V4) with the CES-D and HADS. Head and Neck, 2006, 28, 697-704.	0.9	26
136	Treatment referral before and after the introduction of the Liverpool Patients Concerns Inventory (PCI) into routine head and neck oncology outpatient clinics. Supportive Care in Cancer, 2011, 19, 1879-1886.	1.0	26
137	Exercise program design considerations for head and neck cancer survivors. European Archives of Oto-Rhino-Laryngology, 2018, 275, 169-179.	0.8	26
138	Xerostomia After Treatment for Oral and Oropharyngeal Cancer Using the University of Washington Saliva Domain and a Xerostomia-Related Quality-of-Life Scale. International Journal of Radiation Oncology Biology Physics, 2010, 77, 16-23.	0.4	25
139	Head and neck cancer patients' perspective of carer burden. British Journal of Oral and Maxillofacial Surgery, 2012, 50, 202-207.	0.4	25
140	An evaluation of the Head and Neck Cancer Patient Concerns Inventory across the Merseyside and Cheshire Network. British Journal of Oral and Maxillofacial Surgery, 2014, 52, 615-623.	0.4	25
141	Variations in concerns reported on the patient concerns inventory in patients with head and neck cancer from different health settings across the world. Head and Neck, 2020, 42, 498-512.	0.9	25
142	The diagnostic yield of only one occipito-mental radiograph in cases of suspected midfacial trauma—or is one enough?. British Journal of Oral and Maxillofacial Surgery, 1995, 33, 90-92.	0.4	24
143	Survey of the use of hyperbaric oxygen by maxillofacial oncologists in the UK. British Journal of Oral and Maxillofacial Surgery, 2005, 43, 219-225.	0.4	24
144	How often do head and neck cancer patients raise concerns related to intimacy and sexuality in routine follow-up clinics?. European Archives of Oto-Rhino-Laryngology, 2015, 272, 207-217.	0.8	24

#	Article	IF	CITATIONS
145	The relationship between length of stay and health-related quality of life in patients treated by primary surgery for oral and oropharyngeal cancer. International Journal of Oral and Maxillofacial Surgery, 2001, 30, 209-215.	0.7	23
146	Patient and carer unmet needs: a survey of the British association of head and neck oncology nurses. British Journal of Oral and Maxillofacial Surgery, 2011, 49, 343-348.	0.4	23
147	Outpatient follow-up appointments for patients having curative treatment for cancer of the head and neck: are the current arrangements in need of change?. British Journal of Oral and Maxillofacial Surgery, 2014, 52, 681-687.	0.4	23
148	The palliative care needs and experiences of people with advanced head and neck cancer: A scoping review. Palliative Medicine, 2021, 35, 27-44.	1.3	23
149	Quality of life associated factors in head and neck cancer patients in a developing country using the FACT-H&N. Journal of Cranio-Maxillo-Facial Surgery, 2015, 43, 274-280.	0.7	22
150	Outcomes by area of residence deprivation in a cohort of oral cancer patients: Survival, health-related quality of life, and place of death. Oral Oncology, 2016, 52, 30-36.	0.8	22
151	Loneliness and quality of life after head and neck cancer. British Journal of Oral and Maxillofacial Surgery, 2020, 58, 959-965.	0.4	22
152	The relevance of surgical margins in clinically early oral squamous cell carcinoma. Oral Oncology, 2020, 110, 104913.	0.8	22
153	The Patient Concerns Inventory integrated as part of routine head and neck cancer follow-up consultations: frequency, case-mix, and items initiated by the patient. Annals of the Royal College of Surgeons of England, 2018, 100, 209-215.	0.3	21
154	Improving quality of life through the routine use of the patient concerns inventory for head and neck cancer patients: main results of a cluster preference randomised controlled trial. European Archives of Oto-Rhino-Laryngology, 2021, 278, 3435-3449.	0.8	21
155	An oral cancer awareness intervention in community pharmacy. British Journal of Oral and Maxillofacial Surgery, 2010, 48, 498-502.	0.4	20
156	The configuration of clinics and the use of biopsy and photography in oral premalignancy: a survey of consultants of the British Association of Oral and Maxillofacial Surgeons. British Journal of Oral and Maxillofacial Surgeons. British Journal of Oral and Maxillofacial Surgeons.	0.4	20
157	Use of the Patient Concerns Inventory to identify speech and swallowing concerns following treatment for oral and oropharyngeal cancer. Journal of Laryngology and Otology, 2012, 126, 800-808.	0.4	20
158	Prospective Evaluation of a Negative Pressure Dressing System in the Management of the Fibula Free Flap Donor Site. JAMA Otolaryngology - Head and Neck Surgery, 2013, 139, 1048.	1.2	20
159	How head and neck consultants manage patients' emotional distress during cancer follow-up consultations: a multilevel study. European Archives of Oto-Rhino-Laryngology, 2015, 272, 2473-2481.	0.8	20
160	UK temporomandibular joint replacement database: a report on one-year outcomes. British Journal of Oral and Maxillofacial Surgery, 2017, 55, 927-931.	0.4	20
161	Quality of life, cognitive, physical and emotional function at diagnosis predicts head and neck cancer survival: analysis of cases from the Head and Neck 5000 study. European Archives of Oto-Rhino-Laryngology, 2020, 277, 1515-1523.	0.8	20
162	Identifying pain-related concerns in routine follow-up clinics following oral and oropharyngeal cancer. World Journal of Clinical Oncology, 2012, 3, 116.	0.9	20

#	Article	IF	CITATIONS
163	Local anaesthesia and dry socket. A clinical investigation of single extractions in male patients. International Journal of Oral and Maxillofacial Surgery, 1987, 16, 279-284.	0.7	19
164	A Qualitative Evaluation of Patient Experiences When Diagnosed With Oral Cancer Recurrence. Cancer Nursing, 2008, 31, E11-E17.	0.7	19
165	Passive versus active drainage following neck dissection: a non-randomised prospective study. European Archives of Oto-Rhino-Laryngology, 2009, 266, 121-124.	0.8	19
166	What patients consider important: Temporal variations by early andÂlate stage oral, oropharyngeal and laryngeal subsites. Journal of Cranio-Maxillo-Facial Surgery, 2014, 42, 641-647.	0.7	19
167	Do the elderly raise different issues when using the Patient Concerns Inventory in routine head and neck cancer follow-up clinics?. European Journal of Cancer Care, 2015, 24, 189-197.	0.7	19
168	Changes in health-related quality of life of oral cancer patients treated with curative intent: experience of a developing country. International Journal of Oral and Maxillofacial Surgery, 2017, 46, 687-698.	0.7	19
169	Fear of cancer recurrence in oral and oropharyngeal cancer patients: An investigation of the clinical encounter. European Journal of Cancer Care, 2018, 27, e12785.	0.7	18
170	The relation between health-related quality of life, past medical history, and American Society of Anesthesiologists' ASA grade in patients having primary operations for oral and oropharyngeal cancer. British Journal of Oral and Maxillofacial Surgery, 2005, 43, 134-143.	0.4	17
171	â€~What will I be like' after my diagnosis of head and neck cancer?. European Archives of Oto-Rhino-Laryngology, 2015, 272, 2463-2472.	0.8	17
172	Patients' experience of temporary tracheostomy after microvascular reconstruction for cancer of the head and neck. British Journal of Oral and Maxillofacial Surgery, 2017, 55, 10-16.	0.4	17
173	Health-related quality of life in patients with T1NO oral squamous cell carcinoma: selective neck dissection compared with wait and watch surveillance. British Journal of Oral and Maxillofacial Surgery, 2019, 57, 649-654.	0.4	17
174	APACHE II Scoring for the Prediction of Immediate Surgical Complications in Head and Neck Cancer Patients. Plastic and Reconstructive Surgery, 2007, 119, 1751-1758.	0.7	16
175	Impact of coding errors on departmental income: an audit of coding of microvascular free tissue transfer cases using OPCS-4 in UK. British Journal of Oral and Maxillofacial Surgery, 2012, 50, 85-87.	0.4	16
176	De-escalation of surgery for early oral cancer – is it oncologically safe?. British Journal of Oral and Maxillofacial Surgery, 2013, 51, 30-36.	0.4	16
177	Improving quality-of-life questionnaires in head and neck cancer. Expert Review of Quality of Life in Cancer Care, 2016, 1, 61-71.	0.6	16
178	Influence of deprivation on health-related quality of life of patients with cancer of the head and neck in Merseyside and Cheshire. British Journal of Oral and Maxillofacial Surgery, 2016, 54, 669-676.	0.4	16
179	Screening for distress using the distress thermometer and the University of Washington Quality of Life in post-treatment head and neck cancer survivors. European Archives of Oto-Rhino-Laryngology, 2017, 274, 2253-2260.	0.8	16
180	The role of the Head and Neck cancer-specific Patient Concerns Inventory (PCI-HN) in telephone consultations during the COVID-19 pandemic. British Journal of Oral and Maxillofacial Surgery, 2020, 58, 497-499.	0.4	16

#	Article	IF	CITATIONS
181	Systematic review of health-related quality of life following thyroid cancer. Tumori, 2022, 108, 291-314.	0.6	16
182	A review of quality of life assessment in oral cancer. International Journal of Oral and Maxillofacial Surgery, 1999, 28, 99-117.	0.7	16
183	VENOUS MICROVASCULAR ANASTOMOTIC FAILURE DUE TO PROTHROMBIN GENE MUTATION. Plastic and Reconstructive Surgery, 2005, 115, 1451-1452.	0.7	15
184	The Korean version of the University of Washington Quality of Life Questionnaire for Patients with Head and Neck Cancer, and its use in an initial validation study of 56 patients. International Journal of Oral and Maxillofacial Surgery, 2012, 41, 1201-1205.	0.7	15
185	How to evaluate and assess quality of life issues in head and neck cancer patients. Current Opinion in Oncology, 2017, 29, 159-165.	1.1	15
186	Three years' experience of collaborative care pathways on a maxillofacial ward. British Journal of Oral and Maxillofacial Surgery, 2000, 38, 132-137.	0.4	14
187	Further analysis of the emotional consequences of head and neck cancer as reflected by the Patients' Concerns Inventory. British Journal of Oral and Maxillofacial Surgery, 2015, 53, 711-718.	0.4	14
188	Health-related quality of life after oral cancer treatment: 10-year outcomes. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2020, 130, 144-149.	0.2	14
189	Disease trajectories, place and mode of death in people with head and neck cancer: Findings from the â€~Head and Neck 5000' population-based prospective clinical cohort study. Palliative Medicine, 2020, 34, 639-650.	1.3	14
190	The development and initial validation of the Liverpool sicca index to assess symptoms and dysfunction in patients with primary SjĶgren's syndrome. Journal of Oral Pathology and Medicine, 2003, 32, 154-162.	1.4	13
191	Survey of gastrostomy insertion technique used in oncology patients in UK Oral and Maxillofacial units. Journal of Cranio-Maxillo-Facial Surgery, 2010, 38, 60-63.	0.7	13
192	A Survey of General Dental Practitioners in the North West of England concerning the Dental Care of Patients following Head and Neck Radiotherapy. Primary Dental Care, 2011, os18, 59-65.	0.3	13
193	Analysis of time taken to discuss new patients with head and neck cancer in multidisciplinary team meetings. British Journal of Oral and Maxillofacial Surgery, 2014, 52, 128-133.	0.4	13
194	Suitability of the Patient Concerns Inventory as a holistic screening tool in routine head and neck cancer follow-up clinics. British Journal of Oral and Maxillofacial Surgery, 2016, 54, 415-421.	0.4	13
195	Management of anaemia and blood in patients having neck dissections or free flaps for head and neck cancer. British Journal of Oral and Maxillofacial Surgery, 2019, 57, 543-549.	0.4	13
196	Importance of activity and recreation for the quality of life of patients treated for cancer of the head and neck. British Journal of Oral and Maxillofacial Surgery, 2019, 57, 125-134.	0.4	13
197	Which patients are most at risk of methicillin resistant Staphylococcus aureus: a review of admissions to a regional maxillofacial ward between 2001 and 2005. British Journal of Oral and Maxillofacial Surgery, 2008, 46, 439-444.	0.4	12
198	Safety of a regimen for thromboprophylaxis in head and neck cancer microvascular reconstructive surgery: non-concurrent cohort study. British Journal of Oral and Maxillofacial Surgery, 2012, 50, 227-232.	0.4	12

#	Article	IF	CITATIONS
199	Patients' perspective of financial benefits following head and neck cancer in Merseyside and Cheshire. British Journal of Oral and Maxillofacial Surgery, 2012, 50, 404-409.	0.4	12
200	Best practice in reducing the suicide risk in head and neck cancer patients: a structured review. British Journal of Oral and Maxillofacial Surgery, 2020, 58, e6-e15.	0.4	12
201	Improving quality of life through the routine use of the patient concerns inventory for head and neck cancer patients: baseline results in a cluster preference randomised controlled trial. European Archives of Oto-Rhino-Laryngology, 2020, 277, 3435-3447.	0.8	12
202	Issues Patients would like to Discuss at their Review Consultation in Breast Cancer Clinics – a Cross-sectional Survey. Tumori, 2014, 100, 568-579.	0.6	12
203	Death certification in patients whose primary treatment for oral andoropharyngeal carcinoma was operation: 1992–1997. British Journal of Oral and Maxillofacial Surgery, 2001, 39, 204-209.	0.4	11
204	A questionnaire survey of current UK practice for adjuvant radiotherapy following surgery for oral and oropharyngeal squamous cell carcinoma. Oral Oncology, 2007, 43, 143-149.	0.8	11
205	Patient Preference in Placement of the Donor-Site Scar in Head and Neck Cancer Reconstruction. Plastic and Reconstructive Surgery, 2008, 122, 20e-22e.	0.7	11
206	A survey of consultant members of the British Association of Oral and Maxillofacial Surgeons regarding bisphosphonate-induced osteonecrosis of the jaws. British Journal of Oral and Maxillofacial Surgery, 2009, 47, 598-601.	0.4	11
207	The Patients Concerns Inventory in head and neck cancer: Comparison between self-completed paper and touch screen versions in the clinic setting. European Journal of Oncology Nursing, 2013, 17, 863-869.	0.9	11
208	Structured review of the patient-reported outcome instruments used in clinical trials in head and neck surgery. British Journal of Oral and Maxillofacial Surgery, 2018, 56, 161-167.	0.4	11
209	Incidence, timing, presentation, treatment, and outcomes of second primary head and neck squamous cell carcinoma after oral cancer. British Journal of Oral and Maxillofacial Surgery, 2019, 57, 1074-1080.	0.4	11
210	Management of an aggressive giant cell granuloma of the mandible with denosumab: a case report. British Journal of Oral and Maxillofacial Surgery, 2019, 57, 691-693.	0.4	11
211	Survey of members of myeloma UK on biphosphonates-associated jaw osteonecrosis. British Journal of Haematology, 2007, 139, 626-628.	1.2	10
212	A Survey of General Dental Practitioners in Merseyside regarding Urgent Appointments and Suspected Cancer Referrals. Primary Dental Care, 2008, os15, 25-30.	0.3	10
213	Effect of Mouth Cancer Awareness Week on urgent suspected head and neck cancer referrals. British Journal of Oral and Maxillofacial Surgery, 2013, 51, e183-e185.	0.4	10
214	Is routine holistic assessment with a prompt list feasible during consultations after treatment for oral cancer?. British Journal of Oral and Maxillofacial Surgery, 2018, 56, 24-28.	0.4	10
215	A Qualitative Study Exploring Patient, Family Carer and Healthcare Professionals' Direct Experiences and Barriers to Providing and Integrating Palliative Care for Advanced Head and Neck Cancer. Journal of Palliative Care, 2021, 36, 121-129.	0.4	10
216	Changing trends in the microvascular reconstruction and oral rehabilitation following maxillary cancer. European Archives of Oto-Rhino-Laryngology, 2022, 279, 4113-4126.	0.8	10

#	Article	IF	CITATIONS
217	Evaluation of the limitations of using the University of Washington Quality of Life swallowing domain alone to screen patients in the routine clinical setting. British Journal of Oral and Maxillofacial Surgery, 2013, 51, e148-e154.	0.4	9
218	How will I be after my operation for oral cancer?. British Journal of Oral and Maxillofacial Surgery, 2015, 53, 538-545.	0.4	9
219	Validated questionnaires on intimacy in patients who have had cancer. British Journal of Oral and Maxillofacial Surgery, 2015, 53, 584-593.	0.4	9
220	Development of a Rheumatology-specific Patient Concerns Inventory and Its Use in the Rheumatology Outpatient Clinic Setting. Journal of Rheumatology, 2016, 43, 779-787.	1.0	9
221	Is social inequality related to different patient concerns in routine oral cancer follow-up clinics?. European Archives of Oto-Rhino-Laryngology, 2017, 274, 451-459.	0.8	9
222	Socioâ€economic differences in patient participation behaviours in doctor–patient interactions—A systematic mapping review of the literature. Health Expectations, 2019, 22, 1173-1184.	1.1	9
223	What are the underlying reasons behind socioeconomic differences in doctorâ€patient communication in head and neck oncology review clinics?. Health Expectations, 2021, 24, 140-151.	1.1	9
224	Health related quality of life and patient concerns in patients with osteoradionecrosis. British Journal of Oral and Maxillofacial Surgery, 2021, 59, 1061-1066.	0.4	9
225	The Zygomatic Implant Perforated (ZIP) flap reconstructive technique for the management of lowâ€level maxillary malignancy – clinical & patient related outcomes on 35 consecutively treated patients. Head and Neck, 2022, 44, 345-358.	0.9	9
226	A guide of the questionnaires used in the measurement of health-related quality of life in head and neck oncology. Tumori, 2008, 94, 724-31.	0.6	9
227	Shortfalls in international, multidisciplinary outcome data collection following head and neck cancer: Does the ICF Core Set for HNC provide a common solution?. Oral Oncology, 2009, 45, 849-855.	0.8	8
228	The use of health related quality of life data to produce information sheets for patients with head and neck cancer. Annals of the Royal College of Surgeons of England, 2015, 97, 359-363.	0.3	8
229	Using fundamental frequency of cancer survivors' speech to investigate emotional distress in out-patient visits. Patient Education and Counseling, 2016, 99, 1971-1977.	1.0	8
230	Analysis of deaths between 2007 and 2012 of patients with cancer of the head and neck on a surgical ward at a regional centre and in an independent hospice. British Journal of Oral and Maxillofacial Surgery, 2016, 54, 62-67.	0.4	8
231	Service evaluation of patients' views on the Patients' Concerns Inventory (at diagnosis). British Journal of Oral and Maxillofacial Surgery, 2017, 55, 714-716.	0.4	8
232	Patient Concerns Inventory for head and neck cancer: Brazilian cultural adaptation. Revista Da Associação Médica Brasileira, 2017, 63, 311-319.	0.3	8
233	Review of HaNDLE-on-QoL: a database of published papers that use questionnaires to report quality of life in patients with cancer of the head and neck. British Journal of Oral and Maxillofacial Surgery, 2018, 56, e5-e9.	0.4	8
234	Audit of the two-week pathway for patients with suspected cancer of the head and neck and the influence of socioeconomic status. British Journal of Oral and Maxillofacial Surgery, 2019, 57, 419-424.	0.4	8

#	Article	IF	CITATIONS
235	The responsiveness of the Liverpool Oral Rehabilitation Questionnaire (LORQ): a pilot study. International Journal of Prosthodontics, 2009, 22, 456-8.	0.7	8
236	Adult respiratory distress syndrome after microvascular free tissue reconstruction in head and neck malignancy. British Journal of Oral and Maxillofacial Surgery, 1998, 36, 371-374.	0.4	7
237	Characteristics and referral of head and neck cancer patients who report chewing and dental issues on the Patient Concerns Inventory. British Dental Journal, 2014, 216, E25-E25.	0.3	7
238	The feasibility of using Patients Concerns Inventory (PCI) in managing Malaysian oral cancer patients. International Journal of Oral and Maxillofacial Surgery, 2014, 43, 147-155.	0.7	7
239	Development of the Greek version of the University of Washington Quality of Life questionnaire for patients with head and neck cancer. Journal of Cranio-Maxillo-Facial Surgery, 2014, 42, 601-607.	0.7	7
240	Patients' experience of recurrent/metastatic head and neck squamous cell carcinoma and their perspective on the EORTC QLQ-C30 and QLQ-H&N35 questionnaires: a qualitative study. Journal of Patient-Reported Outcomes, 2018, 2, 33.	0.9	7
241	The After Diagnosis Head and Neck cancer-specific Patient Concerns Inventory (HaNC-AD) as a pre-treatment preparation aid during the COVID-19 pandemic. European Archives of Oto-Rhino-Laryngology, 2020, 277, 2141-2145.	0.8	7
242	Balancing patients' fears of recurrence and fears of COVID-19 when considering their preference for review consultations. European Archives of Oto-Rhino-Laryngology, 2021, 278, 4441-4448.	0.8	7
243	Skull base osteomyelitis after maxillectomy: a rare complication. British Journal of Oral and Maxillofacial Surgery, 2009, 47, 310-312.	0.4	6
244	Exercise interventions on healthâ€related quality of life for cancer survivors. Clinical Otolaryngology, 2012, 37, 393-394.	0.6	6
245	A double blind, randomised, placebo controlled, feasibility phase III clinical trial ofÂperi-operative immune-enhancing enteral nutrition in patients undergoing surgery for advanced head and neck cancer. E-SPEN Journal, 2012, 7, e107-e114.	0.5	6
246	Using the patients concerns inventory for distress screening in post-treatment head and neck cancer survivors. Journal of Cranio-Maxillo-Facial Surgery, 2017, 45, 1743-1748.	0.7	6
247	Patients' experience of the monitoring of free flaps after reconstruction for oral cancer. British Journal of Oral and Maxillofacial Surgery, 2017, 55, 1008-1012.	0.4	6
248	High levels of socioeconomic deprivation do not inhibit patients' communication of concerns in head and neck cancer review clinics. British Journal of Oral and Maxillofacial Surgery, 2018, 56, 536-539.	0.4	6
249	Audit of the rates of re-excision for close or involved margins in the management of oral cancer. British Journal of Oral and Maxillofacial Surgery, 2019, 57, 678-681.	0.4	6
250	Should survivors of head and neck cancer be considered a distinct special population within the context of exercise prescription?. British Journal of Oral and Maxillofacial Surgery, 2020, 58, 738-743.	0.4	6
251	Two-week rule: suspected head and neck cancer referrals from a general medical practice perspective. British Journal of Oral and Maxillofacial Surgery, 2020, 58, 981-985.	0.4	6
252	Using a patient prompt list to raise concerns in oncology clinics does not necessarily lead to longer consultations. British Journal of Oral and Maxillofacial Surgery, 2020, 58, 1164-1171.	0.4	6

#	Article	IF	CITATIONS
253	Outcomes of microvascular composite reconstruction for mandibular osteoradionecrosis. British Journal of Oral and Maxillofacial Surgery, 2021, 59, 1031-1035.	0.4	6
254	A clinician friendly computerised head and neck oncology audit: the first year results. Annals of the Royal College of Surgeons of England, 1996, 78, 14-8.	0.3	6
255	An alternative method of intraoperative skin retraction: the Walton fish hook. British Journal of Oral and Maxillofacial Surgery, 1995, 33, 323.	0.4	5
256	Actinic granuloma affecting the upper lip: a rare and challenging clinical entity. British Journal of Oral and Maxillofacial Surgery, 2010, 48, 234-235.	0.4	5
257	Analysis of the impact of deprivation on urgent suspected head and neck cancer referrals in the Mersey region between January 2004 to December 2006. British Journal of Oral and Maxillofacial Surgery, 2012, 50, 215-220.	0.4	5
258	Extended vertical hemilaryngectomy and reconstruction with a neovascularised tracheal autograft for advanced unilateral laryngeal tumours: a learning curve. European Archives of Oto-Rhino-Laryngology, 2014, 271, 1729-1735.	0.8	5
259	Perspectives of the multidisciplinary team on the quality of life of patients with cancer of the head and neck at 2 years. British Journal of Oral and Maxillofacial Surgery, 2015, 53, 858-863.	0.4	5
260	Patients' experience in the early recovery phase after removal of intraoral squamous cell carcinoma with carbon dioxide laser. British Journal of Oral and Maxillofacial Surgery, 2017, 55, 388-390.	0.4	5
261	Identifying patient concerns during consultations in tertiary burns services: development of the Adult Burns Patient Concerns Inventory. BMJ Open, 2019, 9, e032785.	0.8	5
262	Routine Use of Swallowing Outcome Measures Following Head and Neck Cancer in a Multidisciplinary Clinic Setting. International Archives of Otorhinolaryngology, 2021, 25, e185-e192.	0.3	5
263	Validity and Reliability of Tamil translated University of Washington Quality of Life Questionnaire for Head and Neck Cancers. Asian Pacific Journal of Cancer Prevention, 2019, 20, 3649-3654.	0.5	5
264	An Economic Evaluation Supported by Qualitative Data About the Patient Concerns Inventory (PCI) versus Standard Treatment Pathway in the Management of Patients with Head and Neck Cancer. PharmacoEconomics - Open, 2022, 6, 389-403.	0.9	5
265	Surgical principles and techniques for functional rehabilitation after oral cavity and oropharyngeal oncologic surgery. Current Opinion in Otolaryngology and Head and Neck Surgery, 2001, 9, 114-119.	0.8	4
266	A survey of head and neck surgical oncologists regarding the inclusion of level IIb in a neck dissection of the node negative neck. British Journal of Oral and Maxillofacial Surgery, 2011, 49, 230-232.	0.4	4
267	British Association of Oral and Maxillofacial Surgeons first national audit in support of revalidation. British Journal of Oral and Maxillofacial Surgery, 2011, 49, 478-479.	0.4	4
268	Place and time of death in patients treated with palliative intent for oral cancer. British Journal of Oral and Maxillofacial Surgery, 2014, 52, 458-460.	0.4	4
269	Where do patients treated for oral cancer die? A 20-year cohort study 1992-2011. British Journal of Oral and Maxillofacial Surgery, 2015, 53, 1015-1020.	0.4	4
270	How easy and confident do patients feel about using an iPad to complete the Patient Concerns Inventory without assistance in a busy head and neck oncology outpatient review clinic. Oral Cancer, 2017, 1, 1-5.	0.3	4

#	Article	IF	CITATIONS
271	Introduction of a referral pathway guide for general dental practitioners in Cheshire & Merseyside: the effect on two-week suspected cancer referrals. British Dental Journal, 2019, 227, 1058-1062.	0.3	4
272	Handle-On-QOL: a dedicated quality of life resource following the diagnosis and treatment of head and neck cancer. British Journal of Oral and Maxillofacial Surgery, 2020, 58, e25-e32.	0.4	4
273	Assessing Preferences in Patients with Head and Neck Squamous Cell Carcinoma: Phase I and II of Questionnaire Development. Cancers, 2020, 12, 3577.	1.7	4
274	Clinical characteristics, treatment intent, and outcome in a consecutive 10-year cohort of oral cancer patients aged 75 years and older. British Journal of Oral and Maxillofacial Surgery, 2021, 59, 303-311.	0.4	4
275	Patients' views of physical activity whilst living with and beyond head and neck cancer. International Journal of Oral and Maxillofacial Surgery, 2022, 51, 323-331.	0.7	4
276	Usefulness of smart glasses and point of view for suturing skills training in medical students: pilot study. BMJ Simulation and Technology Enhanced Learning, 2021, 7, 173-175.	0.7	4
277	Social Determinants of Health-Related Quality of Life Outcomes for Head and Neck Cancer Patients. Oral, 2021, 1, 313-325.	0.6	4
278	Healthâ€related quality of life at 3Âmonths following head and neck cancer treatment is a key predictor of longerâ€term outcome and of benefit from using the patient concerns inventory. Cancer Medicine, 2022, 11, 1879-1890.	1.3	4
279	The Patient Concerns Inventory in head and neck oncology: a structured review of its development, validation and clinical implications. European Archives of Oto-Rhino-Laryngology, 2022, 279, 5097-5111.	0.8	4
280	The diagnostic yield of only one occipitomental radiograph in cases of suspected midfacial tauma. British Journal of Oral and Maxillofacial Surgery, 1995, 33, 130.	0.4	3
281	Re Kessler P et al. Neoadjuvant and adjuvant therapy in patients with oral squamous cell carcinoma. Long-term survival in a prospective, non-randomized study. Br J Oral Maxillofac Surg 2008; 46: 1-5. British Journal of Oral and Maxillofacial Surgery, 2008, 46, 697.	0.4	3
282	The use of the FACT-H&N (v4) in clinical settings within a developing country: A mixed method study. Journal of Cranio-Maxillo-Facial Surgery, 2014, 42, 1590-1597.	0.7	3
283	Developing a protocol for gastrostomy tube insertion in patients diagnosed with head and neck cancer. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2014, 117, 551-559.	0.2	3
284	Health related quality of life following the treatment of oropharyngeal cancer by transoral laser. European Archives of Oto-Rhino-Laryngology, 2016, 273, 3913-3920.	0.8	3
285	The impact of the UK â€~two-week rule' on stage-on-diagnosis of oral cancer and the relationship to socio-economic inequalities. Journal of Cancer Policy, 2019, 20, 100191.	0.6	3
286	Free flap donor site during early review consultations: is it really an issue?. British Journal of Oral and Maxillofacial Surgery, 2020, 58, e115-e118.	0.4	3
287	Early oral cancer management during the COVID-19 period. British Journal of Oral and Maxillofacial Surgery, 2020, 58, 885-887.	0.4	3
288	Which Head and Neck Cancer Patients Are Most at Risk of High Levels of Fear of Cancer Recurrence. Frontiers in Psychology, 2021, 12, 671366.	1.1	3

#	Article	IF	CITATIONS
289	A survey to ascertain peer support models available in Head and Neck cancer across the United Kingdom. British Journal of Oral and Maxillofacial Surgery, 2022, 60, 488-492.	0.4	3
290	Head and neck cancer peer-to-peer support and quality of life: systematic scoping review. British Journal of Nursing, 2022, 31, S30-S36.	0.3	3
291	Rheumatology today and in the future. Rheumatology, 2011, 50, 2149-2150.	0.9	2
292	An audit of CT chest surveillance following oral cancer treatment. British Journal of Oral and Maxillofacial Surgery, 2016, 54, 600-603.	0.4	2
293	Formulating a Patient Concerns Inventory specific to adult burns patients: learning from the PCI concept in other specialties. Scars, Burns & Healing, 2018, 4, 205951311876338.	0.6	2
294	Using the Patient Concerns Inventory in the identification of fatigue following treatment for head and neck cancer. International Journal of Oral and Maxillofacial Surgery, 2021, 50, 865-872.	0.7	2
295	Oral and maxillofacial dental care professionals in critical care during the COVID-19 pandemic. British Journal of Oral and Maxillofacial Surgery, 2021, 59, 117-120.	0.4	2
296	Factors contributing to delayed decannulation of temporary tracheostomies following free tissue reconstructive surgery for head and neck cancer. British Journal of Oral and Maxillofacial Surgery, 2021, 59, 472-477.	0.4	2
297	Becoming the temporary surgeon: A grounded theory examination of anaesthetists performing emergency front of neck access in inter-disciplinary simulation-based training. PLoS ONE, 2021, 16, e0249070.	1.1	2
298	Pilot of the Patient Concerns Inventory – Ward Discharge in Patients following major reconstructive surgery for head and neck cancer. British Journal of Oral and Maxillofacial Surgery, 2021, 59, 425-432.	0.4	2
299	The nurse-patient interaction during rehabilitation consultations in patients surgically treated for head and neck cancer– a qualitative study. European Journal of Oncology Nursing, 2021, 53, 101985.	0.9	2
300	Risk stratification for poor health-related quality of life following head and neck cancer through the aid of a one-page item prompt list. International Journal of Oral and Maxillofacial Surgery, 2021, , .	0.7	2
301	A 31-year Review of Composite Radial Forearm Free Flaps for Head and Neck Reconstruction. British Journal of Oral and Maxillofacial Surgery, 2022, , .	0.4	2
302	Implications of the Quality of Life Metric in head and neck cancer. British Journal of Oral and Maxillofacial Surgery, 2022, 60, 810-816.	0.4	2
303	Reflections on: Psychology and Head Andneck Cancer. British Journal of Oral and Maxillofacial Surgery, 2001, 39, 346-347.	0.4	1
304	Survey of fellows regarding a national study into treatment with hyperbaric oxygen. British Journal of Oral and Maxillofacial Surgery, 2007, 45, 433-435.	0.4	1
305	Active versus passive neck drainage in head and neck oncology surgery: completing the re-audit cycle. British Journal of Oral and Maxillofacial Surgery, 2011, 49, 412-413.	0.4	1
306	Frequency and outcomes of submandibular gland obstruction following resection of squamous cell carcinomas in the vicinity of the submandibular duct. Annals of the Royal College of Surgeons of England, 2014, 96, 602-605.	0.3	1

#	Article	IF	CITATIONS
307	Exercise Programming Considerations Among Head And Neck Cancer Survivors In Socially Deprived Area Of England. Medicine and Science in Sports and Exercise, 2017, 49, 333.	0.2	1
308	Giant tongue lipoma. Oral and Maxillofacial Surgery Cases, 2018, 4, 63-67.	0.1	1
309	Improving patients' experience of tracheostomy after microvascular reconstruction for cancer of the head and neck utilising an Apple iPad® to aid communication. British Journal of Oral and Maxillofacial Surgery, 2018, 56, e47.	0.4	1
310	Protocol for the trismus trial—therabite versus wooden spatula in the amelioration of trismus in patients with head and neck cancer: randomised pilot study. BMJ Open, 2018, 8, e021938.	0.8	1
311	How much of a problem is too much saliva for patients following head and neck cancer. British Journal of Oral and Maxillofacial Surgery, 2020, 58, e51-e56.	0.4	1
312	Administration of intravenous iron and tranexamic acid in the management of postoperative iron deficiency anaemia following free flap reconstruction: re-audit. British Journal of Oral and Maxillofacial Surgery, 2021, 59, 97-101.	0.4	1
313	Patients' experience and perceived concerns regarding obtaining and taking prescriptions for head and neck osteoradionecrosis. British Journal of Oral and Maxillofacial Surgery, 2022, 60, 459-464.	0.4	1
314	Outcomes of necrotizing fasciitis in the head and neck region in the United Kingdom-a case series and literature review. Advances in Oral and Maxillofacial Surgery, 2022, 6, 100254.	0.1	1
315	Needs assessment in patients surgically treated for head and neck cancer—a randomized controlled trial. Supportive Care in Cancer, 2022, 30, 4201-4218.	1.0	1
316	Follow-up arrangements in head and neck cancer clinics during the COVID-19 pandemic: results from two tertiary UK head and neck cancer centres. Annals of the Royal College of Surgeons of England, 2023, 105, S60-S68.	0.3	1
317	Royal Academy of Medicine in Ireland Section of Surgery. Irish Journal of Medical Science, 1996, 165, 63-67.	0.8	0
318	The role of molecular strategies in the evaluation of surgical margins in oropharyngeal squamous cell carcinoma. Oncology Reviews, 2009, 3, 161-167.	0.8	0
319	Although Randomized Controlled Trials Support the Evidence Base for the Several Different Measures to Prevent or Manage Xerostomia Following Cancer Treatment, Intensity-Modified Radiotherapy (IMRT) Should be Used When Possible. Journal of Evidence-based Dental Practice, 2010, 10, 147-149.	0.7	Ο
320	Differences in health related quality of life in T1NO oral squamous cell Carcinoma: Selective neck dissection compared to wait and watch. British Journal of Oral and Maxillofacial Surgery, 2017, 55, e174.	0.4	0
321	Patient experience of flap monitoring following free flap surgery for oral cancer reconstruction. British Journal of Oral and Maxillofacial Surgery, 2017, 55, e177.	0.4	Ο
322	Health-Related Quality of Life in Head and Neck Surgery. , 2017, , 317-323.		0
323	Frequency of Level IIb Neck Dissections for OSCC. British Journal of Oral and Maxillofacial Surgery, 2018, 56, e75.	0.4	0
324	Digital communication for patients with temporary tracheostomy - innovative uses of electronic devices. British Journal of Oral and Maxillofacial Surgery, 2019, 57, e61.	0.4	0

#	Article	IF	CITATIONS
325	Primary B-Cell lymphoma of the mandible: a potentially difficult diagnosis. Dental Update, 2019, 46, 672-674.	0.1	0
326	Usefulness of smart glasses for suturing skills training. British Journal of Oral and Maxillofacial Surgery, 2019, 57, e54.	0.4	0
327	Intra venous iron (IVI) administration in the management of post-operative iron deficiency anaemia following free flap reconstruction: Re-audit. British Journal of Oral and Maxillofacial Surgery, 2020, 58, e145-e146.	0.4	Ο
328	A study exploring how much of a problem is too much saliva for patients following treatment for head and neck cancer. British Journal of Oral and Maxillofacial Surgery, 2020, 58, e209-e210.	0.4	0
329	The first report using the Cancer Related Loneliness Assessment Tool to help describe loneliness in head and neck cancer patients. British Journal of Oral and Maxillofacial Surgery, 2020, 58, e210.	0.4	0
330	The development of a patient concerns inventory for patient discharge. British Journal of Oral and Maxillofacial Surgery, 2020, 58, e211.	0.4	0
331	A feasibility study – video assisted surgical training. British Journal of Oral and Maxillofacial Surgery, 2020, 58, e217.	0.4	0
332	Necrotizing Sialometaplasia of the Hard Palate Mimicking Oral Cancer: a Case Report. SN Comprehensive Clinical Medicine, 2020, 2, 2917-2920.	0.3	0
333	Head and neck cancer patients' recollection of their clinical characteristics. British Journal of Oral and Maxillofacial Surgery, 2021, 59, 86-90.	0.4	0
334	Re: re: Two-week rule: suspected head and neck cancer referrals from a general medical practice perspective. British Journal of Oral and Maxillofacial Surgery, 2021, 59, 612-613.	0.4	0
335	Modification of a face shield to allow point-of-view (POV) assisted training during the COVID-19 pandemic. British Journal of Oral and Maxillofacial Surgery, 2021, 59, 238-239.	0.4	0
336	Translation and Validation of University of Washington Quality of Life Questionnaire in Malayalam, an Indian Language. Journal of Maxillofacial and Oral Surgery, 0, , 1.	0.6	0
337	Immediate post-operative care on high dependency unit or ward following microvascular free tissue transfer: lessons learnt from a change in practice imposed during the Covid 19 pandemic. British Journal of Oral and Maxillofacial Surgery, 2021, , .	0.4	0
338	Re: More evidences are needed in reducing the suicide risk in head and neck cancer patients. British Journal of Oral and Maxillofacial Surgery, 2021, 59, 971-972.	0.4	0
339	Reply to Letter to the Editor regarding "Zygomatic implant perforated (<scp>ZIP</scp>) flap technique: A milestone in rehabilitation of lowâ€level maxillectomyâ€l Head and Neck, 2022, 44, 2352-2353.	0.9	0
340	Patient worry and concern associated with referral on the two-week suspected head and neck pathway. British Dental Journal, 0, , .	0.3	0