

# Lucia Rita Valmaggia

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/526255/publications.pdf>

Version: 2024-02-01

172  
papers

12,287  
citations

39113

52  
h-index

32181

105  
g-index

190  
all docs

190  
docs citations

190  
times ranked

9267  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Psychosis High-Risk State. <i>JAMA Psychiatry</i> , 2013, 70, 107.	6.0	1,222
2	Predicting Psychosis. <i>Archives of General Psychiatry</i> , 2012, 69, 220.	13.8	1,214
3	Elevated Striatal Dopamine Function Linked to Prodromal Signs of Schizophrenia. <i>Archives of General Psychiatry</i> , 2009, 66, 13.	13.8	653
4	Comorbid Depressive and Anxiety Disorders in 509 Individuals With an At-Risk Mental State: Impact on Psychopathology and Transition to Psychosis. <i>Schizophrenia Bulletin</i> , 2014, 40, 120-131.	2.3	499
5	The five-factor model of the Positive and Negative Syndrome Scale II: A ten-fold cross-validation of a revised model. <i>Schizophrenia Research</i> , 2006, 85, 280-287.	1.1	466
6	Virtual reality in the psychological treatment for mental health problems: An systematic review of recent evidence. <i>Psychiatry Research</i> , 2016, 236, 189-195.	1.7	341
7	Dopamine Synthesis Capacity Before Onset of Psychosis: A Prospective [ <sup>18</sup> F]-DOPA PET Imaging Study. <i>American Journal of Psychiatry</i> , 2011, 168, 1311-1317.	4.0	321
8	Progressive increase in striatal dopamine synthesis capacity as patients develop psychosis: a PET study. <i>Molecular Psychiatry</i> , 2011, 16, 885-886.	4.1	255
9	Deconstructing Vulnerability for Psychosis: Meta-Analysis of Environmental Risk Factors for Psychosis in Subjects at Ultra High-Risk. <i>European Psychiatry</i> , 2017, 40, 65-75.	0.1	241
10	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.	2.3	229
11	Stress Sensitivity, Aberrant Salience, and Threat Anticipation in Early Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2016, 42, 712-722.	2.3	225
12	The effects of individually tailored formulation-based cognitive behavioural therapy in auditory hallucinations and delusions: A meta-analysis. <i>Schizophrenia Research</i> , 2014, 156, 30-37.	1.1	221
13	Glutamate Dysfunction in People with Prodromal Symptoms of Psychosis: Relationship to Gray Matter Volume. <i>Biological Psychiatry</i> , 2009, 66, 533-539.	0.7	210
14	Virtual reality in the assessment and treatment of psychosis: a systematic review of its utility, acceptability and effectiveness. <i>Psychological Medicine</i> , 2018, 48, 362-391.	2.7	191
15	Superior temporal lobe dysfunction and frontotemporal dysconnectivity in subjects at risk of psychosis and in first-episode psychosis. <i>Human Brain Mapping</i> , 2009, 30, 4129-4137.	1.9	189
16	Alterations in White Matter Evident Before the Onset of Psychosis. <i>Schizophrenia Bulletin</i> , 2012, 38, 1170-1179.	2.3	186
17	Outreach and support in South London (OASIS), 2001-2011: Ten years of early diagnosis and treatment for young individuals at high clinical risk for psychosis. <i>European Psychiatry</i> , 2013, 28, 315-326.	0.1	172
18	Disorganization/Cognitive and Negative Symptom Dimensions in the At-Risk Mental State Predict Subsequent Transition to Psychosis. <i>Schizophrenia Bulletin</i> , 2012, 38, 351-359.	2.3	168

#	ARTICLE	IF	CITATIONS
19	Outreach and support in south London (OASIS): implementation of a clinical service for prodromal psychosis and the at risk mental state. <i>European Psychiatry</i> , 2005, 20, 372-378.	0.1	166
20	Delusion formation and reasoning biases in those at clinical high risk for psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s38-s42.	1.7	165
21	The five-factor model of the Positive and Negative Syndrome Scale I: Confirmatory factor analysis fails to confirm 25 published five-factor solutions. <i>Schizophrenia Research</i> , 2006, 85, 273-279.	1.1	157
22	Cognitive-behavioural therapy for refractory psychotic symptoms of schizophrenia resistant to atypical antipsychotic medication. <i>British Journal of Psychiatry</i> , 2005, 186, 324-330.	1.7	141
23	Neural correlates of executive function and working memory in the "at-risk mental state". <i>British Journal of Psychiatry</i> , 2009, 194, 25-33.	1.7	141
24	Persistence or recurrence of non-psychotic comorbid mental disorders associated with 6-year poor functional outcomes in patients at ultra high risk for psychosis. <i>Journal of Affective Disorders</i> , 2016, 203, 101-110.	2.0	120
25	Reduced mismatch negativity predates the onset of psychosis. <i>Schizophrenia Research</i> , 2012, 134, 42-48.	1.1	119
26	Why are help-seeking subjects at ultra-high risk for psychosis help-seeking?. <i>Psychiatry Research</i> , 2015, 228, 808-815.	1.7	111
27	Economic impact of early intervention in people at high risk of psychosis. <i>Psychological Medicine</i> , 2009, 39, 1617.	2.7	104
28	Improving Prognostic Accuracy in Subjects at Clinical High Risk for Psychosis: Systematic Review of Predictive Models and Meta-analytical Sequential Testing Simulation. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw098.	2.3	98
29	Virtual reality as a clinical tool in mental health research and practice. <i>Dialogues in Clinical Neuroscience</i> , 2020, 22, 169-177.	1.8	98
30	Negative psychotic symptoms and impaired role functioning predict transition outcomes in the at-risk mental state: a latent class cluster analysis study. <i>Psychological Medicine</i> , 2013, 43, 2311-2325.	2.7	95
31	Social dysfunction predicts two years clinical outcome in people at ultra high risk for psychosis. <i>Journal of Psychiatric Research</i> , 2010, 44, 294-301.	1.5	92
32	Altered brain function directly related to structural abnormalities in people at ultra high risk of psychosis: Longitudinal VBM-fMRI study. <i>Journal of Psychiatric Research</i> , 2011, 45, 190-198.	1.5	89
33	Abnormal P300 in people with high risk of developing psychosis. <i>NeuroImage</i> , 2008, 41, 553-560.	2.1	87
34	Whither the Attenuated Psychosis Syndrome?. <i>Schizophrenia Bulletin</i> , 2012, 38, 1130-1134.	2.3	85
35	Can antidepressants prevent psychosis?. <i>Lancet, The</i> , 2007, 370, 1746-1748.	6.3	84
36	Increased stress reactivity: a mechanism specifically associated with the positive symptoms of psychotic disorder. <i>Psychological Medicine</i> , 2013, 43, 1389-1400.	2.7	83

#	ARTICLE	IF	CITATIONS
37	Cannabis use and transition to psychosis in people at ultra-high risk. <i>Psychological Medicine</i> , 2014, 44, 2503-2512.	2.7	83
38	Molecular genetic gene-environment studies using candidate genes in schizophrenia: A systematic review. <i>Schizophrenia Research</i> , 2013, 150, 356-365.	1.1	80
39	Appraisals of Anomalous Experiences Interview (AANEX): a multidimensional measure of psychological responses to anomalies associated with psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s23-s30.	1.7	78
40	Psychological processes underlying the association between childhood trauma and psychosis in daily life: an experience sampling study. <i>Psychological Medicine</i> , 2016, 46, 2799-2813.	2.7	78
41	Virtual reality and paranoid ideations in people with an at-risk mental state™ for psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s63-s68.	1.7	77
42	A Measure of State Persecutory Ideation for Experimental Studies. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 781-784.	0.5	77
43	Adversity in childhood linked to elevated striatal dopamine function in adulthood. <i>Schizophrenia Research</i> , 2016, 176, 171-176.	1.1	77
44	Speed of Psychosis Progression in People at Ultra-High Clinical Risk. <i>JAMA Psychiatry</i> , 2015, 72, 622.	6.0	69
45	Virtual reality relaxation for the general population: a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1707-1727.	1.6	67
46	Duration of untreated psychosis and need for admission in patients who engage with mental health services in the prodromal phase. <i>British Journal of Psychiatry</i> , 2015, 207, 130-134.	1.7	65
47	Spatial working memory in individuals at high risk for psychosis: Longitudinal fMRI study. <i>Schizophrenia Research</i> , 2010, 123, 45-52.	1.1	64
48	Interpersonal sensitivity in the at-risk mental state for psychosis. <i>Psychological Medicine</i> , 2012, 42, 1835-1845.	2.7	63
49	Modeling the Interplay Between Psychological Processes and Adverse, Stressful Contexts and Experiences in Pathways to Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2017, 43, 302-315.	2.3	63
50	Attention Training With Auditory Hallucinations: A Case Study. <i>Cognitive and Behavioral Practice</i> , 2007, 14, 127-133.	0.9	62
51	Identifying men at ultra high risk of psychosis in a prison population. <i>Schizophrenia Research</i> , 2012, 136, 1-6.	1.1	62
52	Antidepressant, antipsychotic and psychological interventions in subjects at high clinical risk for psychosis: OASIS 6-year naturalistic study. <i>Psychological Medicine</i> , 2015, 45, 1327-1339.	2.7	60
53	Effects of short-term cannabidiol treatment on response to social stress in subjects at clinical high risk of developing psychosis. <i>Psychopharmacology</i> , 2020, 237, 1121-1130.	1.5	60
54	Worldwide implementation of clinical services for the prevention of psychosis: The IEPA early intervention in mental health survey. <i>Microbial Biotechnology</i> , 2020, 14, 741-750.	0.9	58

#	ARTICLE	IF	CITATIONS
55	Blunted Cortisol Awakening Response in People at Ultra High Risk of Developing Psychosis. <i>Schizophrenia Research</i> , 2014, 158, 25-31.	1.1	57
56	Development of Proteomic Prediction Models for Transition to Psychotic Disorder in the Clinical High-Risk State and Psychotic Experiences in Adolescence. <i>JAMA Psychiatry</i> , 2021, 78, 77.	6.0	57
57	Prefrontal Function at Presentation Directly Related to Clinical Outcome in People at Ultrahigh Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2011, 37, 189-198.	2.3	53
58	Exploring Perceptions of "Wellness" in Black Ethnic Minority Individuals at Risk of Developing Psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2013, 41, 144-161.	0.9	53
59	Duration of untreated prodromal symptoms and 12-month functional outcome of individuals at risk of psychosis. <i>British Journal of Psychiatry</i> , 2009, 194, 181-182.	1.7	52
60	Social defeat predicts paranoid appraisals in people at high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 168, 16-22.	1.1	48
61	Factors Affecting Sense of Presence in a Virtual Reality Social Environment: A Qualitative Study. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2019, 22, 288-292.	2.1	48
62	Bullying victimisation and paranoid ideation in people at ultra high risk for psychosis. <i>Schizophrenia Research</i> , 2015, 168, 68-73.	1.1	46
63	Using virtual reality to investigate psychological processes and mechanisms associated with the onset and maintenance of psychosis: a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 921-936.	1.6	46
64	Services for people at high risk improve outcomes in patients with first episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 76-85.	2.2	44
65	Elevated Striatal Dopamine Function in Immigrants and Their Children: A Risk Mechanism for Psychosis. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw181.	2.3	44
66	Neural correlates of visuospatial working memory in the "at-risk mental state"™. <i>Psychological Medicine</i> , 2010, 40, 1987-1999.	2.7	43
67	Insight in individuals with an At Risk Mental State†. <i>Schizophrenia Research</i> , 2007, 90, 238-244.	1.1	42
68	Lambeth Early Onset (LEO) and Outreach & Support in South London (OASIS) service. <i>Microbial Biotechnology</i> , 2007, 1, 97-103.	0.9	42
69	Dysregulated Lipid Metabolism Precedes Onset of Psychosis. <i>Biological Psychiatry</i> , 2021, 89, 288-297.	0.7	42
70	Predictors of functional outcome in individuals at high clinical risk for psychosis at six years follow-up. <i>Journal of Psychiatric Research</i> , 2015, 65, 115-123.	1.5	40
71	Lower speech connectedness linked to incidence of psychosis in people at clinical high risk. <i>Schizophrenia Research</i> , 2021, 228, 493-501.	1.1	40
72	What Constitutes Sufficient Evidence for Case Formulation"Driven CBT for Psychosis? Cumulative Meta-analysis of the Effect on Hallucinations and Delusions. <i>Schizophrenia Bulletin</i> , 2020, 46, 1072-1085.	2.3	39

#	ARTICLE	IF	CITATIONS
73	The use of virtual reality in psychosis research and treatment. <i>World Psychiatry</i> , 2017, 16, 246-247.	4.8	38
74	Child Maltreatment and Clinical Outcome in Individuals at Ultra-High Risk for Psychosis in the EU-GEI High Risk Study. <i>Schizophrenia Bulletin</i> , 2018, 44, 584-592.	2.3	38
75	Are we really mapping psychosis risk? Neuroanatomical signature of affective disorders in subjects at ultra high risk. <i>Psychological Medicine</i> , 2014, 44, 3491-3501.	2.7	37
76	Recovery from daily-life stressors in early and chronic psychosis. <i>Schizophrenia Research</i> , 2019, 213, 32-39.	1.1	33
77	Perceived ethnic discrimination and persecutory paranoia in individuals at ultra-high risk for psychosis. <i>Psychiatry Research</i> , 2016, 241, 309-314.	1.7	29
78	Spatial working memory ability in individuals at ultra high risk for psychosis. <i>Journal of Psychiatric Research</i> , 2014, 50, 100-105.	1.5	28
79	Outreach and Support in South London (OASIS). Outcomes of non-attenders to a service for people at high risk of psychosis: the case for a more assertive approach to assessment. <i>Psychological Medicine</i> , 2011, 41, 243-250.	2.7	27
80	Pediatric traumatic brain injury and antisocial behavior: are they linked? A systematic review. <i>Brain Injury</i> , 2019, 33, 1272-1292.	0.6	25
81	HPA-axis function and grey matter volume reductions: imaging the diathesis-stress model in individuals at ultra-high risk of psychosis. <i>Translational Psychiatry</i> , 2016, 6, e797-e797.	2.4	24
82	Interpersonal sensitivity and functioning impairment in youth at ultra-high risk for psychosis. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 7-16.	2.8	24
83	Interpersonal sensitivity in those at clinical high risk for psychosis mediates the association between childhood bullying victimisation and paranoid ideation: A virtual reality study. <i>Schizophrenia Research</i> , 2018, 192, 89-95.	1.1	23
84	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 190.	6.0	23
85	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	4.1	23
86	“What Are You Thinking When You Look at Me?” A Pilot Study of the Use of Virtual Reality in Body Image. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2016, 19, 93-99.	2.1	22
87	Liberal Acceptance Bias, Momentary Aberrant Salience, and Psychosis: An Experimental Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 871-882.	2.3	22
88	Economic Impact of Early Detection and Early Intervention of Psychosis. <i>Current Pharmaceutical Design</i> , 2012, 18, 592-595.	0.9	21
89	Interpersonal processes in paranoia: a systematic review. <i>Psychological Medicine</i> , 2018, 48, 2299-2312.	2.7	21
90	“Truman” signs and vulnerability to psychosis. <i>British Journal of Psychiatry</i> , 2008, 193, 168-168.	1.7	20

#	ARTICLE	IF	CITATIONS
91	Using Virtual Reality to Assess Associations Between Paranoid Ideation and Components of Social Performance: A Pilot Validation Study. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2019, 22, 51-59.	2.1	20
92	Delusional ideation, manic symptomatology and working memory in a cohort at clinical high-risk for psychosis: A longitudinal study. <i>European Psychiatry</i> , 2012, 27, 258-263.	0.1	19
93	Demographic and clinical characteristics of 1092 consecutive police custody mental health referrals. <i>Journal of Forensic Psychiatry and Psychology</i> , 2017, 28, 295-312.	0.6	19
94	Formal thought disorder in people at ultra-high risk of psychosis. <i>BJPsych Open</i> , 2017, 3, 165-170.	0.3	19
95	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning – Results from the EU-GEI study. <i>European Psychiatry</i> , 2019, 59, 52-59.	0.1	19
96	Neural correlates of movement generation in the “at-risk mental state™”. <i>Acta Psychiatrica Scandinavica</i> , 2010, 122, 295-301.	2.2	17
97	Cognitive triggers of auditory hallucinations: An experimental investigation. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2010, 41, 179-184.	0.6	17
98	Efficacy and Moderators of Cognitive Behavioural Therapy for Psychosis Versus Other Psychological Interventions: An Individual-Participant Data Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2020, 11, 402.	1.3	17
99	mHealth technology to assess, monitor and treat daily functioning difficulties in people with severe mental illness: A systematic review. <i>Journal of Psychiatric Research</i> , 2022, 145, 35-49.	1.5	17
100	The distribution of self-reported psychotic-like experiences in non-psychotic help-seeking mental health patients in the general population; a factor mixture analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 349-358.	1.6	16
101	Family intervention in a prison environment: A systematic literature review. <i>Criminal Behaviour and Mental Health</i> , 2017, 27, 326-340.	0.4	16
102	The relationship between exposure to adverse life events in childhood and adolescent years and subsequent adult psychopathology in 49,163 adult prisoners: A systematic review. <i>Personality and Individual Differences</i> , 2018, 131, 74-92.	1.6	16
103	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , 2021, 26, 2590-2604.	4.1	16
104	Digital Technology for Caregivers of People With Psychosis: Systematic Review. <i>JMIR Mental Health</i> , 2018, 5, e55.	1.7	16
105	Virtual reality-based assessment and treatment of social functioning impairments in psychosis: a systematic review. <i>International Review of Psychiatry</i> , 2021, 33, 337-362.	1.4	15
106	Validation of the Italian version of interpersonal sensitivity measure (IPSM) in adolescents and young adults. <i>Journal of Affective Disorders</i> , 2014, 156, 164-170.	2.0	14
107	Early detection and early intervention in prison: improving outcomes and reducing prison returns. <i>Journal of Forensic Psychiatry and Psychology</i> , 2017, 28, 91-107.	0.6	14
108	Interpersonal sensitivity, bullying victimization and paranoid ideation among help-seeking adolescents and young adults. <i>Microbial Biotechnology</i> , 2019, 13, 57-63.	0.9	14

#	ARTICLE	IF	CITATIONS
109	Subjective experience of paranoid ideation in a virtual reality social environment: A mixed methods cross-sectional study. <i>Clinical Psychology and Psychotherapy</i> , 2020, 27, 337-345.	1.4	14
110	Sex differences in cognitive functioning of patients at-risk for psychosis and healthy controls: Results from the European Gene-Environment Interactions study. <i>European Psychiatry</i> , 2020, 63, e25.	0.1	14
111	Emotion Recognition and Adverse Childhood Experiences in Individuals at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2020, 46, 823-833.	2.3	14
112	Elucidating negative symptoms in the daily life of individuals in the early stages of psychosis. <i>Psychological Medicine</i> , 2021, 51, 2599-2609.	2.7	14
113	Treating Multiple Incident Post-Traumatic Stress Disorder (PTSD) in an Inner City London Prison: The Need for an Evidence Base. <i>Behavioural and Cognitive Psychotherapy</i> , 2016, 44, 112-117.	0.9	13
114	Editorial Perspective: Rethinking child and adolescent mental health care after COVID-19. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021, 62, 1067-1069.	3.1	13
115	Cognitive Behavioral Therapy Across the Stages of Psychosis: Prodromal, First Episode, and Chronic Schizophrenia. <i>Cognitive and Behavioral Practice</i> , 2008, 15, 179-193.	0.9	12
116	Suicide ideation amongst people referred for mental health assessment in police custody. <i>Journal of Criminal Psychology</i> , 2016, 6, 146-156.	0.8	12
117	The impact of delivering GP training on the clinical high risk and first-episode psychosis on referrals and pathways to care. <i>Microbial Biotechnology</i> , 2015, 9, 459-466.	0.9	11
118	Sensory gating deficits in the attenuated psychosis syndrome. <i>Schizophrenia Research</i> , 2015, 161, 277-282.	1.1	11
119	Measuring attachment and parental bonding in psychosis and its clinical implications. <i>Epidemiology and Psychiatric Sciences</i> , 2016, 25, 142-149.	1.8	11
120	Prisoners at ultra-high-risk for psychosis: a cross-sectional study. <i>Epidemiology and Psychiatric Sciences</i> , 2016, 25, 150-159.	1.8	11
121	Substance use and at-risk mental state for psychosis in 2102 prisoners: the case for early detection and early intervention in prison. <i>Microbial Biotechnology</i> , 2018, 12, 400-409.	0.9	11
122	The relationship between ethnicity and service access, treatment uptake and the incidence of psychosis among people at ultra high risk for psychosis. <i>Psychiatry Research</i> , 2019, 272, 618-627.	1.7	11
123	Relationship between jumping to conclusions and clinical outcomes in people at clinical high-risk for psychosis. <i>Psychological Medicine</i> , 2022, 52, 1569-1577.	2.7	11
124	Altered relationship between cortisol response to social stress and mediotemporal function during fear processing in people at clinical high risk for psychosis: a preliminary report. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 461-475.	1.8	11
125	Attentional Correlates of Illness Anxiety in a Non-Clinical Sample. <i>Psychotherapy and Psychosomatics</i> , 1999, 68, 22-25.	4.0	10
126	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , 2021, 47, 1018-1028.	2.3	10



#	ARTICLE	IF	CITATIONS
127	Heterogeneity in the Assessment of the At-Risk Mental State for Psychosis. <i>Psychiatric Services</i> , 2008, 59, 813-813.	1.1	10
128	Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis. <i>Schizophrenia Research: Cognition</i> , 2022, 28, 100222.	0.7	10
129	The incidence of non-affective psychotic disorders in Chile between 2005 and 2018: results from a national register of over 30 000 cases. <i>Psychological Medicine</i> , 2022, 52, 914-923.	2.7	9
130	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2022, 48, 100-110.	2.3	9
131	Basic Self-Disturbances Related to Reduced Anterior Cingulate Volume in Subjects at Ultra-High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2019, 10, 254.	1.3	8
132	Maladaptive blame-related action tendencies are associated with vulnerability to major depressive disorder. <i>Journal of Psychiatric Research</i> , 2022, 145, 70-76.	1.5	8
133	Healthcare services in police custody in England and Wales. <i>BMJ, The</i> , 2016, 353, i1994.	3.0	7
134	Impact of crime victimization on initial presentation to an early intervention for psychosis service and 18-month outcomes. <i>Microbial Biotechnology</i> , 2017, 11, 123-132.	0.9	7
135	Interpersonal sensitivity and persistent attenuated psychotic symptoms in adolescence. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 309-318.	2.8	7
136	Positive schizotypy and the experience of creativity: The distinctive roles of suspiciousness and dispositional mindfulness. <i>Schizophrenia Research</i> , 2021, 228, 151-158.	1.1	7
137	Psychosocial predictors of distressing unusual experiences in adolescence: Testing the fit of an adult cognitive model of psychosis. <i>Schizophrenia Research</i> , 2021, 237, 1-8.	1.1	7
138	Examining clinicians' concerns delivering telemental health interventions directly to autistic individuals during COVID-19. <i>Research in Autism Spectrum Disorders</i> , 2022, 94, 101956.	0.8	7
139	Pathways through the criminal justice system for prisoners with acute and serious mental illness. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2016, 44, 162-168.	0.5	6
140	The Provision of Education and Employment Support At the Outreach and Support in South London (OASIS) Service for People at Clinical High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2019, 10, 799.	1.3	6
141	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2020, 230, 104-107.	1.1	6
142	Association between tobacco use and symptomatology in individuals at ultra-high risk to develop a psychosis: A longitudinal study. <i>Schizophrenia Research</i> , 2021, 236, 48-53.	1.1	6
143	Attention Training Technique and Acceptance and Commitment Therapy for distressing auditory hallucinations. , 2010, , 123-142.		6
144	COGNITIVE AND NEGATIVE SYMPTOM DIMENSIONS IN THE AT RISK MENTAL STATE PREDICT SUBSEQUENT TRANSITION TO PSYCHOSIS. <i>Schizophrenia Research</i> , 2010, 117, 189.	1.1	5

#	ARTICLE	IF	CITATIONS
145	Prison Mental Health In-reach: The Effect of Open Referral Pathways. <i>Psychiatry, Psychology and Law</i> , 2017, 24, 152-158.	0.9	5
146	Self-report and behavioural measures of impulsivity as predictors of impulsive behaviour and psychopathology in male prisoners. <i>Personality and Individual Differences</i> , 2017, 113, 173-177.	1.6	5
147	Across the continuum: Associations between (fluctuations in) momentary self-esteem and psychotic experiences. <i>Schizophrenia Research</i> , 2021, 238, 188-198.	1.1	5
148	Developing a user-informed intervention study of a virtual reality therapy for social anxiety in autistic adolescents. <i>Design for Health</i> , 2022, 6, 114-133.	0.4	5
149	Prison and Community Populations at Ultra-High Risk of Psychosis: Differences and Challenges for Service Provision. <i>Psychiatric Services</i> , 2016, 67, 990-995.	1.1	4
150	Differences between homeless and non-homeless people in a matched sample referred for mental health reasons in police custody. <i>International Journal of Social Psychiatry</i> , 2020, 66, 576-583.	1.6	4
151	Momentary Manifestations of Negative Symptoms as Predictors of Clinical Outcomes in People at High Risk for Psychosis: Experience Sampling Study. <i>JMIR Mental Health</i> , 2021, 8, e30309.	1.7	4
152	Psychological Therapy for At Risk Mental State for Psychosis in a Prison Setting: A Case Study. <i>Journal of Clinical Psychology</i> , 2016, 72, 142-151.	1.0	3
153	Street slang and schizophrenia. <i>BMJ: British Medical Journal</i> , 2007, 335, 1294-1294.	2.4	2
154	O110 VIRTUAL REALITY AND PARANOID IDEATIONS. <i>Schizophrenia Research</i> , 2006, 86, S137-S138.	1.1	1
155	Technology-Based Assessments and Treatments of Anxiety in Autistic Individuals: Systematic Review and Narrative Synthesis. <i>Review Journal of Autism and Developmental Disorders</i> , 2022, 9, 571-595.	2.2	1
156	P.3.d.013 Correlation between acute atypical antipsychotic treatment and cognitive functioning in first episode psychosis. <i>European Neuropsychopharmacology</i> , 2006, 16, S436.	0.3	0
157	WC4F WHITE MATTER ABNORMALITIES IN THE PRODROMAL AND FIRST EPISODE PHASES OF PSYCHOSIS. <i>Schizophrenia Research</i> , 2006, 86, S11.	1.1	0
158	WC5G NEUROPHYSIOLOGIC MARKERS OF RISK OF DEVELOPING PSYCHOSIS. <i>Schizophrenia Research</i> , 2006, 86, S14.	1.1	0
159	O119 PEOPLE AT HIGH RISK OF PSYCHOSIS JUMP TO CONCLUSIONS. <i>Schizophrenia Research</i> , 2006, 86, S85.	1.1	0
160	Paired associate learning in subjects at risk for psychosis: fMRI study. <i>European Psychiatry</i> , 2007, 22, S314.	0.1	0
161	ALTERATIONS IN WHITE MATTER MICROSTRUCTURE ASSOCIATED WITH THE ONSET OF PSYCHOSIS. <i>Schizophrenia Research</i> , 2010, 117, 462.	1.1	0
162	<b>CBT for Psychosis: A Symptom-Based Approach</b> Edited by Roger Hagen, Douglas Turkington, Torkil Berge & Rolf W. Gråwe, Routledge, 2010, £19.99, pb, 296 pp. ISBN: 9780415549479. <i>The Psychiatrist</i> , 2011, 35, 399-399.	0.3	0

#	ARTICLE	IF	CITATIONS
163	Superior temporal lobe dysfunction and frontotemporal dysconnectivity in subjects at risk of psychosis and in first-episode psychosis. <i>International Clinical Psychopharmacology</i> , 2011, 26, e117-e118.	0.9	0
164	The Recognition and Management of Early Psychosis: A Preventive Approach (Second Edition). Edited by H. J. Jackson and P. D. McGorry. (Pp. 423; \$72.00; ISBN 9780521617314.) Cambridge University Press: New York. 2009.. <i>Psychological Medicine</i> , 2011, 41, 444-445.	2.7	0
165	F220. THREAT ANTICIPATION AND NEGATIVE AFFECT IN EARLY PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S307-S307.	2.3	0
166	S42. NEUROANATOMY OF EMOTIONAL PROCESSING AND IMPACT ON CLINICAL OUTCOMES IN SUBJECTS AT HIGH RISK OF PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019, 45, S322-S322.	2.3	0
167	O10.3. EXPOSURE TO COMMON INFECTIOUS PATHOGENS IN SUBJECTS AT CLINICAL HIGH RISK FOR PSYCHOSIS: CLINICAL AND IMMUNOBIOLOGICAL ASSOCIATIONS. <i>Schizophrenia Bulletin</i> , 2019, 45, S190-S191.	2.3	0
168	O6.5. INVESTIGATING VARIABLES FROM THE NAPLS RISK CALCULATOR FOR PSYCHOSIS IN THE EU-GEI HIGH RISK STUDY. <i>Schizophrenia Bulletin</i> , 2019, 45, S177-S178.	2.3	0
169	T21. DEVELOPMENT OF PROTEOMIC PREDICTION MODELS FOR OUTCOMES IN THE CLINICAL HIGH RISK STATE AND PSYCHOTIC EXPERIENCES IN ADOLESCENCE: MACHINE LEARNING ANALYSES IN TWO NESTED CASE-CONTROL STUDIES. <i>Schizophrenia Bulletin</i> , 2020, 46, S238-S239.	2.3	0
170	S175. CLINICAL OUTCOMES IN PEOPLE AT HIGH RISK FOR PSYCHOSIS RELATED TO INTERACTIONS BETWEEN POLYGENIC RISK SCORES AND CHILDHOOD ADVERSITY. <i>Schizophrenia Bulletin</i> , 2020, 46, S104-S104.	2.3	0
171	Digital Interventions for Psychosis. , 2021, , .		0
172	The relationship between grey matter volume and clinical and functional outcomes in people at clinical high risk for psychosis. <i>Schizophrenia Bulletin Open</i> , 0, , .	0.9	0