

Lucia Rita Valmaggia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/526255/publications.pdf>

Version: 2024-02-01

172
papers

12,287
citations

34105

52
h-index

28297

105
g-index

190
all docs

190
docs citations

190
times ranked

8497
citing authors

#	ARTICLE	IF	CITATIONS
1	The Psychosis High-Risk State. JAMA Psychiatry, 2013, 70, 107.	11.0	1,222
2	Predicting Psychosis. Archives of General Psychiatry, 2012, 69, 220.	12.3	1,214
3	Elevated Striatal Dopamine Function Linked to Prodromal Signs of Schizophrenia. Archives of General Psychiatry, 2009, 66, 13.	12.3	653
4	Comorbid Depressive and Anxiety Disorders in 509 Individuals With an At-Risk Mental State: Impact on Psychopathology and Transition to Psychosis. Schizophrenia Bulletin, 2014, 40, 120-131.	4.3	499
5	The five-factor model of the Positive and Negative Syndrome Scale II: A ten-fold cross-validation of a revised model. Schizophrenia Research, 2006, 85, 280-287.	2.0	466
6	Virtual reality in the psychological treatment for mental health problems: An systematic review of recent evidence. Psychiatry Research, 2016, 236, 189-195.	3.3	341
7	Dopamine Synthesis Capacity Before Onset of Psychosis: A Prospective [¹⁸ F]-DOPA PET Imaging Study. American Journal of Psychiatry, 2011, 168, 1311-1317.	7.2	321
8	Progressive increase in striatal dopamine synthesis capacity as patients develop psychosis: a PET study. Molecular Psychiatry, 2011, 16, 885-886.	7.9	255
9	Deconstructing Vulnerability for Psychosis: Meta-Analysis of Environmental Risk Factors for Psychosis in Subjects at Ultra High-Risk. European Psychiatry, 2017, 40, 65-75.	0.2	241
10	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. Schizophrenia Bulletin, 2014, 40, 729-736.	4.3	229
11	Stress Sensitivity, Aberrant Salience, and Threat Anticipation in Early Psychosis: An Experience Sampling Study. Schizophrenia Bulletin, 2016, 42, 712-722.	4.3	225
12	The effects of individually tailored formulation-based cognitive behavioural therapy in auditory hallucinations and delusions: A meta-analysis. Schizophrenia Research, 2014, 156, 30-37.	2.0	221
13	Glutamate Dysfunction in People with Prodromal Symptoms of Psychosis: Relationship to Gray Matter Volume. Biological Psychiatry, 2009, 66, 533-539.	1.3	210
14	Virtual reality in the assessment and treatment of psychosis: a systematic review of its utility, acceptability and effectiveness. Psychological Medicine, 2018, 48, 362-391.	4.5	191
15	Superior temporal lobe dysfunction and frontotemporal dysconnectivity in subjects at risk of psychosis and in first-episode psychosis. Human Brain Mapping, 2009, 30, 4129-4137.	3.6	189
16	Alterations in White Matter Evident Before the Onset of Psychosis. Schizophrenia Bulletin, 2012, 38, 1170-1179.	4.3	186
17	Outreach and support in South London (OASIS), 2001-2011: Ten years of early diagnosis and treatment for young individuals at high clinical risk for psychosis. European Psychiatry, 2013, 28, 315-326.	0.2	172
18	Disorganization/Cognitive and Negative Symptom Dimensions in the At-Risk Mental State Predict Subsequent Transition to Psychosis. Schizophrenia Bulletin, 2012, 38, 351-359.	4.3	168

#	ARTICLE	IF	CITATIONS
19	Outreach and support in south London (OASIS): implementation of a clinical service for prodromal psychosis and the at risk mental state. <i>European Psychiatry</i> , 2005, 20, 372-378.	0.2	166
20	Delusion formation and reasoning biases in those at clinical high risk for psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s38-s42.	2.8	165
21	The five-factor model of the Positive and Negative Syndrome Scale I: Confirmatory factor analysis fails to confirm 25 published five-factor solutions. <i>Schizophrenia Research</i> , 2006, 85, 273-279.	2.0	157
22	Cognitive-behavioural therapy for refractory psychotic symptoms of schizophrenia resistant to atypical antipsychotic medication. <i>British Journal of Psychiatry</i> , 2005, 186, 324-330.	2.8	141
23	Neural correlates of executive function and working memory in the "at-risk mental state". <i>British Journal of Psychiatry</i> , 2009, 194, 25-33.	2.8	141
24	Persistence or recurrence of non-psychotic comorbid mental disorders associated with 6-year poor functional outcomes in patients at ultra high risk for psychosis. <i>Journal of Affective Disorders</i> , 2016, 203, 101-110.	4.1	120
25	Reduced mismatch negativity predates the onset of psychosis. <i>Schizophrenia Research</i> , 2012, 134, 42-48.	2.0	119
26	Why are help-seeking subjects at ultra-high risk for psychosis help-seeking?. <i>Psychiatry Research</i> , 2015, 228, 808-815.	3.3	111
27	Economic impact of early intervention in people at high risk of psychosis. <i>Psychological Medicine</i> , 2009, 39, 1617.	4.5	104
28	Improving Prognostic Accuracy in Subjects at Clinical High Risk for Psychosis: Systematic Review of Predictive Models and Meta-analytical Sequential Testing Simulation. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw098.	4.3	98
29	Virtual reality as a clinical tool in mental health research and practice. <i>Dialogues in Clinical Neuroscience</i> , 2020, 22, 169-177.	3.7	98
30	Negative psychotic symptoms and impaired role functioning predict transition outcomes in the at-risk mental state: a latent class cluster analysis study. <i>Psychological Medicine</i> , 2013, 43, 2311-2325.	4.5	95
31	Social dysfunction predicts two years clinical outcome in people at ultra high risk for psychosis. <i>Journal of Psychiatric Research</i> , 2010, 44, 294-301.	3.1	92
32	Altered brain function directly related to structural abnormalities in people at ultra high risk of psychosis: Longitudinal VBM-fMRI study. <i>Journal of Psychiatric Research</i> , 2011, 45, 190-198.	3.1	89
33	Abnormal P300 in people with high risk of developing psychosis. <i>NeuroImage</i> , 2008, 41, 553-560.	4.2	87
34	Whither the Attenuated Psychosis Syndrome?. <i>Schizophrenia Bulletin</i> , 2012, 38, 1130-1134.	4.3	85
35	Can antidepressants prevent psychosis?. <i>Lancet, The</i> , 2007, 370, 1746-1748.	13.7	84
36	Increased stress reactivity: a mechanism specifically associated with the positive symptoms of psychotic disorder. <i>Psychological Medicine</i> , 2013, 43, 1389-1400.	4.5	83

#	ARTICLE	IF	CITATIONS
37	Cannabis use and transition to psychosis in people at ultra-high risk. <i>Psychological Medicine</i> , 2014, 44, 2503-2512.	4.5	83
38	Molecular genetic gene-environment studies using candidate genes in schizophrenia: A systematic review. <i>Schizophrenia Research</i> , 2013, 150, 356-365.	2.0	80
39	Appraisals of Anomalous Experiences Interview (AANEX): a multidimensional measure of psychological responses to anomalies associated with psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s23-s30.	2.8	78
40	Psychological processes underlying the association between childhood trauma and psychosis in daily life: an experience sampling study. <i>Psychological Medicine</i> , 2016, 46, 2799-2813.	4.5	78
41	Virtual reality and paranoid ideations in people with an at-risk mental state™ for psychosis. <i>British Journal of Psychiatry</i> , 2007, 191, s63-s68.	2.8	77
42	A Measure of State Persecutory Ideation for Experimental Studies. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 781-784.	1.0	77
43	Adversity in childhood linked to elevated striatal dopamine function in adulthood. <i>Schizophrenia Research</i> , 2016, 176, 171-176.	2.0	77
44	Speed of Psychosis Progression in People at Ultra-High Clinical Risk. <i>JAMA Psychiatry</i> , 2015, 72, 622.	11.0	69
45	Virtual reality relaxation for the general population: a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1707-1727.	3.1	67
46	Duration of untreated psychosis and need for admission in patients who engage with mental health services in the prodromal phase. <i>British Journal of Psychiatry</i> , 2015, 207, 130-134.	2.8	65
47	Spatial working memory in individuals at high risk for psychosis: Longitudinal fMRI study. <i>Schizophrenia Research</i> , 2010, 123, 45-52.	2.0	64
48	Interpersonal sensitivity in the at-risk mental state for psychosis. <i>Psychological Medicine</i> , 2012, 42, 1835-1845.	4.5	63
49	Modeling the Interplay Between Psychological Processes and Adverse, Stressful Contexts and Experiences in Pathways to Psychosis: An Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2017, 43, 302-315.	4.3	63
50	Attention Training With Auditory Hallucinations: A Case Study. <i>Cognitive and Behavioral Practice</i> , 2007, 14, 127-133.	1.5	62
51	Identifying men at ultra high risk of psychosis in a prison population. <i>Schizophrenia Research</i> , 2012, 136, 1-6.	2.0	62
52	Antidepressant, antipsychotic and psychological interventions in subjects at high clinical risk for psychosis: OASIS 6-year naturalistic study. <i>Psychological Medicine</i> , 2015, 45, 1327-1339.	4.5	60
53	Effects of short-term cannabidiol treatment on response to social stress in subjects at clinical high risk of developing psychosis. <i>Psychopharmacology</i> , 2020, 237, 1121-1130.	3.1	60
54	Worldwide implementation of clinical services for the prevention of psychosis: The IEPA early intervention in mental health survey. <i>Microbial Biotechnology</i> , 2020, 14, 741-750.	1.7	58

#	ARTICLE	IF	CITATIONS
55	Blunted Cortisol Awakening Response in People at Ultra High Risk of Developing Psychosis. Schizophrenia Research, 2014, 158, 25-31.	2.0	57
56	Development of Proteomic Prediction Models for Transition to Psychotic Disorder in the Clinical High-Risk State and Psychotic Experiences in Adolescence. JAMA Psychiatry, 2021, 78, 77.	11.0	57
57	Prefrontal Function at Presentation Directly Related to Clinical Outcome in People at Ultrahigh Risk of Psychosis. Schizophrenia Bulletin, 2011, 37, 189-198.	4.3	53
58	Exploring Perceptions of “Wellness” in Black Ethnic Minority Individuals at Risk of Developing Psychosis. Behavioural and Cognitive Psychotherapy, 2013, 41, 144-161.	1.2	53
59	Duration of untreated prodromal symptoms and 12-month functional outcome of individuals at risk of psychosis. British Journal of Psychiatry, 2009, 194, 181-182.	2.8	52
60	Social defeat predicts paranoid appraisals in people at high risk for psychosis. Schizophrenia Research, 2015, 168, 16-22.	2.0	48
61	Factors Affecting Sense of Presence in a Virtual Reality Social Environment: A Qualitative Study. Cyberpsychology, Behavior, and Social Networking, 2019, 22, 288-292.	3.9	48
62	Bullying victimisation and paranoid ideation in people at ultra high risk for psychosis. Schizophrenia Research, 2015, 168, 68-73.	2.0	46
63	Using virtual reality to investigate psychological processes and mechanisms associated with the onset and maintenance of psychosis: a systematic review. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 921-936.	3.1	46
64	Services for people at high risk improve outcomes in patients with first episode psychosis. Acta Psychiatrica Scandinavica, 2016, 133, 76-85.	4.5	44
65	Elevated Striatal Dopamine Function in Immigrants and Their Children: A Risk Mechanism for Psychosis. Schizophrenia Bulletin, 2017, 43, sbw181.	4.3	44
66	Neural correlates of visuospatial working memory in the “at-risk mental state”™. Psychological Medicine, 2010, 40, 1987-1999.	4.5	43
67	Insight in individuals with an At Risk Mental State™. Schizophrenia Research, 2007, 90, 238-244.	2.0	42
68	Lambeth Early Onset (LEO) and Outreach & Support in South London (OASIS) service. Microbial Biotechnology, 2007, 1, 97-103.	1.7	42
69	Dysregulated Lipid Metabolism Precedes Onset of Psychosis. Biological Psychiatry, 2021, 89, 288-297.	1.3	42
70	Predictors of functional outcome in individuals at high clinical risk for psychosis at six years follow-up. Journal of Psychiatric Research, 2015, 65, 115-123.	3.1	40
71	Lower speech connectedness linked to incidence of psychosis in people at clinical high risk. Schizophrenia Research, 2021, 228, 493-501.	2.0	40
72	What Constitutes Sufficient Evidence for Case Formulation? “Driven CBT for Psychosis? Cumulative Meta-analysis of the Effect on Hallucinations and Delusions. Schizophrenia Bulletin, 2020, 46, 1072-1085.	4.3	39

#	ARTICLE	IF	CITATIONS
73	The use of virtual reality in psychosis research and treatment. <i>World Psychiatry</i> , 2017, 16, 246-247.	10.4	38
74	Child Maltreatment and Clinical Outcome in Individuals at Ultra-High Risk for Psychosis in the EU-GEI High Risk Study. <i>Schizophrenia Bulletin</i> , 2018, 44, 584-592.	4.3	38
75	Are we really mapping psychosis risk? Neuroanatomical signature of affective disorders in subjects at ultra high risk. <i>Psychological Medicine</i> , 2014, 44, 3491-3501.	4.5	37
76	Recovery from daily-life stressors in early and chronic psychosis. <i>Schizophrenia Research</i> , 2019, 213, 32-39.	2.0	33
77	Perceived ethnic discrimination and persecutory paranoia in individuals at ultra-high risk for psychosis. <i>Psychiatry Research</i> , 2016, 241, 309-314.	3.3	29
78	Spatial working memory ability in individuals at ultra high risk for psychosis. <i>Journal of Psychiatric Research</i> , 2014, 50, 100-105.	3.1	28
79	Outreach and Support in South London (OASIS). Outcomes of non-attenders to a service for people at high risk of psychosis: the case for a more assertive approach to assessment. <i>Psychological Medicine</i> , 2011, 41, 243-250.	4.5	27
80	Pediatric traumatic brain injury and antisocial behavior: are they linked? A systematic review. <i>Brain Injury</i> , 2019, 33, 1272-1292.	1.2	25
81	HPA-axis function and grey matter volume reductions: imaging the diathesis-stress model in individuals at ultra-high risk of psychosis. <i>Translational Psychiatry</i> , 2016, 6, e797-e797.	4.8	24
82	Interpersonal sensitivity and functioning impairment in youth at ultra-high risk for psychosis. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 7-16.	4.7	24
83	Interpersonal sensitivity in those at clinical high risk for psychosis mediates the association between childhood bullying victimisation and paranoid ideation: A virtual reality study. <i>Schizophrenia Research</i> , 2018, 192, 89-95.	2.0	23
84	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 190.	11.0	23
85	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	7.9	23
86	“What Are You Thinking When You Look at Me?” A Pilot Study of the Use of Virtual Reality in Body Image. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2016, 19, 93-99.	3.9	22
87	Liberal Acceptance Bias, Momentary Aberrant Salience, and Psychosis: An Experimental Experience Sampling Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 871-882.	4.3	22
88	Economic Impact of Early Detection and Early Intervention of Psychosis. <i>Current Pharmaceutical Design</i> , 2012, 18, 592-595.	1.9	21
89	Interpersonal processes in paranoia: a systematic review. <i>Psychological Medicine</i> , 2018, 48, 2299-2312.	4.5	21
90	“Truman” signs and vulnerability to psychosis. <i>British Journal of Psychiatry</i> , 2008, 193, 168-168.	2.8	20

#	ARTICLE	IF	CITATIONS
91	Using Virtual Reality to Assess Associations Between Paranoid Ideation and Components of Social Performance: A Pilot Validation Study. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2019, 22, 51-59.	3.9	20
92	Delusional ideation, manic symptomatology and working memory in a cohort at clinical high-risk for psychosis: A longitudinal study. <i>European Psychiatry</i> , 2012, 27, 258-263.	0.2	19
93	Demographic and clinical characteristics of 1092 consecutive police custody mental health referrals. <i>Journal of Forensic Psychiatry and Psychology</i> , 2017, 28, 295-312.	1.0	19
94	Formal thought disorder in people at ultra-high risk of psychosis. <i>BJPsych Open</i> , 2017, 3, 165-170.	0.7	19
95	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning â€” Results from the EU-GEI study. <i>European Psychiatry</i> , 2019, 59, 52-59.	0.2	19
96	Neural correlates of movement generation in the â€”atâ€”risk mental stateâ€™. <i>Acta Psychiatrica Scandinavica</i> , 2010, 122, 295-301.	4.5	17
97	Cognitive triggers of auditory hallucinations: An experimental investigation. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2010, 41, 179-184.	1.2	17
98	Efficacy and Moderators of Cognitive Behavioural Therapy for Psychosis Versus Other Psychological Interventions: An Individual-Participant Data Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2020, 11, 402.	2.6	17
99	mHealth technology to assess, monitor and treat daily functioning difficulties in people with severe mental illness: A systematic review. <i>Journal of Psychiatric Research</i> , 2022, 145, 35-49.	3.1	17
100	The distribution of self-reported psychotic-like experiences in non-psychotic help-seeking mental health patients in the general population; a factor mixture analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 349-358.	3.1	16
101	Family intervention in a prison environment: A systematic literature review. <i>Criminal Behaviour and Mental Health</i> , 2017, 27, 326-340.	0.8	16
102	The relationship between exposure to adverse life events in childhood and adolescent years and subsequent adult psychopathology in 49,163 adult prisoners: A systematic review. <i>Personality and Individual Differences</i> , 2018, 131, 74-92.	2.9	16
103	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , 2021, 26, 2590-2604.	7.9	16
104	Digital Technology for Caregivers of People With Psychosis: Systematic Review. <i>JMIR Mental Health</i> , 2018, 5, e55.	3.3	16
105	Virtual reality-based assessment and treatment of social functioning impairments in psychosis: a systematic review. <i>International Review of Psychiatry</i> , 2021, 33, 337-362.	2.8	15
106	Validation of the Italian version of interpersonal sensitivity measure (IPSM) in adolescents and young adults. <i>Journal of Affective Disorders</i> , 2014, 156, 164-170.	4.1	14
107	Early detection and early intervention in prison: improving outcomes and reducing prison returns. <i>Journal of Forensic Psychiatry and Psychology</i> , 2017, 28, 91-107.	1.0	14
108	Interpersonal sensitivity, bullying victimization and paranoid ideation among help-seeking adolescents and young adults. <i>Microbial Biotechnology</i> , 2019, 13, 57-63.	1.7	14

#	ARTICLE	IF	CITATIONS
109	Subjective experience of paranoid ideation in a virtual reality social environment: A mixed methods cross-sectional study. <i>Clinical Psychology and Psychotherapy</i> , 2020, 27, 337-345.	2.7	14
110	Sex differences in cognitive functioning of patients at-risk for psychosis and healthy controls: Results from the European Gene-Environment Interactions study. <i>European Psychiatry</i> , 2020, 63, e25.	0.2	14
111	Emotion Recognition and Adverse Childhood Experiences in Individuals at Clinical High Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2020, 46, 823-833.	4.3	14
112	Elucidating negative symptoms in the daily life of individuals in the early stages of psychosis. <i>Psychological Medicine</i> , 2021, 51, 2599-2609.	4.5	14
113	Treating Multiple Incident Post-Traumatic Stress Disorder (PTSD) in an Inner City London Prison: The Need for an Evidence Base. <i>Behavioural and Cognitive Psychotherapy</i> , 2016, 44, 112-117.	1.2	13
114	Editorial Perspective: Rethinking child and adolescent mental health care after COVID-19. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021, 62, 1067-1069.	5.2	13
115	Cognitive Behavioral Therapy Across the Stages of Psychosis: Prodromal, First Episode, and Chronic Schizophrenia. <i>Cognitive and Behavioral Practice</i> , 2008, 15, 179-193.	1.5	12
116	Suicide ideation amongst people referred for mental health assessment in police custody. <i>Journal of Criminal Psychology</i> , 2016, 6, 146-156.	1.1	12
117	The impact of delivering <sc>GP</sc> training on the clinical high risk and first-episode psychosis on referrals and pathways to care. <i>Microbial Biotechnology</i> , 2015, 9, 459-466.	1.7	11
118	Sensory gating deficits in the attenuated psychosis syndrome. <i>Schizophrenia Research</i> , 2015, 161, 277-282.	2.0	11
119	Measuring attachment and parental bonding in psychosis and its clinical implications. <i>Epidemiology and Psychiatric Sciences</i> , 2016, 25, 142-149.	3.9	11
120	Prisoners at ultra-high-risk for psychosis: a cross-sectional study. <i>Epidemiology and Psychiatric Sciences</i> , 2016, 25, 150-159.	3.9	11
121	Substance use and at-risk mental state for psychosis in 2102 prisoners: the case for early detection and early intervention in prison. <i>Microbial Biotechnology</i> , 2018, 12, 400-409.	1.7	11
122	The relationship between ethnicity and service access, treatment uptake and the incidence of psychosis among people at ultra high risk for psychosis. <i>Psychiatry Research</i> , 2019, 272, 618-627.	3.3	11
123	Relationship between jumping to conclusions and clinical outcomes in people at clinical high-risk for psychosis. <i>Psychological Medicine</i> , 2022, 52, 1569-1577.	4.5	11
124	Altered relationship between cortisol response to social stress and mediotemporal function during fear processing in people at clinical high risk for psychosis: a preliminary report. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 461-475.	3.2	11
125	Attentional Correlates of Illness Anxiety in a Non-Clinical Sample. <i>Psychotherapy and Psychosomatics</i> , 1999, 68, 22-25.	8.8	10
126	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , 2021, 47, 1018-1028.	4.3	10

#	ARTICLE	IF	CITATIONS
127	Heterogeneity in the Assessment of the At-Risk Mental State for Psychosis. <i>Psychiatric Services</i> , 2008, 59, 813-813.	2.0	10
128	Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis. <i>Schizophrenia Research: Cognition</i> , 2022, 28, 100222.	1.3	10
129	The incidence of non-affective psychotic disorders in Chile between 2005 and 2018: results from a national register of over 30 000 cases. <i>Psychological Medicine</i> , 2022, 52, 914-923.	4.5	9
130	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2022, 48, 100-110.	4.3	9
131	Basic Self-Disturbances Related to Reduced Anterior Cingulate Volume in Subjects at Ultra-High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2019, 10, 254.	2.6	8
132	Maladaptive blame-related action tendencies are associated with vulnerability to major depressive disorder. <i>Journal of Psychiatric Research</i> , 2022, 145, 70-76.	3.1	8
133	Healthcare services in police custody in England and Wales. <i>BMJ, The</i> , 2016, 353, i1994.	6.0	7
134	Impact of crime victimization on initial presentation to an early intervention for psychosis service and 18-month outcomes. <i>Microbial Biotechnology</i> , 2017, 11, 123-132.	1.7	7
135	Interpersonal sensitivity and persistent attenuated psychotic symptoms in adolescence. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 309-318.	4.7	7
136	Positive schizotypy and the experience of creativity: The distinctive roles of suspiciousness and dispositional mindfulness. <i>Schizophrenia Research</i> , 2021, 228, 151-158.	2.0	7
137	Psychosocial predictors of distressing unusual experiences in adolescence: Testing the fit of an adult cognitive model of psychosis. <i>Schizophrenia Research</i> , 2021, 237, 1-8.	2.0	7
138	Examining clinicians' concerns delivering telemental health interventions directly to autistic individuals during COVID-19. <i>Research in Autism Spectrum Disorders</i> , 2022, 94, 101956.	1.5	7
139	Pathways through the criminal justice system for prisoners with acute and serious mental illness. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2016, 44, 162-168.	1.0	6
140	The Provision of Education and Employment Support At the Outreach and Support in South London (OASIS) Service for People at Clinical High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2019, 10, 799.	2.6	6
141	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2020, 230, 104-107.	2.0	6
142	Association between tobacco use and symptomatology in individuals at ultra-high risk to develop a psychosis: A longitudinal study. <i>Schizophrenia Research</i> , 2021, 236, 48-53.	2.0	6
143	Attention Training Technique and Acceptance and Commitment Therapy for distressing auditory hallucinations. , 2010, , 123-142.		6
144	COGNITIVE AND NEGATIVE SYMPTOM DIMENSIONS IN THE AT RISK MENTAL STATE PREDICT SUBSEQUENT TRANSITION TO PSYCHOSIS. <i>Schizophrenia Research</i> , 2010, 117, 189.	2.0	5

#	ARTICLE	IF	CITATIONS
145	Prison Mental Health In-reach: The Effect of Open Referral Pathways. Psychiatry, Psychology and Law, 2017, 24, 152-158.	1.2	5
146	Self-report and behavioural measures of impulsivity as predictors of impulsive behaviour and psychopathology in male prisoners. Personality and Individual Differences, 2017, 113, 173-177.	2.9	5
147	Across the continuum: Associations between (fluctuations in) momentary self-esteem and psychotic experiences. Schizophrenia Research, 2021, 238, 188-198.	2.0	5
148	Developing a user-informed intervention study of a virtual reality therapy for social anxiety in autistic adolescents. Design for Health, 2022, 6, 114-133.	0.8	5
149	Prison and Community Populations at Ultra-High Risk of Psychosis: Differences and Challenges for Service Provision. Psychiatric Services, 2016, 67, 990-995.	2.0	4
150	Differences between homeless and non-homeless people in a matched sample referred for mental health reasons in police custody. International Journal of Social Psychiatry, 2020, 66, 576-583.	3.1	4
151	Momentary Manifestations of Negative Symptoms as Predictors of Clinical Outcomes in People at High Risk for Psychosis: Experience Sampling Study. JMIR Mental Health, 2021, 8, e30309.	3.3	4
152	Psychological Therapy for At Risk Mental State for Psychosis in a Prison Setting: A Case Study. Journal of Clinical Psychology, 2016, 72, 142-151.	1.9	3
153	Street slang and schizophrenia. BMJ: British Medical Journal, 2007, 335, 1294-1294.	2.3	2
154	0110 VIRTUAL REALITY AND PARANOID IDEATIONS. Schizophrenia Research, 2006, 86, S137-S138.	2.0	1
155	Technology-Based Assessments and Treatments of Anxiety in Autistic Individuals: Systematic Review and Narrative Synthesis. Review Journal of Autism and Developmental Disorders, 2022, 9, 571-595.	3.4	1
156	P.3.d.013 Correlation between acute atypical antipsychotic treatment and cognitive functioning in first episode psychosis. European Neuropsychopharmacology, 2006, 16, S436.	0.7	0
157	WC4F WHITE MATTER ABNORMALITIES IN THE PRODROMAL AND FIRST EPISODE PHASES OF PSYCHOSIS. Schizophrenia Research, 2006, 86, S11.	2.0	0
158	WC5G NEUROPHYSIOLOGIC MARKERS OF RISK OF DEVELOPING PSYCHOSIS. Schizophrenia Research, 2006, 86, S14.	2.0	0
159	0119 PEOPLE AT HIGH RISK OF PSYCHOSIS JUMP TO CONCLUSIONS. Schizophrenia Research, 2006, 86, S85.	2.0	0
160	Paired associate learning in subjects at risk for psychosis: fMRI study. European Psychiatry, 2007, 22, S314.	0.2	0
161	ALTERATIONS IN WHITE MATTER MICROSTRUCTURE ASSOCIATED WITH THE ONSET OF PSYCHOSIS. Schizophrenia Research, 2010, 117, 462.	2.0	0
162	CBT for Psychosis: A Symptom-Based Approach Edited by Roger Hagen, Douglas Turkington, Torkil Berge & Rolf W. Gråwe, Routledge, 2010, £19.99, pb, 296 pp. ISBN: 9780415549479. The Psychiatrist, 2011, 35, 399-399.	0.3	0

#	ARTICLE	IF	CITATIONS
163	Superior temporal lobe dysfunction and frontotemporal dysconnectivity in subjects at risk of psychosis and in first-episode psychosis. <i>International Clinical Psychopharmacology</i> , 2011, 26, e117-e118.	1.7	0
164	The Recognition and Management of Early Psychosis: A Preventive Approach (Second Edition). Edited by H. J. Jackson and P. D. McGorry. (Pp. 423; \$72.00; ISBN 9780521617314.) Cambridge University Press: New York. 2009.. <i>Psychological Medicine</i> , 2011, 41, 444-445.	4.5	0
165	F220. THREAT ANTICIPATION AND NEGATIVE AFFECT IN EARLY PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S307-S307.	4.3	0
166	S42. NEUROANATOMY OF EMOTIONAL PROCESSING AND IMPACT ON CLINICAL OUTCOMES IN SUBJECTS AT HIGH RISK OF PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2019, 45, S322-S322.	4.3	0
167	O10.3. EXPOSURE TO COMMON INFECTIOUS PATHOGENS IN SUBJECTS AT CLINICAL HIGH RISK FOR PSYCHOSIS: CLINICAL AND IMMUNOBIOLOGICAL ASSOCIATIONS. <i>Schizophrenia Bulletin</i> , 2019, 45, S190-S191.	4.3	0
168	O6.5. INVESTIGATING VARIABLES FROM THE NAPLS RISK CALCULATOR FOR PSYCHOSIS IN THE EU-GEI HIGH RISK STUDY. <i>Schizophrenia Bulletin</i> , 2019, 45, S177-S178.	4.3	0
169	T21. DEVELOPMENT OF PROTEOMIC PREDICTION MODELS FOR OUTCOMES IN THE CLINICAL HIGH RISK STATE AND PSYCHOTIC EXPERIENCES IN ADOLESCENCE: MACHINE LEARNING ANALYSES IN TWO NESTED CASE-CONTROL STUDIES. <i>Schizophrenia Bulletin</i> , 2020, 46, S238-S239.	4.3	0
170	S175. CLINICAL OUTCOMES IN PEOPLE AT HIGH RISK FOR PSYCHOSIS RELATED TO INTERACTIONS BETWEEN POLYGENIC RISK SCORES AND CHILDHOOD ADVERSITY. <i>Schizophrenia Bulletin</i> , 2020, 46, S104-S104.	4.3	0
171	Digital Interventions for Psychosis. , 2021, , .		0
172	The relationship between grey matter volume and clinical and functional outcomes in people at clinical high risk for psychosis. <i>Schizophrenia Bulletin Open</i> , 0, , .	1.7	0