Maria Luisa Mangoni

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5263399/maria-luisa-mangoni-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

119
papers

4,610
h-index

63
g-index

132
ext. papers

5,357
ext. citations

41
b-index

5.61
avg, IF
L-index

#	Paper	IF	Citations
119	Bioactive compounds: a goldmine for defining new strategies against pathogenic bacterial biofilms?. <i>Critical Reviews in Microbiology</i> , 2022 , 1-33	7.8	
118	Derivatives of Esculentin-1 Peptides as Promising Candidates for Fighting Infections from Escherichia coli O157:H7. <i>Antibiotics</i> , 2022 , 11, 656	4.9	
117	Inoculum effect of antimicrobial peptides. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	7
116	Temporin G, an amphibian antimicrobial peptide against influenza and parainfluenza respiratory viruses: Insights into biological activity and mechanism of action. <i>FASEB Journal</i> , 2021 , 35, e21358	0.9	11
115	First-in-Class Cyclic Temporin L Analogue: Design, Synthesis, and Antimicrobial Assessment. <i>Journal of Medicinal Chemistry</i> , 2021 , 64, 11675-11694	8.3	7
114	Opposing Effects of PhoPQ and PmrAB on the Properties of serovar Typhimurium: Implications on Resistance to Antimicrobial Peptides. <i>Biochemistry</i> , 2021 , 60, 2943-2955	3.2	2
113	Esc peptides as novel potentiators of defective cystic fibrosis transmembrane conductance regulator: an unprecedented property of antimicrobial peptides <i>Cellular and Molecular Life Sciences</i> , 2021 , 79, 1	10.3	2
112	The Antimicrobial Peptide Temporin G: Anti-Biofilm, Anti-Persister Activities, and Potentiator Effect of Tobramycin Efficacy Against. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	8
111	A novel colistin adjuvant identified by virtual screening for ArnT inhibitors. <i>Journal of Antimicrobial Chemotherapy</i> , 2020 , 75, 2564-2572	5.1	11
110	The Revaluation of Plant-Derived Terpenes to Fight Antibiotic-Resistant Infections. <i>Antibiotics</i> , 2020 , 9,	4.9	18
109	Structural Elucidation and Antimicrobial Characterization of Novel Diterpenoids from var <i>ACS Medicinal Chemistry Letters</i> , 2020 , 11, 760-765	4.3	10
108	The Potential of Frog Skin Peptides for Anti-Infective Therapies: The Case of Esculentin-1a(1-21)NH2. <i>Current Medicinal Chemistry</i> , 2020 , 27, 1405-1419	4.3	7
107	Inorganic Gold and Polymeric Poly(Lactide-co-glycolide) Nanoparticles as Novel Strategies to Ameliorate the Biological Properties of Antimicrobial Peptides. <i>Current Protein and Peptide Science</i> , 2020 , 21, 429-438	2.8	3
106	Antimicrobial Peptides and their Multiple Effects at Sub-Inhibitory Concentrations. <i>Current Topics in Medicinal Chemistry</i> , 2020 , 20, 1264-1273	3	3
105	Methods for the In Vitro Examination of the Antibacterial and Cytotoxic Activities of Antimicrobial Peptides. <i>Springer Protocols</i> , 2020 , 147-162	0.3	O
104	Aggregation determines the selectivity of membrane-active anticancer and antimicrobial peptides: The case of killerFLIP. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2020 , 1862, 183107	3.8	17
103	Novel temporin L antimicrobial peptides: promoting self-assembling by lipidic tags to tackle superbugs. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2020 , 35, 1751-1764	5.6	7

102	-Beyerane Diterpenes as a Key Platform for the Development of ArnT-Mediated Colistin Resistance Inhibitors. <i>Journal of Organic Chemistry</i> , 2020 , 85, 10891-10901	4.2	7
101	Frog Skin-Derived Peptides Against Correlation between Antibacterial and Cytotoxic Activities. <i>Antibiotics</i> , 2020 , 9,	4.9	3
100	Naturally-Occurring Alkaloids of Plant Origin as Potential Antimicrobials against Antibiotic-Resistant Infections. <i>Molecules</i> , 2020 , 25,	4.8	16
99	Binding of an antimicrobial peptide to bacterial cells: Interaction with different species, strains and cellular components. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2020 , 1862, 183291	3.8	25
98	Nigritanine as a New Potential Antimicrobial Alkaloid for the Treatment of -Induced Infections. <i>Toxins</i> , 2019 , 11,	4.9	23
97	Inhibition of Pseudomonas aeruginosa biofilm formation and expression of virulence genes by selective epimerization in the peptide Esculentin-1a(1-21)NH. <i>FEBS Journal</i> , 2019 , 286, 3874-3891	5.7	26
96	The Outcomes of Decorated Prolines in the Discovery of Antimicrobial Peptides from Temporin-L. <i>ChemMedChem</i> , 2019 , 14, 1283-1290	3.7	16
95	Poly(lactide- co-glycolide) Nanoparticles for Prolonged Therapeutic Efficacy of Esculentin-1a-Derived Antimicrobial Peptides against Pseudomonas aeruginosa Lung Infection: in Vitro and in Vivo Studies. <i>Biomacromolecules</i> , 2019 , 20, 1876-1888	6.9	51
94	Bronchial epithelium repair by Esculentin-1a-derived antimicrobial peptides: involvement of metalloproteinase-9 and interleukin-8, and evaluation of peptidesTimmunogenicity. <i>Scientific Reports</i> , 2019 , 9, 18988	4.9	6
93	The Amphibian Antimicrobial Peptide Temporin B Inhibits Herpes Simplex Virus 1 Infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	43
92	From liposomes to cells: Filling the gap between physicochemical and microbiological studies of the activity and selectivity of host-defense peptides. <i>Peptide Science</i> , 2018 , 110, e24041	3	25
91	Assessment of the potential of temporin peptides from the frog Rana temporaria (Ranidae) as anti-diabetic agents. <i>Journal of Peptide Science</i> , 2018 , 24, e3065	2.1	16
90	Insulinotropic, glucose-lowering, and beta-cell anti-apoptotic actions of peptides related to esculentin-1a(1-21).NH. <i>Amino Acids</i> , 2018 , 50, 723-734	3.5	7
89	A Novel In Vitro Wound Healing Assay to Evaluate Cell Migration. <i>Journal of Visualized Experiments</i> , 2018 ,	1.6	20
88	Peptidomic analysis of the host-defense peptides in skin secretions of the Trinidadian leaf frog Phyllomedusa trinitatis (Phyllomedusidae). <i>Comparative Biochemistry and Physiology Part D: Genomics and Proteomics</i> , 2018 , 28, 72-79	2	7
87	Esculentin-1a Derived Antipseudomonal Peptides: Limited Induction of Resistance and Synergy with Aztreonam. <i>Protein and Peptide Letters</i> , 2018 , 25, 1155-1162	1.9	18
86	Methods for In Vivo/Ex Vivo Analysis of Antimicrobial Peptides in Bacterial Keratitis: siRNA Knockdown, Colony Counts, Myeloperoxidase, Immunostaining, and RT-PCR Assays. <i>Methods in Molecular Biology</i> , 2017 , 1548, 411-425	1.4	
85	Methods for In Vitro Analysis of Antimicrobial Activity and Toxicity of Anti-keratitis Peptides: Bacterial Viability in Tears, MTT, and TNF-IRelease Assays. <i>Methods in Molecular Biology</i> , 2017 , 1548, 395-409	1.4	1

84	Cell-Density Dependence of Host-Defense Peptide Activity and Selectivity in the Presence of Host Cells. <i>ACS Chemical Biology</i> , 2017 , 12, 52-56	4.9	36
83	Peptidomic analysis of skin secretions of the Mexican burrowing toad Rhinophrynus dorsalis (Rhinophrynidae): Insight into the origin of host-defense peptides within the Pipidae and characterization of a proline-arginine-rich peptide. <i>Peptides</i> , 2017 , 97, 22-28	3.8	5
82	Esculentin-1a derived peptides kill Pseudomonas aeruginosa biofilm on soft contact lenses and retain antibacterial activity upon immobilization to the lens surface. <i>Peptide Science</i> , 2017 , 110, e23074	3	16
81	Glycine-replaced derivatives of [Pro,DLeu]TL, a temporin L analogue: Evaluation of antimicrobial, cytotoxic and hemolytic activities. <i>European Journal of Medicinal Chemistry</i> , 2017 , 139, 750-761	6.8	24
80	Membrane perturbing activities and structural properties of the frog-skin derived peptide Esculentin-1a(1-21)NH and its Diastereomer Esc(1-21)-1c: Correlation with their antipseudomonal and cytotoxic activity. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2017 , 1859, 2327-2339	3.8	20
79	In vivo therapeutic efficacy of frog skin-derived peptides against Pseudomonas aeruginosa-induced pulmonary infection. <i>Scientific Reports</i> , 2017 , 7, 8548	4.9	23
78	Cytotoxic peptides with insulin-releasing activities from skin secretions of the Italian stream frog Rana italica (Ranidae). <i>Journal of Peptide Science</i> , 2017 , 23, 769-776	2.1	10
77	Effects of Aib residues insertion on the structural-functional properties of the frog skin-derived peptide esculentin-1a(1-21)NH. <i>Amino Acids</i> , 2017 , 49, 139-150	3.5	12
76	Gold-nanoparticles coated with the antimicrobial peptide esculentin-1a(1-21)NH as a reliable strategy for antipseudomonal drugs. <i>Acta Biomaterialia</i> , 2017 , 47, 170-181	10.8	97
75	Promising Approaches to Optimize the Biological Properties of the Antimicrobial Peptide Esculentin-1a(1-21)NH: Amino Acids Substitution and Conjugation to Nanoparticles. <i>Frontiers in Chemistry</i> , 2017 , 5, 26	5	26
74	Purification, Conformational Analysis, and Properties of a Family of Tigerinin Peptides from Skin Secretions of the Crowned Bullfrog Hoplobatrachus occipitalis. <i>Journal of Natural Products</i> , 2016 , 79, 2350-6	4.9	11
73	NMR structure and binding of esculentin-1a (1-21)NH2 and its diastereomer to lipopolysaccharide: Correlation with biological functions. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2016 , 1858, 800-12	3.8	12
72	Rational modification of a dendrimeric peptide with antimicrobial activity: consequences on membrane-binding and biological properties. <i>Amino Acids</i> , 2016 , 48, 887-900	3.5	26
71	Naturally Occurring Peptides from Rana temporaria: Antimicrobial Properties and More. <i>Current Topics in Medicinal Chemistry</i> , 2016 , 16, 54-64	3	42
70	Bacillomycin D and its combination with amphotericin B: promising antifungal compounds with powerful antibiofilm activity and wound-healing potency. <i>Journal of Applied Microbiology</i> , 2016 , 120, 289-300	4.7	23
69	Esculentin-1a-Derived Peptides Promote Clearance of Pseudomonas aeruginosa Internalized in Bronchial Cells of Cystic Fibrosis Patients and Lung Cell Migration: Biochemical Properties and a Plausible Mode of Action. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 7252-7262	5.9	34
68	Antimicrobial peptides and wound healing: biological and therapeutic considerations. <i>Experimental Dermatology</i> , 2016 , 25, 167-73	4	200
67	D-Amino acids incorporation in the frog skin-derived peptide esculentin-1a(1-21)NH2 is beneficial for its multiple functions. <i>Amino Acids</i> , 2015 , 47, 2505-19	3.5	50

(2013-2015)

66	Synergistic fungicidal activity of the lipopeptide bacillomycin D with amphotericin B against pathogenic Candida species. <i>FEMS Yeast Research</i> , 2015 , 15, fov022	3.1	22
65	Fighting microbial infections: A lesson from amphibian skin-derived esculentin-1 peptides. <i>Peptides</i> , 2015 , 71, 286-95	3.8	27
64	Mechanisms of biofilm inhibition and degradation by antimicrobial peptides. <i>Biochemical Journal</i> , 2015 , 468, 259-70	3.8	88
63	Overcoming barriers in Pseudomonas aeruginosa lung infections: Engineered nanoparticles for local delivery of a cationic antimicrobial peptide. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015 , 135, 717-72	28	94
62	Esculentin-1a(1-21)NH2: a frog skin-derived peptide for microbial keratitis. <i>Cellular and Molecular Life Sciences</i> , 2015 , 72, 617-627	10.3	39
61	The Frog Skin-Derived Antimicrobial Peptide Esculentin-1a(1-21)NH2 Promotes the Migration of Human HaCaT Keratinocytes in an EGF Receptor-Dependent Manner: A Novel Promoter of Human Skin Wound Healing?. <i>PLoS ONE</i> , 2015 , 10, e0128663	3.7	58
60	Conformational Analysis of the Host-Defense Peptides Pseudhymenochirin-1Pb and -2Pa and Design of Analogues with Insulin-Releasing Activities and Reduced Toxicities. <i>Journal of Natural Products</i> , 2015 , 78, 3041-8	4.9	9
59	From frog integument to human skin: dermatological perspectives from frog skin biology. <i>Biological Reviews</i> , 2014 , 89, 618-55	13.5	33
58	P-113 peptide: New experimental evidences on its biological activity and conformational insights from molecular dynamics simulations. <i>Biopolymers</i> , 2014 , 102, 159-67	2.2	6
57	How many antimicrobial peptide molecules kill a bacterium? The case of PMAP-23. <i>ACS Chemical Biology</i> , 2014 , 9, 2003-7	4.9	105
56	Anti-Candida activity of 1-18 fragment of the frog skin peptide esculentin-1b: in vitro and in vivo studies in a Caenorhabditis elegans infection model. <i>Cellular and Molecular Life Sciences</i> , 2014 , 71, 2535	- 1 8·3	18
55	Temporins A and B stimulate migration of HaCaT keratinocytes and kill intracellular Staphylococcus aureus. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 2520-7	5.9	53
54	Esculentin(1-21), an amphibian skin membrane-active peptide with potent activity on both planktonic and biofilm cells of the bacterial pathogen Pseudomonas aeruginosa. <i>Cellular and Molecular Life Sciences</i> , 2013 , 70, 2773-86	10.3	95
53	The effect of d-amino acid substitution on the selectivity of temporin L towards target cells: identification of a potent anti-Candida peptide. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2013 , 1828, 652-60	3.8	44
52	Bombinins 2013 , 331-337		
51	Novel EMSH peptide analogues with broad spectrum antimicrobial activity. <i>PLoS ONE</i> , 2013 , 8, e61614	3.7	30
50	NMR structure of temporin-1 ta in lipopolysaccharide micelles: mechanistic insight into inactivation by outer membrane. <i>PLoS ONE</i> , 2013 , 8, e72718	3.7	29
49	A lesson from Bombinins H, mildly cationic diastereomeric antimicrobial peptides from Bombina skin. <i>Current Protein and Peptide Science</i> , 2013 , 14, 734-43	2.8	6

48	Toward an improved structural model of the frog-skin antimicrobial peptide esculentin-1b(1-18). <i>Biopolymers</i> , 2012 , 97, 873-81	2.2	9
47	Antioxidative and DNA protective effects of bacillomycin D-like lipopeptides produced by b38 strain. <i>Applied Biochemistry and Biotechnology</i> , 2012 , 168, 2245-56	3.2	18
46	Isomerization of an antimicrobial peptide broadens antimicrobial spectrum to gram-positive bacterial pathogens. <i>PLoS ONE</i> , 2012 , 7, e46259	3.7	45
45	Structure-activity relationship, conformational and biological studies of temporin L analogues. Journal of Medicinal Chemistry, 2011 , 54, 1298-307	8.3	59
44	Alteration of local microflora and Edefensins hyper-production in colonic adenoma mucosa. <i>Journal of Clinical Gastroenterology</i> , 2011 , 45, 602-10	3	38
43	Anti-candida effect of bacillomycin D-like lipopeptides from Bacillus subtilis B38. <i>FEMS Microbiology Letters</i> , 2011 , 316, 108-14	2.9	54
42	Host-defense peptides: from biology to therapeutic strategies. <i>Cellular and Molecular Life Sciences</i> , 2011 , 68, 2157-9	10.3	48
41	Short native antimicrobial peptides and engineered ultrashort lipopeptides: similarities and differences in cell specificities and modes of action. <i>Cellular and Molecular Life Sciences</i> , 2011 , 68, 2267	-8 ⁷ 0 ^{.3}	111
40	Membrane interaction and antibacterial properties of two mildly cationic peptide diastereomers, bombinins H2 and H4, isolated from Bombina skin. <i>European Biophysics Journal</i> , 2011 , 40, 577-88	1.9	32
39	Triggering of the antibacterial activity of Bacillus subtilis B38 strain against methicillin-resistant Staphylococcus aureus. <i>Applied Biochemistry and Biotechnology</i> , 2011 , 164, 34-44	3.2	3
38	Alanine scanning analysis and structure-function relationships of the frog-skin antimicrobial peptide temporin-1Ta. <i>Journal of Peptide Science</i> , 2011 , 17, 358-65	2.1	28
37	NMR structures and interactions of temporin-1Tl and temporin-1Tb with lipopolysaccharide micelles: mechanistic insights into outer membrane permeabilization and synergistic activity. <i>Journal of Biological Chemistry</i> , 2011 , 286, 24394-406	5.4	73
36	A new antibacterial and antioxidant S07-2 compound produced by Bacillus subtilis B38. <i>FEMS Microbiology Letters</i> , 2010 , 303, 176-82	2.9	8
35	Anti-Pseudomonas activity of frog skin antimicrobial peptides in a Caenorhabditis elegans infection model: a plausible mode of action in vitro and in vivo. <i>Antimicrobial Agents and Chemotherapy</i> , 2010 , 54, 3853-60	5.9	58
34	Fluorescence and electron microscopy methods for exploring antimicrobial peptides mode(s) of action. <i>Methods in Molecular Biology</i> , 2010 , 618, 249-66	1.4	11
33	Optimization of medium composition for the production of antimicrobial activity by Bacillus subtilis B38. <i>Biotechnology Progress</i> , 2009 , 25, 1267-74	2.8	24
32	Production of anti-methicillin-resistant Staphylococcus activity from Bacillus subtilis sp. strain B38 newly isolated from soil. <i>Applied Biochemistry and Biotechnology</i> , 2009 , 157, 407-19	3.2	25
31	Esculentin 1-21: a linear antimicrobial peptide from frog skin with inhibitory effect on bovine mastitis-causing bacteria. <i>Journal of Peptide Science</i> , 2009 , 15, 607-14	2.1	46

(2003-2009)

30	modifies the expression level of a limited number of proteins in Escherichia coli. <i>FEBS Journal</i> , 2009 , 276, 5647-64	5.7	41
29	Temporins and their synergism against Gram-negative bacteria and in lipopolysaccharide detoxification. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2009 , 1788, 1610-9	3.8	87
28	Preface to amphibian antimicrobial peptides. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2009 , 1788, 1535-6	3.8	3
27	In vitro bactericidal activity of the N-terminal fragment of the frog peptide esculentin-1b (Esc 1-18) in combination with conventional antibiotics against Stenotrophomonas maltophilia. <i>Peptides</i> , 2009 , 30, 1622-6	3.8	19
26	A different molecular mechanism underlying antimicrobial and hemolytic actions of temporins A and L. <i>Journal of Medicinal Chemistry</i> , 2008 , 51, 2354-62	8.3	65
25	Lipopolysaccharide, a key molecule involved in the synergism between temporins in inhibiting bacterial growth and in endotoxin neutralization. <i>Journal of Biological Chemistry</i> , 2008 , 283, 22907-17	5.4	80
24	Comparative analysis of the bactericidal activities of amphibian peptide analogues against multidrug-resistant nosocomial bacterial strains. <i>Antimicrobial Agents and Chemotherapy</i> , 2008 , 52, 85-9	1 5·9	68
23	Folding propensity and biological activity of peptides: the effect of a single stereochemical isomerization on the conformational properties of bombinins in aqueous solution. <i>Biopolymers</i> , 2008 , 89, 769-78	2.2	22
22	Biological characterization and modes of action of temporins and bombinins H, multiple forms of short and mildly cationic anti-microbial peptides from amphibian skin. <i>Journal of Peptide Science</i> , 2007 , 13, 603-13	2.1	42
21	Temporins, anti-infective peptides with expanding properties. <i>Cellular and Molecular Life Sciences</i> , 2006 , 63, 1060-9	10.3	122
20	Interaction of antimicrobial peptide temporin L with lipopolysaccharide in vitro and in experimental rat models of septic shock caused by gram-negative bacteria. <i>Antimicrobial Agents and Chemotherapy</i> , 2006 , 50, 2478-86	5.9	57
19	A synergism between temporins toward Gram-negative bacteria overcomes resistance imposed by the lipopolysaccharide protective layer. <i>Journal of Biological Chemistry</i> , 2006 , 281, 28565-74	5.4	102
18	Effect of natural L- to D-amino acid conversion on the organization, membrane binding, and biological function of the antimicrobial peptides bombinins H. <i>Biochemistry</i> , 2006 , 45, 4266-76	3.2	84
17	Bombinins 2006 , 333-337		1
16	Alpha-defensin increase in peripheral blood mononuclear cells from patients with hepatitis C virus chronic infection. <i>Journal of Viral Hepatitis</i> , 2006 , 13, 821-7	3.4	15
15	Temporins, small antimicrobial peptides with leishmanicidal activity. <i>Journal of Biological Chemistry</i> , 2005 , 280, 984-90	5.4	153
14	Effects of the antimicrobial peptide temporin L on cell morphology, membrane permeability and viability of Escherichia coli. <i>Biochemical Journal</i> , 2004 , 380, 859-65	3.8	130
13	An amphibian antimicrobial peptide variant expressed in Nicotiana tabacum confers resistance to phytopathogens. <i>Biochemical Journal</i> , 2003 , 370, 121-7	3.8	40

12	A peptidylprolyl cis/trans isomerase from Xenopus laevis skin: cloning, biochemical characterization and putative role in the secretion. <i>Peptides</i> , 2003 , 24, 1713-21	3.8	10
11	Functional characterisation of the 1-18 fragment of esculentin-1b, an antimicrobial peptide from Rana esculenta. <i>Peptides</i> , 2003 , 24, 1771-7	3.8	41
10	Ranacyclins, a new family of short cyclic antimicrobial peptides: biological function, mode of action, and parameters involved in target specificity. <i>Biochemistry</i> , 2003 , 42, 14023-35	3.2	66
9	Temporin L: antimicrobial, haemolytic and cytotoxic activities, and effects on membrane permeabilization in lipid vesicles. <i>Biochemical Journal</i> , 2002 , 368, 91-100	3.8	134
8	The synthesis of antimicrobial peptides in the skin of Rana esculenta is stimulated by microorganisms. <i>FASEB Journal</i> , 2001 , 15, 1431-2	0.9	72
7	Structure-function relationships of temporins, small antimicrobial peptides from amphibian skin. <i>FEBS Journal</i> , 2000 , 267, 1447-54		125
6	Structure-function relationships in bombinins H, antimicrobial peptides from Bombina skin secretions. <i>Peptides</i> , 2000 , 21, 1673-9	3.8	64
5	Expression and activity of cyclic and linear analogues of esculentin-1, an anti-microbial peptide from amphibian skin. <i>FEBS Journal</i> , 1999 , 263, 921-7		47
4	Experimental infections of Rana esculenta with Aeromonas hydrophila: a molecular mechanism for the control of the normal flora. <i>Scandinavian Journal of Immunology</i> , 1998 , 48, 357-63	3.4	58
3	Effect of glucocorticoids on the synthesis of antimicrobial peptides in amphibian skin. <i>FEBS Letters</i> , 1997 , 416, 273-5	3.8	51
2	Temporins, antimicrobial peptides from the European red frog Rana temporaria. <i>FEBS Journal</i> , 1996 , 242, 788-92		255
1	Inoculum effect of antimicrobial peptides		1