

Vadim Zakharov

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5266097/vadim-zakharov-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67
papers

138
citations

6
h-index

7
g-index

68
ext. papers

153
ext. citations

0.9
avg, IF

2.42
L-index

#	Paper	IF	Citations
67	Polymerization of butadiene on a titanium catalyst in formation of a reaction mixture in turbulent flows. <i>Russian Journal of Applied Chemistry</i> , 2007 , 80, 1130-1134	0.8	11
66	Plug-Flow Tubular Turbulent Reactors: A New Type of Industrial Apparatus. <i>Theoretical Foundations of Chemical Engineering</i> , 2001 , 35, 162-167	0.9	11
65	Improvement of the neodymium catalyst preparation step in isoprene rubber production. <i>Russian Journal of Applied Chemistry</i> , 2013 , 86, 909-913	0.8	7
64	Enhancement of the activity of a neodymium catalyst for the synthesis of stereoregular polyisoprene. <i>Russian Journal of Applied Chemistry</i> , 2012 , 85, 945-948	0.8	6
63	The effect of the disperse composition of a titanium catalyst on the kinetic heterogeneity of isoprene polymerization centers. <i>Polymer Science - Series B</i> , 2013 , 55, 497-507	0.8	6
62	Enhancement of the activity of the titanium catalyst for isoprene polymerization by improving the step of active site formation. <i>Russian Journal of Applied Chemistry</i> , 2011 , 84, 1434-1437	0.8	6
61	Intensification of gas-liquid processes in tubular turbulent apparatus. <i>Russian Journal of Applied Chemistry</i> , 2004 , 77, 1822-1825	0.8	6
60	Medical Materials Based on Chitosan Succinamide-Glycerol Systems. <i>Applied Biochemistry and Microbiology</i> , 2018 , 54, 474-477	1.1	6
59	Modeling of the physicochemical hydrodynamics of the synthesis of butadiene rubber on the $TiCl_4/Al(i-C_4H_9)_3$ catalytic system modified in turbulizing flows. <i>Russian Journal of Physical Chemistry B</i> , 2017 , 11, 504-512	1.2	5
58	Kinetic inhomogeneity of titanium- and neodymium-based catalysts for the production of cis-1,4-polyisoprene. <i>Russian Journal of Physical Chemistry B</i> , 2015 , 9, 300-305	1.2	5
57	Kinetic nonuniformity of a titanium catalyst in the polymerization of butadiene: Effect of intensifying stirring of the reaction mixture. <i>Polymer Science - Series B</i> , 2008 , 50, 351-355	0.8	5
56	Preparation of Enzyme-Containing Chitosan Films. <i>Pharmaceutical Chemistry Journal</i> , 2015 , 49, 196-198	0.9	4
55	Kinetics of the enzymatic hydrolysis of chitosan films. <i>Russian Journal of Physical Chemistry B</i> , 2015 , 9, 237-241	1.2	4
54	Study of thermal properties of biodegradable composite materials based on recycled polypropylene. <i>Letters on Materials</i> , 2018 , 8, 485-488	0.9	4
53	A Study of the Viscosity Characteristics of Chitosan Solutions in the Presence of Organic Cosolvents. <i>Russian Journal of Physical Chemistry B</i> , 2018 , 12, 1039-1044	1.2	4
52	Synthesizing polyisoprene on titanium catalysts modified in turbulent flows. <i>Catalysis in Industry</i> , 2012 , 4, 174-178	0.8	3
51	Topochemical aspects of the complexation of neodymium chloride with isopropyl alcohol in the synthesis of a catalyst for stereospecific isoprene polymerization. <i>Doklady Chemistry</i> , 2011 , 440, 286-288	0.8	3

50	Kinetic inhomogeneity of copolymerization sites of butadiene and isoprene on titanium catalyst. <i>Polymer Science - Series B</i> , 2010 , 52, 450-458	0.8	3
49	Influence of turbulent mixing on fast polymerization reactions. <i>Journal of Applied Polymer Science</i> , 2004 , 94, 613-624	2.9	3
48	Turbulent Mixing of Liquid Flows in Divergent-Convergent Tubular Continuous-Flow Apparatuses. <i>Doklady Chemistry</i> , 2001 , 381, 336-339	0.8	3
47	Ways to improve physico-mechanical properties of polymer composites on the basis of secondary polypropylene and natural extenders. <i>Letters on Materials</i> , 2018 , 8, 406-409	0.9	3
46	The role of low-molecular-mass electrolyte drug substances in the modification of the chitosan matrix. <i>Polymer Science - Series B</i> , 2015 , 57, 244-251	0.8	2
45	Rheological Properties of Chitosan Succinimide in Water-Glycerol Mixed Solvent. <i>Russian Journal of Applied Chemistry</i> , 2019 , 92, 50-56	0.8	2
44	Relationship of the microheterogeneity of isoprene-butadiene copolymers with the kinetic heterogeneity of active sites. <i>Doklady Chemistry</i> , 2010 , 435, 286-288	0.8	2
43	Fast Reactions in Polymer Syntheses. <i>Russian Journal of Applied Chemistry</i> , 2003 , 76, 264-270	0.8	2
42	Assessment of rheological behavior of secondary polymeric raw materials in the conditions corresponding to processing of polymers by method of extrusion and injection molding. <i>Letters on Materials</i> , 2019 , 9, 70-74	0.9	2
41	Study of the effect of photooxidative processes on the surface morphology and physico-mechanical characteristics of biodegradable materials based on secondary polypropylene and chalk additives. <i>Letters on Materials</i> , 2020 , 10, 288-293	0.9	2
40	Kinetics of Isoprene Polymerization in the Presence of the Catalytic System $\text{NdCl}_3 \cdot n\text{CH}_3\text{CH}(\text{OH})\text{CH}_3\text{-Al}(\text{i-C}_4\text{H}_9)_3\text{-Piperylene}$. <i>Russian Journal of Physical Chemistry B</i> , 2019 , 13, 170-176	1.2	1
39	Possibility of Producing Semisolid Dosage Forms Based on Aqueous Solutions of Chitosan Succinamide in the Presence of Modification Additives. <i>Russian Journal of Applied Chemistry</i> , 2020 , 93, 65-71	0.8	1
38	Evaluation of the efficiency of using a tubular turbulent apparatus in the step of titanium catalyst preparation in isoprene rubber production. <i>Russian Journal of Applied Chemistry</i> , 2016 , 89, 960-964	0.8	1
37	Use of a turbulent prereactor for affecting the site multiplicity of a titanium catalyst for (co)polymerization of butadiene and isoprene. <i>Russian Journal of Applied Chemistry</i> , 2014 , 87, 613-618	0.8	1
36	Relationships between the activities of the growth centers of macromolecules in the $\text{TiCl}_4/\text{Al}(\text{i-C}_4\text{H}_9)_3$ catalytic system and the particle size of its catalytically active residue. <i>Russian Journal of Physical Chemistry A</i> , 2017 , 91, 1855-1860	0.7	1
35	Macrokinetics of Polybutadiene Production on a Titanium Ziegler-Natta Catalyst System Prepared in Turbulent Flows. <i>Theoretical Foundations of Chemical Engineering</i> , 2017 , 51, 1002-1011	0.9	1
34	Structural bases for neurophysiological investigations of amygdaloid complex of the brain. <i>Scientific Reports</i> , 2015 , 5, 17052	4.9	1
33	Effect of the hydrodynamic action on the microstructure of butadiene-isoprene copolymers. <i>Doklady Chemistry</i> , 2011 , 440, 270-272	0.8	1

32	Modification of titanium catalytic systems for 1,4-cis-polyisoprene synthesis. <i>Russian Journal of Applied Chemistry</i> , 2011 , 84, 133-137	0.8	1
31	Polymerization of butadiene and isoprene in the presence of a titanium catalytic system under ultrasonic irradiation. <i>Polymer Science - Series B</i> , 2011 , 53, 375-384	0.8	1
30	Diffusion control of butadiene polymerization on a kinetically nonuniform titanium catalyst. <i>Doklady Chemistry</i> , 2008 , 422, 245-247	0.8	1
29	Synthesis of antiagglomeration agent based on calcium stearate for synthetic rubbers in tubular apparatus. <i>Russian Journal of Applied Chemistry</i> , 2006 , 79, 1844-1848	0.8	1
28	Multiphase Flows in Divergent-Convergent Tubular Apparatuses. <i>Doklady Chemistry</i> , 2002 , 382, 50-53	0.8	1
27	Preparation of Homogeneous Emulsions in Tubular Turbulent Apparatus of Diffuser-Confuser Design. <i>Russian Journal of Applied Chemistry</i> , 2002 , 75, 1430-1433	0.8	1
26	Unconventional Method for Obtaining Homogeneous Highly Dispersed Suspensions. <i>Russian Journal of Applied Chemistry</i> , 2003 , 76, 1264-1267	0.8	1
25	Raising the Coefficient of Turbulent Diffusion in the Reaction Zone as Means To Improve Technical and Economical Parameters of Polymer Production. <i>Russian Journal of Applied Chemistry</i> , 2001 , 74, 90-94	0.8	1
24	Receiving Elastoviscous Systems on the Basis of Aqueous Solution of Acetate and Succinimide of Chitosan in the Presence of Polyhydric Alcohols. <i>Chemistry and Chemical Technology</i> , 2019 , 13, 352-359	0.9	1
23	Enhancement of the Efficiency of Selective Hydrogenation of Acetylene Hydrocarbons in the Butylene-Butadiene Fraction during Butadiene-1,3 Production. <i>Petroleum Chemistry</i> , 2018 , 58, 905-909	1.1	1
22	Activity of butadiene polymerization centers at in situ formation of titanium catalysts. <i>Russian Journal of Applied Chemistry</i> , 2008 , 81, 1612-1617	0.8	0
21	Improving the Technological Scheme of Isolation of Butane-Butylene Fraction by Chemisorption Using Tubular Turbulent Apparatus. <i>Theoretical Foundations of Chemical Engineering</i> , 2019 , 53, 741-746	0.9	0
20	Low-toxic nitrogen-containing antioxidant for polyvinyl chloride. <i>Russian Journal of Applied Chemistry</i> , 2015 , 88, 626-629	0.8	
19	Effect of Physical Factors during the Preparation of a Reaction Mixture in Turbulent Flows on the Rate of Butadiene Polymerization in the Presence of TiCl ₄ -Al(i-C ₄ H ₉) ₃ and Molecular Mass Characteristics of Butadiene Rubber. <i>Russian Journal of Physical Chemistry B</i> , 2019 , 13, 349-353	1.2	
18	Kinetics of Butadiene Polymerization in the Presence of the TiCl ₄ -Al(i-C ₄ H ₉) ₃ Catalytic System Physically Modified in Turbulent Flows: Results of Computational Experiments. <i>Russian Journal of Applied Chemistry</i> , 2019 , 92, 1200-1209	0.8	
17	Preparation of an adhesion-reducing agent for synthetic caoutchouc in a tubular turbulent apparatus. <i>Russian Journal of Applied Chemistry</i> , 2014 , 87, 114-118	0.8	
16	Creating Chitosan-Based Prolonged-Release Film Coatings. <i>Pharmaceutical Chemistry Journal</i> , 2014 , 48, 543-545	0.9	
15	Method of composition heterogeneity reduction in copolymer of butadiene with isoprene in ionic coordination polymerization with supported titanium catalysts. <i>Russian Journal of Applied Chemistry</i> , 2012 , 85, 1269-1274	0.8	

- 14 The effect of synthesis conditions on the microheterogeneity of the butadiene-isoprene copolymer. *Polymer Science - Series B*, **2011**, 53, 166-170 0.8
- 13 Synthesis of stereoregular polybutadiene under ultrasonic treatment. *Doklady Chemistry*, **2009**, 429, 321-323 0.8
- 12 Reducing consumption of titanium catalyst in stereospecific polymerization of butadiene. *Russian Journal of Applied Chemistry*, **2009**, 82, 1085-1089 0.8
- 11 Longitudinal mixing in fast liquid-phase chemical reactions in a two-phase mixture. *Russian Journal of Applied Chemistry*, **2006**, 79, 403-407 0.8
- 10 Formation of Reaction Mixture in the Course of Preparation of cis-1,4-Polyisoprene in the Turbulent Mode. *Russian Journal of Applied Chemistry*, **2004**, 77, 299-302 0.8
- 9 Effect of the Flow Pattern on the Convective Heat Transfer Efficiency in Tubular Apparatuses. *Theoretical Foundations of Chemical Engineering*, **2004**, 38, 499-502 0.9
- 8 Operating Conditions of Flow-Type Tubular Turbulent Reactors for Performing Fast Reactions. *Doklady Physical Chemistry*, **2003**, 392, 250-252 0.8
- 7 Convective Heat Transfer in Tubular Turbulent Apparatuses. *Doklady Physical Chemistry*, **2003**, 392, 282-284 0.8
- 6 Decrease in Content of Insoluble Fraction in cis-1,4-Polyisoprene in Formation of Titanium Catalyst in Turbulent Flow. *Russian Journal of Applied Chemistry*, **2005**, 78, 765-768 0.8
- 5 A Nontraditional Way of Affecting The Molecular Characteristics of Polyolefins and Polydienes. *Doklady Physical Chemistry*, **2001**, 381, 288-291 0.8
- 4 On the formation of macrostructures of mixing fronts for reacting and neutral streams. *Theoretical Foundations of Chemical Engineering*, **2000**, 34, 197-198 0.9
- 3 Physico-mechanical and thermophysical properties of composites based on secondary polypropylene modified with ultra-high molecular weight polyethylene. *Letters on Materials*, **2020**, 10, 404-409 0.9
- 2 Study of the Influence of Plant-Based Filler on the Physicomechanical Properties and Processing Parameters of a Composite Based on Secondary Polymer Raw Materials. *Theoretical Foundations of Chemical Engineering*, **2020**, 54, 745-749 0.9
- 1 Thermal properties of polymer compounds based on recycled polypropylene and polyethylene. *Letters on Materials*, **2022**, 12, 59-64 0.9