## John W Moreau

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5266271/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	The effect of heavy metals on thiocyanate biodegradation by an autotrophic microbial consortium enriched from mine tailings. Applied Microbiology and Biotechnology, 2021, 105, 417-427.	3.6	6
2	Mercury methylation by metabolically versatile and cosmopolitan marine bacteria. ISME Journal, 2021, 15, 1810-1825.	9.8	74
3	Characterisation of uranium-pyrite associations within organic-rich Eocene sediments using EM, XFM-µXANES and µXRD. Ore Geology Reviews, 2021, 133, 104051.	2.7	5
4	Bacterial predation limits microbial sulfate-reduction in a coastal acid sulfate soil (CASS) ecosystem. Soil Biology and Biochemistry, 2020, 148, 107930.	8.8	2
5	Genome-Resolved Metagenomics and Detailed Geochemical Speciation Analyses Yield New Insights into Microbial Mercury Cycling in Geothermal Springs. Applied and Environmental Microbiology, 2020, 86, .	3.1	19
6	Subsurface carbon monoxide oxidation capacity revealed through genomeâ€resolved metagenomics of a carboxydotroph. Environmental Microbiology Reports, 2020, 12, 525-533.	2.4	3
7	Ancient DNA from marine sediments: Precautions and considerations for seafloor coring, sample handling and data generation. Earth-Science Reviews, 2019, 196, 102887.	9.1	90
8	Genome-resolved metagenomics of an autotrophic thiocyanate-remediating microbial bioreactor consortium. Water Research, 2019, 158, 106-117.	11.3	11
9	Seawater recirculation through subducting sediments sustains a deeply buried population of sulfateâ€reducing bacteria. Geobiology, 2019, 17, 172-184.	2.4	5
10	Biodegradation of thiocyanate by a native groundwater microbial consortium. PeerJ, 2019, 7, e6498.	2.0	10
11	Effects of Environmental Parameters on Thiocyanate Biodegradation by Burkholderia phytofirmans Candidate Strain ST01hv. Environmental Engineering Science, 2018, 35, 62-66.	1.6	4
12	Characterization of uranium redox state in organic-rich Eocene sediments. Chemosphere, 2018, 194, 602-613.	8.2	40
13	Time-resolved microbial guild responses to tidal cycling in a coastal acid-sulfate system. Environmental Chemistry, 2018, 15, 2.	1.5	5
14	Thiocyanate biodegradation: harnessing microbial metabolism for mine remediation. Microbiology Australia, 2018, 39, 157.	0.4	8
15	Characterization of an autotrophic bioreactor microbial consortium degrading thiocyanate. Applied Microbiology and Biotechnology, 2017, 101, 5889-5901.	3.6	23
16	<i>In Situ</i> Stimulation of Thiocyanate Biodegradation through Phosphate Amendment in Gold Mine Tailings Water. Environmental Science & Technology, 2017, 51, 13353-13362.	10.0	20
17	Experimental evaluation of sampling, storage and analytical protocols for measuring arsenic speciation in sulphidic hot spring waters. Microchemical Journal, 2017, 130, 162-167.	4.5	16
18	Microbial mercury methylation in Antarctic sea ice. Nature Microbiology, 2016, 1, 16127.	13.3	158

JOHN W MOREAU

#	Article	IF	CITATIONS
19	Uranium mobility in organic matter-rich sediments: A review of geological and geochemical processes. Earth-Science Reviews, 2016, 159, 160-185.	9.1	283
20	New insights into the genetic and metabolic diversity of thiocyanate-degrading microbial consortia. Applied Microbiology and Biotechnology, 2016, 100, 1101-1108.	3.6	29
21	Crustal fluid and ash alteration impacts on the biosphere of Shikoku Basin sediments, Nankai Trough, Japan. Geobiology, 2015, 13, 562-580.	2.4	28
22	Distribution of iron- and sulfate-reducing bacteria across a coastal acid sulfate soil (CASS) environment: implications for passive bioremediation by tidal inundation. Frontiers in Microbiology, 2015, 6, 624.	3.5	27
23	The Effect of Natural Organic Matter on Mercury Methylation by Desulfobulbus propionicus 1pr3. Frontiers in Microbiology, 2015, 6, 1389.	3.5	42
24	Limisphaera ngatamarikiensis gen. nov., sp. nov., a thermophilic, pink-pigmented coccus isolated from subaqueous mud of a geothermal hotspring. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 1114-1121.	1.7	20
25	Mercury distribution and mobility at the abandoned Puhipuhi mercury mine, Northland, New Zealand. New Zealand Journal of Geology, and Geophysics, 2015, 58, 78-87.	1.8	7
26	Thiocyanate adsorption on ferrihydrite and its fate during ferrihydrite transformation to hematite and goethite. Chemosphere, 2015, 119, 987-993.	8.2	27
27	Metagenomic and lipid analyses reveal a diel cycle in a hypersaline microbial ecosystem. ISME Journal, 2015, 9, 2697-2711.	9.8	35
28	The geomicrobiology of CO2 geosequestration: a focused review on prokaryotic community responses to field-scale CO2 injection. Frontiers in Microbiology, 2015, 6, 263.	3.5	17
29	Thermorudis pharmacophila sp. nov., a novel member of the class Thermomicrobia isolated from geothermal soil, and emended descriptions of Thermomicrobium roseum, Thermomicrobium carboxidum, Thermorudis peleae and Sphaerobacter thermophilus. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 4479-4487.	1.7	32
30	Microbial contributions to coupled arsenic and sulfur cycling in the acid-sulfide hot spring Champagne Pool, New Zealand. Frontiers in Microbiology, 2014, 5, 569.	3.5	32
31	COUPLED NITROGEN AND OXYGEN ISOTOPE STUDY OF NITRATE AT A RURAL UNLINED LANDFILL IN WESTERN VICTORIA, AUSTRALIA. American Journal of Environmental Sciences, 2014, 10, 383-390.	0.5	2
32	Changes in the deep subsurface microbial biosphere resulting from a field-scale CO2 geosequestration experiment. Frontiers in Microbiology, 2014, 5, 209.	3.5	44
33	Thermoflavifilum aggregans gen. nov., sp. nov., a thermophilic and slightly halophilic filamentous bacterium from the phylum Bacteroidetes. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 1264-1270.	1.7	39
34	Environmental considerations for subseabed geological storage of CO2: A review. Continental Shelf Research, 2014, 83, 116-128.	1.8	37
35	Manganese-reducing Pseudomonas fluorescens-group bacteria control arsenic mobility in gold mining-contaminated groundwater. Environmental Earth Sciences, 2014, 71, 4187-4198.	2.7	9
36	Biodegradation of thiocyanate by a novel strain <i>of Burkholderia phytofirmans</i> from soil contaminated by gold mine tailings. Letters in Applied Microbiology, 2013, 57, 368-372.	2.2	21

John W Moreau

#	Article	IF	CITATIONS
37	Thio arsenic species measurements in marine organisms and geothermal waters. Microchemical Journal, 2013, 111, 82-90.	4.5	42
38	Quantifying Heavy Metals Sequestration by Sulfate-Reducing Bacteria in an Acid Mine Drainage-Contaminated Natural Wetland. Frontiers in Microbiology, 2013, 4, 43.	3.5	43
39	Diversity of Dissimilatory Sulfite Reductase Genes ( <i>dsrAB</i> ) in a Salt Marsh Impacted by Long-Term Acid Mine Drainage. Applied and Environmental Microbiology, 2010, 76, 4819-4828.	3.1	48
40	Mercury sources, distribution, and bioavailability in the North Pacific Ocean: Insights from data and models. Global Biogeochemical Cycles, 2009, 23, .	4.9	378
41	Extracellular Proteins Limit the Dispersal of Biogenic Nanoparticles. Science, 2007, 316, 1600-1603.	12.6	254
42	Ultrastructure, aggregation-state, and crystal growth of biogenic nanocrystalline sphalerite and wurtzite. American Mineralogist, 2004, 89, 950-960.	1.9	102
43	A Transmission Electron Microscopy Study of Silica and Kerogen Biosignatures in ˜1.9 Ga Gunflint Microfossils. Astrobiology, 2004, 4, 196-210.	3.0	54
44	Model biomimetic studies of templated growth and assembly of nanocrystalline FeOOH. Geochimica Et Cosmochimica Acta, 2003, 67, 1185-1195.	3.9	50
45	Impact Features on Europa: Results of the Galileo Europa Mission (GEM). Icarus, 2001, 151, 93-111.	2.5	92
46	Mineralogical Biosignatures and the Search for Life on Mars. Astrobiology, 2001, 1, 447-465.	3.0	139
47	Can Bacteria Living Underground Help Fight Climate Change?. Frontiers for Young Minds. 0. 6	0.8	0 _