

Enrico Caprio

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5266305/publications.pdf>

Version: 2024-02-01

33
papers

1,046
citations

516710

16
h-index

434195

31
g-index

34
all docs

34
docs citations

34
times ranked

1117
citing authors

#	ARTICLE	IF	CITATIONS
1	Measuring the influence of non-scientific features on citations. <i>Scientometrics</i> , 2022, 127, 4123-4137.	3.0	9
2	Physiological, morphological and ecological traits drive desiccation resistance in north temperate dung beetles. <i>BMC Zoology</i> , 2021, 6, .	1.0	1
3	Ecosystem functioning in relation to species identity, density, and biomass in two tunneller dung beetles. <i>Ecological Entomology</i> , 2020, 45, 311-320.	2.2	14
4	Bat activity and evidence of bat migration at two high elevation passes in the Western Alps. <i>European Journal of Wildlife Research</i> , 2020, 66, 1.	1.4	3
5	Wealth, water and wildlife: Landscape aridity intensifies the urban luxury effect. <i>Global Ecology and Biogeography</i> , 2020, 29, 1595-1605.	5.8	32
6	Social Media and Large Carnivores: Sharing Biased News on Attacks on Humans. <i>Frontiers in Ecology and Evolution</i> , 2020, 8, .	2.2	27
7	Traitâ€modulated decline of carabid beetle occurrence along elevational gradients across the European Alps. <i>Journal of Biogeography</i> , 2020, 47, 1030-1040.	3.0	6
8	Microclimate affects the distribution of grassland birds, but not forest birds, in an Alpine environment. <i>Journal of Ornithology</i> , 2020, 161, 677-689.	1.1	15
9	Flocking of Foraging Yellow-Billed Choughs <i>Pyrrhocorax Graculus</i> Reflects the Availability of Grasshoppers and the Extent of Human Influence in High Elevation Ecosystems. <i>Ardeola</i> , 2020, 68, 53.	0.7	3
10	The relationship between wealth and biodiversity: A test of the Luxury Effect on bird species richness in the developing world. <i>Global Change Biology</i> , 2019, 25, 3045-3055.	9.5	44
11	Behavioural responses to human disturbance in an alpine bird. <i>Journal of Ornithology</i> , 2019, 160, 763-772.	1.1	10
12	A review and metaâ€analysis of the effects of climate change on Holarctic mountain and upland bird populations. <i>Ibis</i> , 2018, 160, 489-515.	1.9	117
13	Management systems may affect the feeding ecology of great tits <i>Parus major</i> nesting in vineyards. <i>Agriculture, Ecosystems and Environment</i> , 2017, 243, 67-73.	5.3	9
14	A spatially explicit definition of conservation priorities according to population resistance and resilience, species importance and level of threat in a changing climate. <i>Diversity and Distributions</i> , 2017, 23, 727-738.	4.1	48
15	The effect of forest management on endangered insects assessed by radio-tracking: The case of the ground beetle <i>Carabus olympiae</i> in European beech <i>Fagus sylvatica</i> stands. <i>Forest Ecology and Management</i> , 2017, 406, 125-137.	3.2	10
16	Ecological functions provided by dung beetles are interlinked across space and time: evidence from ¹⁵ N isotope tracing. <i>Ecology</i> , 2017, 98, 433-446.	3.2	51
17	Greenhouse gas emissions from dung pats vary with dung beetle species and with assemblage composition. <i>PLoS ONE</i> , 2017, 12, e0178077.	2.5	43
18	Apparent Constant Adult Survival of a Sand Martin <i>Riparia riparia</i> Population in Relation to Climatic Variables. <i>Ardea</i> , 2016, 104, 253-262.	0.6	5

#	ARTICLE	IF	CITATIONS
19	Alpine bird distributions along elevation gradients: the consistency of climate and habitat effects across geographic regions. <i>Oecologia</i> , 2016, 181, 1139-1150.	2.0	35
20	Ski-piste revegetation promotes partial bird community recovery in the European Alps. <i>Bird Study</i> , 2016, 63, 470-478.	1.0	9
21	Organic versus conventional systems in viticulture: Comparative effects on spiders and carabids in vineyards and adjacent forests. <i>Agricultural Systems</i> , 2015, 136, 61-69.	6.1	87
22	The Effects of Body Mass on Dung Removal Efficiency in Dung Beetles. <i>PLoS ONE</i> , 2014, 9, e107699.	2.5	97
23	The winter roosting and diet of Black Grouse <i>Tetrao tetrix</i> in the north-western Italian Alps. <i>Journal of Ornithology</i> , 2014, 155, 183-194.	1.1	8
24	Assessing the sensitivity of alpine birds to potential future changes in habitat and climate to inform management strategies. <i>Biological Conservation</i> , 2013, 167, 127-135.	4.1	88
25	The dynamics of alternative male mating tactics in a population of Black Grouse <i>Tetrao tetrix</i> in the Italian Alps. <i>Journal of Ornithology</i> , 2012, 153, 999-1009.	1.1	8
26	The altitudinal frontier in avian climate impact research. <i>Ibis</i> , 2012, 154, 205-209.	1.9	58
27	Landscape changes caused by high altitude ski-pistes affect bird species richness and distribution in the Alps. <i>Biological Conservation</i> , 2011, 144, 2958-2967.	4.1	42
28	Native oak retention as a key factor for the conservation of winter bird diversity in managed deciduous forests in northern Italy. <i>Landscape Ecology</i> , 2009, 24, 65-76.	4.2	16
29	Assessing habitat/landscape predictors of bird diversity in managed deciduous forests: a seasonal and guild-based approach. <i>Biodiversity and Conservation</i> , 2009, 18, 1287-1303.	2.6	32
30	The impact of high-altitude ski-runs on alpine grassland bird communities. <i>Journal of Applied Ecology</i> , 2006, 44, 210-219.	4.0	67
31	Can forest management have season-dependent effects on bird diversity?. <i>Biodiversity and Conservation</i> , 2004, 13, 1925-1941.	2.6	13
32	Effects of logging and non-native tree proliferation on the birds overwintering in the upland forests of north-western Italy. <i>Forest Ecology and Management</i> , 2003, 179, 441-454.	3.2	38
33	Extrinsic and intrinsic factors affecting the activity budget of alpine marmots (<i>Marmota marmota</i>). <i>Mammal Research</i> , 0, , 1.	1.3	1