

# Nadia L Zakamska

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/526675/publications.pdf>

Version: 2024-02-01

122  
papers

11,881  
citations

50170

46  
h-index

25716

108  
g-index

128  
all docs

128  
docs citations

128  
times ranked

8992  
citing authors

#	ARTICLE	IF	CITATIONS
1	Enhancement of double-close-binary quadruples. Monthly Notices of the Royal Astronomical Society, 2022, 511, 3881-3894.	1.6	6
2	Varstrometry for Off-nucleus and Dual Subkiloparsec AGN (VODKA): Hubble Space Telescope Discovers Double Quasars. Astrophysical Journal, 2022, 925, 162.	1.6	25
3	The eccentricity distribution of wide binaries and their individual measurements. Monthly Notices of the Royal Astronomical Society, 2022, 512, 3383-3399.	1.6	36
4	Wide binaries from the H3 survey: the thick disc and halo have similar wide binary fractions. Monthly Notices of the Royal Astronomical Society, 2022, 513, 754-767.	1.6	5
5	The SNâ€™Ia runaway LPâ€™398-9: detection of circumstellar material and surface rotation. Monthly Notices of the Royal Astronomical Society, 2022, 512, 6122-6133.	1.6	4
6	Probing the inner circumgalactic medium and quasar illumination around the reddest â€™extremely red quasarâ€™. Monthly Notices of the Royal Astronomical Society, 2022, 515, 1624-1643.	1.6	12
7	Wide Twin Binaries are Extremely Eccentric: Evidence of Twin Binary Formation in Circumbinary Disks. Astrophysical Journal Letters, 2022, 933, L32.	3.0	12
8	Buckling Bars in Nearly Face-on Galaxies Observed with MaNGA. Astrophysical Journal, 2021, 909, 125.	1.6	7
9	A hidden population of high-redshift double quasars unveiled by astrometry. Nature Astronomy, 2021, 5, 569-574.	4.2	31
10	Powerful winds in high-redshift obscured and red quasars. Monthly Notices of the Royal Astronomical Society, 2021, 504, 4445-4459.	1.6	28
11	The AGNIFS survey: distribution and excitation of the hot molecular and ionized gas in the inner kpc of nearby AGN hosts. Monthly Notices of the Royal Astronomical Society, 2021, 504, 3265-3283.	1.6	15
12	Variability, periodicity, and contact binaries in <i>WISE</i>. Monthly Notices of the Royal Astronomical Society, 2021, 503, 3975-3991.	1.6	15
13	The Impact of Low-luminosity AGNs on Their Host Galaxies: A Radio and Optical Investigation of the Kiloparsec-scale Outflow in MaNGA 1-166919. Astrophysical Journal, 2021, 916, 102.	1.6	5
14	X-ray analysis of SDSS J165202.60+172852.4, an obscured quasar with outflows at peak galaxy formation epoch. Monthly Notices of the Royal Astronomical Society, 2021, 502, 3769-3779.	1.6	9
15	Chemical abundances in Seyfert galaxies â€™ V. The discovery of shocked emission outside the AGN ionization axis. Monthly Notices of the Royal Astronomical Society: Letters, 2021, 501, L54-L59.	1.2	24
16	The non-monotonic, strong metallicity dependence of the wide-binary fraction. Monthly Notices of the Royal Astronomical Society, 2021, 501, 4329-4343.	1.6	20
17	A 99 minute Double-lined White Dwarf Binary from SDSS-V. Astrophysical Journal, 2021, 921, 160.	1.6	10
18	Multiphase Outflows in High-redshift Quasar Host Galaxies. Astrophysical Journal, 2021, 923, 59.	1.6	12

#	ARTICLE	IF	CITATIONS
19	Computational tools for the spectroscopic analysis of white dwarfs. Monthly Notices of the Royal Astronomical Society, 2020, 497, 2688-2698.	1.6	13
20	Ionized and hot molecular outflows in the inner 500 Åpc of NGC 1275. Monthly Notices of the Royal Astronomical Society, 2020, 496, 4857-4873.	1.6	20
21	Very wide companion fraction from Gaia DR2: A weak or no enhancement for hot Jupiter hosts, and a strong enhancement for contact binaries. Monthly Notices of the Royal Astronomical Society, 2020, 497, 2250-2259.	1.6	15
22	Lifetime of short-period binaries measured from their Galactic kinematics. Monthly Notices of the Royal Astronomical Society, 2020, 493, 2271-2286.	1.6	20
23	Formation of Orion fingers. Monthly Notices of the Royal Astronomical Society, 2020, 495, 1172-1187.	1.6	2
24	Evidence that emission and absorption outflows in quasars are related. Monthly Notices of the Royal Astronomical Society, 2020, 495, 305-320.	1.6	8
25	Ionized gas outflow signatures in SDSS-IV MaNGA active galactic nuclei. Monthly Notices of the Royal Astronomical Society, 2020, 492, 4680-4696.	1.6	44
26	Hubble Space Telescope Observations of Mira Variables in the SN Ia Host NGC 1559: An Alternative Candle to Measure the Hubble Constant. Astrophysical Journal, 2020, 889, 5.	1.6	136
27	Varstrometry for Off-nucleus and Dual Subkiloparsec AGN (VODKA): Methodology and Initial Results with Gaia DR2. Astrophysical Journal, 2020, 888, 73.	1.6	30
28	Active galactic nuclei winds as the origin of the H <sub>2</sub> emission excess in nearby galaxies. Monthly Notices of the Royal Astronomical Society, 2020, 491, 1518-1529.	1.6	12
29	A Gravitational Redshift Measurement of the White Dwarf Mass–Radius Relation. Astrophysical Journal, 2020, 899, 146.	1.6	21
30	Spatially Resolved UV Diagnostics of AGN Feedback: Radiation Pressure Dominates in a Prototypical Quasar-driven Superwind. Astrophysical Journal Letters, 2020, 890, L28.	3.0	6
31	Reconstructing the EUV Spectrum of Star-forming Regions from Millimeter Recombination Lines of H i, He i, and He ii. Astrophysical Journal, 2020, 903, 29.	1.6	2
32	Host galaxies of high-redshift extremely red and obscured quasars. Monthly Notices of the Royal Astronomical Society, 2019, 489, 497-516.	1.6	31
33	Quantifying the thermal Sunyaev–Zeldovich effect and excess millimetre emission in quasar environments. Monthly Notices of the Royal Astronomical Society, 2019, 490, 2315-2335.	1.6	16
34	ERQs are the BOSS of quasar samples: the highest velocity [O iii] quasar outflows. Monthly Notices of the Royal Astronomical Society, 2019, 488, 4126-4148.	1.6	49
35	Mid-infrared spectroscopic evidence for AGN heating warm molecular gas. Monthly Notices of the Royal Astronomical Society, 2019, 487, 1823-1843.	1.6	22
36	Varstrometry for Off-nucleus and Dual Sub-Kpc AGN (VODKA): How Well Centered Are Low-z AGN?. Astrophysical Journal Letters, 2019, 885, L4.	3.0	36

#	ARTICLE	IF	CITATIONS
37	Outflows & Feedback from Extremely Red Quasars. Proceedings of the International Astronomical Union, 2019, 15, 232-237.	0.0	0
38	Relativistic jets: An astrophysical laboratory for the Doppler effect. American Journal of Physics, 2018, 86, 354-359.	0.3	0
39	Morphology of AGN emission-line regions in SDSS-IV MaNGA survey. Monthly Notices of the Royal Astronomical Society, 2018, 478, 3614-3626.	1.6	9
40	A Two-dimensional Spectroscopic Study of Emission-line Galaxies in the Faint Infrared Grism Survey (FIGS). I. Detection Method and Catalog. Astrophysical Journal, 2018, 868, 61.	1.6	11
41	The Mira-based Distance to the Galactic Center. Astrophysical Journal, 2018, 865, 47.	1.6	11
42	SDSS-IV MaNGA: spatially resolved star formation histories and the connection to galaxy physical properties. Monthly Notices of the Royal Astronomical Society, 2018, 480, 2544-2561.	1.6	34
43	Imaging extended emission-line regions of obscured AGN with the Subaru Hyper Suprime-Cam Survey. Monthly Notices of the Royal Astronomical Society, 2018, 480, 2302-2323.	1.6	20
44	The size–luminosity relationship of quasar narrow-line regions. Monthly Notices of the Royal Astronomical Society, 2018, 477, 4615-4626.	1.6	28
45	Spectropolarimetry of high-redshift obscured and red quasars. Monthly Notices of the Royal Astronomical Society, 2018, 479, 4936-4957.	1.6	25
46	Downsizing of star formation measured from the clustered infrared background correlated with quasars. Monthly Notices of the Royal Astronomical Society, 2018, 480, 149-181.	1.6	10
47	SDSS-IV MaNGA: identification of active galactic nuclei in optical integral field unit surveys. Monthly Notices of the Royal Astronomical Society, 2018, 474, 1499-1514.	1.6	48
48	The Clustering of High-redshift ( $2.9 \leq z \leq 5.1$ ) Quasars in SDSS Stripe 82. Astrophysical Journal, 2018, 859, 20.	1.6	32
49	Spectrophotometric Redshifts in the Faint Infrared Grism Survey: Finding Overdensities of Faint Galaxies. Astrophysical Journal, 2018, 856, 116.	1.6	5
50	SDSS-IV MaNGA: What Shapes the Distribution of Metals in Galaxies? Exploring the Roles of the Local Gas Fraction and Escape Velocity. Astrophysical Journal, 2018, 852, 74.	1.6	61
51	High-redshift Extremely Red Quasars in X-Rays. Astrophysical Journal, 2018, 856, 4.	1.6	33
52	The Fourteenth Data Release of the Sloan Digital Sky Survey: First Spectroscopic Data from the Extended Baryon Oscillation Spectroscopic Survey and from the Second Phase of the Apache Point Observatory Galactic Evolution Experiment. Astrophysical Journal, Supplement Series, 2018, 235, 42.	3.0	796
53	Winds as the origin of radio emission in $z \sim 2.5$ radio-quiet extremely red quasars. Monthly Notices of the Royal Astronomical Society, 2018, 477, 830-844.	1.6	49
54	Space Telescope and Optical Reverberation Mapping Project. V. Optical Spectroscopic Campaign and Emission-line Analysis for NGC 5548. Astrophysical Journal, 2017, 837, 131.	1.6	93

#	ARTICLE	IF	CITATIONS
55	The 13th Data Release of the Sloan Digital Sky Survey: First Spectroscopic Data from the SDSS-IV Survey Mapping Nearby Galaxies at Apache Point Observatory. <i>Astrophysical Journal, Supplement Series</i> , 2017, 233, 25.	3.0	406
56	Sloan Digital Sky Survey IV: Mapping the Milky Way, Nearby Galaxies, and the Distant Universe. <i>Astronomical Journal</i> , 2017, 154, 28.	1.9	1,100
57	Sizes and Kinematics of Extended Narrow-line Regions in Luminous Obscured AGN Selected by Broadband Images. <i>Astrophysical Journal</i> , 2017, 835, 222.	1.6	60
58	Extremely red quasars in BOSS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 464, 3431-3463.	1.6	79
59	Observational Constraints on Correlated Star Formation and Active Galactic Nuclei in Late-stage Galaxy Mergers. <i>Astrophysical Journal</i> , 2017, 850, 27.	1.6	18
60	FIGS—Faint Infrared Grism Survey: Description and Data Reduction. <i>Astrophysical Journal</i> , 2017, 846, 84.	1.6	37
61	Composite Spectral Energy Distributions and Infrared—Optical Colors of Type 1 and Type 2 Quasars. <i>Astrophysical Journal</i> , 2017, 849, 53.	1.6	39
62	A local leaky-box model for the local stellar surface density—gas surface density—gas phase metallicity relation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2017, 468, 4494-4501.	1.6	16
63	SpIES: THE SPITZER IRAC EQUATORIAL SURVEY. <i>Astrophysical Journal, Supplement Series</i> , 2016, 225, 1.	3.0	43
64	Do galaxy global relationships emerge from local ones? The SDSS IV MaNGA surface mass density—metallicity relation. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 463, 2513-2522.	1.6	77
65	Spectroscopic identification of type 2 quasars at $z < 1$ in SDSS-III/BOSS. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 462, 1603-1615.	1.6	45
66	Star formation in quasar hosts and the origin of radio emission in radio-quiet quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 455, 4191-4211.	1.6	86
67	Sensitive radio survey of obscured quasar candidates. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 463, 3056-3073.	1.6	9
68	Evidence of suppression of star formation by quasar-driven winds in gas-rich host galaxies at $z < 1$ ?. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 461, 3724-3739.	1.6	44
69	FIRST RESULTS FROM THE FAINT INFRARED GRISM SURVEY (FIGS): FIRST SIMULTANEOUS DETECTION OF Ly $\alpha$ ± EMISSION AND LYMAN BREAK FROM A GALAXY AT $z = 7.51$ . <i>Astrophysical Journal Letters</i> , 2016, 827, L14.	3.0	50
70	Towards a comprehensive picture of powerful quasars, their host galaxies and quasar winds at $z < 0.5$ . <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 457, 745-763.	1.6	31
71	CONSTRAINING THE DYNAMICAL IMPORTANCE OF HOT GAS AND RADIATION PRESSURE IN QUASAR OUTFLOWS USING EMISSION LINE RATIOS. <i>Astrophysical Journal</i> , 2016, 819, 130.	1.6	33
72	Discovery of extreme [OIII] $\lambda$ 5007—outflows in high-redshift red quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 459, 3144-3160.	1.6	161

#	ARTICLE	IF	CITATIONS
73	Giant scattering cones in obscured quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2016, 456, 2861-2876.	1.6	27
74	Extremely red quasars from SDSS, BOSS and <i>WISE</i> : classification of optical spectra. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 453, 3933-3953.	1.6	82
75	MERGER-DRIVEN FUELING OF ACTIVE GALACTIC NUCLEI: SIX DUAL AND OF AGNs DISCOVERED WITH <i>CHANDRA</i> AND <i>HUBBLE</i> SPACE TELESCOPE OBSERVATIONS. <i>Astrophysical Journal</i> , 2015, 806, 219.	1.6	135
76	THE ELEVENTH AND TWELFTH DATA RELEASES OF THE SLOAN DIGITAL SKY SURVEY: FINAL DATA FROM SDSS-III. <i>Astrophysical Journal, Supplement Series</i> , 2015, 219, 12.	3.0	1,877
77	Similarity of ionized gas nebulae around unobscured and obscured quasars... <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 442, 1303-1318.	1.6	48
78	Warm molecular hydrogen in outflows from ultraluminous infrared Galaxies. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 439, 2701-2716.	1.6	33
79	A GLIMPSE AT QUASAR HOST GALAXY FAR-UV EMISSION USING DAMPED Ly $\alpha$ 's AS NATURAL CORONAGRAPHS. <i>Astrophysical Journal</i> , 2014, 793, 139.	1.6	18
80	GEMINI LONG-SLIT OBSERVATIONS OF LUMINOUS OBSCURED QUASARS: FURTHER EVIDENCE FOR AN UPPER LIMIT ON THE SIZE OF THE NARROW-LINE REGION. <i>Astrophysical Journal</i> , 2014, 787, 65.	1.6	65
81	EXTENDED X-RAY EMISSION FROM A QUASAR-DRIVEN SUPERBUBBLE. <i>Astrophysical Journal</i> , 2014, 788, 54.	1.6	39
82	ALMA OBSERVATIONS OF A CANDIDATE MOLECULAR OUTFLOW IN AN OBSCURED QUASAR. <i>Astrophysical Journal</i> , 2014, 790, 160.	1.6	52
83	NEAR-INFRARED SPECTRA AND INTRINSIC LUMINOSITIES OF CANDIDATE TYPE II QUASARS AT $2 < z < 3.4$ . <i>Astrophysical Journal</i> , 2014, 788, 91.	1.6	22
84	Quasar feedback and the origin of radio emission in radio-quiet quasars. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 442, 784-804.	1.6	264
85	Observations of feedback from radio-quiet quasars II. Kinematics of ionized gas nebulae. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 436, 2576-2597.	1.6	260
86	Observations of feedback from radio-quiet quasars I. Extents and morphologies of ionized gas nebulae. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 430, 2327-2345.	1.6	158
87	Candidate type II quasars at $2 < z < 4.3$ in the Sloan Digital Sky Survey III. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 435, 3306-3325.	1.6	85
88	AN ARCHIVAL <i>Chandra</i> AND <i>XMM-Newton</i> SURVEY OF TYPE 2 QUASARS. <i>Astrophysical Journal</i> , 2013, 777, 27.	1.6	29
89	SALT LONG-SLIT SPECTROSCOPY OF LUMINOUS OBSCURED QUASARS: AN UPPER LIMIT ON THE SIZE OF THE NARROW-LINE REGION?. <i>Astrophysical Journal</i> , 2013, 774, 145.	1.6	78
90	A SPECTACULAR OUTFLOW IN AN OBSCURED QUASAR. <i>Astrophysical Journal</i> , 2012, 746, 86.	1.6	138

#	ARTICLE	IF	CITATIONS
91	FEEDBACK IN LUMINOUS OBSCURED QUASARS. <i>Astrophysical Journal</i> , 2011, 732, 9.	1.6	189
92	Observational biases in determining extrasolar planet eccentricities in single-planet systems. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, , no-no.	1.6	41
93	H2 emission arises outside photodissociation regions in ultraluminous infrared galaxies. <i>Nature</i> , 2010, 465, 60-63.	13.7	29
94	Observational biases in determining extrasolar planet eccentricities. <i>EAS Publications Series</i> , 2010, 42, 169-173.	0.3	0
95	THE GROWTH OF BLACK HOLES: INSIGHTS FROM OBSCURED ACTIVE GALAXIES. <i>Astrophysical Journal</i> , 2009, 702, 441-459.	1.6	43
96	HOST GALAXIES OF LUMINOUS TYPE 2 QUASARS AT $z \approx 0.5$ . <i>Astrophysical Journal</i> , 2009, 702, 1098-1117.	1.6	60
97	EIGHT-DIMENSIONAL MID-INFRARED/OPTICAL BAYESIAN QUASAR SELECTION. <i>Astronomical Journal</i> , 2009, 137, 3884-3899.	1.9	56
98	Host Galaxies of Obscured Quasars: Infant Starbursts Caught in Action. <i>Proceedings of the International Astronomical Union</i> , 2009, 5, 118-118.	0.0	0
99	MID-INFRARED SPECTRA OF OPTICALLY-SELECTED TYPE 2 QUASARS. <i>Astronomical Journal</i> , 2008, 136, 1607-1622.	1.9	60
100	SPACE DENSITY OF OPTICALLY SELECTED TYPE 2 QUASARS. <i>Astronomical Journal</i> , 2008, 136, 2373-2390.	1.9	247
101	Hot Self-Similar Relativistic Magnetohydrodynamic Flows. <i>Astrophysical Journal</i> , 2008, 679, 990-999.	1.6	53
102	Quasars Probing Quasars. I. Optically Thick Absorbers near Luminous Quasars. <i>Astrophysical Journal</i> , 2006, 651, 61-83.	1.6	142
103	Type II Quasars from the Sloan Digital Sky Survey. V. Imaging Host Galaxies with the Hubble Space Telescope. <i>Astronomical Journal</i> , 2006, 132, 1496-1516.	1.9	124
104	Type II Quasars from the Sloan Digital Sky Survey. IV. Chandra and XMM-Newton Observations Reveal Heavily Absorbed Sources. <i>Astrophysical Journal</i> , 2006, 637, 147-156.	1.6	46
105	Candidate Type II Quasars from the Sloan Digital Sky Survey. III. Spectropolarimetry Reveals Hidden Type I Nuclei. <i>Astronomical Journal</i> , 2005, 129, 1212-1224.	1.9	118
106	Optically Identified BL Lacertae Objects from the Sloan Digital Sky Survey. <i>Astronomical Journal</i> , 2005, 129, 2542-2561.	1.9	79
107	Active Galactic Nuclei in the Sloan Digital Sky Survey. I. Sample Selection. <i>Astronomical Journal</i> , 2005, 129, 1783-1794.	1.9	199
108	Constraints on the Acceleration of the Solar System from High-Precision Timing. <i>Astronomical Journal</i> , 2005, 130, 1939-1950.	1.9	51

#	ARTICLE	IF	CITATIONS
109	Active Galactic Nuclei in the Sloan Digital Sky Survey. II. Emission-Line Luminosity Function. <i>Astronomical Journal</i> , 2005, 129, 1795-1808.	1.9	174
110	Extrasolar Planet Orbits and Eccentricities. <i>AIP Conference Proceedings</i> , 2004, , .	0.3	13
111	Propagation of Eccentricity Disturbances in Planetary Systems. <i>AIP Conference Proceedings</i> , 2004, , .	0.3	1
112	Radiation drag effects on magnetically dominated outflows around compact objects. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 347, 587-600.	1.6	21
113	Excitation and Propagation of Eccentricity Disturbances in Planetary Systems. <i>Astronomical Journal</i> , 2004, 128, 869-877.	1.9	106
114	Candidate Type II Quasars from the Sloan Digital Sky Survey. II. From Radio to X-Rays. <i>Astronomical Journal</i> , 2004, 128, 1002-1016.	1.9	95
115	The First Data Release of the Sloan Digital Sky Survey. <i>Astronomical Journal</i> , 2003, 126, 2081-2086.	1.9	800
116	Double-peaked Low-Ionization Emission Lines in Active Galactic Nuclei. <i>Astronomical Journal</i> , 2003, 126, 1720-1749.	1.9	182
117	Candidate Type II Quasars from the Sloan Digital Sky Survey. I. Selection and Optical Properties of a Sample at $0.3 < z < 0.83$ . <i>Astronomical Journal</i> , 2003, 126, 2125-2144.	1.9	296
118	A Survey of $z \approx 5.7$ Quasars in the Sloan Digital Sky Survey. II. Discovery of Three Additional Quasars at $z \approx 6$ . <i>Astronomical Journal</i> , 2003, 125, 1649-1659.	1.9	654
119	Models of Galaxy Clusters with Thermal Conduction. <i>Astrophysical Journal</i> , 2003, 582, 162-169.	1.6	186
120	Drag action on the MHD winds. <i>Astronomical and Astrophysical Transactions</i> , 2001, 20, 323-324.	0.2	0
121	Evidence for the Thermal Sunyaev-Zel'dovich Effect Associated with Quasar Feedback. <i>Monthly Notices of the Royal Astronomical Society</i> , 0, , stw344.	1.6	28
122	Zooming into local active galactic nuclei: The power of combining SDSS-IV MaNGA with higher resolution integral field unit observations. <i>Monthly Notices of the Royal Astronomical Society</i> , 0, , stx246.	1.6	18