
Dana Huskens

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5267222/publications.pdf Version: 2024-02-01



DANA HUSKENS

#	Article	IF	CITATIONS
1	Flow cytometric analysis of platelet function to detect high onâ€treatment residual platelet reactivity in patients on dual antiplatelet therapy. International Journal of Laboratory Hematology, 2022, 44, .	1.3	2
2	Osteoprotegerin modulates platelet adhesion to von Willebrand factor during release from endothelial cells. Journal of Thrombosis and Haemostasis, 2022, 20, 755-766.	3.8	7
3	Differences in thrombin and plasmin generation potential between East African and Western European adults: The role of genetic and nonâ€genetic factors. Journal of Thrombosis and Haemostasis, 2022, 20, 1089-1105.	3.8	6
4	Platelet Activation via Glycoprotein VI Initiates Thrombin Generation: A Potential Role for Platelet-Derived Factor IX?. Thrombosis and Haemostasis, 2022, 122, 1502-1512.	3.4	1
5	Interplay between platelets and coagulation. Blood Reviews, 2021, 46, 100733.	5.7	147
6	Aprotinin Inhibits Thrombin Generation by Inhibition of the Intrinsic Pathway, but is not a Direct Thrombin Inhibitor. TH Open, 2021, 05, e363-e375.	1.4	2
7	Vascular activation is a strong predictor of mortality in coronavirus disease 2019 patients on the ICU. Blood Coagulation and Fibrinolysis, 2021, 32, 290-293.	1.0	11
8	Circulating active von Willebrand factor levels are increased in chronic kidney disease and end-stage renal disease. CKJ: Clinical Kidney Journal, 2020, 13, 72-74.	2.9	20
9	Acute exacerbations of COPD are associated with a prothrombotic state through platelet-monocyte complexes, endothelial activation and increased thrombin generation. Respiratory Medicine, 2020, 171, 106094.	2.9	11
10	Flow cytometric analysis of platelet function to improve the recognition of thrombocytopathy. Thrombosis Research, 2020, 194, 183-189.	1.7	9
11	Active von Willebrand Factor in patients with a bleeding diathesis. Thrombosis Update, 2020, 1, 100001.	0.9	0
12	A Hypoxic Environment Attenuates Exercise-Induced Procoagulant Changes Due to Decreased Platelet Activation. TH Open, 2019, 03, e216-e226.	1.4	5
13	A Synthetic Triple Helical Collagen Peptide as a New Agonist for Flow Cytometric Measurement of GPVI-Specific Platelet Activation. Thrombosis and Haemostasis, 2019, 119, 2005-2013.	3.4	2
14	Analytical characterization and reference interval of an enzyme-linked immunosorbent assay for active von Willebrand factor. PLoS ONE, 2019, 14, e0211961.	2.5	18
15	Hypobaric Hypoxia Causes Elevated Thrombin Generation Mediated by FVIII that is Balanced by Decreased Platelet Activation. Thrombosis and Haemostasis, 2018, 118, 883-892.	3.4	19
16	Effects of Repeated Bouts of Exercise on the Hemostatic System. Seminars in Thrombosis and Hemostasis, 2018, 44, 710-722.	2.7	21
17	Standardization and reference ranges for whole blood platelet function measurements using a flow cytometric platelet activation test. PLoS ONE, 2018, 13, e0192079.	2.5	46
18	Interindividual Variability and Normal Ranges of Whole Blood and Plasma Thrombin Generation. journal of applied laboratory medicine, The, 2017, 2, 150-164.	1.3	25

DANA HUSKENS

#	Article	IF	CITATIONS
19	Application of an optimized flow cytometry-based quantification of Platelet Activation (PACT): Monitoring platelet activation in platelet concentrates. PLoS ONE, 2017, 12, e0172265.	2.5	12
20	Strenuous exercise induces a hyperreactive rebalanced haemostatic state that is more pronounced in men. Thrombosis and Haemostasis, 2016, 115, 1109-1119.	3.4	29
21	Patients With Multiple Myeloma Have a Disbalanced Whole Blood Thrombin Generation Profile. Frontiers in Cardiovascular Medicine, 0, 9, .	2.4	3