## Vladimr Dzavk

## List of Publications by Citations

Source: https://exaly.com/author-pdf/5268301/vladimir-dzavik-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

12,972 193 52 112 h-index g-index citations papers 15,767 7.2 221 5.57 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
193	Early revascularization in acute myocardial infarction complicated by cardiogenic shock. SHOCK Investigators. Should We Emergently Revascularize Occluded Coronaries for Cardiogenic Shock. <i>New England Journal of Medicine</i> , <b>1999</b> , 341, 625-34	59.2	1960
192	Effects of ramipril and vitamin E on atherosclerosis: the study to evaluate carotid ultrasound changes in patients treated with ramipril and vitamin E (SECURE). <i>Circulation</i> , <b>2001</b> , 103, 919-25	16.7	606
191	Coronary intervention for persistent occlusion after myocardial infarction. <i>New England Journal of Medicine</i> , <b>2006</b> , 355, 2395-407	59.2	505
190	A prospective, randomized clinical trial of hemodynamic support with Impella 2.5 versus intra-aortic balloon pump in patients undergoing high-risk percutaneous coronary intervention: the PROTECT II study. <i>Circulation</i> , <b>2012</b> , 126, 1717-27	16.7	495
189	Cardiogenic shock complicating acute myocardial infarctionetiologies, management and outcome: a report from the SHOCK Trial Registry. SHould we emergently revascularize Occluded Coronaries for cardiogenic shocK?. <i>Journal of the American College of Cardiology</i> , <b>2000</b> , 36, 1063-70	15.1	478
188	Early revascularization and long-term survival in cardiogenic shock complicating acute myocardial infarction. <i>JAMA - Journal of the American Medical Association</i> , <b>2006</b> , 295, 2511-5	27.4	428
187	Randomized trial of primary PCI with or without routine manual thrombectomy. <i>New England Journal of Medicine</i> , <b>2015</b> , 372, 1389-98	59.2	396
186	Ticagrelor with or without Aspirin in High-Risk Patients after PCI. <i>New England Journal of Medicine</i> , <b>2019</b> , 381, 2032-2042	59.2	395
185	Routine early angioplasty after fibrinolysis for acute myocardial infarction. <i>New England Journal of Medicine</i> , <b>2009</b> , 360, 2705-18	59.2	376
184	Effects of radial versus femoral artery access in patients with acute coronary syndromes with or without ST-segment elevation. <i>Journal of the American College of Cardiology</i> , <b>2012</b> , 60, 2490-9	15.1	296
183	Inotropes and vasopressors: review of physiology and clinical use in cardiovascular disease. <i>Circulation</i> , <b>2008</b> , 118, 1047-56	16.7	276
182	Impact of thrombolysis, intra-aortic balloon pump counterpulsation, and their combination in cardiogenic shock complicating acute myocardial infarction: a report from the SHOCK Trial Registry. Should we emergently revascularize Occluded Coronaries for cardiogenic shock?. <i>Journal</i>	15.1	254
181	Outcome and profile of ventricular septal rupture with cardiogenic shock after myocardial infarction: a report from the SHOCK Trial Registry. SHould we emergently revascularize Occluded Coronaries in cardiogenic shock?. <i>Journal of the American College of Cardiology</i> , <b>2000</b> , 36, 1110-6	15.1	251
180	Effect of tilarginine acetate in patients with acute myocardial infarction and cardiogenic shock: the TRIUMPH randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2007</b> , 297, 1657-66	27.4	247
179	Therapeutic Anticoagulation with Heparin in Critically Ill Patients with Covid-19. <i>New England Journal of Medicine</i> , <b>2021</b> , 385, 777-789	59.2	227
178	Primary stenting versus balloon angioplasty in occluded coronary arteries: the Total Occlusion Study of Canada (TOSCA). <i>Circulation</i> , <b>1999</b> , 100, 236-42	16.7	220
177	Long-term effects of cholesterol lowering and angiotensin-converting enzyme inhibition on coronary atherosclerosis: The Simvastatin/Enalapril Coronary Atherosclerosis Trial (SCAT). <i>Circulation</i> , <b>2000</b> , 102, 1748-54	16.7	216

176	Classification of coronary artery bifurcation lesions and treatments: time for a consensus!. <i>Catheterization and Cardiovascular Interventions</i> , <b>2008</b> , 71, 175-83	2.7	210
175	Therapeutic Anticoagulation with Heparin in Noncritically Ill Patients with Covid-19. <i>New England Journal of Medicine</i> , <b>2021</b> , 385, 790-802	59.2	203
174	Thrombus Aspiration in ST-Segment-Elevation Myocardial Infarction: An Individual Patient Meta-Analysis: Thrombectomy Trialists Collaboration. <i>Circulation</i> , <b>2017</b> , 135, 143-152	16.7	157
173	Outcomes after thrombus aspiration for ST elevation myocardial infarction: 1-year follow-up of the prospective randomised TOTAL trial. <i>Lancet, The</i> , <b>2016</b> , 387, 127-35	40	140
172	Cardiogenic shock due to cardiac free-wall rupture or tamponade after acute myocardial infarction: a report from the SHOCK Trial Registry. Should we emergently revascularize occluded coronaries for cardiogenic shock?. <i>Journal of the American College of Cardiology</i> , <b>2000</b> , 36, 1117-22	15.1	130
171	Echocardiographic predictors of survival and response to early revascularization in cardiogenic shock. <i>Circulation</i> , <b>2003</b> , 107, 279-84	16.7	125
170	Predictors of long-term outcome after crush stenting of coronary bifurcation lesions: importance of the bifurcation angle. <i>American Heart Journal</i> , <b>2006</b> , 152, 762-9	4.9	124
169	Radial artery patency after transradial catheterization. <i>Circulation: Cardiovascular Interventions</i> , <b>2012</b> , 5, 127-33	6	121
168	Multiple infections and subsequent cardiovascular events in the Heart Outcomes Prevention Evaluation (HOPE) Study. <i>Circulation</i> , <b>2003</b> , 107, 251-7	16.7	119
167	Randomized trial of percutaneous coronary intervention for subacute infarct-related coronary artery occlusion to achieve long-term patency and improve ventricular function: the Total Occlusion Study of Canada (TOSCA)-2 trial. <i>Circulation</i> , <b>2006</b> , 114, 2449-57	16.7	118
166	Long-term survival in 11,661 patients with multivessel coronary artery disease in the era of stenting: a report from the Alberta Provincial Project for Outcome Assessment in Coronary Heart Disease (APPROACH) Investigators. <i>American Heart Journal</i> , <b>2001</b> , 142, 119-26	4.9	108
165	A severity scoring system for risk assessment of patients with cardiogenic shock: a report from the SHOCK Trial and Registry. <i>American Heart Journal</i> , <b>2010</b> , 160, 443-50	4.9	102
164	Regulation of human apoA-I by gemfibrozil and fenofibrate through selective peroxisome proliferator-activated receptor alpha modulation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2005</b> , 25, 585-91	9.4	100
163	Effect of radial versus femoral access on radiation dose and the importance of procedural volume: a substudy of the multicenter randomized RIVAL trial. <i>JACC: Cardiovascular Interventions</i> , <b>2013</b> , 6, 258-6	ē	99
162	Sex differences in access to coronary revascularization after cardiac catheterization: importance of detailed clinical data. <i>Annals of Internal Medicine</i> , <b>2002</b> , 136, 723-32	8	97
161	Decreased complication rates using the transradial compared to the transfemoral approach in percutaneous coronary intervention in the era of routine stenting and glycoprotein platelet IIb/IIIa inhibitor use: a large single-center experience. <i>American Heart Journal</i> , <b>2008</b> , 156, 864-70	4.9	95
160	N-acetylcysteine reduces contrast-associated nephropathy but not clinical events during long-term follow-up. <i>American Heart Journal</i> , <b>2004</b> , 148, 690-5	4.9	90
159	Effects of late percutaneous transluminal coronary angioplasty of an occluded infarct-related coronary artery on left ventricular function in patients with a recent (American Journal of Cardiology 1994, 73, 856,61	3	88

158	Functional status and quality of life after emergency revascularization for cardiogenic shock complicating acute myocardial infarction. <i>Journal of the American College of Cardiology</i> , <b>2005</b> , 46, 266-73	3 <sup>15.1</sup>	87
157	Absence of gender differences in clinical outcomes in patients with cardiogenic shock complicating acute myocardial infarction. A report from the SHOCK Trial Registry. <i>Journal of the American College of Cardiology</i> , <b>2001</b> , 38, 1395-401	15.1	84
156	Predictors of 30-day mortality in patients with refractory cardiogenic shock following acute myocardial infarction despite a patent infarct artery. <i>American Heart Journal</i> , <b>2009</b> , 158, 680-7	4.9	83
155	Impact of renal insufficiency on outcome after contemporary percutaneous coronary intervention. <i>American Heart Journal</i> , <b>2006</b> , 151, 146-52	4.9	76
154	Metabolic profiling of arginine and nitric oxide pathways predicts hemodynamic abnormalities and mortality in patients with cardiogenic shock after acute myocardial infarction. <i>Circulation</i> , <b>2007</b> , 116, 2315-24	16.7	75
153	Stroke in the TOTAL trial: a randomized trial of routine thrombectomy vs. percutaneous coronary intervention alone in ST elevation myocardial infarction. <i>European Heart Journal</i> , <b>2015</b> , 36, 2364-72	9.5	74
152	Effect of nitric oxide synthase inhibition on haemodynamics and outcome of patients with persistent cardiogenic shock complicating acute myocardial infarction: a phase II dose-ranging study. European Heart Journal, 2007, 28, 1109-16	9.5	73
151	Effect of vasopressin on hemodynamics in patients with refractory cardiogenic shock complicating acute myocardial infarction. <i>American Journal of Cardiology</i> , <b>2005</b> , 96, 1617-20	3	68
150	Clinical and angiographic outcomes with sirolimus-eluting stents in total coronary occlusions: the ACROSS/TOSCA-4 (Approaches to Chronic Occlusions With Sirolimus-Eluting Stents/Total Occlusion Study of Coronary Arteries-4) trial. <i>JACC: Cardiovascular Interventions</i> , <b>2009</b> , 2, 97-106	5	64
149	First experience with direct factor Xa inhibition in patients with stable coronary disease: a pharmacokinetic and pharmacodynamic evaluation. <i>Circulation</i> , <b>2002</b> , 105, 2385-91	16.7	62
148	Role of transesophageal echocardiography in the diagnosis and management of prosthetic valve thrombosis. <i>Journal of the American College of Cardiology</i> , <b>1991</b> , 18, 1829-33	15.1	62
147	The absorb bioresorbable vascular scaffold in coronary bifurcations: insights from bench testing. JACC: Cardiovascular Interventions, <b>2014</b> , 7, 81-8	5	60
146	Design and rationale of the TOTAL trial: a randomized trial of routine aspiration ThrOmbecTomy with percutaneous coronary intervention (PCI) versus PCI ALone in patients with ST-elevation myocardial infarction undergoing primary PCI. <i>American Heart Journal</i> , <b>2014</b> , 167, 315-321.e1	4.9	58
145	Outcome of patients aged >or=75 years in the SHould we emergently revascularize Occluded Coronaries in cardiogenic shock (SHOCK) trial: do elderly patients with acute myocardial infarction complicated by cardiogenic shock respond differently to emergent revascularization?. <i>American</i>	4.9	56
144	Predictors of improvement in left ventricular function after percutaneous revascularization of occluded coronary arteries: a report from the Total Occlusion Study of Canada (TOSCA). <i>American Heart Journal</i> , <b>2001</b> , 142, 301-8	4.9	56
143	A 16-week fenofibrate treatment increases LDL particle size in type IIA dyslipidemic patients. <i>Atherosclerosis</i> , <b>2002</b> , 162, 363-71	3.1	53
142	The late open artery hypothesisa decade later. American Heart Journal, 2001, 142, 411-21	4.9	52
141	Design and methodology of the Occluded Artery Trial (OAT). <i>American Heart Journal</i> , <b>2005</b> , 150, 627-42	4.9	50

140	Pseudoaneurysm after transradial cardiac catheterization: case series and review of the literature. <i>Catheterization and Cardiovascular Interventions</i> , <b>2012</b> , 80, 283-7	2.7	48
139	The Toronto score for in-hospital mortality after percutaneous coronary interventions. <i>American Heart Journal</i> , <b>2009</b> , 157, 156-63	4.9	47
138	Culprit lesion thrombus burden after manual thrombectomy or percutaneous coronary intervention-alone in ST-segment elevation myocardial infarction: the optical coherence tomography sub-study of the TOTAL (ThrOmbecTomy versus PCI ALone) trial. <i>European Heart</i>	9.5	46
137	Journal, 2015, 36, 1892-900  The adverse long-term impact of renal impairment in patients undergoing percutaneous coronary intervention in the drug-eluting stent era. Circulation: Cardiovascular Interventions, 2009, 2, 309-16	6	46
136	Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP): a randomized trial design of the effect of a community pharmacist intervention program on serum cholesterol risk. <i>Annals of Pharmacotherapy</i> , <b>1999</b> , 33, 910-9	2.9	45
135	The SPIRIT V study: a clinical evaluation of the XIENCE V everolimus-eluting coronary stent system in the treatment of patients with de novo coronary artery lesions. <i>JACC: Cardiovascular Interventions</i> , <b>2011</b> , 4, 168-75	5	44
134	Thrombocytopenia at baseline is a predictor of inhospital mortality in patients undergoing percutaneous coronary intervention. <i>American Heart Journal</i> , <b>2008</b> , 156, 120-4	4.9	44
133	Timing of Staged Nonculprit Artery®Revascularization in Patients With®T-Segment Elevation Myocardial®nfarction: COMPLETE Trial. <i>Journal of the American College of Cardiology</i> , <b>2019</b> , 74, 2713-27	2135.1	43
132	Stent thrombosis and bleeding complications after implantation of sirolimus-eluting coronary stents in an unselected worldwide population: a report from the e-SELECT (Multi-Center Post-Market Surveillance) registry. <i>Journal of the American College of Cardiology</i> , <b>2011</b> , 57, 1445-54	15.1	42
131	Impact of renal insufficiency on angiographic, procedural, and in-hospital outcomes following percutaneous coronary intervention. <i>American Journal of Cardiology</i> , <b>2008</b> , 101, 780-5	3	41
130	Increased circulating monocyte activation in patients with unstable coronary syndromes. <i>Journal of the American College of Cardiology</i> , <b>2001</b> , 38, 1340-7	15.1	40
129	Radial versus femoral access for elderly patients with acute coronary syndrome undergoing coronary angiography and intervention: insights from the RIVAL trial. <i>American Heart Journal</i> , <b>2015</b> , 170, 880-6	4.9	39
128	Severe hemolysis associated with use of the Impella LP 2.5 mechanical assist device. <i>Catheterization and Cardiovascular Interventions</i> , <b>2012</b> , 80, 840-4	2.7	39
127	Predictors of radial artery size in patients undergoing cardiac catheterization: insights from the Good Radial Artery Size Prediction (GRASP) study. <i>Canadian Journal of Cardiology</i> , <b>2014</b> , 30, 211-6	3.8	38
126	Ticagrelor alone vs. ticagrelor plus aspirin following percutaneous coronary intervention in patients with non-ST-segment elevation acute coronary syndromes: TWILIGHT-ACS. <i>European Heart Journal</i> , <b>2020</b> , 41, 3533-3545	9.5	37
125	Long-term outcomes after percutaneous coronary intervention of bifurcation narrowings. <i>American Journal of Cardiology</i> , <b>2008</b> , 102, 404-10	3	36
124	Tolerability of statin-fibrate and statin-niacin combination therapy in dyslipidemic patients at high risk for cardiovascular events. <i>American Journal of Cardiology</i> , <b>2002</b> , 89, 390-4	3	35
123	Thrombus Aspiration in Patients With High Thrombus Burden in the TOTAL Trial. <i>Journal of the American College of Cardiology</i> , <b>2018</b> , 72, 1589-1596	15.1	35

122	The ability to achieve complete revascularization is associated with improved in-hospital survival in cardiogenic shock due to myocardial infarction: Manitoba cardiogenic SHOCK Registry investigators. <i>Catheterization and Cardiovascular Interventions</i> , <b>2011</b> , 78, 540-8	2.7	34
121	Rationale and design of the Trial of Routine ANgioplasty and Stenting After Fibrinolysis to Enhance Reperfusion in Acute Myocardial Infarction (TRANSFER-AMI). <i>American Heart Journal</i> , <b>2008</b> , 155, 19-25	4.9	34
120	Balloon crush: treatment of bifurcation lesions using the crush stenting technique as adapted for transradial approach of percutaneous coronary intervention. <i>Catheterization and Cardiovascular Interventions</i> , <b>2004</b> , 63, 412-6	2.7	33
119	Clinical outcomes of treatment by percutaneous coronary intervention versus coronary artery bypass graft surgery in patients with chronic kidney disease undergoing index revascularization in Ontario. <i>Circulation: Cardiovascular Interventions</i> , <b>2015</b> , 8,	6	32
118	Reinfarction after percutaneous coronary intervention or medical management using the universal definition in patients with total occlusion after myocardial infarction: results from long-term follow-up of the Occluded Artery Trial (OAT) cohort. <i>American Heart Journal</i> , <b>2012</b> , 163, 563-71	4.9	32
117	Impact of left ventricular ejection fraction on clinical outcomes over five years after infarct-related coronary artery recanalization (from the Occluded Artery Trial [OAT]). <i>American Journal of Cardiology</i> , <b>2010</b> , 105, 10-6	3	32
116	Optimizing rotational atherectomy in high-risk percutaneous coronary interventions: insights from the PROTECT Btudy. <i>Catheterization and Cardiovascular Interventions</i> , <b>2014</b> , 83, 1057-64	2.7	29
115	Hemodynamic parameters are prognostically important in cardiogenic shock but similar following early revascularization or initial medical stabilization: a report from the SHOCK Trial. <i>Chest</i> , <b>2007</b> , 132, 1794-803	5.3	28
114	Cardiometabolic effects of rosiglitazone in patients with type 2 diabetes and coronary artery bypass grafts: A randomized placebo-controlled clinical trial. <i>Atherosclerosis</i> , <b>2010</b> , 211, 565-73	3.1	27
113	Long-term effects of percutaneous coronary intervention of the totally occluded infarct-related artery in the subacute phase after myocardial infarction. <i>Circulation</i> , <b>2011</b> , 124, 2320-8	16.7	26
112	Relationship between risk stratification at admission and treatment effects of early invasive management following fibrinolysis: insights from the Trial of Routine Angioplasty and Stenting After Fibrinolysis to Enhance Reperfusion in Acute Myocardial Infarction (TRANSFER-AMI).	9.5	26
111	Myocardial blush and microvascular reperfusion following manual thrombectomy during percutaneous coronary intervention for ST elevation myocardial infarction: insights from the TOTAL trial. European Heart Journal, <b>2016</b> , 37, 1891-8	9.5	26
110	Antithrombotic therapy after coronary stenting in patients with nonvalvular atrial fibrillation. <i>Canadian Journal of Cardiology</i> , <b>2013</b> , 29, 213-8	3.8	24
109	Sex differences in the management and outcomes of Ontario patients with cardiogenic shock complicating acute myocardial infarction. <i>Canadian Journal of Cardiology</i> , <b>2013</b> , 29, 691-6	3.8	23
108	Health-related quality of life outcomes of patients with coronary artery disease treated with cardiac surgery, percutaneous coronary intervention or medical management. <i>Canadian Journal of Cardiology</i> , <b>2004</b> , 20, 1259-66	3.8	23
107	Prediction of distal embolization during percutaneous coronary intervention in saphenous vein grafts. <i>American Journal of Cardiology</i> , <b>2007</b> , 99, 603-6	3	22
106	Impact of delays to cardiac surgery after failed angioplasty and stenting. <i>Journal of the American College of Cardiology</i> , <b>2004</b> , 43, 337-42	15.1	22
105	Triple wire technique for removal of fractured angioplasty guidewire. <i>Journal of Invasive Cardiology</i> , <b>2007</b> , 19, E230-4	0.7	22

104	The sPLA2 Inhibition to Decrease Enzyme Release after Percutaneous Coronary Intervention (SPIDER-PCI) trial. <i>Circulation</i> , <b>2010</b> , 122, 2411-8	16.7	20	
103	Regular Drug-Eluting Stent vs Dedicated Coronary Bifurcation BiOSS Expert Stent: Multicenter Open-Label Randomized Controlled POLBOS I Trial. <i>Canadian Journal of Cardiology</i> , <b>2015</b> , 31, 671-8	3.8	19	
102	The Presence of a CTO in a Non-Infarct-Related Artery During a STEMI Treated With Contemporary Primary PCI Is Associated With Increased Rates of Early and Late Cardiovascular Morbidity and Mortality: The CTO-TOTAL Substudy. <i>JACC: Cardiovascular Interventions</i> , <b>2018</b> , 11, 709-711	5	19	
101	Spontaneous dissection of the left main coronary artery. Canadian Journal of Cardiology, 2004, 20, 815-8	83.8	19	
100	Evaluation of a new heparin agent in percutaneous coronary intervention: results of the phase 2 evaluation of M118 IN percutaneous Coronary intervention (EMINENCE) Trial. <i>Circulation</i> , <b>2010</b> , 121, 1713-21	16.7	18	
99	European Bifurcation Club white paper on stenting techniques for patients with bifurcated coronary artery lesions. <i>Catheterization and Cardiovascular Interventions</i> , <b>2020</b> , 96, 1067-1079	2.7	17	
98	Incidence and outcomes associated with early heart failure pharmacotherapy in patients with ongoing cardiogenic shock. <i>Critical Care Medicine</i> , <b>2014</b> , 42, 281-8	1.4	17	
97	Electrophysiological effects of late percutaneous coronary intervention for infarct-related coronary artery occlusion: the Occluded Artery Trial-Electrophysiological Mechanisms (OAT-EP). <i>Circulation</i> , <b>2009</b> , 119, 779-87	16.7	17	
96	A modified balloon crush approach improves side branch access and side branch stent apposition during crush stenting of coronary bifurcation lesions. <i>Catheterization and Cardiovascular Interventions</i> , <b>2006</b> , 68, 365-71	2.7	17	
95	Temporal trends in cardiogenic shock treatment and outcomes among ontario patients with myocardial infarction between 1992 and 2008. <i>Circulation: Cardiovascular Quality and Outcomes</i> , <b>2011</b> , 4, 440-7	5.8	16	
94	Clinical impact of direct stenting and interaction with thrombus aspiration in patients with ST-segment elevation myocardial infarction undergoing percutaneous coronary intervention: Thrombectomy Trialists Collaboration. <i>European Heart Journal</i> , <b>2018</b> , 39, 2472-2479	9.5	15	
93	Outcomes Among Clopidogrel, Prasugrel, and Ticagrelor in ST-Elevation Myocardial Infarction Patients Who Underwent Primary Percutaneous Coronary Intervention From the TOTAL Trial. <i>Canadian Journal of Cardiology</i> , <b>2019</b> , 35, 1377-1385	3.8	15	
92	A multicentre, randomized, double-blind placebo-controlled trial evaluating rosiglitazone for the prevention of atherosclerosis progression after coronary artery bypass graft surgery in patients with type 2 diabetes. Design and rationale of the VeIn-Coronary aTherOsclerosis and Rosiglitazone	3.8	14	
91	Transfer for urgent percutaneous coronary intervention early after thrombolysis for ST-elevation myocardial infarction: the TRANSFER-AMI pilot feasibility study. <i>Canadian Journal of Cardiology</i> , <b>2006</b> , 22, 1121-6	3.8	14	
90	Association between drug-eluting stent type and clinical outcomes in patients with chronic kidney disease undergoing percutaneous coronary intervention. <i>Canadian Journal of Cardiology</i> , <b>2014</b> , 30, 1170	o- <del>}</del> 8	13	
89	Rapid complete reversal of systemic hypoperfusion after intra-aortic balloon pump counterpulsation and survival in cardiogenic shock complicating an acute myocardial infarction.  American Heart Journal, 2011, 162, 268-75	4.9	13	
88	In-hospital outcomes of very elderly patients (85 years and older) undergoing percutaneous coronary intervention. <i>Catheterization and Cardiovascular Interventions</i> , <b>2011</b> , 77, 634-41	2.7	13	
87	The Canadian Association of Interventional Cardiology and the Canadian Cardiovascular Society joint statement on drug-eluting stents. <i>Canadian Journal of Cardiology</i> , <b>2007</b> , 23, 121-3	3.8	13	

86	Medical therapy v. PCI in stable coronary artery disease: a cost-effectiveness analysis. <i>Medical Decision Making</i> , <b>2013</b> , 33, 891-905	2.5	12
85	Long-term outcomes using a two-stent technique for the treatment of coronary bifurcations. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 446-51	3.2	12
84	Efficacy and Safety of the GuideLiner Mother-in-Child Guide Catheter Extension in Percutaneous Coronary Intervention. <i>Journal of Interventional Cardiology</i> , <b>2017</b> , 30, 46-55	1.8	12
83	Long-term safety and effectiveness of drug-eluting stents for the treatment of saphenous vein grafts disease: a population-based study. <i>JACC: Cardiovascular Interventions</i> , <b>2011</b> , 4, 965-73	5	12
82	Quantitative coronary angiography findings of patients who received previous breast radiotherapy. <i>Radiotherapy and Oncology</i> , <b>2011</b> , 100, 184-8	5.3	12
81	Effect of serum lipid concentrations on restenosis after successful de novo percutaneous transluminal coronary angioplasty in patients with total cholesterol 160 to 240 mg/dl and triglycerides American Journal of Cardiology, <b>1995</b> , 75, 936-8	3	12
80	Systemic Inflammatory Response Syndrome Is Associated With Increased Mortality Across the Spectrum of Shock Severity in Cardiac Intensive Care Patients. <i>Circulation: Cardiovascular Quality and Outcomes</i> , <b>2020</b> , 13, e006956	5.8	12
79	Prevention and regression of coronary atherosclerosis. Is it safe and efficacious therapy?. <i>Chest</i> , <b>1994</b> , 105, 718-26	5.3	11
78	Rotational atherectomy through the radial artery is associated with similar procedural success when compared with the transfemoral route. <i>Coronary Artery Disease</i> , <b>2015</b> , 26, 254-8	1.4	10
77	The sirolimus-eluting Cypher Select coronary stent for the treatment of bare-metal and drug-eluting stent restenosis: insights from the e-SELECT (Multicenter Post-Market Surveillance) registry. <i>JACC: Cardiovascular Interventions</i> , <b>2012</b> , 5, 64-71	5	10
76	Percutaneous revascularization and long term clinical outcomes of diabetic patients randomized in the Occluded Artery Trial (OAT). <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 2416-22	3.2	9
75	Two-year outcomes after deployment of XIENCE V everolimus-eluting stents in patients undergoing percutaneous coronary intervention of bifurcation lesions: a report from the SPIRIT V single arm study. <i>Catheterization and Cardiovascular Interventions</i> , <b>2013</b> , 82, E163-72	2.7	9
74	Sirolimus-eluting coronary stents in octogenarians: a 1-year analysis of the worldwide e-SELECT Registry. <i>JACC: Cardiovascular Interventions</i> , <b>2011</b> , 4, 982-91	5	9
73	Effects of half ironman competition on the development of late potentials. <i>Medicine and Science in Sports and Exercise</i> , <b>2000</b> , 32, 1208-13	1.2	9
72	An international survey of clinical practice during primary percutaneous coronary intervention for ST-elevation myocardial infarction with a focus on aspiration thrombectomy. <i>EuroIntervention</i> , <b>2013</b> , 8, 1143-8	3.1	9
71	Complex bifurcation percutaneous coronary intervention with the Absorb bioresorbable vascular scaffold. <i>EuroIntervention</i> , <b>2013</b> , 9, 888	3.1	9
7°	Late outcomes following percutaneous coronary interventions: results from a large, observational registry. <i>Canadian Journal of Cardiology</i> , <b>2010</b> , 26, e218-24	3.8	8
69	Angiographic and clinical outcomes of drug-eluting versus bare metal stent deployment in the Occluded Artery Trial. <i>Catheterization and Cardiovascular Interventions</i> , <b>2009</b> , 73, 771-9	2.7	8

## (2005-2009)

68	Percutaneous coronary intervention in the Occluded Artery Trial: procedural success, hazard, and outcomes over 5 years. <i>American Heart Journal</i> , <b>2009</b> , 158, 408-15	4.9	8
67	New frontiers and unresolved controversies in percutaneous coronary intervention. <i>American Journal of Cardiology</i> , <b>2003</b> , 91, 27A-33A	3	8
66	A calcified neointima"stent" within a stent. <i>Journal of Invasive Cardiology</i> , <b>2009</b> , 21, 141-3	0.7	8
65	Preoperative Intraaortic Balloon Pump Improves Early Outcomes Following High-Risk Coronary Artery Bypass Graft Surgery: A Meta-Analysis of Randomized Trials and Prospective Study Design. Journal of Invasive Cardiology, <b>2018</b> , 30, 2-9	0.7	8
64	Myocardial perfusion grade after late infarct artery recanalization is associated with global and regional left ventricular function at one year: analysis from the Total Occlusion Study of Canada-2. <i>Circulation: Cardiovascular Interventions</i> , <b>2010</b> , 3, 549-55	6	7
63	Selective use of embolic protection devices during saphenous vein grafts interventions: a single-center experience. <i>Catheterization and Cardiovascular Interventions</i> , <b>2010</b> , 75, 1037-44	2.7	7
62	Prognostic significance of diabetes as a predictor of survival after cardiac catheterization.  APPROACH Investigators. Alberta Provincial Program for Outcome Assessment in Coronary Heart  Disease. American Journal of Medicine, 2000, 109, 543-8	2.4	7
61	Efficacy of early invasive management post-fibrinolysis in men versus women with ST-elevation myocardial infarction: a subgroup analysis from Trial of Routine Angioplasty and Stenting after Fibrinolysis to Enhance Reperfusion in Acute Myocardial Infarction (TRANSFER-AMI). American	4.9	6
60	Meta-Analysis of Intensive Lipid-Lowering Therapy in Patients With Polyvascular Disease. <i>Journal of the American Heart Association</i> , <b>2021</b> , 10, e017948	6	6
59	Coronary Revascularization in Patients With Advanced Chronic Kidney Disease. <i>Canadian Journal of Cardiology</i> , <b>2019</b> , 35, 1002-1014	3.8	5
58	Reperfusion Times for Radial Versus Femoral Access in Patients With ST-Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention: Observations From the Cardiac Care Network Provincial Primary PCI Registry. <i>Circulation: Cardiovascular Interventions</i> , <b>2015</b>	6	5
57	, 8, Primary PCI with or without Thrombectomy. <i>New England Journal of Medicine</i> , <b>2015</b> , 373, 682-3	59.2	5
56	Long-term Follow-up of the Trial of Routine Angioplasty and Stenting After Fibrinolysis to Enhance Reperfusion in Acute Myocardial Infarction (TRANSFER-AMI). <i>Canadian Journal of Cardiology</i> , <b>2018</b> , 34, 736-743	3.8	5
55	Efficacy of Early Invasive Management After Fibrinolysis for ST-Segment Elevation Myocardial Infarction in Relation to Initial Troponin Status. <i>Canadian Journal of Cardiology</i> , <b>2016</b> , 32, 1221.e11-122	1. <del>2</del> 8	5
54	Long-term outcomes after percutaneous intervention of the internal thoracic artery anastomosis: the use of drug-eluting stents is associated with a higher need of repeat revascularization. <i>Canadian Journal of Cardiology</i> , <b>2012</b> , 28, 458-63	3.8	5
53	One-year outcome of small-vessel disease treated with sirolimus-eluting stents: a subgroup analysis of the e-SELECT registry. <i>Journal of Interventional Cardiology</i> , <b>2013</b> , 26, 163-72	1.8	5
52	Distribution and determinants of myocardial perfusion grade following late mechanical recanalization of occluded infarct-related arteries postmyocardial infarction: a report from the occluded artery trial. <i>Catheterization and Cardiovascular Interventions</i> , <b>2008</b> , 72, 783-9	2.7	5
51	Percutaneous treatment of dissection of the ascending aorta occurring as a complication during coronary angioplasty of a saphenous vein bypass graft. <i>Journal of Interventional Cardiology</i> , <b>2005</b> , 18, 45-8	1.8	5

50	Does ticlopidine reduce reocclusion and other adverse events after successful balloon angioplasty of occluded coronary arteries? Results from the Total Occlusion Study of Canada (TOSCA). <i>American Heart Journal</i> , <b>2001</b> , 142, 776-81	4.9	5
49	Effects of long term cholesterol lowering on coronary atherosclerosis in patient risk factor subgroups: the Simvastatin/enalapril Coronary Atherosclerosis Trial (SCAT). <i>Canadian Journal of Cardiology</i> , <b>2003</b> , 19, 487-91	3.8	5
48	Routine use of glycoprotein IIb/IIIa inhibitor therapy is associated with an improved in-hospital outcome after percutaneous coronary intervention: Insights from a large, prospective, single-centre registry. <i>Canadian Journal of Cardiology</i> , <b>2005</b> , 21, 27-32	3.8	5
47	Response by Jolly et al to Letters Regarding Article, "Thrombus Aspiration in ST-Segment-Elevation Myocardial Infarction: An Individual Patient Meta-Analysis: Thrombectomy Trialists Collaboration". <i>Circulation</i> , <b>2017</b> , 135, e1103-e1104	16.7	4
46	Risks of Overinterpreting Interim Data: Lessons From the TOTAL Trial (Thrombectomy With PCI Versus PCI Alone in Patients With STEMI). <i>Circulation</i> , <b>2018</b> , 137, 206-209	16.7	4
45	Choice of stent and outcomes after treatment of drug-eluting stent restenosis in highly complex lesions. <i>Catheterization and Cardiovascular Interventions</i> , <b>2013</b> , 81, E16-22	2.7	4
44	Long-term outcomes after a strategy of percutaneous coronary intervention of the infarct-related artery with drug-eluting stents or bare metal stents vs medical therapy alone in the Occluded Artery Trial (OAT). <i>American Heart Journal</i> , <b>2012</b> , 163, 1011-8	4.9	4
43	First Canadian experience with high-risk percutaneous coronary intervention with assistance of a percutaneously deployed left ventricular assist device. <i>Canadian Journal of Cardiology</i> , <b>2008</b> , 24, e82-5	3.8	4
42	Efficacy and safety of a routine early invasive strategy in relation to time from symptom onset to fibrinolysis (a subgroup analysis of TRANSFER-AMI). <i>American Journal of Cardiology</i> , <b>2015</b> , 115, 1005-12	3	3
41	Proximal optimization technique and kissing balloon inflations with the bioresorbable vascular scaffold for coronary bifurcation percutaneous coronary intervention. <i>Canadian Journal of Cardiology</i> , <b>2014</b> , 30, 1461.e5-7	3.8	3
40	Long-term outcome of unprotected left main stenting: a Canadian tertiary care experience. <i>Canadian Journal of Cardiology</i> , <b>2014</b> , 30, 1407-14	3.8	3
39	Inhibition of sPLA2 and endothelial function: a substudy of the SPIDER-PCI trial. <i>Canadian Journal of Cardiology</i> , <b>2012</b> , 28, 215-21	3.8	3
38	A meta-analysis that misses the mark. <i>Journal of the American College of Cardiology</i> , <b>2008</b> , 52, 578-80; author reply 580-2	15.1	3
37	One-year clinical outcomes after sirolimus-eluting coronary stent implantation in diabetics enrolled in the worldwide e-SELECT registry. <i>Catheterization and Cardiovascular Interventions</i> , <b>2016</b> , 87, 52-62	2.7	3
36	Characteristics and outcomes of patients undergoing percutaneous coronary intervention within 1 year of coronary artery bypass graft surgery. <i>Catheterization and Cardiovascular Interventions</i> , <b>2017</b> , 90, 186-193	2.7	2
35	Kawasaki disease and coronary intervention: A word of caution. <i>International Journal of Cardiology</i> , <b>2015</b> , 201, 646-7	3.2	2
34	Bare metal versus drug eluting stents for ST-segment elevation myocardial infarction in the TOTAL trial. <i>International Journal of Cardiology</i> , <b>2017</b> , 248, 120-123	3.2	2
33	Coronary intervention for chronic total occlusion: current indications and future directions. <i>Coronary Artery Disease</i> , <b>2017</b> , 28, 426-436	1.4	2

32	Efficacy of an early invasive strategy after fibrinolysis in ST-elevation myocardial infarction relative to the extent of coronary artery disease. <i>Canadian Journal of Cardiology</i> , <b>2014</b> , 30, 1555-61	3.8	2
31	Complex coronary artery bifurcation treatment utilizing everolimus-eluting bioresorbable vascular scaffolds and optical coherence tomography. <i>Coronary Artery Disease</i> , <b>2014</b> , 25, 629-31	1.4	2
30	Decreased risk of stent fracture-related restenosis between paclitaxel-eluting stents and sirolimus eluting stents: results of long-term follow-up. <i>Catheterization and Cardiovascular Interventions</i> , <b>2012</b> , 79, 559-65	2.7	2
29	One-year clinical outcomes after sirolimus-eluting coronary stent implantation for acute myocardial infarction in the worldwide e-SELECT registry. <i>Journal of Interventional Cardiology</i> , <b>2012</b> , 25, 253-61	1.8	2
28	Comparison of late results of percutaneous coronary intervention among stable patients <b>B</b> 5 versus >65 years of age with an occluded infarct related artery (from the Occluded Artery Trial). <i>American Journal of Cardiology</i> , <b>2012</b> , 109, 614-9	3	2
27	Late potentials in female triathletes before and after prolonged strenuous exercise. <i>Applied Physiology, Nutrition, and Metabolism</i> , <b>2003</b> , 28, 153-64		2
26	Effect of bare metal stenting on angiographic and clinical outcomes in diabetic and nondiabetic patients undergoing percutaneous coronary intervention of nonacute occluded coronary arteries: a report from the Total Occlusion Study of Canada (TOSCA). <i>Catheterization and Cardiovascular Interventions</i> , 2005, 66, 178-84	2.7	2
25	Inadvertent detachment of an entrapped Cutting Balloon from the balloon catheter during treatment of in-stent restenosis. <i>Journal of Invasive Cardiology</i> , <b>2005</b> , 17, E27-9	0.7	2
24	Oral inflammatory load in patients with coronary artery disease. <i>Journal of Oral Science</i> , <b>2019</b> , 61, 412-4	<b>11.7</b> 5	1
23	The high-risk ECG pattern of ST-elevation myocardial infarction: A substudy of the randomized trial of primary PCI with or without routine manual thrombectomy (TOTAL trial). <i>International Journal of Cardiology</i> , <b>2020</b> , 319, 40-45	3.2	1
22	Role of Optical Coherence Tomography in the Assessment of Stent Deformation. <i>Canadian Journal of Cardiology</i> , <b>2016</b> , 32, 396.e1-2	3.8	1
21	Drug eluting stent implantation in patients requiring concomitant vitamin K antagonist therapy. One-year outcome of the worldwide e-SELECT registry. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 2522-7	3.2	1
20	Effect of late revascularization of a totally occluded coronary artery after myocardial infarction on mortality rates in patients with renal impairment. <i>American Journal of Cardiology</i> , <b>2012</b> , 110, 954-60	3	1
19	Loss of short-term symptomatic benefit in patients with an occluded infarct artery is unrelated to non-protocol revascularization: results from the Occluded Artery Trial (OAT). <i>American Heart Journal</i> , <b>2011</b> , 161, 84-90	4.9	1
18	Bifurcating saphenous vein and left internal thoracic graft anatomy: treatment of a left main equivalent saphenous interposition vein graft lesion and virtual histology/grey scale IVUS characterization post-intervention. <i>International Journal of Cardiology</i> , <b>2007</b> , 122, 179-81	3.2	1
17	The use of lipid-lowering therapy for secondary prevention in patients undergoing percutaneous coronary intervention. <i>Canadian Journal of Cardiology</i> , <b>2006</b> , 22, 419-23	3.8	1
16	Association of Thrombus Aspiration With Time and Mortality Among Patients With ST-Segment Elevation Myocardial Infarction: A Post Hoc Analysis of the Randomized TOTAL Trial. <i>JAMA Network Open</i> , <b>2021</b> , 4, e213505	10.4	1
15	The prognostic significance of grade of ischemia in the ECG in patients with ST-elevation myocardial infarction: A substudy of the randomized trial of primary PCI with or without routine manual thrombectomy (TOTAL trial). <i>Journal of Electrocardiology</i> , <b>2021</b> , 68, 65-71	1.4	1

14	Effects of timing, location and definition of reinfarction on mortality in patients with totally occluded infarct related arteries late after myocardial infarction. <i>International Journal of Cardiology</i> , <b>2014</b> , 174, 90-5	3.2	0
13	Ticagrelor Monotherapy After PCI in High-Risk Patients With Prior MI: A Prespecified TWILIGHT Substudy <i>JACC: Cardiovascular Interventions</i> , <b>2022</b> , 15, 282-282	5	O
12	Upstream anticoagulation for patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention: Insights from the TOTAL trial. <i>Catheterization and Cardiovascular Interventions</i> , <b>2020</b> , 96, 519-525	2.7	О
11	The Association of Atrial Fibrillation Before Percutaneous Coronary Intervention With 1-Year Outcome in ST-Elevation Myocardial Infarction Patients. <i>CJC Open</i> , <b>2021</b> , 3, 1221-1229	2	О
10	Variations in Coronary Revascularization Practices and Their Effect on Long-Term Outcomes <i>Journal of the American Heart Association</i> , <b>2022</b> , e022770	6	О
9	Antiplatelet Therapy in Patients Undergoing Elective Percutaneous Coronary Intervention <i>Current Cardiology Reports</i> , <b>2022</b> , 24, 277-293	4.2	Ο
8	Prognostic Role of Residual Thrombus Burden Following Thrombectomy: Insights From the TOTAL Trial <i>Circulation: Cardiovascular Interventions</i> , <b>2022</b> , 15, e011336	6	0
7	Adjunctive Bare-Metal Stenting Associated With Improved Outcomes in Patients With Multivessel Disease Treated With Drug-Eluting Stents. <i>Canadian Journal of Cardiology</i> , <b>2016</b> , 32, 1231-1238	3.8	
6	Percutaneous coronary intervention of a circumflex artery chronic total occlusion using the retrograde approach via ipsilateral collateral circulation from the left anterior descending artery. <i>Cor Et Vasa</i> , <b>2012</b> , 54, e209-e212	0.3	
5	General Management: Pharmacotherapy and Mechanical Ventilation45-77		
4	Cardiogenic shock without flow-limiting angiographic coronary artery disease: (from the Should We Emergently Revascularize Occluded Coronary Arteries for Cardiogenic Shock Trial and Registry). <i>American Journal of Cardiology</i> , <b>2009</b> , 104, 24-8	3	
3	N-terminal-pro-B-type natriuretic peptide in cardiogenic shock: a marker ready for prime time or a therapeutic target?. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 2091-2	1.4	
2	Late Intervention on an Occluded Infarct-Related Artery: A Meta-analysis of the Randomized Controlled Trials. <i>Clinical Medicine Cardiology</i> , <b>2007</b> , 1, CMC.S356		
1	Double-Blind, Placebo-Controlled Evaluation of Biorest Liposomal Alendronate in Diabetic Patients Undergoing PCI: The BLADE-PCI Trial: The BLADE-PCI Trial <i>American Heart Journal</i> , <b>2022</b> , 249, 45-45	4.9	