

Vladimir Dăvâk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5268301/publications.pdf>

Version: 2024-02-01

205
papers

17,712
citations

26567

56
h-index

13338

130
g-index

221
all docs

221
docs citations

221
times ranked

12326
citing authors

#	ARTICLE	IF	CITATIONS
1	Ticagrelor Monotherapy After PCI in High-Risk Patients With Prior MI. JACC: Cardiovascular Interventions, 2022, 15, 282-293.	1.1	6
2	Double-blind, placebo-controlled evaluation of bioresorbable liposomal alendronate in diabetic patients undergoing PCI: The BLADE-PCI trial. American Heart Journal, 2022, 249, 45-56.	1.2	1
3	Variations in Coronary Revascularization Practices and Their Effect on Long-Term Outcomes. Journal of the American Heart Association, 2022, 11, e022770.	1.6	4
4	Antiplatelet Therapy in Patients Undergoing Elective Percutaneous Coronary Intervention. Current Cardiology Reports, 2022, 24, 277-293.	1.3	3
5	Prognostic Role of Residual Thrombus Burden Following Thrombectomy: Insights From the TOTAL Trial. Circulation: Cardiovascular Interventions, 2022, 15, e011336.	1.4	4
6	Meta-Analysis of Intensive Lipid-Lowering Therapy in Patients With Polyvascular Disease. Journal of the American Heart Association, 2021, 10, e017948.	1.6	9
7	Association of Thrombus Aspiration With Time and Mortality Among Patients With ST-Segment Elevation Myocardial Infarction. JAMA Network Open, 2021, 4, e213505.	2.8	4
8	The Association of Atrial Fibrillation before Percutaneous Coronary Intervention with 1-Year Outcome in ST-elevation Myocardial Infarction patients. CJC Open, 2021, 3, 1221-1229.	0.7	1
9	Therapeutic Anticoagulation with Heparin in Noncritically Ill Patients with Covid-19. New England Journal of Medicine, 2021, 385, 790-802.	13.9	778
10	Therapeutic Anticoagulation with Heparin in Critically Ill Patients with Covid-19. New England Journal of Medicine, 2021, 385, 777-789.	13.9	712
11	The prognostic significance of grade of ischemia in the ECG in patients with ST-elevation myocardial infarction: A substudy of the randomized trial of primary PCI with or without routine manual thrombectomy (TOTAL trial). Journal of Electrocardiology, 2021, 68, 65-71.	0.4	4
12	Multivessel Intervention in ST-Segment Elevation Myocardial Infarction: Evidence-Based Practice or Guesswork?. Circulation: Cardiovascular Interventions, 2021, 14, e011015.	1.4	1
13	Upstream anticoagulation for patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention: Insights from the TOTAL trial. Catheterization and Cardiovascular Interventions, 2020, 96, 519-525.	0.7	5
14	Ticagrelor alone vs. ticagrelor plus aspirin following percutaneous coronary intervention in patients with non-ST-segment elevation acute coronary syndromes: TWILIGHT-ACS. European Heart Journal, 2020, 41, 3533-3545.	1.0	93
15	A detailed analysis of patients included in the Summary Hospital-level Mortality Indicator (SHMI) for myocardial infarction (MI) – all is not what it seems?. BMJ Open Quality, 2020, 9, e000836.	0.4	0
16	Systemic Inflammatory Response Syndrome Is Associated With Increased Mortality Across the Spectrum of Shock Severity in Cardiac Intensive Care Patients. Circulation: Cardiovascular Quality and Outcomes, 2020, 13, e006956.	0.9	51
17	The high-risk ECG pattern of ST-elevation myocardial infarction: A substudy of the randomized trial of primary PCI with or without routine manual thrombectomy (TOTAL trial). International Journal of Cardiology, 2020, 319, 40-45.	0.8	3
18	European Bifurcation Club white paper on stenting techniques for patients with bifurcated coronary artery lesions. Catheterization and Cardiovascular Interventions, 2020, 96, 1067-1079.	0.7	57

#	ARTICLE	IF	CITATIONS
19	Outcomes Among Clopidogrel, Prasugrel, and Ticagrelor in ST-Elevation Myocardial Infarction Patients Who Underwent Primary Percutaneous Coronary Intervention From the TOTAL Trial. Canadian Journal of Cardiology, 2019, 35, 1377-1385.	0.8	24
20	Oral inflammatory load in patients with coronary artery disease. Journal of Oral Science, 2019, 61, 412-417.	0.7	3
21	Ticagrelor with or without Aspirin in High-Risk Patients after PCI. New England Journal of Medicine, 2019, 381, 2032-2042.	13.9	683
22	Coronary Revascularization in Patients With Advanced Chronic Kidney Disease. Canadian Journal of Cardiology, 2019, 35, 1002-1014.	0.8	7
23	Unloading Is Not the Only Question in Cardiogenic Shock. Journal of the American College of Cardiology, 2019, 73, 663-666.	1.2	3
24	Timing of Staged Nonculprit Artery Revascularization in Patients With ST-Segment Elevation Myocardial Infarction. Journal of the American College of Cardiology, 2019, 74, 2713-2723.	1.2	88
25	Clinical impact of direct stenting and interaction with thrombus aspiration in patients with ST-segment elevation myocardial infarction undergoing percutaneous coronary intervention: Thrombectomy Trialists Collaboration. European Heart Journal, 2018, 39, 2472-2479.	1.0	27
26	The Presence of a CTO in a Non-Infarct-Related Artery During a STEMI Treated With Contemporary Primary PCI Is Associated With Increased Rates of Early and Late Cardiovascular Morbidity and Mortality. JACC: Cardiovascular Interventions, 2018, 11, 709-711.	1.1	23
27	Long-term Follow-up of the Trial of Routine Angioplasty and Stenting After Fibrinolysis to Enhance Reperfusion in Acute Myocardial Infarction (TRANSFER-AMI). Canadian Journal of Cardiology, 2018, 34, 736-743.	0.8	10
28	Risks of Overinterpreting Interim Data. Circulation, 2018, 137, 206-209.	1.6	4
29	Thrombus Aspiration in Patients With High Thrombus Burden in the TOTAL Trial. Journal of the American College of Cardiology, 2018, 72, 1589-1596.	1.2	67
30	Preoperative Intraaortic Balloon Pump Improves Early Outcomes Following High-Risk Coronary Artery Bypass Graft Surgery: A Meta-Analysis of Randomized Trials and Prospective Study Design. Journal of Invasive Cardiology, 2018, 30, 2-9.	0.4	13
31	Response by Jolly et al to Letters Regarding Article, "Thrombus Aspiration in ST-Segment-Elevation Myocardial Infarction: An Individual Patient Meta-Analysis: Thrombectomy Trialists Collaboration". Circulation, 2017, 135, e1103-e1104.	1.6	6
32	Recurrent MI and stroke post-acute coronary syndrome: Which is the lesser evil?. American Heart Journal, 2017, 187, 191-193.	1.2	1
33	INCIDENCE AND PREDICTORS OF NO REFLOW PHENOMENON: INSIGHTS FROM THE TOTAL TRIAL. Journal of the American College of Cardiology, 2017, 69, 1179.	1.2	3
34	ONE-YEAR OUTCOME OF ACUTE STENT THROMBOSIS: INSIGHTS FROM THE TOTAL TRIAL. Journal of the American College of Cardiology, 2017, 69, 1181.	1.2	0
35	Characteristics and outcomes of patients undergoing percutaneous coronary intervention within 1 year of coronary artery bypass graft surgery. Catheterization and Cardiovascular Interventions, 2017, 90, 186-193.	0.7	5
36	Thrombus Aspiration in ST-Segment Elevation Myocardial Infarction. Circulation, 2017, 135, 143-152.	1.6	233

#	ARTICLE	IF	CITATIONS
37	Bare metal versus drug eluting stents for ST-segment elevation myocardial infarction in the TOTAL trial. International Journal of Cardiology, 2017, 248, 120-123.	0.8	3
38	Coronary intervention for chronic total occlusion. Coronary Artery Disease, 2017, 28, 426-436.	0.3	5
39	Efficacy and Safety of the GuideLiner Mother–Child Guide Catheter Extension in Percutaneous Coronary Intervention. Journal of Interventional Cardiology, 2017, 30, 46-55.	0.5	15
40	Myocardial blush and microvascular reperfusion following manual thrombectomy during percutaneous coronary intervention for ST elevation myocardial infarction: insights from the TOTAL trial. European Heart Journal, 2016, 37, 1891-1898.	1.0	36
41	One–year clinical outcomes after sirolimus–eluting coronary stent implantation in diabetics enrolled in the worldwide e–SELECT registry. Catheterization and Cardiovascular Interventions, 2016, 87, 52-62.	0.7	3
42	Stenting of the proximal left anterior descending and restenosis. Coronary Artery Disease, 2016, 27, 439-441.	0.3	0
43	Adjunctive Bare-Metal Stenting Associated With Improved Outcomes in Patients With Multivessel Disease Treated With Drug-Eluting Stents. Canadian Journal of Cardiology, 2016, 32, 1231-1238.	0.8	0
44	Role of Optical Coherence Tomography in the Assessment of Stent Deformation. Canadian Journal of Cardiology, 2016, 32, 396.e1-396.e2.	0.8	1
45	Efficacy of Early Invasive Management After Fibrinolysis for ST-Segment Elevation Myocardial Infarction in Relation to Initial Troponin Status. Canadian Journal of Cardiology, 2016, 32, 1221.e11-1221.e18.	0.8	7
46	Outcomes after thrombus aspiration for ST elevation myocardial infarction: 1-year follow-up of the prospective randomised TOTAL trial. Lancet, The, 2016, 387, 127-135.	6.3	187
47	Rotational atherectomy through the radial artery is associated with similar procedural success when compared with the transfemoral route. Coronary Artery Disease, 2015, 26, 254-258.	0.3	13
48	Culprit lesion thrombus burden after manual thrombectomy or percutaneous coronary intervention-alone in ST-segment elevation myocardial infarction: the optical coherence tomography sub-study of the TOTAL (ThrOmbecTomy versus PCI ALone) trial. European Heart Journal, 2015, 36, 1892-1900.	1.0	60
49	Clinical Outcomes of Treatment by Percutaneous Coronary Intervention Versus Coronary Artery Bypass Graft Surgery in Patients With Chronic Kidney Disease Undergoing Index Revascularization in Ontario. Circulation: Cardiovascular Interventions, 2015, 8, .	1.4	42
50	Efficacy and Safety of a Routine Early Invasive Strategy in Relation to Time from Symptom Onset to Fibrinolysis (a Subgroup Analysis of TRANSFER-AMI). American Journal of Cardiology, 2015, 115, 1005-1012.	0.7	3
51	Biodegradable Stent Platforms: Are We Heading in the Right Direction?. Canadian Journal of Cardiology, 2015, 31, 957-959.	0.8	2
52	Stroke in the TOTAL trial: a randomized trial of routine thrombectomy vs. percutaneous coronary intervention alone in ST elevation myocardial infarction. European Heart Journal, 2015, 36, 2364-2372.	1.0	95
53	Regular Drug-Eluting Stent vs Dedicated Coronary Bifurcation BiOSS Expert Stent: Multicenter Open-Label Randomized Controlled POLBOS I Trial. Canadian Journal of Cardiology, 2015, 31, 671-678.	0.8	22
54	Bioresorbable Vascular Scaffolds: A New Revolution in Percutaneous Coronary Intervention?. Canadian Journal of Cardiology, 2015, 31, 247-249.	0.8	0

#	ARTICLE	IF	CITATIONS
55	Randomized Trial of Primary PCI with or without Routine Manual Thrombectomy. <i>New England Journal of Medicine</i> , 2015, 372, 1389-1398.	13.9	536
56	Reperfusion Times for Radial Versus Femoral Access in Patients With ST-Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2015, 8, .	1.4	6
57	Primary PCI with or without Thrombectomy. <i>New England Journal of Medicine</i> , 2015, 373, 680-683.	13.9	6
58	Radial versus femoral access for elderly patients with acute coronary syndrome undergoing coronary angiography and intervention: insights from the RIVAL trial. <i>American Heart Journal</i> , 2015, 170, 880-886.	1.2	46
59	Kawasaki disease and coronary intervention: A word of caution. <i>International Journal of Cardiology</i> , 2015, 201, 646-647.	0.8	3
60	Optimizing rotational atherectomy in high-risk percutaneous coronary interventions: Insights from the PROTECT II™ study. <i>Catheterization and Cardiovascular Interventions</i> , 2014, 83, 1057-1064.	0.7	40
61	Efficacy of an Early Invasive Strategy After Fibrinolysis in ST-Elevation Myocardial Infarction Relative to the Extent of Coronary Artery Disease. <i>Canadian Journal of Cardiology</i> , 2014, 30, 1555-1561.	0.8	5
62	Incidence and Outcomes Associated With Early Heart Failure Pharmacotherapy in Patients With Ongoing Cardiogenic Shock. <i>Critical Care Medicine</i> , 2014, 42, 281-288.	0.4	25
63	Complex coronary artery bifurcation treatment utilizing everolimus-eluting bioresorbable vascular scaffolds and optical coherence tomography. <i>Coronary Artery Disease</i> , 2014, 25, 629-631.	0.3	2
64	Design and rationale of the TOTAL trial: A randomized trial of routine aspiration Thrombectomy with percutaneous coronary intervention (PCI) versus PCI Alone in patients with ST-elevation myocardial infarction undergoing primary PCI. <i>American Heart Journal</i> , 2014, 167, 315-321.e1.	1.2	66
65	Effects of timing, location and definition of reinfarction on mortality in patients with totally occluded infarct related arteries late after myocardial infarction. <i>International Journal of Cardiology</i> , 2014, 174, 90-95.	0.8	2
66	The Absorb Bioresorbable Vascular Scaffold in Coronary Bifurcations. <i>JACC: Cardiovascular Interventions</i> , 2014, 7, 81-88.	1.1	70
67	Proximal Optimization Technique and Kissing Balloon Inflations With the Bioresorbable Vascular Scaffold for Coronary Bifurcation Percutaneous Coronary Intervention. <i>Canadian Journal of Cardiology</i> , 2014, 30, 1461.e5-1461.e7.	0.8	3
68	Long-term Outcome of Unprotected Left Main Stenting: A Canadian Tertiary Care Experience. <i>Canadian Journal of Cardiology</i> , 2014, 30, 1407-1414.	0.8	6
69	Association Between Drug-Eluting Stent Type and Clinical Outcomes in Patients With Chronic Kidney Disease Undergoing Percutaneous Coronary Intervention. <i>Canadian Journal of Cardiology</i> , 2014, 30, 1170-1176.	0.8	14
70	Predictors of Radial Artery Size in Patients Undergoing Cardiac Catheterization: Insights From the Good Radial Artery Size Prediction (GRASP) Study. <i>Canadian Journal of Cardiology</i> , 2014, 30, 211-216.	0.8	57
71	Choice of stent and outcomes after treatment of drug-eluting stent restenosis in highly complex lesions. <i>Catheterization and Cardiovascular Interventions</i> , 2013, 81, E16-22.	0.7	4
72	Drug eluting stent implantation in patients requiring concomitant vitamin K antagonist therapy. One-year outcome of the worldwide e-SELECT registry. <i>International Journal of Cardiology</i> , 2013, 168, 2522-2527.	0.8	1

#	ARTICLE	IF	CITATIONS
73	Sex Differences in the Management and Outcomes of Ontario Patients With Cardiogenic Shock Complicating Acute Myocardial Infarction. <i>Canadian Journal of Cardiology</i> , 2013, 29, 691-696.	0.8	31
74	Antithrombotic Therapy After Coronary Stenting in Patients With Nonvalvular Atrial Fibrillation. <i>Canadian Journal of Cardiology</i> , 2013, 29, 213-218.	0.8	28
75	Effect of Radial Versus Femoral Access on Radiation Dose and the Importance of Procedural Volume. <i>JACC: Cardiovascular Interventions</i> , 2013, 6, 258-266.	1.1	117
76	Medical Therapy v. PCI in Stable Coronary Artery Disease. <i>Medical Decision Making</i> , 2013, 33, 891-905.	1.2	16
77	Long-term outcomes using a two-stent technique for the treatment of coronary bifurcations. <i>International Journal of Cardiology</i> , 2013, 168, 446-451.	0.8	17
78	Percutaneous revascularization and long term clinical outcomes of diabetic patients randomized in the Occluded Artery Trial (OAT). <i>International Journal of Cardiology</i> , 2013, 168, 2416-2422.	0.8	10
79	Two-year outcomes after deployment of XIENCE V everolimus-eluting stents in patients undergoing percutaneous coronary intervention of bifurcation lesions: A report from the SPIRIT V single arm study. <i>Catheterization and Cardiovascular Interventions</i> , 2013, 82, E163-72.	0.7	12
80	Routine Intra-Aortic Balloon Pump Support in High-Risk Cardiac Surgery Patients. <i>Critical Care Medicine</i> , 2013, 41, 2642-2644.	0.4	2
81	One-year Outcome of Small-vessel Disease Treated with Sirolimus-eluting Stents: A Subgroup Analysis of the eSELECT Registry. <i>Journal of Interventional Cardiology</i> , 2013, 26, 163-172.	0.5	7
82	An international survey of clinical practice during primary percutaneous coronary intervention for ST-elevation myocardial infarction with a focus on aspiration thrombectomy. <i>EuroIntervention</i> , 2013, 8, 1143-1148.	1.4	12
83	Complex bifurcation percutaneous coronary intervention with the Absorb bioresorbable vascular scaffold. <i>EuroIntervention</i> , 2013, 9, 888-888.	1.4	13
84	A Prospective, Randomized Clinical Trial of Hemodynamic Support With Impella 2.5 Versus Intra-Aortic Balloon Pump in Patients Undergoing High-Risk Percutaneous Coronary Intervention. <i>Circulation</i> , 2012, 126, 1717-1727.	1.6	680
85	Efficacy of early invasive management post-fibrinolysis in men versus women with ST-elevation myocardial infarction: A subgroup analysis from Trial of Routine Angioplasty and Stenting after Fibrinolysis to Enhance Reperfusion in Acute Myocardial Infarction (TRANSFER-AMI). <i>American Heart Journal</i> , 2012, 164, 343-350.	1.2	7
86	Effects of Radial Versus Femoral Artery Access in Patients With Acute Coronary Syndromes With or Without ST-Segment Elevation. <i>Journal of the American College of Cardiology</i> , 2012, 60, 2490-2499.	1.2	349
87	Radial Artery Patency After Transradial Catheterization. <i>Circulation: Cardiovascular Interventions</i> , 2012, 5, 127-133.	1.4	153
88	Reinfarction after percutaneous coronary intervention or medical management using the universal definition in patients with total occlusion after myocardial infarction: Results from long-term follow-up of the Occluded Artery Trial (OAT) cohort. <i>American Heart Journal</i> , 2012, 163, 563-571.	1.2	36
89	Long-term outcomes after a strategy of percutaneous coronary intervention of the infarct-related artery with drug-eluting stents or bare metal stents vs medical therapy alone in the Occluded Artery Trial (OAT). <i>American Heart Journal</i> , 2012, 163, 1011-1018.	1.2	4
90	Inhibition of sPLA2 and Endothelial Function: A Substudy of the SPIDER-PCI Trial. <i>Canadian Journal of Cardiology</i> , 2012, 28, 215-221.	0.8	3

#	ARTICLE	IF	CITATIONS
91	Long-term Outcomes After Percutaneous Intervention of the Internal Thoracic Artery Anastomosis: The Use of Drug-Eluting Stents Is Associated With a Higher Need of Repeat Revascularization. <i>Canadian Journal of Cardiology</i> , 2012, 28, 458-463.	0.8	5
92	The Sirolimus-Eluting Cypher Select Coronary Stent for the Treatment of Bare-Metal and Drug-Eluting Stent Restenosis. <i>JACC: Cardiovascular Interventions</i> , 2012, 5, 64-71.	1.1	12
93	Effect of Late Revascularization of a Totally Occluded Coronary Artery After Myocardial Infarction on Mortality Rates in Patients With Renal Impairment. <i>American Journal of Cardiology</i> , 2012, 110, 954-960.	0.7	2
94	Percutaneous coronary intervention of a circumflex artery chronic total occlusion using the retrograde approach via ipsilateral collateral circulation from the left anterior descending artery. <i>Cor Et Vasa</i> , 2012, 54, e209-e212.	0.1	0
95	Decreased risk of stent fracture-related restenosis between paclitaxel-eluting stents and sirolimus eluting stents: Results of long-term follow-up. <i>Catheterization and Cardiovascular Interventions</i> , 2012, 79, 559-565.	0.7	3
96	Pseudoaneurysm after transradial cardiac catheterization: Case series and review of the literature. <i>Catheterization and Cardiovascular Interventions</i> , 2012, 80, 283-287.	0.7	60
97	Severe hemolysis associated with use of the impella LP 2.5 mechanical assist device. <i>Catheterization and Cardiovascular Interventions</i> , 2012, 80, 840-844.	0.7	45
98	One-Year Clinical Outcomes after Sirolimus-Eluting Coronary Stent Implantation for Acute Myocardial Infarction in the Worldwide eSELECT Registry. <i>Journal of Interventional Cardiology</i> , 2012, 25, 253-261.	0.5	2
99	Comparison of Late Results of Percutaneous Coronary Intervention Among Stable Patients ≥ 65 Versus < 65 Years of Age With an Occluded Infarct Related Artery (from the Occluded Artery Trial). <i>American Journal of Cardiology</i> , 2012, 109, 614-619.	0.7	2
100	Stent Thrombosis and Bleeding Complications After Implantation of Sirolimus-Eluting Coronary Stents in an Unselected Worldwide Population. <i>Journal of the American College of Cardiology</i> , 2011, 57, 1445-1454.	1.2	50
101	Long-Term Safety and Effectiveness of Drug-Eluting Stents for the Treatment of Saphenous Vein Grafts Disease. <i>JACC: Cardiovascular Interventions</i> , 2011, 4, 965-973.	1.1	14
102	Sirolimus-Eluting Coronary Stents in Octogenarians. <i>JACC: Cardiovascular Interventions</i> , 2011, 4, 982-991.	1.1	10
103	Loss of short-term symptomatic benefit in patients with an occluded infarct artery is unrelated to non-protocol revascularization: Results from the Occluded Artery Trial (OAT). <i>American Heart Journal</i> , 2011, 161, 84-90.	1.2	1
104	Rapid complete reversal of systemic hypoperfusion after intra-aortic balloon pump counterpulsation and survival in cardiogenic shock complicating an acute myocardial infarction. <i>American Heart Journal</i> , 2011, 162, 268-275.	1.2	19
105	Quantitative coronary angiography findings of patients who received previous breast radiotherapy. <i>Radiotherapy and Oncology</i> , 2011, 100, 184-188.	0.3	13
106	In-hospital outcomes of very elderly patients (85 years and older) undergoing percutaneous coronary intervention. <i>Catheterization and Cardiovascular Interventions</i> , 2011, 77, 634-641.	0.7	18
107	The ability to achieve complete revascularization is associated with improved in-hospital survival in cardiogenic shock due to myocardial infarction: Manitoba cardiogenic shock registry investigators. <i>Catheterization and Cardiovascular Interventions</i> , 2011, 78, 540-548.	0.7	45
108	The SPIRIT V Study. <i>JACC: Cardiovascular Interventions</i> , 2011, 4, 168-175.	1.1	55

#	ARTICLE	IF	CITATIONS
109	Temporal Trends in Cardiogenic Shock Treatment and Outcomes Among Ontario Patients With Myocardial Infarction Between 1992 and 2008. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2011, 4, 440-447.	0.9	21
110	Long-Term Effects of Percutaneous Coronary Intervention of the Totally Occluded Infarct-Related Artery in the Subacute Phase After Myocardial Infarction. <i>Circulation</i> , 2011, 124, 2320-2328.	1.6	34
111	Relationship between risk stratification at admission and treatment effects of early invasive management following fibrinolysis: insights from the Trial of Routine ANgioplasty and Stenting After Fibrinolysis to Enhance Reperfusion in Acute Myocardial Infarction (TRANSFER-AMI). <i>European Heart Journal</i> , 2011, 32, 1994-2002.	1.0	34
112	Selective use of embolic protection devices during saphenous vein grafts interventions: A single-center experience. <i>Catheterization and Cardiovascular Interventions</i> , 2010, 75, 1037-1044.	0.7	9
113	Impact of Left Ventricular Ejection Fraction on Clinical Outcomes Over Five Years After Infarct-Related Coronary Artery Recanalization (from the Occluded Artery Trial [OAT]). <i>American Journal of Cardiology</i> , 2010, 105, 10-16.	0.7	35
114	The sPLA Inhibition to Decrease Enzyme Release After Percutaneous Coronary Intervention (SPIDER-PCI) Trial. <i>Circulation</i> , 2010, 122, 2411-2418.	1.6	27
115	Myocardial Perfusion Grade After Late Infarct Artery Recanalization Is Associated With Global and Regional Left Ventricular Function at One Year. <i>Circulation: Cardiovascular Interventions</i> , 2010, 3, 549-555.	1.4	9
116	A severity scoring system for risk assessment of patients with cardiogenic shock: A report from the SHOCK Trial and Registry. <i>American Heart Journal</i> , 2010, 160, 443-450.	1.2	127
117	Cardiometabolic effects of rosiglitazone in patients with type 2 diabetes and coronary artery bypass grafts: A randomized placebo-controlled clinical trial. <i>Atherosclerosis</i> , 2010, 211, 565-573.	0.4	34
118	Late outcomes following percutaneous coronary interventions: Results from a large, observational registry. <i>Canadian Journal of Cardiology</i> , 2010, 26, e218-e224.	0.8	12
119	Evaluation of a New Heparin Agent in Percutaneous Coronary Intervention. <i>Circulation</i> , 2010, 121, 1713-1721.	1.6	21
120	Electrophysiological Effects of Late Percutaneous Coronary Intervention for Infarct-Related Coronary Artery Occlusion. <i>Circulation</i> , 2009, 119, 779-787.	1.6	21
121	The Adverse Long-Term Impact of Renal Impairment in Patients Undergoing Percutaneous Coronary Intervention in the Drug-Eluting Stent Era. <i>Circulation: Cardiovascular Interventions</i> , 2009, 2, 309-316.	1.4	53
122	Cardiogenic Shock Without Flow-Limiting Angiographic Coronary Artery Disease (from the Should) Tj ETQq0 0 0 rgBT /Overlock 10 T American Journal of Cardiology, 2009, 104, 24-28.	0.7	0
123	Angiographic and clinical outcomes of drug-eluting versus bare metal stent deployment in the Occluded Artery Trial. <i>Catheterization and Cardiovascular Interventions</i> , 2009, 73, 771-779.	0.7	8
124	Clinical and Angiographic Outcomes With Sirolimus-Eluting Stents in Total Coronary Occlusions. <i>JACC: Cardiovascular Interventions</i> , 2009, 2, 97-106.	1.1	73
125	The Toronto score for in-hospital mortality after percutaneous coronary interventions. <i>American Heart Journal</i> , 2009, 157, 156-163.	1.2	53
126	Percutaneous coronary intervention in the Occluded Artery Trial: Procedural success, hazard, and outcomes over 5 years. <i>American Heart Journal</i> , 2009, 158, 408-415.	1.2	12

#	ARTICLE	IF	CITATIONS
127	Predictors of 30-day mortality in patients with refractory cardiogenic shock following acute myocardial infarction despite a patent infarct artery. <i>American Heart Journal</i> , 2009, 158, 680-687.	1.2	98
128	Routine Early Angioplasty after Fibrinolysis for Acute Myocardial Infarction. <i>New England Journal of Medicine</i> , 2009, 360, 2705-2718.	13.9	483
129	A multicentre, randomized, double-blind placebo-controlled trial evaluating rosiglitazone for the prevention of atherosclerosis progression after coronary artery bypass graft surgery in patients with type 2 diabetes. Design and rationale of the VeIn-Coronary aTherOsclerosis and Rosiglitazone after bypass surgerY (VICTORY) trial. <i>Canadian Journal of Cardiology</i> , 2009, 25, 509-515.	0.8	16
130	N-terminal-pro-B-type natriuretic peptide in cardiogenic shock: A marker ready for prime time or a therapeutic target?*. <i>Critical Care Medicine</i> , 2009, 37, 2091-2092.	0.4	0
131	A calcified neointima-"stent" within a stent. <i>Journal of Invasive Cardiology</i> , 2009, 21, 141-3.	0.4	9
132	Classification of coronary artery bifurcation lesions and treatments: Time for a consensus!. <i>Catheterization and Cardiovascular Interventions</i> , 2008, 71, 175-183.	0.7	260
133	Distribution and determinants of myocardial perfusion grade following late mechanical recanalization of occluded infarct-related arteries postmyocardial infarction: A report from the occluded artery trial. <i>Catheterization and Cardiovascular Interventions</i> , 2008, 72, 783-789.	0.7	5
134	Impact of Renal Insufficiency on Angiographic, Procedural, and In-Hospital Outcomes Following Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2008, 101, 780-785.	0.7	51
135	Long-Term Outcomes After Percutaneous Coronary Intervention of Bifurcation Narrowings. <i>American Journal of Cardiology</i> , 2008, 102, 404-410.	0.7	48
136	A Meta-Analysis That Misses the Mark. <i>Journal of the American College of Cardiology</i> , 2008, 52, 578-580.	1.2	3
137	Rationale and design of the Trial of Routine ANgioplasty and Stenting After Fibrinolysis to Enhance Reperfusion in Acute Myocardial Infarction (TRANSFER-AMI). <i>American Heart Journal</i> , 2008, 155, 19-25.	1.2	40
138	Thrombocytopenia at baseline is a predictor of inhospital mortality in patients undergoing percutaneous coronary intervention. <i>American Heart Journal</i> , 2008, 156, 120-124.	1.2	51
139	Decreased complication rates using the transradial compared to the transfemoral approach in percutaneous coronary intervention in the era of routine stenting and glycoprotein platelet IIb/IIIa inhibitor use: A large single-center experience. <i>American Heart Journal</i> , 2008, 156, 864-870.	1.2	104
140	First Canadian experience with high-risk percutaneous coronary intervention with assistance of a percutaneously deployed left ventricular assist device. <i>Canadian Journal of Cardiology</i> , 2008, 24, e82-e85.	0.8	5
141	Response to Letter Regarding Article, "Metabolic Profiling of Arginine and Nitric Oxide Pathways Predicts Hemodynamic Abnormalities and Mortality in Patients With Cardiogenic Shock After Acute Myocardial Infarction". <i>Circulation</i> , 2008, 118, .	1.6	0
142	Inotropes and Vasopressors. <i>Circulation</i> , 2008, 118, 1047-1056.	1.6	391
143	Effect of nitric oxide synthase inhibition on haemodynamics and outcome of patients with persistent cardiogenic shock complicating acute myocardial infarction: a phase II dose-ranging study. <i>European Heart Journal</i> , 2007, 28, 1109-1116.	1.0	93
144	Metabolic Profiling of Arginine and Nitric Oxide Pathways Predicts Hemodynamic Abnormalities and Mortality in Patients With Cardiogenic Shock After Acute Myocardial Infarction. <i>Circulation</i> , 2007, 116, 2315-2324.	1.6	85

#	ARTICLE	IF	CITATIONS
145	Hemodynamic Parameters Are Prognostically Important in Cardiogenic Shock But Similar Following Early Revascularization or Initial Medical Stabilization. <i>Chest</i> , 2007, 132, 1794-1803.	0.4	33
146	Effect of Tilarginine Acetate in Patients With Acute Myocardial Infarction and Cardiogenic Shock. <i>JAMA - Journal of the American Medical Association</i> , 2007, 297, 1657.	3.8	327
147	Bifurcating saphenous vein and left internal thoracic graft anatomy: Treatment of a left main equivalent saphenous interposition vein graft lesion and virtual histology/grey scale IVUS characterization post-intervention. <i>International Journal of Cardiology</i> , 2007, 122, 179-181.	0.8	1
148	The Canadian Association of Interventional Cardiology and the Canadian Cardiovascular Society joint statement on drug-eluting stents. <i>Canadian Journal of Cardiology</i> , 2007, 23, 121-123.	0.8	17
149	Late Intervention on an Occluded Infarct-Related Artery: A Meta-analysis of the Randomized Controlled Trials. <i>Clinical Medicine Cardiology</i> , 2007, 1, CMC.S356.	0.1	0
150	Prediction of Distal Embolization During Percutaneous Coronary Intervention in Saphenous Vein Grafts. <i>American Journal of Cardiology</i> , 2007, 99, 603-606.	0.7	25
151	Triple wire technique for removal of fractured angioplasty guidewire. <i>Journal of Invasive Cardiology</i> , 2007, 19, E230-4.	0.4	22
152	The use of lipid-lowering therapy for secondary prevention in patients undergoing percutaneous coronary intervention. <i>Canadian Journal of Cardiology</i> , 2006, 22, 419-423.	0.8	2
153	Transfer for urgent percutaneous coronary intervention early after thrombolysis for ST-elevation myocardial infarction: The TRANSFER-AMI pilot feasibility study. <i>Canadian Journal of Cardiology</i> , 2006, 22, 1121-1126.	0.8	18
154	Coronary Intervention for Persistent Occlusion after Myocardial Infarction. <i>New England Journal of Medicine</i> , 2006, 355, 2395-2407.	13.9	635
155	Impact of renal insufficiency on outcome after contemporary percutaneous coronary intervention. <i>American Heart Journal</i> , 2006, 151, 146-152.	1.2	85
156	Predictors of long-term outcome after crush stenting of coronary bifurcation lesions: Importance of the bifurcation angle. <i>American Heart Journal</i> , 2006, 152, 762-769.	1.2	146
157	A modified balloon crush approach improves side branch access and side branch stent apposition during crush stenting of coronary bifurcation lesions. <i>Catheterization and Cardiovascular Interventions</i> , 2006, 68, 365-371.	0.7	26
158	Randomized Trial of Percutaneous Coronary Intervention for Subacute Infarct-Related Coronary Artery Occlusion to Achieve Long-Term Patency and Improve Ventricular Function. <i>Circulation</i> , 2006, 114, 2449-2457.	1.6	139
159	Early Revascularization and Long-term Survival in Cardiogenic Shock Complicating Acute Myocardial Infarction. <i>JAMA - Journal of the American Medical Association</i> , 2006, 295, 2511.	3.8	572
160	Percutaneous Treatment of Dissection of the Ascending Aorta Occurring as a Complication During Coronary Angioplasty of a Saphenous Vein Bypass Graft. <i>Journal of Interventional Cardiology</i> , 2005, 18, 45-48.	0.5	5
161	Effect of Vasopressin on Hemodynamics in Patients With Refractory Cardiogenic Shock Complicating Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2005, 96, 1617-1620.	0.7	86
162	Effect of bare metal stenting on angiographic and clinical outcomes in diabetic and nondiabetic patients undergoing percutaneous coronary intervention of nonacute occluded coronary arteries: A report from the total occlusion study of Canada (TOSCA). <i>Catheterization and Cardiovascular Interventions</i> , 2005, 66, 178-184.	0.7	2

#	ARTICLE	IF	CITATIONS
163	Regulation of Human ApoA-I by Gemfibrozil and Fenofibrate Through Selective Peroxisome Proliferator-Activated Receptor α Modulation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 585-591.	1.1	116
164	Outcome of patients aged ≥ 75 years in the Should we emergently revascularize Occluded Coronaries in cardiogenic shock (SHOCK) trial: Do elderly patients with acute myocardial infarction complicated by cardiogenic shock respond differently to emergent revascularization?. <i>American Heart Journal</i> , 2005, 149, 1128-1134.	1.2	65
165	Design and methodology of the Occluded Artery Trial (OAT). <i>American Heart Journal</i> , 2005, 150, 627-642.	1.2	56
166	Functional Status and Quality of Life After Emergency Revascularization for Cardiogenic Shock Complicating Acute Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2005, 46, 266-273.	1.2	113
167	Routine use of glycoprotein IIb/IIIa inhibitor therapy is associated with an improved in-hospital outcome after percutaneous coronary intervention: Insights from a large, prospective, single-centre registry. <i>Canadian Journal of Cardiology</i> , 2005, 21, 27-32.	0.8	5
168	Inadvertent detachment of an entrapped Cutting Balloon from the balloon catheter during treatment of in-stent restenosis. <i>Journal of Invasive Cardiology</i> , 2005, 17, E27-9.	0.4	2
169	Balloon crush: Treatment of bifurcation lesions using the crush stenting technique as adapted for transradial approach of percutaneous coronary intervention. <i>Catheterization and Cardiovascular Interventions</i> , 2004, 63, 412-416.	0.7	39
170	Impact of delays to cardiac surgery after failed angioplasty and stenting. <i>Journal of the American College of Cardiology</i> , 2004, 43, 337-342.	1.2	33
171	N-acetylcysteine reduces contrast-associated nephropathy but not clinical events during long-term follow-up. <i>American Heart Journal</i> , 2004, 148, 690-695.	1.2	104
172	Spontaneous dissection of the left main coronary artery. <i>Canadian Journal of Cardiology</i> , 2004, 20, 815-8.	0.8	21
173	Health-related quality of life outcomes of patients with coronary artery disease treated with cardiac surgery, percutaneous coronary intervention or medical management. <i>Canadian Journal of Cardiology</i> , 2004, 20, 1259-66.	0.8	26
174	New frontiers and unresolved controversies in percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2003, 91, 27-33.	0.7	9
175	Late Potentials in Female Triathletes Before and After Prolonged Strenuous Exercise. <i>Applied Physiology, Nutrition, and Metabolism</i> , 2003, 28, 153-164.	1.7	3
176	Echocardiographic Predictors of Survival and Response to Early Revascularization in Cardiogenic Shock. <i>Circulation</i> , 2003, 107, 279-284.	1.6	153
177	Multiple Infections and Subsequent Cardiovascular Events in the Heart Outcomes Prevention Evaluation (HOPE) Study. <i>Circulation</i> , 2003, 107, 251-257.	1.6	136
178	Effects of long term cholesterol lowering on coronary atherosclerosis in patient risk factor subgroups: the Simvastatin/enalapril Coronary Atherosclerosis Trial (SCAT). <i>Canadian Journal of Cardiology</i> , 2003, 19, 487-91.	0.8	6
179	First Experience With Direct Factor Xa Inhibition in Patients With Stable Coronary Disease. <i>Circulation</i> , 2002, 105, 2385-2391.	1.6	69
180	A 16-week fenofibrate treatment increases LDL particle size in type IIA dyslipidemic patients. <i>Atherosclerosis</i> , 2002, 162, 363-371.	0.4	59

#	ARTICLE	IF	CITATIONS
181	Tolerability of statin-fibrate and statin-niacin combination therapy in dyslipidemic patients at high risk for cardiovascular events. <i>American Journal of Cardiology</i> , 2002, 89, 390-394.	0.7	40
182	Sex Differences in Access to Coronary Revascularization after Cardiac Catheterization: Importance of Detailed Clinical Data. <i>Annals of Internal Medicine</i> , 2002, 136, 723.	2.0	118
183	Increased circulating monocyte activation in patients with unstable coronary syndromes. <i>Journal of the American College of Cardiology</i> , 2001, 38, 1340-1347.	1.2	45
184	Absence of gender differences in clinical outcomes in patients with cardiogenic shock complicating acute myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2001, 38, 1395-1401.	1.2	106
185	Long-term survival in 11,661 patients with multivessel coronary artery disease in the era of stenting: A report from the Alberta Provincial Project for Outcome Assessment in Coronary Heart Disease (APPROACH) Investigators. <i>American Heart Journal</i> , 2001, 142, 119-126.	1.2	124
186	Predictors of improvement in left ventricular function after percutaneous revascularization of occluded coronary arteries: A report from the Total Occlusion Study of Canada (TOSCA). <i>American Heart Journal</i> , 2001, 142, 301-308.	1.2	65
187	The late open artery hypothesisâ€”A decade later. <i>American Heart Journal</i> , 2001, 142, 411-421.	1.2	57
188	Does ticlopidine reduce reocclusion and other adverse events after successful balloon angioplasty of occluded coronary arteries? Results from the Total Occlusion Study of Canada (TOSCA). <i>American Heart Journal</i> , 2001, 142, 776-781.	1.2	6
189	Effects of Ramipril and Vitamin E on Atherosclerosis. <i>Circulation</i> , 2001, 103, 919-925.	1.6	698
190	Restenosis and Reocclusion after Recanalization of an Occluded Coronary Artery: Is There a Light at the End of This Tunnel?. <i>Current Interventional Cardiology Reports</i> , 2001, 3, 311-320.	0.4	0
191	Effects of half ironman competition on the development of late potentials. <i>Medicine and Science in Sports and Exercise</i> , 2000, 32, 1208-1213.	0.2	10
192	Long-Term Effects of Cholesterol Lowering and Angiotensin-Converting Enzyme Inhibition on Coronary Atherosclerosis. <i>Circulation</i> , 2000, 102, 1748-1754.	1.6	260
193	Prognostic significance of diabetes as a predictor of survival after cardiac catheterization. <i>American Journal of Medicine</i> , 2000, 109, 543-548.	0.6	8
194	Cardiogenic shock due to cardiac free-wall rupture or tamponade after acute myocardial infarction: a report from the SHOCK Trial Registry. <i>Journal of the American College of Cardiology</i> , 2000, 36, 1117-1122.	1.2	168
195	Impact of thrombolysis, intra-aortic balloon pump counterpulsation, and their combination in cardiogenic shock complicating acute myocardial infarction: a report from the SHOCK Trial Registry. <i>Journal of the American College of Cardiology</i> , 2000, 36, 1123-1129.	1.2	303
196	Outcome and profile of ventricular septal rupture with cardiogenic shock after myocardial infarction: a report from the SHOCK Trial Registry. <i>Journal of the American College of Cardiology</i> , 2000, 36, 1110-1116.	1.2	329
197	Cardiogenic shock complicating acute myocardial infarctionâ€”etiologies, management and outcome: a report from the SHOCK Trial Registry. <i>Journal of the American College of Cardiology</i> , 2000, 36, 1063-1070.	1.2	622
198	Primary Stenting Versus Balloon Angioplasty in Occluded Coronary Arteries. <i>Circulation</i> , 1999, 100, 236-242.	1.6	251

#	ARTICLE	IF	CITATIONS
199	Early Revascularization in Acute Myocardial Infarction Complicated by Cardiogenic Shock. <i>New England Journal of Medicine</i> , 1999, 341, 625-634.	13.9	2,596
200	Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP): A Randomized Trial Design of the Effect of a Community Pharmacist Intervention Program on Serum Cholesterol Risk. <i>Annals of Pharmacotherapy</i> , 1999, 33, 910-919.	0.9	50
201	Effect of serum lipid concentrations on restenosis after successful de novo percutaneous transluminal coronary angioplasty in patients with total cholesterol 160 to 240 mg/dl and triglycerides <350 mg/dl. <i>American Journal of Cardiology</i> , 1995, 75, 936-938.	0.7	13
202	Prevention and Regression of Coronary Atherosclerosis. <i>Chest</i> , 1994, 105, 718-726.	0.4	11
203	Effects of late percutaneous transluminal coronary angioplasty of an occluded infarct-related coronary artery on left ventricular function in patients with a recent (<6 weeks) Q-wave acute myocardial infarction (total occlusion post-myocardial infarction intervention study [TOMIIS]â€™A) Tj ETQq1 1 0.784314 rgBT /Overlo	0.7	96
204	Role of transesophageal echocardiography in the diagnosis and management of prosthetic valve thrombosis. <i>Journal of the American College of Cardiology</i> , 1991, 18, 1829-1833.	1.2	69
205	General Management: Pharmacotherapy and Mechanical Ventilation. , 0, , 45-77.		0