

Walter Antonio Pereira Boeger

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5269384/publications.pdf>

Version: 2024-02-01

134
papers

2,795
citations

186209

28
h-index

243529

44
g-index

140
all docs

140
docs citations

140
times ranked

2672
citing authors

#	ARTICLE	IF	CITATIONS
1	Understanding Host-Switching by Ecological Fitting. <i>PLoS ONE</i> , 2015, 10, e0139225.	1.1	172
2	Phylogeny and a revised classification of the Monogenoidea Bychowsky, 1937 (Platyhelminthes). <i>Systematic Parasitology</i> , 1993, 26, 1-32.	0.5	129
3	Finding Them Before They Find Us: Informatics, Parasites, and Environments in Accelerating Climate Change. <i>Comparative Parasitology</i> , 2014, 81, 155-164.	0.0	101
4	Embracing Colonizations: A New Paradigm for Species Association Dynamics. <i>Trends in Ecology and Evolution</i> , 2018, 33, 4-14.	4.2	94
5	Coevolution of the Monogenoidea (Platyhelminthes) based on a revised hypothesis of parasite phylogeny. <i>International Journal for Parasitology</i> , 1997, 27, 1495-1511.	1.3	85
6	Postglacial north-south expansion of populations of <i>Rhizophora mangle</i> (Rhizophoraceae) along the Brazilian coast revealed by microsatellite analysis. <i>American Journal of Botany</i> , 2011, 98, 1031-1039.	0.8	84
7	Black yeast-like fungi associated with Lethargic Crab Disease (LCD) in the mangrove-land crab, <i>Ucides cordatus</i> (Ocypodidae). <i>Veterinary Microbiology</i> , 2012, 158, 109-122.	0.8	71
8	The effect of trichlorfon on acetylcholinesterase activity and histopathology of cultivated fish <i>Oreochromis niloticus</i> . <i>Ecotoxicology and Environmental Safety</i> , 2007, 68, 57-62.	2.9	70
9	Context of diversification of the viviparous Gyrodactylidae (Platyhelminthes, Monogenoidea). <i>Zoologica Scripta</i> , 2003, 32, 437-448.	0.7	64
10	Lethargic crab disease: multidisciplinary evidence supports a mycotic etiology. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2005, 100, 161-167.	0.8	64
11	The Monogenean Parasite Fauna of Cichlids: A Potential Tool for Host Biogeography. <i>International Journal of Evolutionary Biology</i> , 2011, 2011, 1-15.	1.0	64
12	The Phylogenetic Status of the Ancyrocephalidae Bychowsky, 1937 (Monogenea: Dactylogyroidea). <i>Journal of Parasitology</i> , 1989, 75, 207.	0.3	60
13	Phylogeny, coevolution, and revision of the hexabothriidae price, 1942 (Monogenea). <i>International Journal for Parasitology</i> , 1989, 19, 425-440.	1.3	50
14	Parasites, fossils and geologic history: Historical biogeography of the South American freshwater croakers, <i>Plagioscion</i> spp. (Teleostei, Sciaenidae). <i>Zoologica Scripta</i> , 2003, 32, 3-11.	0.7	47
15	Patterns of interaction between Neotropical freshwater fishes and their gill Monogenoidea (Platyhelminthes). <i>Parasitology Research</i> , 2014, 113, 481-490.	0.6	47
16	Drivers of parasite sharing among Neotropical freshwater fishes. <i>Journal of Animal Ecology</i> , 2015, 84, 487-497.	1.3	43
17	Morphology and histology of the male reproductive system of the mangrove land crab <i>Ucides cordatus</i> (L.) (Crustacea, Brachyura, Ocypodidae). <i>Acta Zoologica</i> , 2008, 89, 157-161.	0.6	42
18	Choice matters: Incipient speciation in <i>Gyrodactylus corydori</i> (Monogenea: Gyrodactylidae). <i>International Journal for Parasitology</i> , 2011, 41, 657-667.	1.3	41

#	ARTICLE	IF	CITATIONS
19	Postglacial expansion pathways of red mangrove, <i>Rhizophora mangle</i> , in the Caribbean Basin and Florida. <i>American Journal of Botany</i> , 2016, 103, 260-276.	0.8	41
20	Histopathology of the mangrove land crab <i>Ucides cordatus</i> (Ocypodidae) affected by lethargic crab disease. <i>Diseases of Aquatic Organisms</i> , 2007, 78, 73-81.	0.5	41
21	MODE OF TRANSMISSION, HOST SWITCHING, AND ESCAPE FROM THE RED QUEEN BY VIVIPAROUS GYRODACTYLIDS (MONOGENOIDEA). <i>Journal of Parasitology</i> , 2005, 91, 1000-1007.	0.3	38
22	Analysis of Four Dispersion Vectors in Inland Waters: The Case of the Invading Bivalves in South America. <i>Journal of Shellfish Research</i> , 2012, 31, 777-784.	0.3	38
23	Phylogeny and revision of Diplectanidae Monticelli, 1903 (Platyhelminthes: Monogeneoidea). <i>Zootaxa</i> , 2008, 1698, 1.	0.2	38
24	Arctic systems in the Quaternary: ecological collision, faunal mosaics and the consequences of a wobbling climate. <i>Journal of Helminthology</i> , 2017, 91, 409-421.	0.4	36
25	An integrated parasitology: revealing the elephant through tradition and invention. <i>Trends in Parasitology</i> , 2015, 31, 128-133.	1.5	34
26	A simple PCR-RFLP method for the discrimination of native and introduced oyster species (<i>Crassostrea</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Research, 2006, 37, 1598-1600.	0.9	33
27	Evaluating the impact of seismic prospecting on artisanal shrimp fisheries. <i>Continental Shelf Research</i> , 2005, 25, 1720-1727.	0.9	32
28	A fast and accurate molecular method for the detection of larvae of the golden mussel <i>Limnoperna fortunei</i> (Mollusca: Mytilidae) in plankton samples. <i>Journal of Molluscan Studies</i> , 2006, 72, 218-219.	0.4	30
29	Genetic structure of populations of the mangrove crab <i>Ucides cordatus</i> (Decapoda: Ocypodidae) at local and regional scales. <i>Hydrobiologia</i> , 2007, 583, 69-76.	1.0	29
30	In the Eye of the Cyclops: The Classic Case of Cospeciation and Why Paradigms are Important. <i>Comparative Parasitology</i> , 2015, 82, 1-8.	0.0	29
31	Transformational Principles for NEON Sampling of Mammalian Parasites and Pathogens: A Response to Springer and Colleagues. <i>BioScience</i> , 2016, 66, 917-919.	2.2	28
32	Testing a molecular protocol to monitor the presence of golden mussel larvae (<i>Limnoperna fortunei</i>) in plankton samples. <i>Journal of Plankton Research</i> , 2007, 29, 1015-1019.	0.8	27
33	The effect of temperature and body size on filtration rates of <i>Limnoperna fortunei</i> (Bivalvia), Tj ETQq1 1 0.784314 rgBT /Overlock 10 135-144.	0.5	25
34	Neotropical Monogeneoidea. 58. Three new species of <i>Gyrodactylus</i> (Gyrodactylidae) from <i>Scleromystax</i> spp. (Callichthyidae) and the proposal of COII gene as an additional fragment for barcoding gyrodactylids. <i>Folia Parasitologica</i> , 2014, 61, 213-222.	0.7	25
35	Phylogeography of the blue land crab, <i>Cardisoma guanhumi</i> (Decapoda: Gecarcinidae) along the Brazilian coast. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2008, 88, 1417-1423.	0.4	24
36	Emerging infectious disease: An underappreciated area of strategic concern for food security. <i>Transboundary and Emerging Diseases</i> , 2022, 69, 254-267.	1.3	24

#	ARTICLE	IF	CITATIONS
37	Hidden danger: Unexpected scenario in the vector-parasite dynamics of leishmaniasis in the Brazil side of triple border (Argentina, Brazil and Paraguay). <i>PLoS Neglected Tropical Diseases</i> , 2018, 12, e0006336.	1.3	22
38	Neotropical monogenoidea. 25. <i>Anacanthorus penilabiatus</i> n. sp. (Dactylogyridae, Anacanthorinae) from <i>Piaractus mesopotamicus</i> (Osteichthyes, Serrasalminidae), cultivated in the State of São Paulo, Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 1995, 90, 699-701.	0.8	21
39	<i>Cladophialophora abundans</i> , a novel species of Chaetothyriales isolated from the natural environment. <i>Mycological Progress</i> , 2014, 13, 381-391.	0.5	21
40	Host use dynamics in a heterogeneous fitness landscape generates oscillations in host range and diversification. <i>Evolution; International Journal of Organic Evolution</i> , 2018, 72, 1773-1783.	1.1	21
41	Climate change and emerging infectious diseases: Evolutionary complexity in action. <i>Current Opinion in Systems Biology</i> , 2019, 13, 75-81.	1.3	21
42	Neotropical Monogenoidea. 23. Two new species of <i>Gyrodactylus</i> (Gyrodactylidae) from a Cichlid and an Erythrinid fish of Southeastern Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 1995, 90, 689-694.	0.8	19
43	Population genetics and evolutionary demography of <i>Ucides cordatus</i> (Decapoda: Ocypodidae). <i>Marine Ecology</i> , 2007, 28, 460-469.	0.4	19
44	Seasonal variation in larval density of <i>Limnoperna fortunei</i> (Bivalvia, Mytilidae) in the Iguaçu and Paraná rivers, in the region of Foz do Iguaçu, Paraná, Southern Brazil. <i>Brazilian Archives of Biology and Technology</i> , 2008, 51, 607-612.	0.5	19
45	Fulfilling Koch's postulates confirms the mycotic origin of Lethargic Crab Disease. <i>Antonie Van Leeuwenhoek</i> , 2011, 99, 601-608.	0.7	19
46	Black Yeast Biota in the Mangrove, in Search of the Origin of the Lethargic Crab Disease (LCD). <i>Mycopathologia</i> , 2013, 175, 421-430.	1.3	19
47	The mitochondrial genome of the egg-laying flatworm <i>Aglaiogyrodactylus forficulatus</i> (Platyhelminthes: Monogenoidea). <i>Parasites and Vectors</i> , 2016, 9, 285.	1.0	18
48	The role of ecological opportunity in shaping host-parasite networks. <i>Parasitology</i> , 2020, 147, 1452-1460.	0.7	18
49	The effect of exposure to seismic prospecting on coral reef fishes. <i>Brazilian Journal of Oceanography</i> , 2006, 54, 235-239.	0.6	18
50	Prospecção do molusco invasor <i>Limnoperna fortunei</i> (Dunker, 1857) nos principais corpos hídricos do estado do Paraná, Brasil. <i>Papeis Avulsos De Zoologia</i> , 2010, 50, 553-559.	0.4	17
51	Dispersion of <i>Leishmania (Leishmania) infantum</i> in central-southern Brazil: Evidence from an integrative approach. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007639.	1.3	17
52	The Parasitic Crustaceans of Fishes from the Brazilian Amazon. 4. <i>Ergasilus colomesus</i> n. sp. (Copepoda: Cyclopoida) from an Ornamental Fish, <i>Colomesus asellus</i> (Tetraodontidae) and Aspects of Its Pathogenicity. <i>Transactions of the American Microscopical Society</i> , 1983, 102, 371.	0.3	16
53	The Organization of the Mitochondrial Control Region in 2 Brachyuran Crustaceans: <i>Ucides cordatus</i> (Ocypodidae) and <i>Cardisoma guanhumi</i> (Gecarcinidae). <i>Journal of Heredity</i> , 2008, 99, 432-437.	1.0	16
54	Genetic evidence for multiple paternity in the mangrove land crab <i>Ucides cordatus</i> (Decapoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf	0.3	16

#	ARTICLE	IF	CITATIONS
55	Dams cause genetic homogenization in populations of fish that present homing behavior: Evidence from a demogenetic individual-based model. <i>Ecological Modelling</i> , 2018, 384, 209-220.	1.2	16
56	Neotropical Monogenoidea. 57. Nine new species of Dactylogyridae (Monogenoidea) from the gill of <i>Salminus brasiliensis</i> (Characidae, Characiformes) from the Paran River, State of Paran, Brazil. <i>Zootaxa</i> , 2012, 3149, 57.	0.2	15
57	Neotropical Monogenoidea. 57. Revision and phylogenetic position of <i>Scleroductus jara</i> & Cone, 1989 (Gyrodactylidae), with descriptions of new species from the Guatemalan chulin <i>Rhamdia guatemalensis</i> (Gnther) (Siluriformes: Heptapteridae) in Mexico and the barred sorubim <i>Pseudoplatystoma fasciatum</i> (Linnaeus) (Siluriformes: Pimelodidae) in Brazil. <i>Systematic Parasitology</i> , 2012, 84, 1-15.	0.5	15
58	Neotropical Monogenoidea. 51. <i>Scutalatus magniancoratus</i> gen. et sp. n. (Gyrodactylidae) from the South-American electric eel, <i>Electrophorus electricus</i> (Gymnotidae, Gymnotiformes), and redescription of <i>Mormyrogyrodactylus gemini</i> from the African bulldog, M. <i>Acta Zoologica</i> , 2007, 88, 89-94.	0.6	14
59	Phylogenetic status and historical origins of the oviparous and viviparous gyrodactylids (Monogenoidea, Gyrodactylidea). <i>Zoologica Scripta</i> , 2021, 50, 112-124.	0.7	14
60	Food security and emerging infectious disease: risk assessment and risk management. <i>Royal Society Open Science</i> , 2022, 9, 211687.	1.1	14
61	Neotropical Monogenoidea. 24. <i>Rhinoxenus bulbovaginat</i> n. sp. (Dactylogyridae, Ancyrocephalinae) from the nasal cavity of <i>Salminus maxillosus</i> (Osteichthyes, Characidae) from the Rio Paran, Paran, Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 1995, 90, 695-698.	0.8	13
62	Neotropical Monogenoidea. 49. Four new species of the Diplectanidae (Dactylogyrynea) from the gills of some pachyurines (Teleostei: Sciaenidae) from the Rio Tocantins and Rio Doce Basins, with the proposal of <i>Anoplectanum</i> n. g. and <i>Spinomatrix</i> n. g.. <i>Systematic Parasitology</i> , 2006, 64, 57-68.	0.5	13
63	Tracking the history of an invasion: the freshwater croakers (Teleostei: Sciaenidae) in South America. <i>Zoologica Scripta</i> , 2015, 44, 250-262.	0.7	13
64	The influence of paleoclimate on the distribution of genetic variability and demography of fishes in a large and highly fragmented neotropical river. <i>Hydrobiologia</i> , 2018, 805, 97-112.	1.0	13
65	Neotropical Monogenoidea 37. Redescription of <i>Gyrodactylus superbus</i> (Szidat, 1973) comb. n. and description of two new species of <i>Gyrodactylus</i> (Gyrodactylidea: Gyrodactylidae) from <i>Corydoras paleatus</i> and <i>C. ehrhardti</i> (Teleostei: Siluriformes: Callichthyidae) of Southern Brazil. <i>Folia Parasitologica</i> , 2000, 47, 105-110.	0.7	13
66	Past connection and isolation of catchments: The sea-level changes affect the distribution and genetic variability of coastal freshwater fishes. <i>Estuarine, Coastal and Shelf Science</i> , 2017, 190, 31-39.	0.9	12
67	Neotropical Monogenoidea. 32. <i>Cacatuocotyle paranaensis</i> n. g., n. sp. (Dactylogyridae.) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5</i> <i>Systematic Parasitology</i> , 1997, 36, 75-78.	0.5	11
68	Morphology of the female reproductive system and reproductive cycle of the mangrove land crab <i>Ucides cordatus</i> (L.) in the Baa de Antonina, Paran, Brazil. <i>Acta Zoologica</i> , 2013, 94, 86-93.	0.6	11
69	The phylogenetic position of the Loimoidae Price, 1936 (Monogenoidea: Monocotylidea) based on analyses of partial rDNA sequences and morphological data. <i>Parasitology International</i> , 2014, 63, 492-499.	0.6	11
70	Identifying Nile tilapia strains and their hybrids farmed in Brazil using microsatellite markers. <i>Pesquisa Agropecuaria Brasileira</i> , 2016, 51, 1744-1750.	0.9	11
71	Opportunity and taxon pulse: the central influence of coastal geomorphology on genetic diversification and endemism of strict estuarine species. <i>Journal of Biogeography</i> , 2017, 44, 1626-1639.	1.4	11
72	Neotropical Monogenoidea. 53. <i>Gyrodactylus corydori</i> sp. n. and redescription of <i>Gyrodactylus anisopharynx</i> (Gyrodactylidea: Gyrodactylidae), parasites of <i>Corydoras</i> spp. (Siluriformes:) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 57 Td (</i>		

#	ARTICLE	IF	CITATIONS
73	DENSITY-DEPENDENT TOPOGRAPHICAL SPECIALIZATION IN GYRODACTYLUS ANISOPHARYNX (MONOGENOIDEA, GYRODACTYLIDAE): BOOSTING TRANSMISSION OR EVADING COMPETITION?. Journal of Parasitology, 2006, 92, 459-463.	0.3	10
74	Neotropical Monogenoidea. 50. Oviparous gyrodactylids from loricatoriid and pimelodid catfishes in Brazil, with the proposal of Phanerothecioides n. g., Onychogyrodactylus n. g. and Aglaiogyrodactylus n. g. (Polyonchoinea: Gyrodactylidae). Systematic Parasitology, 2006, 66, 1-34.	0.5	10
75	Molecular data reveal a diverse <i>Astyanax</i> species complex in the upper Iguaçu River. Journal of Fish Biology, 2009, 75, 2357-2362.	0.7	10
76	Sea-level variations have influenced the demographic history of estuarine and freshwater fishes of the coastal plain of Paraná, Brazil. Journal of Fish Biology, 2017, 90, 968-979.	0.7	10
77	Dactylogyridae (Monogenoidea, Polyonchoinea) from the gills of <i>Auchenipterus nuchalis</i> (Siluriformes, Auchenipteridae) from the Tocantins River, Brazil. Parasite, 2020, 27, 4.	0.8	10
78	Evaluation of sampling and analysis techniques for early detection of <i>Limnoperna fortunei</i> (Mytilidae) in limit areas of its distribution. Brazilian Journal of Biology, 2009, 69, 979-980.	0.4	10
79	Neotropical Monogenea. 13. <i>Rhinonastes pseudocapsaloideum</i> n. gen., n. sp. (Dactylogyridae, Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 387 T	0.3	9
80	Neotropical Monogenoidea. 52. <i>Diechodactylus joaberi</i> n. g., n. sp. from the banded knifefish <i>Gymnotus carapo</i> (Gymnotiformes: Gymnotidae) in southeastern Brazil. Systematic Parasitology, 2007, 69, 45-50.	0.5	9
81	Larval cannibalism rates in the mangrove crab <i>Ucides cordatus</i> (Decapoda: Ocypodidae) under laboratory conditions. Aquaculture Research, 2008, 39, 263-267.	0.9	9
82	Expanded description of the female of <i>Lernaeenicus longiventris</i> Wilson, 1917, (Copepoda,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 T	0.8	8
83	Testing hypotheses on the origin and dispersion of <i>Limnoperna fortunei</i> (Bivalvia, Mytilidae) in the Iguassu River (Paraná, Brazil): molecular markers in larvae and adults. Limnology, 2017, 18, 31-39.	0.8	8
84	Different pathways in the larval development of the crab <i>Ucides cordatus</i> (Decapoda, Ocypodidae) and their relation with high mortality rates by the end of massive larvicultures. Pesquisa Veterinaria Brasileira, 2012, 32, 284-288.	0.5	8
85	Specific primers for the detection of the black-yeast fungus associated with lethargic crab disease (LCD). Diseases of Aquatic Organisms, 2011, 94, 73-75.	0.5	8
86	PATOLOGIA DE PEIXES DA AMAZÔNIA BRASILEIRA, ALTERAÇÕES HISTOLÓGICAS EM BRANQUIAS PROVOCADAS POR ERGASILUS, BRASERGASILUS E ACUSICOLA (CRUSTÁCEA: CYCLOPOIDA: ERGASILIDAE). Acta Amazonica, 1983, 13, 441-451.	0.3	7
87	NEOTROPICAL MONOGENOIDEA. 43. <i>DIPLECTANUM MONTICELLII</i> N. SP. (DIPLECTANIDAE) FROM THE GILLS OF <i>CYNOSCION LEIARCHUS</i> (PERCIFORMES: SCIAENIDAE) IN BRAZIL. Journal of Parasitology, 2003, 89, 698-700.	0.3	7
88	NEOTROPICAL MONOGENOIDEA: <i>EURYHALIOTREMA DONTYKOLEOS</i> N. SP. (DACTYLOGYRIDAE) FROM THE GILLS OF THE FRESHWATER SCIAENID, <i>PACHYURUS JUNKI</i> (PERCIFORMES). Journal of Parasitology, 2005, 91, 1025-1027.	0.3	7
89	Lack of genetic differentiation in the fat snook <i>Centropomus parallelus</i> (Teleostei): Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 387 T	0.7	7
90	Revision and phylogeny of Rhamnocercinae Monaco, Wood et Mizelle, 1954 (Monogenoidea): Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62	0.7	7

#	ARTICLE	IF	CITATIONS
91	Neotropical Monogenoidea 59. Polyonchoineans from Characidium spp. (Characiformes: Crenuchidae) from southern Brazil. <i>Folia Parasitologica</i> , 2014, 61, 120-132.	0.7	7
92	Looking for a needle in a haystack: molecular detection of larvae of invasive <i>Corbicula</i> clams. <i>Management of Biological Invasions</i> , 2014, 5, 143-149.	0.5	7
93	Ecological super-spreaders drive host-range oscillations: Omicron and risk space for emerging infectious disease. <i>Transboundary and Emerging Diseases</i> , 2022, 69, .	1.3	7
94	ERGASILUS THATCHERIN. SP. (COPEPODA, POECILOSTOMATOIDA, ERGASILIDAE) FROM THE GILLS OF RHAMIDIA QUELEN (TELEOSTEI, SILURIFORMES, PIMELODIDAE) FROM SOUTHERN BRAZIL. <i>Journal of Parasitology</i> , 2000, 86, 945-947.	0.3	6
95	The status of <i>Acleotrema</i> Johnston & Tieggs, 1922 and <i>Heteroplectanum</i> Rakotofiringa, Oliver & Lambert, 1987 (Monogenoidea: Diplectanidae), with the redescription of <i>Acleotrema</i> girellae Johnston & Tieggs, 1922. <i>Systematic Parasitology</i> , 2006, 66, 35-41.	0.5	6
96	Duration of the pre-settlement period of the mangrove crab <i>Ucides cordatus</i> (Decapoda: Ocypodidae) under laboratory conditions. <i>Brazilian Archives of Biology and Technology</i> , 2008, 51, 957-962.	0.5	6
97	Modelling the lethargic crab disease. <i>Journal of Biological Dynamics</i> , 2009, 3, 620-634.	0.8	6
98	Two new species of <i>Ergasilus</i> Nordmann, 1832 (Copepoda: Ergasilidae) and a redescription of <i>Ergasilus</i> salmini Thatcher & Brazil-Sato, 2008 from <i>Salminus brasiliensis</i> Cuvier and <i>S. franciscanus</i> Lima & Britsky (Teleostei: Characidae) in Brazil. <i>Systematic Parasitology</i> , 2015, 90, 81-89.	0.5	6
99	<i>Gyrodactylus lilianae</i> n. sp. (Polyonchoinea: Gyrodactylidae) from <i>Rhamdia quelen</i> (Quoy & Gaimard, 1824) in Brazil. <i>Systematic Parasitology</i> , 2019, 96, 407-415.	0.5	6
100	“Accidents waiting to happen” Insights from a simple model on the emergence of infectious agents in new hosts. <i>Transboundary and Emerging Diseases</i> , 2022, 69, 1727-1738.	1.3	6
101	Effects of shrimp cage farming on sediment nutrients in a subtropical estuary. <i>Brazilian Journal of Aquatic Science and Technology</i> , 2014, 17, NB5-8.	0.1	6
102	Asian Pangasids: An Emerging Problem for European Inland Waters? <i>Systematic and Parasitological Aspects. Acta Ichthyologica Et Piscatoria</i> , 2009, 39, 131-138.	0.3	6
103	Neotropical Monogenoidea 64. <i>Cosmetocleithrum falsunilatum</i> sp. n. (Monogenoidea, Dactylogyridae) parasite of the gills of <i>Megalodoras uranoscopus</i> (Siluriformes, Doradidae) from the Solimões river, near Iquitos, Peru. <i>Systematic Parasitology</i> , 2022, 99, 341-346.	0.5	6
104	Differentiation within and between river basins of <i>Podostemum irgangii</i> (Podostemaceae), a rapid-water macrophyte of southern Brazil. <i>Aquatic Botany</i> , 2013, 107, 33-38.	0.8	5
105	Hybrids between <i>Pseudoplatystoma corruscans</i> and <i>P. reticulatum</i> (Siluriformes: Pimelodidae) previously reported in the Upper Paraná River are likely escapes from aquaculture farms: evidence from microsatellite markers. <i>Zoologia</i> , 2016, 33, .	0.5	5
106	Is Marine Dispersion of the Lethargic Crab Disease Possible? Assessing the Tolerance of <i>Exophiala cancerae</i> to a Broad Combination of Salinities, Temperatures, and Exposure Times. <i>Mycopathologia</i> , 2017, 182, 997-1004.	1.3	5
107	Neotropical Monogenoidea. 60. Two new species of <i>Gyrodactylus</i> (Monogenoidea: Gyrodactylidae) from the armored-catfish, <i>Pareiorhaphis parmula</i> Pereira (Loricariidae) and from the cascarudo, <i>Callichthys callichthys</i> (Linnaeus) (Callichthyidae) from Brazil. <i>Zootaxa</i> , 2019, 4551, 87-93.	0.2	5
108	Neotropical Monogenoidea. 40. <i>Protorhinoxenus prochilodi</i> gen. n., sp. n. (Monogenoidea: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 Td Brazil. <i>Folia Parasitologica</i> , 2002, 49, 35-38.	0.7	5

#	ARTICLE	IF	CITATIONS
109	Prehendorastrus n. g. (Poecilostomatoida, Ergasilidae) with descriptions of two new species from the gill rakers of Hypophthalmus spp. (Teleostei, Siluriformes) from the Brazilian Amazon. Systematic Parasitology, 1990, 17, 133-141.	0.5	4
110	Neotropical Monogenoidea. 54. Proposal of Aetheolabes n. g. (Dactylogyridae: Diplectanidae), with the description of A. goeldiensis n. sp. from the gills of "pescada" Plagioscion sp. (Teleostei: Sciaenidae) in Brazil. Systematic Parasitology, 2009, 74, 137-142.	0.5	4
111	Testing hypotheses for morphological differences among populations of Miconia sellowiana (Melastomataceae) in southern Brazil. Acta Scientiarum - Biological Sciences, 2012, 34, .	0.3	4
112	Assessing the genetic diversity and gene flow of populations of the crab <i>Ucides cordatus</i> (Decapoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 34, 70-75.	0.3	4
113	Historical and contemporary factors affect the genetic diversity and structure of <i>Laguncularia racemosa</i> (L.) Gaertn, along the western Atlantic coast. Estuarine, Coastal and Shelf Science, 2021, 249, 107055.	0.9	4
114	Restocking <i>Ucides cordatus</i> (Decapoda: Ocypodidae): interespecific associations as a limiting factor to the survival of released recruits. Brazilian Journal of Oceanography, 2010, 58, 207-212.	0.6	3
115	Phenotypical traits and gonadal development in mangrove land crab, <i>Ucides cordatus</i> (Decapoda: Tj ETQq1 1 0.784314 rgBT /Overlock 3	0.6	3
116	<i>Susanlimae ianwhittingtoni</i> gen. nov., sp. nov. (Monogenoidea: Dactylogyridae), a dweller of the gill rakers of <i>Pseudeutropius moolenburghae</i> (Siluriformes: Schilbeidae) from Sumatra. Zoologia, 2015, 32, 532-537.	0.5	3
117	<i>Ergasilus turkayi</i> n. sp. (Copepoda, Cyclopoida, Ergasilidae): a gill parasite of <i>Serrasalmus hollandi</i> Já©gu, 2003 (Characiformes, Serrasalmidae) from the Paragua River, Bolivia. Nauplius, 2017, 25, .	0.3	3
118	Rapid divergence, molecular evolution, and morphological diversification of coastal host-parasite systems from southern Brazil. Parasitology, 2019, 146, 1313-1332.	0.7	3
119	Neotropical Monogenoidea. 63. <i>Atopogyrodactylus praecipuus</i> gen. et sp. n. (Gyrodactylidae), an oviparous gyrodactylid from the external surface — of a bristlenose catfish <i>Ancistrus</i> sp. (Siluriformes: Loricariidae) from the Rondnian Amazon, Brazil. Zootaxa, 2020, 4732, zootaxa.4732.1.8.	0.2	3
120	Two new species of <i>Protogyrodactylus</i> (Monogenoidea: Dactylogyridae) from the gills of <i>Gerres nigri</i> (Teleostei: Gerreidae) from Senegal. Folia Parasitologica, 2012, 59, 59-63.	0.7	3
121	Proposal of <i>Tiddergasilus</i> gen. nov. (Ergasilidae: Cyclopoida) for <i>T. iheringi</i> comb. nov. from the gills of <i>Hoplias malabaricus</i> (Erythrinidae: Characiformes) from Brazil. Zoologia, 0, 35, 1-6.	0.5	3
122	Neotropical Monogenoidea 59. Polyonchoineans from <i>Characidium</i> spp. (Characiformes: Crenuchidae) from southern Brazil. Folia Parasitologica, 2014, 61, 120-32.	0.7	3
123	A validade de <i>Czoznowia Zdzitowiecki</i> , 1967, a redescro de <i>C. paraguayensis</i> (Fischthal e Martin, 1978), n. comb. (Trematoda: Lecithodendriidae) e aspectos de sua patologia no fgado do morcgo, <i>Molossus ater</i> (Geoffrey), no Brasil. Studies on Neotropical Fauna and Environment, 1985, 20, 147-155.	0.5	2
124	Viability of the etiologic agent of the Lethargic Crab Disease, <i>Exophiala cancerae</i> , during cooking of the mangrove-land crab: Does this traditional dish represent a risk to humans?. Food Control, 2012, 25, 591-593.	2.8	2
125	EFEITOS DA APLICAO DE TRICHLORFON UTILIZADO NO TRATAMENTO DE PARASITÓSES SOBRE MTRICAS BIOLGICAS DE <i>Ctenopharingodon Idella</i> (Valenciennes, 1844). Archives of Veterinary Science, 2019, 24, .	0.1	2
126	Vernon Everett Thatcher: 1929-2011. Zoologia, 2011, 28, 690-691.	0.5	2

#	ARTICLE	IF	CITATIONS
127	Influência do cultivo de camarões marinhos em tanque-rede sobre a qualidade da água e a estrutura da comunidade zooplanctônica na Baía de Guaratuba, Paraná. Revista Brasileira De Zootecnia, 2010, 39, 2315-2322.	0.3	1
128	Shared Physiological Traits of Exophiala Species in Cold-Blooded Vertebrates, as Opportunistic Black Yeasts. Mycopathologia, 2016, 181, 353-362.	1.3	1
129	Lethargic Crab Disease: Now You See, Now You Don't. , 2018, , 233-247.		1
130	Neotropical Monogenoidea 62. Biotodomella mirosinata gen. nov., sp. nov. (Polyonchoinea: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Peruvian Amazon. Zoologia, 0, 36, 1-5.	0.5	1
131	Phylogeny, species delimitation and ecological and morphological diversity of <i>Characithecium</i> (Monogenoidea: Dactylogyridae). Parasitology, 2022, , 1-17.	0.7	1
132	Morphometric comparison between hatchery-reared and wild-caught megalopae of the mangrove crab. Pesquisa Agropecuaria Brasileira, 2013, 48, 1159-1162.	0.9	0
133	A new species of Gyrodactylus (Monogenea, Gyrodactylidae), an ectoparasite from the endemic Iranocichla hormuzensis (Teleostei, Cichlidae), the only Iranian cichlid. European Journal of Taxonomy, 2012, , .	0.6	0
134	ZOOLOGIA 30 years: commemorative edition. Zoologia, 2012, 29, 0-0.	0.5	0