

Piotr Podolec

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/526970/publications.pdf>

Version: 2024-02-01

231
papers

2,707
citations

236925
25
h-index

302126
39
g-index

247
all docs

247
docs citations

247
times ranked

3801
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Spectrum of transthyretin gene mutations and clinical characteristics of Polish patients with cardiac transthyretin amyloidosis. <i>Cardiology Journal</i> , 2022, 29, 985-993. | 1.2 | 5 |
| 2 | Balloon pulmonary angioplasty in chronic thromboembolic pulmonary hypertension: a multicentre registry. <i>EuroIntervention</i> , 2022, 17, 1104-1111. | 3.2 | 23 |
| 3 | The Relationship between Cardiac Magnetic Resonance-Assessed Replacement and Interstitial Fibrosis and Ventricular Arrhythmias in Hypertrophic Cardiomyopathy. <i>Journal of Personalized Medicine</i> , 2022, 12, 294. | 2.5 | 1 |
| 4 | Changes in Inflammatory Markers in Patients with Chronic Thromboembolic Pulmonary Hypertension Treated with Balloon Pulmonary Angioplasty. <i>Cells</i> , 2022, 11, 1491. | 4.1 | 2 |
| 5 | Hemodynamic effects of balloon pulmonary angioplasty for the treatment of total and subtotal pulmonary artery occlusions in inoperable chronic thromboembolic pulmonary hypertension. <i>International Journal of Cardiology</i> , 2022, 361, 71-76. | 1.7 | 4 |
| 6 | Hemodynamic Effects of Ultrasound-Assisted, Catheter-Directed, Very Low-Dose, Short-Time Duration Thrombolysis in Acute Intermediateâ€”High Risk Pulmonary Embolism (from the EKOS-PL Study). <i>American Journal of Cardiology</i> , 2021, 141, 133-139. | 1.6 | 9 |
| 7 | Obesity in patients with established coronary artery disease over a 20-year period (1997â€”2017). <i>Polish Archives of Internal Medicine</i> , 2021, 131, 26-32. | 0.4 | 6 |
| 8 | Increased Levels of Platelets and Endothelial-Derived Microparticles in Patients With Non-Valvular Atrial Fibrillation During Rivaroxaban Therapy. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2021, 27, 107602962110194. | 1.7 | 5 |
| 9 | Characteristics and outcomes of patients with chronic thromboembolic pulmonary hypertension in the era of modern therapeutic approaches: data from the Polish multicenter registry (BNP-PL). <i>Therapeutic Advances in Chronic Disease</i> , 2021, 12, 204062232110029. | 2.5 | 21 |
| 10 | Relationships between circulating galectin-3, extracellular matrix fibrosis and outcomes in dilated cardiomyopathy. <i>Advances in Clinical and Experimental Medicine</i> , 2021, 30, 245-253. | 1.4 | 6 |
| 11 | Chronotropic incompetence causes multiple organ complications in adults after the Fontan procedure. <i>Kardiologia Polska</i> , 2021, 79, 410-417. | 0.6 | 4 |
| 12 | Extended Precordial T Wave Inversions Are Associated with Right Ventricular Enlargement and Poor Prognosis in Pulmonary Hypertension. <i>Journal of Clinical Medicine</i> , 2021, 10, 2147. | 2.4 | 1 |
| 13 | Lack of Relationship between Fibrosis-Related Biomarkers and Cardiac Magnetic Resonance-Assessed Replacement and Interstitial Fibrosis in Dilated Cardiomyopathy. <i>Cells</i> , 2021, 10, 1295. | 4.1 | 4 |
| 14 | Over time changes in the prevention of recurrent coronary artery disease in everyday practice. <i>Polish Archives of Internal Medicine</i> , 2021, 131, 673-678. | 0.4 | 1 |
| 15 | First two years of reimbursed enzyme replacement therapy in the treatment of Fabry disease in Poland. <i>F1000Research</i> , 2021, 10, 841. | 1.6 | 1 |
| 16 | Heart Rate Variability and Its Associations with Organ Complications in Adults after Fontan Operation. <i>Journal of Clinical Medicine</i> , 2021, 10, 4492. | 2.4 | 8 |
| 17 | Prevalence of cardiac amyloidosis in patients with unexplained left ventricle hypertrophy. <i>European Heart Journal</i> , 2021, 42, . | 2.2 | 0 |
| 18 | The Diagnostic Value of 99mTc-HMPAO-Labelled White Blood Cell Scintigraphy and 18F-FDG PET/CT in Cardiac Device-Related Infective Endocarditisâ€”A Systematic Review. <i>Journal of Personalized Medicine</i> , 2021, 11, 1016. | 2.5 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Cardiology cathlab-based management of thrombotic carotid stenoses in acute ischaemic stroke: tools, techniques, local stroke unit collaboration, challenges and patient outcomes. European Heart Journal, 2021, 42, . | 2.2 | 0 |
| 20 | Clinical characteristics and medical therapy in randomized clinical trial eligible-and-enrolled vs. eligible-but-not enrolled patients with ischaemic heart failure. European Heart Journal, 2021, 42, . | 2.2 | 0 |
| 21 | Extracellular volume is an independent predictor of arrhythmic burden in dilated cardiomyopathy. Scientific Reports, 2021, 11, 24000. | 3.3 | 7 |
| 22 | Properties of Plasma Clots in Adult Patients Following Fontan Procedure: Relation to Clot Permeability and Lysis Time—Multicenter Study. Journal of Clinical Medicine, 2021, 10, 5976. | 2.4 | 3 |
| 23 | The role of 99mTc-HMPAO-labelled white blood cell scintigraphy in the diagnosis of cardiac device-related infective endocarditis. European Heart Journal Cardiovascular Imaging, 2020, 21, 1022-1030. | 1.2 | 17 |
| 24 | Fibrin Clot Properties and Thrombin Generation in Hypertrophic Cardiomyopathy. Thrombosis and Haemostasis, 2020, 120, 181-183. | 3.4 | 3 |
| 25 | Pregnancy in a Patient With Chronic Thromboembolic Pulmonary Hypertension After Successful Treatment with Balloon Pulmonary Angioplasty. Canadian Journal of Cardiology, 2020, 36, 589.e13-589.e16. | 1.7 | 2 |
| 26 | P967 Profile of arrhythmia in pregnant women with different WHO class is similar. European Heart Journal Cardiovascular Imaging, 2020, 21, . | 1.2 | 0 |
| 27 | P1818 Baseline clinical, echocardiographic and laboratory characteristics of HFrEF patients who were started with sacubitril+ valsartan in different clinical status: long-term stabile vs after acute heart f. European Heart Journal Cardiovascular Imaging, 2020, 21, . | 1.2 | 0 |
| 28 | Mortality risk in dilated cardiomyopathy: the accuracy of heart failure prognostic models and dilated cardiomyopathy—tailored prognostic model. ESC Heart Failure, 2020, 7, 2455-2467. | 3.1 | 17 |
| 29 | Myocardial proteomic profile in pulmonary arterial hypertension. Scientific Reports, 2020, 10, 14351. | 3.3 | 12 |
| 30 | Flow Cytometric Assessment of Endothelial and Platelet Microparticles in Patients With Atrial Fibrillation Treated With Dabigatran. Clinical and Applied Thrombosis/Hemostasis, 2020, 26, 107602962097246. | 1.7 | 6 |
| 31 | Virtual Histology to Evaluate Mechanisms of Pulmonary Artery Lumen Enlargement in Response to Balloon Pulmonary Angioplasty in Chronic Thromboembolic Pulmonary Hypertension. Journal of Clinical Medicine, 2020, 9, 1655. | 2.4 | 8 |
| 32 | Relationships between Pulmonary Hypertension Risk, Clinical Profiles, and Outcomes in Dilated Cardiomyopathy. Journal of Clinical Medicine, 2020, 9, 1660. | 2.4 | 7 |
| 33 | Changes in heart morphometric parameters over the course of a monocrotaline-induced pulmonary arterial hypertension rat model. Journal of Translational Medicine, 2020, 18, 262. | 4.4 | 9 |
| 34 | Psychological correlates of patients' identity suffering from atrial septal defect (ASD) and patent foramen ovale (PFO). Journal of Thoracic Disease, 2020, 12, 1999-2018. | 1.4 | 1 |
| 35 | Characterization of Patients with Pulmonary Arterial Hypertension: Data from the Polish Registry of Pulmonary Hypertension (BNP-PL). Journal of Clinical Medicine, 2020, 9, 173. | 2.4 | 38 |
| 36 | The Prognostic Value of 99mTc-HMPAO-Labeled Leucocyte SPECT/CT in Cardiac Device-Related Infective Endocarditis. JACC: Cardiovascular Imaging, 2020, 13, 1739-1751. | 5.3 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Relations between circulating and myocardial fibrosis-linked microRNAs with left ventricular reverse remodeling in dilated cardiomyopathy. <i>Advances in Clinical and Experimental Medicine</i> , 2020, 29, 285-293. | 1.4 | 10 |
| 38 | The coronavirus disease 2019 pandemic prevents patients with pulmonary hypertension from seeking medical help. <i>Kardiologia Polska</i> , 2020, 78, 916-918. | 0.6 | 5 |
| 39 | MicroNET-covered stents for embolic prevention in patients undergoing carotid revascularisation: twelve-month outcomes from the PARADIGM study. <i>EuroIntervention</i> , 2020, 16, e950-e952. | 3.2 | 14 |
| 40 | Kinetics of selected serum markers of fibrosis in patients with dilated cardiomyopathy and different grades of diastolic dysfunction of the left ventricle. <i>Cardiology Journal</i> , 2020, 27, 726-734. | 1.2 | 4 |
| 41 | First experience with sodium-glucose co-transporter 2 inhibitors in Polish patients with cardiovascular diseases. <i>Cardiology Journal</i> , 2020, 27, 639-641. | 1.2 | 0 |
| 42 | Time from symptom onset to final diagnosis of pulmonary arterial hypertension in Polish patients. <i>Kardiologia Polska</i> , 2020, 78, 750-752. | 0.6 | 3 |
| 43 | Temporal changes in the secondary prevention of coronary artery disease in patients following myocardial revascularization. <i>Postępy W Kardiologii Interwencyjnej</i> , 2020, 16, 422-428. | 0.2 | 1 |
| 44 | Angiographic SYNTAX score reduction in de novo left main coronary stenosis patients over the last decade: implications for revascularization approach. <i>European Heart Journal</i> , 2020, 41, . | 2.2 | 0 |
| 45 | Long-term outcomes of the micronet-covered stent system routine use for carotid revascularization in stroke prevention: PARADIGM-Extend 5 year evidence. <i>European Heart Journal</i> , 2020, 41, . | 2.2 | 0 |
| 46 | Cardiology cathlab-based management of thrombotic carotid stenoses in acute ischaemic stroke en route to full interventional stroke service: tools, techniques, challenges and patient outcomes. <i>European Heart Journal</i> , 2020, 41, . | 2.2 | 0 |
| 47 | Evolution of left ventricular function after Wharton's jelly mesenchymal stem cells transcatheter administration: 5-year follow up in a pilot cohort of CIRCULATE-AMI Randomized Trial. <i>European Heart Journal</i> , 2020, 41, . | 2.2 | 0 |
| 48 | PERSONALITY TRAITS OF PATIENTS SUFFERING FROM PFO AND ASD AND INFLUENCE OF COVID-19 PANDEMIC TIME FOR PATIENTS SUFFERING FROM CONGENITAL HEART DEFECTS. <i>Wiadomości Lekarskie</i> , 2020, 73, 1926-1933. | 0.3 | 0 |
| 49 | 3048PARADIGM-Extend prospective academic trial: Accumulating long-term evidence for MicroNet-covered stent safety and stroke prevention efficacy. <i>European Heart Journal</i> , 2019, 40, . | 2.2 | 0 |
| 50 | New clinical classification of rare cardiovascular diseases and disorders: relevance for cardiovascular research. <i>Cardiovascular Research</i> , 2019, 115, e77-e79. | 3.8 | 4 |
| 51 | 28Assessment of cardiac transthyretin amyloidosis with 99mTc-DPD scintigraphy and echocardiography. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, . | 1.2 | 0 |
| 52 | Triglyceride-to-High-Density Lipoprotein Cholesterol Ratio and Systemic Inflammation in Patients with Idiopathic Pulmonary Arterial Hypertension. <i>Medical Science Monitor</i> , 2019, 25, 746-753. | 1.1 | 18 |
| 53 | Highly calcific carotid lesions endovascular management in symptomatic and increased stroke risk asymptomatic patients using the CGuard, a dual-layer carotid stent system: Analysis from the PARADIGM study. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 94, 149-156. | 1.7 | 16 |
| 54 | Pulmonary Artery Elastic Properties After Balloon Pulmonary Angioplasty in Patients With Inoperable Chronic Thromboembolic Pulmonary Hypertension. <i>Canadian Journal of Cardiology</i> , 2019, 35, 422-429. | 1.7 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | P1471Multimodality imaging of left ventricular function and volumes in patients with acute and chronic myocardial injury - Novel insights. <i>European Heart Journal</i> , 2019, 40, . | 2.2 | 0 |
| 56 | Long-term observation of adults after successful repair of aortic coarctation. <i>Postepy W Kardiologii Interwencyjnej</i> , 2019, 15, 455-464. | 0.2 | 3 |
| 57 | Influence ofÂstatin therapy on antiphospholipid antibodies and endothelial dysfunction in young patients with coronary artery disease and systemic lupus erythematosus. <i>Archives of Medical Science</i> , 2019, 18, 18-24. | 0.9 | 3 |
| 58 | 99mTc-HMPAO-labeled leukocyte SPECT/CT and transthoracic echocardiography diagnostic value in infective endocarditis. <i>International Journal of Cardiovascular Imaging</i> , 2019, 35, 749-758. | 1.5 | 32 |
| 59 | Prognostic role of traditional cardiovascular risk factors in patients with idiopathic pulmonary arterial hypertension. <i>Archives of Medical Science</i> , 2019, 15, 1397-1406. | 0.9 | 14 |
| 60 | Arterial stiffness in adult patients after coarctation of aorta repair and with bicuspid aortic valve. <i>Acta Cardiologica</i> , 2019, 74, 517-524. | 0.9 | 6 |
| 61 | Transcatheter closure of atrial septal communication: Impact on quality of life in mid-term follow-up. <i>Advances in Clinical and Experimental Medicine</i> , 2019, 28, 1079-1085. | 1.4 | 3 |
| 62 | Effect of short-term fluctuations in outdoor air pollution on the number of hospital admissions due to acute myocardial infarction among inhabitants of Krakow, Poland. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 88-96. | 0.4 | 16 |
| 63 | Database of Pulmonary Hypertension in the Polish Population (BNPâ€PL): design of the registry. <i>Kardiologia Polska</i> , 2019, 77, 972-974. | 0.6 | 18 |
| 64 | Assessment of Left Atrial Function in Patients with Paroxysmal, Persistent, and Permanent Atrial Fibrillation Using Two-Dimensional Strain.. <i>Journal of Atrial Fibrillation</i> , 2019, 12, 2148. | 0.5 | 8 |
| 65 | Diastolic dyssynchrony and its exercise-induced changes affect exercise capacity in patients with heart failure with reduced ejection fraction. <i>Cardiology Journal</i> , 2019, , . | 1.2 | 0 |
| 66 | Noninvasive assessment of liver status in adult Fontan patients. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 181-188. | 0.4 | 8 |
| 67 | Clinical classification of rare cardiac arrhythmogenic and conduction disorders, and rare arrhythmias. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 154-159. | 0.4 | 4 |
| 68 | Relationships between left ventricular geometry and remodeling in dilated cardiomyopathy. <i>Minerva Cardioangiologica</i> , 2019, 67, 261-271. | 1.2 | 0 |
| 69 | Twelve-month kinetics of circulating fibrosis-linked microRNAs (miR-21, miR-29, miR-30, and miR-133a) and the relationship with extracellular matrix fibrosis in dilated cardiomyopathy. <i>Archives of Medical Science</i> , 2019, 18, 480-488. | 0.9 | 1 |
| 70 | Personality traits of patients suffering from congenital heart defects. <i>WiadomoÅci Lekarskie</i> , 2019, 72, 2135-2144. | 0.3 | 1 |
| 71 | Influence of autoimmunity and inflammation on endothelial function and thrombosis in systemic lupus erythematosus patients. <i>Clinical Rheumatology</i> , 2018, 37, 2087-2093. | 2.2 | 16 |
| 72 | Right atrium enlargement predicts clinically significant supraventricular arrhythmia in patients with pulmonary arterial hypertension. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2018, 47, 237-242. | 1.6 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | The relationship between myocardial fibrosis and myocardial microRNA in dilated cardiomyopathy: A link between miR-133a and cardiovascular events. Journal of Cellular and Molecular Medicine, 2018, 22, 2514-2517. | 3.6 | 20 |
| 74 | Indwelling central venous catheter occlusion during chronic epoprostenol infusion. Journal of Heart and Lung Transplantation, 2018, 37, 938-940. | 0.6 | 3 |
| 75 | Effect of ventricular function and volumes on exercise capacity in adults with repaired Tetralogy of Fallot. Indian Heart Journal, 2018, 70, 87-92. | 0.5 | 8 |
| 76 | Right Ventricular Epicardial Vascularisation in Patients With Pulmonary Arterial Hypertension. Heart Lung and Circulation, 2018, 27, 1428-1436. | 0.4 | 0 |
| 77 | Prognostic value of fibrosis-related markers in dilated cardiomyopathy: A link between osteopontin and cardiovascular events. Advances in Medical Sciences, 2018, 63, 160-166. | 2.1 | 15 |
| 78 | Ischemic Versus Non-Ischemic (Neurogenic) Myocardial Contractility Impairment in Acute Coronary Syndromes: Prevalence and Impact on Left Ventricular Systolic Function Recovery. Medical Science Monitor, 2018, 24, 3693-3701. | 1.1 | 11 |
| 79 | Long-Term Effects of Percutaneous Fenestration Following the Fontan Procedure in Adult Patients with Congenital Univentricular Heart. Medical Science Monitor, 2018, 24, 3506-3513. | 1.1 | 7 |
| 80 | P3671 Myocardial regeneration strategy using Wharton's jelly multipotent stem cells as an "unlimited" therapeutic agent: 3-year outcomes in a pilot cohort of circulate-acute myocardial infarction trial. European Heart Journal, 2018, 39, . | 2.2 | 0 |
| 81 | P4696 Diagnostic profile of 99mTc-HMPAO-labeled leukocyte SPECT/CT in assessment of cardiac device-related infective endocarditis. European Heart Journal, 2018, 39, . | 2.2 | 0 |
| 82 | P741 Accumulating evidence for durability of MicroNet-Covered embolic prevention stent safety and stroke prevention efficacy in symptomatic and high-risk asymptomatic carotid stenosis: PARADIGM-Extend trial. European Heart Journal, 2018, 39, . | 2.2 | 0 |
| 83 | In silico thrombin and factor Xa generation profiles in adult patients after Fontan operation. Blood Coagulation and Fibrinolysis, 2018, 29, 236-240. | 1.0 | 4 |
| 84 | Long-term follow-up in adults after tetralogy of Fallot repair. Cardiovascular Ultrasound, 2018, 16, 28. | 1.6 | 16 |
| 85 | Temporal changes in the pattern of invasive angiography use and its outcome in suspected coronary artery disease: implications for patient management and healthcare resource utilization. Postępy W Kardiologii Interwencyjnej, 2018, 14, 247-257. | 0.2 | 3 |
| 86 | Practice setting and secondary prevention of coronary artery disease. Archives of Medical Science, 2018, 14, 979-987. | 0.9 | 27 |
| 87 | Intravenous N-acetylcysteine for the Prevention Of Contrast-induced nephropathy " a prospective, single-center, randomized, placebo-controlled trial. The INPROC trial. Postępy W Kardiologii Interwencyjnej, 2018, 14, 59-66. | 0.2 | 1 |
| 88 | ECG Markers of Hemodynamic Improvement in Patients with Pulmonary Hypertension. BioMed Research International, 2018, 2018, 1-10. | 1.9 | 13 |
| 89 | Quality of life in adults with repaired tetralogy of Fallot. Kardiologia i Torakochirurgia Polska, 2018, 15, 107-113. | 0.1 | 4 |
| 90 | Improvement of physical capacity in patients undergoing transcatheter closure of atrial septal defects. Postępy W Kardiologii Interwencyjnej, 2018, 14, 90-94. | 0.2 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Opioidergic conditioning of the human heart muscle in nitric oxide-dependent mechanism. <i>Advances in Clinical and Experimental Medicine</i> , 2018, 27, 1069-1073. | 1.4 | 1 |
| 92 | Ultrasound-assisted, catheter-directed, low-dose thrombolysis for the treatment of acute, intermediate-high risk pulmonary embolism. <i>Polish Archives of Internal Medicine</i> , 2018, 128, 394-395. | 0.4 | 3 |
| 93 | High-density lipoprotein cholesterol level and pulmonary artery vasoreactivity in patients with idiopathic pulmonary arterial hypertension. <i>Polish Archives of Internal Medicine</i> , 2018, 128, 440-446. | 0.4 | 5 |
| 94 | Epoprostenol therapy for pulmonary arterial hypertension – first Polish experience. <i>Polish Archives of Internal Medicine</i> , 2018, 129, 65-68. | 0.4 | 1 |
| 95 | What determines the quality of life of adult patients after Fontan procedure?. <i>Cardiology Journal</i> , 2018, 25, 72-80. | 1.2 | 10 |
| 96 | Use of adipose-derived stromal cells in the treatment of chronic ischaemic heart disease: safety and feasibility study. <i>Kardiologia Polska</i> , 2018, 76, 911-913. | 0.6 | 6 |
| 97 | Differences in knowledge among patients with atrial fibrillation receiving non-vitamin K antagonist oral anticoagulants and vitamin K antagonists. <i>Kardiologia Polska</i> , 2018, 76, 1089-1096. | 0.6 | 16 |
| 98 | Safety profile of end-stage heart failure patients implanted with left ventricular assist devices. Krakow two-year observational all-comers study on left ventricular assist device recipients. <i>Kardiologia Polska</i> , 2018, 76, 1369-1371. | 0.6 | 0 |
| 99 | Knowledge of cardiovascular disease (CVD) risk factors in population of Małopolska voivodeship in two independent cross-sectional studies. <i>Przegląd Epidemiologiczny</i> , 2018, 72, 75-85. | 0.2 | 1 |
| 100 | Pregnancy in women with complete transposition of the great arteries following the atrial switch procedure. A study from three of the largest Adult Congenital Heart Disease centers in Poland. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017, 30, 563-567. | 1.5 | 7 |
| 101 | Mechanism and prognostic role of qR in V1 in patients with pulmonary arterial hypertension. <i>Journal of Electrocardiology</i> , 2017, 50, 476-483. | 0.9 | 27 |
| 102 | Low-density lipoprotein cholesterol and survival in pulmonary arterial hypertension. <i>Scientific Reports</i> , 2017, 7, 41650. | 3.3 | 24 |
| 103 | 12-month patterns of serum markers of collagen synthesis, transforming growth factor and connective tissue growth factor are similar in new-onset and chronic dilated cardiomyopathy in patients both with and without cardiac fibrosis. <i>Cytokine</i> , 2017, 96, 217-227. | 3.2 | 9 |
| 104 | Left ventricular reverse remodeling is not related to biopsy-detected extracellular matrix fibrosis and serum markers of fibrosis in dilated cardiomyopathy, regardless of the definition used for LVRR. <i>Heart and Vessels</i> , 2017, 32, 714-725. | 1.2 | 6 |
| 105 | Macitentan for the treatment of inoperable chronic thromboembolic pulmonary hypertension (MERIT-1): results from the multicentre, phase 2, randomised, double-blind, placebo-controlled study. <i>Lancet Respiratory Medicine</i> , 2017, 5, 785-794. | 10.7 | 201 |
| 106 | Relations between circulating microRNAs (miR-21, miR-26, miR-29, miR-30 and miR-133a), extracellular matrix fibrosis and serum markers of fibrosis in dilated cardiomyopathy. <i>International Journal of Cardiology</i> , 2017, 231, 201-206. | 1.7 | 36 |
| 107 | Comparison of two European models estimating risk of sudden cardiac death in hypertrophic cardiomyopathy. <i>Acta Cardiologica</i> , 2017, 72, 446-452. | 0.9 | 0 |
| 108 | Noninvasive techniques for the diagnosis of anomalous origin of the left coronary artery from the pulmonary artery in adult patients. <i>Acta Cardiologica</i> , 2017, 72, 41-46. | 0.9 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | P436Durability of stroke prevention using a dual-layer stent system in carotid revascularization in symptomatic and increased-stroke-risk asymptomatic patients: 12-month evidence from the PARADIGM study. <i>European Heart Journal</i> , 2017, 38, . | 2.2 | 0 |
| 110 | Rare cardiovascular diseases. <i>European Heart Journal</i> , 2017, 38, 3190-3192. | 2.2 | 4 |
| 111 | P4027Safety and high-grade myocardial uptake of Whartons Jelly Pluripotent Stem Cells transcatheter transfer in acute myocardial infarction in man. <i>European Heart Journal</i> , 2017, 38, . | 2.2 | 3 |
| 112 | Clinical response to calcium channel blockers in a hemodynamically unstable patient with reactive idiopathic pulmonary arterial hypertension. <i>Archives of Medical Science</i> , 2017, 2, 504-506. | 0.9 | 3 |
| 113 | P720High-density lipoprotein cholesterol level as a predictor of long-term vasoreactivity in patients with idiopathic pulmonary arterial hypertension. <i>European Heart Journal</i> , 2017, 38, . | 2.2 | 0 |
| 114 | Atrioventricular Conduction Delay Predicts Impaired Exercise Capacity in Patients with Heart Failure with Reduced Ejection Fraction. <i>Medical Science Monitor</i> , 2017, 23, 3989-3995. | 1.1 | 2 |
| 115 | Electrocardiographic abnormalities in patients with pulmonary sarcoidosis (RCD code: III). <i>Journal of Rare Cardiovascular Diseases</i> , 2017, 3, . | 0.0 | 2 |
| 116 | Prolonged catheter balloon inflation for the treatment of hemoptysis complicating balloon pulmonary angioplasty. <i>Polish Archives of Internal Medicine</i> , 2017, 127, 129-130. | 0.4 | 3 |
| 117 | Angiotensin receptor neprilysin inhibitor treatment is safe and potentially efficacious in end-stage hypertrophic cardiomyopathy. <i>Polish Archives of Internal Medicine</i> , 2017, 127, 216-218. | 0.4 | 2 |
| 118 | “Opioidergic postconditioning” of heart muscle during ischemia/reperfusion injury. <i>Cardiology Journal</i> , 2017, 24, 419-426. | 1.2 | 7 |
| 119 | Polish Forum for Prevention Guidelines on Dyslipidaemia: update 2016. <i>Kardiologia Polska</i> , 2017, 75, 187-190. | 0.6 | 2 |
| 120 | Polish Forum for Prevention Guidelines on Hypertension: update 2017. <i>Kardiologia Polska</i> , 2017, 75, 282-285. | 0.6 | 9 |
| 121 | Polish Forum for Prevention Guidelines on Smoking: update 2017. <i>Kardiologia Polska</i> , 2017, 75, 409-411. | 0.6 | 7 |
| 122 | Polish Forum for Prevention Guidelines on Prophylactic Pharmacotherapy: update 2017. <i>Kardiologia Polska</i> , 2017, 75, 508-511. | 0.6 | 1 |
| 123 | Polish Forum for Prevention Guidelines on Diabetes: update 2017. <i>Kardiologia Polska</i> , 2017, 75, 628-631. | 0.6 | 1 |
| 124 | Effects of endogenous cardioprotective mechanisms on ischemia-reperfusion injury. <i>Postępy Higieny i Medycyny Doswiadczalnej</i> , 2017, 71, 20-31. | 0.1 | 14 |
| 125 | Exercise ECG unmasked Brugada sign: manifestation of the risk of sports-associated sudden cardiac arrest (RCD code: V-1A.1). <i>Journal of Rare Cardiovascular Diseases</i> , 2017, 3, . | 0.0 | 3 |
| 126 | Cardiac sarcoidosis “ management and prognosis (RCD code: III-3A.3). <i>Journal of Rare Cardiovascular Diseases</i> , 2017, 3, . | 0.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Hemangioma of the left ventricle (RCD code: VI-1B.4). Journal of Rare Cardiovascular Diseases, 2017, 3, 133. | 0.0 | 2 |
| 128 | Pulmonary artery pressure matters – how to efficiently improve survival in pulmonary arterial hypertension (RCD code: II-A.1). Journal of Rare Cardiovascular Diseases, 2017, 3, 110. | 0.0 | 1 |
| 129 | Polish Forum for Prevention Guidelines on Cardiovascular Risk Assessment: update 2016. Kardiologia Polska, 2017, 75, 84-86. | 0.6 | 2 |
| 130 | Transcatheter closure of perimembranous ventricular septal defect with muscular VSD occluder after infective endocarditis in a patient with previous primum atrial septal defect closure, prosthetic aortic and mitral valves replacement. (RCD code IV-2B.3). Journal of Rare Cardiovascular Diseases, 2017, 3, . | 0.0 | 0 |
| 131 | Brugada syndrome: current diagnostics, epidemiology, genetic data and novel mechanisms (RCD code: Tj ETQq1 1,0,784314 rgBT /Ove | 0.0 | 1 |
| 132 | Knowledge of cardiovascular disease risk factors and the risk of death in middle-aged residents of Krakow. Kardiologia Polska, 2017, 75, 386-394. | 0.6 | 1 |
| 133 | Assessment of knowledge on cardiovascular disease risk factors by postal survey in residents of Małopolska Voivodeship. Małopolska Cardiovascular Preventive Intervention Study (M-CAPRI). Annals of Agricultural and Environmental Medicine, 2017, 24, 201-206. | 1.0 | 4 |
| 134 | Relationship between knowledge of cardiovascular disease risk factors and watching educational television materials. Małopolska Cardiovascular Preventive Intervention Study (M-CAPRI). Polish Archives of Internal Medicine, 2017, 127, 608-613. | 0.4 | 0 |
| 135 | Randomized study to compare two ECG e-learning methods among medical students. Polish Archives of Internal Medicine, 2017, 128, 98-104. | 0.4 | 5 |
| 136 | Knowledge of rare diseases among health care students – the effect of targeted education. Przegląd Epidemiologiczny, 2017, 71, 80-89. | 0.2 | 9 |
| 137 | Fibrosis of extracellular matrix is related to the duration of the disease but is unrelated to the dynamics of collagen metabolism in dilated cardiomyopathy. Inflammation Research, 2016, 65, 941-949. | 4.0 | 20 |
| 138 | Fibrin structure in organized thrombotic material removed during pulmonary artery endarterectomy: the effect of vessel calibre. Journal of Thrombosis and Thrombolysis, 2016, 42, 212-217. | 2.1 | 8 |
| 139 | Myocardial Ischaemia, Coronary Atherosclerosis and Pulmonary Pressure Elevation in Antiphospholipid Syndrome Patients. Advances in Clinical and Experimental Medicine, 2016, 25, 1199-1205. | 1.4 | 13 |
| 140 | Staged treatment of central and peripheral lesions in chronic thromboembolic pulmonary hypertension. Polish Archives of Internal Medicine, 2016, 126, 97-99. | 0.4 | 6 |
| 141 | Factors related to the effectiveness of hypercholesterolemia treatment following hospitalization for coronary artery disease. Polish Archives of Internal Medicine, 2016, 126, 388-394. | 0.4 | 6 |
| 142 | Novel PARADIGM in carotid revascularisation: Prospective evaluation of All-comer perCutaneous cAroTiD revascularisation in symptomatic and Increased-risk asymptomatic carotid artery stenosis using CGuard, MicroNet-covered embolic prevention stent system. EuroIntervention, 2016, 12, e658-e670. | 3.2 | 73 |
| 143 | The paramount importance of repeated left ventricular endomyocardial biopsy during the diagnosis of restrictive cardiomyopathy due to AL cardiac amyloidosis. Kardiologia Polska, 2016, 74, 796-796. | 0.6 | 5 |
| 144 | Cardiac Rehabilitation in Real Life. Medicine (United States), 2015, 94, e1257. | 1.0 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Competency in ECG Interpretation Among Medical Students. Medical Science Monitor, 2015, 21, 3386-3394. | 1.1 | 31 |
| 146 | Myocardial regeneration strategy using Wharton's jelly mesenchymal stem cells as an off-the-shelf "unlimited" therapeutic agent: results from the Acute Myocardial Infarction First-in-Man Study. Postepy W Kardiologii Interwencyjnej, 2015, 2, 100-107. | 0.2 | 46 |
| 147 | In vivo characterization of changes in composition of organized thrombus in patient with chronic thromboembolic pulmonary hypertension treated with balloon pulmonary angioplasty. International Journal of Cardiology, 2015, 186, 279-281. | 1.7 | 13 |
| 148 | Aspirin resistance in adult patients after Fontan surgery. International Journal of Cardiology, 2015, 181, 19-26. | 1.7 | 21 |
| 149 | Secondary prevention of coronary artery disease in contemporary clinical practice. Cardiology Journal, 2015, 22, 219-226. | 1.2 | 17 |
| 150 | Rare cardiovascular diseases: from European legislations to classification and clinical practice. Kardiologia Polska, 2015, 73, 135-141. | 0.6 | 2 |
| 151 | Clinical significance of measuring inflammatory markers in patients with pulmonary arterial hypertension. , 2015, 125, 215-6. | | 2 |
| 152 | Effectiveness of single medical advice on emergency phone number knowledge in urban adult population-"Health, Alcohol and Psychosocial Factors in Eastern Europe" substudy. Przegląd Epidemiologiczny, 2015, 69, 543-8, 649-52. | 0.2 | 0 |
| 153 | The benefit of atrial septal defect closure in elderly patients*. Clinical Interventions in Aging, 2014, 9, 1101. | 2.9 | 36 |
| 154 | New methods in diagnosis and therapy Transradial approach for carotid artery stenting in a patient with severe peripheral arterial disease. Postepy W Kardiologii Interwencyjnej, 2014, 1, 47-49. | 0.2 | 2 |
| 155 | Is it worth closing the atrial septal defect in patients with insignificant shunt?. Postepy W Kardiologii Interwencyjnej, 2014, 2, 78-83. | 0.2 | 5 |
| 156 | P60Different profile of serum miRNA in patients with patent vs. occluded target vessel in acute coronary syndrome. Cardiovascular Research, 2014, 103, S9.5-S9. | 3.8 | 0 |
| 157 | Double Filters: A Protection Technique for High-Risk Innominate Artery Angioplasty. Journal of Endovascular Therapy, 2014, 21, 177-179. | 1.5 | 4 |
| 158 | Left Ventricular Mass is Preserved in Patients with Idiopathic Pulmonary Arterial Hypertension and Eisenmenger's Syndrome. Heart Lung and Circulation, 2014, 23, 454-461. | 0.4 | 9 |
| 159 | Abnormalities in blood coagulation, fibrinolysis, and platelet activation in adult patients after the Fontan procedure. Journal of Thoracic and Cardiovascular Surgery, 2014, 147, 1284-1290. | 0.8 | 80 |
| 160 | Elevated level of plasma endothelin-1 in patients with atrial septal defect. Cardiovascular Ultrasound, 2014, 12, 31. | 1.6 | 2 |
| 161 | Arterial stiffness in adult patients after Fontan procedure. Cardiovascular Ultrasound, 2014, 12, 15. | 1.6 | 23 |
| 162 | Transcranial doppler ultrasonography should it be the first choice for persistent foramen ovale screening?. Cardiovascular Ultrasound, 2014, 12, 16. | 1.6 | 50 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Iron deficiency and hematological changes in adult patients after Fontan operation. Journal of Cardiology, 2014, 64, 384-389. | 1.9 | 27 |
| 164 | Conduction Abnormality and Arrhythmia After Transcatheter Closure of Atrial Septal Defect. Circulation Journal, 2014, 78, 2415-2421. | 1.6 | 20 |
| 165 | Single ventricle function and exercise tolerance in adult patients after Fontan operation. Acta Cardiologica, 2014, 69, 155-160. | 0.9 | 17 |
| 166 | The prevalence of abnormal echocardiographic findings in a sample of urban adult population. Kardiologia Polska, 2014, 72, 42-49. | 0.6 | 4 |
| 167 | Secondary prevention in patients after hospitalisation due to coronary artery disease: what has changed since 2006?. Kardiologia Polska, 2014, 72, 355-362. | 0.6 | 9 |
| 168 | Assessment of left ventricle function in aortic stenosis: mitral annular plane systolic excursion is not inferior to speckle tracking echocardiography derived global longitudinal peak strain. Cardiovascular Ultrasound, 2013, 11, 45. | 1.6 | 17 |
| 169 | Pulmonary Artery Pulse Wave Velocity in Idiopathic Pulmonary Arterial Hypertension. Canadian Journal of Cardiology, 2013, 29, 683-690. | 1.7 | 34 |
| 170 | Infarct Size Determines Myocardial Uptake of CD34 ⁺ Cells in the Peri-Infarct Zone. Circulation: Cardiovascular Imaging, 2013, 6, 320-328. | 2.6 | 35 |
| 171 | Carotid artery stenting according to the "tailored CAS" algorithm performed in the very elderly patients: The thirty day outcome. Catheterization and Cardiovascular Interventions, 2013, 82, 681-688. | 1.7 | 11 |
| 172 | Antiphospholipid antibodies and coronary atherosclerosis: the antiphospholipid syndrome patients. European Heart Journal, 2013, 34, P5503-P5503. | 2.2 | 2 |
| 173 | Multimarker Approach in Discriminating Patients with Symptomatic and Asymptomatic | | |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Control of local haemostasis with the AngioSeal® vascular closure device in peripheral endovascular interventions via 6-9 F femoral artery access. <i>Postępy W Kardiologii Interwencyjnej</i> , 2012, 1, 1-7. | 0.2 | 2 |
| 182 | Temporary vertebral flow reversal by Mono Mo.Ma: a new proximal protection system in the treatment of recent vertebral artery occlusion. <i>Postępy W Kardiologii Interwencyjnej</i> , 2012, 1, 66-69. | 0.2 | 0 |
| 183 | Relationship between mitral leaflets angles, left ventricular geometry and mitral deformation indices in patients with ischemic mitral regurgitation: imaging by echocardiography and cardiac magnetic resonance. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 59-67. | 1.5 | 14 |
| 184 | Reactivity of pulmonary circulation and right ventricle function to inhaled nitric oxide in systemic sclerosis patients. <i>Clinical Rheumatology</i> , 2012, 31, 99-104. | 2.2 | 3 |
| 185 | Safety of embolic protection device-assisted and unprotected intravascular ultrasound in evaluating carotid artery atherosclerotic lesions. <i>Medical Science Monitor</i> , 2012, 18, MT7-MT18. | 1.1 | 25 |
| 186 | Assessment of left ventricle function in patients with symptomatic and asymptomatic aortic stenosis by 2-dimensional speckle-tracking imaging. <i>Medical Science Monitor</i> , 2012, 18, MT91-MT96. | 1.1 | 10 |
| 187 | Progressive bradycardia with increasing doses of dobutamine leading to stress echo interruption. <i>Cardiology Journal</i> , 2012, 19, 79-80. | 1.2 | 5 |
| 188 | Carotid artery stenting according to the tailored-CAS algorithm is associated with a low complication rate at 30 days: data from the TARGET-CAS study. <i>Kardiologia Polska</i> , 2012, 70, 378-86. | 0.6 | 24 |
| 189 | Influence of atorvastatin on coronary calcifications and myocardial perfusion defects in systemic lupus erythematosus patients: a prospective, randomized, double-masked, placebo-controlled study. <i>Arthritis Research and Therapy</i> , 2011, 13, R117. | 3.5 | 54 |
| 190 | Effect of renal artery revascularization on left ventricular hypertrophy, diastolic function, blood pressure, and the one-year outcome. <i>Journal of Vascular Surgery</i> , 2011, 53, 692-697. | 1.1 | 22 |
| 191 | Carotid intima-media thickness, hs-CRP and TNF- α are independently associated with cardiovascular event risk in patients with atherosclerotic occlusive disease. <i>Atherosclerosis</i> , 2011, 214, 185-190. | 0.8 | 60 |
| 192 | Treatment strategies in severe symptomatic carotid and coronary artery disease. <i>Medical Science Monitor</i> , 2011, 17, RA191-RA197. | 1.1 | 20 |
| 193 | The use of a new generation self-expanding stent, Vascuflex SEC, for carotid artery stenting. <i>Postępy W Kardiologii Interwencyjnej</i> , 2011, 2, 105-110. | 0.2 | 0 |
| 194 | Development, Implementation, and Multicenter Clinical Validation of the TeleDICOM® Advanced, Interactive Teleconsultation System. <i>Journal of Digital Imaging</i> , 2011, 24, 541-551. | 2.9 | 20 |
| 195 | Influence of chronic inflammation and autoimmunity on coronary calcifications and myocardial perfusion defects in systemic lupus erythematosus patients. <i>Inflammation Research</i> , 2011, 60, 973-980. | 4.0 | 26 |
| 196 | Prognostic significance and correlations of neurohumoral factors in early and late postoperative period after Fontan procedure. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2011, 13, 40-45. | 1.1 | 9 |
| 197 | Interventricular septum haematoma with right ventricle obstruction caused by percutaneous coronary intervention: case report. <i>European Heart Journal Cardiovascular Imaging</i> , 2011, 12, 554-554. | 1.2 | 1 |
| 198 | Knowledge of a patient-dependant phase of acute myocardial infarction in Polish adults: the role of physician's advice. <i>European Journal of Public Health</i> , 2011, 21, 603-608. | 0.3 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Association of heart structure and function abnormalities with laboratory findings in patients with systemic lupus erythematosus. <i>Lupus</i> , 2011, 20, 936-944. | 1.6 | 19 |
| 200 | How should I treat a very large thrombus burden in the infarct-related artery in a young patient with an unexplained lower GI tract bleeding?. <i>EuroIntervention</i> , 2011, 7, 754-763. | 3.2 | 3 |
| 201 | The prognostic role of exercise echocardiography in heart failure. <i>Kardiologia Polska</i> , 2011, 69, 656-63. | 0.6 | 5 |
| 202 | Myocardial Viability Detected by Myocardial Contrast Echocardiographyâ€”Prognostic Value in Patients after Myocardial Infarction. <i>Echocardiography</i> , 2010, 27, 430-434. | 0.9 | 7 |
| 203 | Polish Forum for Prevention: a response to the European Society of Cardiology â€”call for actionâ€™™ in Poland. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 250-250. | 2.8 | 0 |
| 204 | Predictors of Cerebral Reperfusion Injury After Carotid Stenting: The Role of Transcranial Color-Coded Doppler Ultrasonography. <i>Journal of Endovascular Therapy</i> , 2010, 17, 556-563. | 1.5 | 24 |
| 205 | The dynamic assessment of rightâ€”ventricular function and its relation to exercise capacity in heart failure. <i>European Journal of Heart Failure</i> , 2010, 12, 260-267. | 7.1 | 17 |
| 206 | Altered Fibrin Clot Structure/Function in Patients With Cryptogenic Ischemic Stroke. <i>Stroke</i> , 2009, 40, 1499-1501. | 2.0 | 113 |
| 207 | Factor XIII Val34Leu polymorphism and ischaemic stroke in patients with patent foramen ovale. <i>Thrombosis and Haemostasis</i> , 2009, 102, 1280-1282. | 3.4 | 8 |
| 208 | Usefulness of the Evaluation of Isovolumic and Ejection Phase Myocardial Signals during Stress Echocardiography in Predicting Exercise Capacity in Heart Failure Patients. <i>Echocardiography</i> , 2009, 26, 1050-1059. | 0.9 | 6 |
| 209 | Variability of Left Ventricular Outflow Tract Gradient in Hypertrophic Cardiomyopathy. <i>Clinical Cardiology</i> , 2009, 32, 598-599. | 1.8 | 6 |
| 210 | Atherosclerosis progression affects the relationship between endothelial function and aortic stiffness. <i>Atherosclerosis</i> , 2009, 204, 250-254. | 0.8 | 23 |
| 211 | Tissue factor +5466A>G polymorphism predicts plasma TF levels in subjects with cryptogenic ischaemic stroke. <i>Thrombosis and Haemostasis</i> , 2009, 102, 173-175. | 3.4 | 5 |
| 212 | Fresh-wet storage accelerates aortic homograft calcification. <i>Cell and Tissue Banking</i> , 2008, 9, 37-40. | 1.1 | 3 |
| 213 | Usefulness of the Evaluation of Left Ventricular Diastolic Function Changes During Stress Echocardiography in Predicting Exercise Capacity in Patients with Ischemic Heart Failure. <i>Journal of the American Society of Echocardiography</i> , 2008, 21, 834-840. | 2.8 | 49 |
| 214 | Central Pulse Pressure: Is It Really an Independent Predictor of Cardiovascular Risk?. <i>Hypertension</i> , 2008, 52, e4; author reply e5. | 2.7 | 6 |
| 215 | Polish forum for prevention guidelines on smoking. <i>Kardiologia Polska</i> , 2008, 66, 125-6. | 0.6 | 3 |
| 216 | Polish Forum for Prevention Guidelines on overweight and obesity. <i>Kardiologia Polska</i> , 2008, 66, 594-6. | 0.6 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Polish Forum for Prevention Guidelines on Diabetes. <i>Kardiologia Polska</i> , 2008, 66, 1020-3. | 0.6 | 4 |
| 218 | Polish forum for prevention guidelines on dyslipidaemia. <i>Kardiologia Polska</i> , 2008, 66, 1239-42. | 0.6 | 3 |
| 219 | Aortic Pulse Wave Velocity and Carotid-Femoral Pulse Wave Velocity: Similarities and Discrepancies. <i>Hypertension Research</i> , 2007, 30, 1151-1158. | 2.7 | 30 |
| 220 | Late hyperenhancement in gadolinium-enhanced magnetic resonance imaging: comparison of hypertrophic cardiomyopathy patients with and without nonsustained ventricular tachycardia. <i>International Journal of Cardiovascular Imaging</i> , 2007, 24, 77-83. | 1.5 | 30 |
| 221 | Polish Forum for Prevention Guidelines on Arterial Hypertension. <i>Kardiologia Polska</i> , 2007, 65, 1137-41. | 0.6 | 3 |
| 222 | Polish Forum for Prevention Guidelines on the so-called new cardiovascular risk factors and markers, which have a potentially significant role in the strategy for the prevention of cardiovascular diseases. <i>Kardiologia Polska</i> , 2007, 65, 1396-8. | 0.6 | 2 |
| 223 | Determination of the elemental composition of aortic valve cusps by EDXRF. <i>X-Ray Spectrometry</i> , 2004, 33, 50-54. | 1.4 | 4 |
| 224 | Transcatheter closure of atrial septal defect using the Amplatzer septal occluder. <i>Acta Cardiologica</i> , 2004, 59, 228-9. | 0.9 | 1 |
| 225 | Vena contracta width as a simple method of assessing mitral valve regurgitation. Comparison with Doppler quantitative methods. <i>Journal of Heart Valve Disease</i> , 2004, 13, 608-14. | 0.5 | 17 |
| 226 | Comparison between (99m)Tc-MIBI myocardial perfusion SPECT and multi-slice computed tomography for identifying and assessing coronary artery disease. <i>Hellenic Journal of Nuclear Medicine</i> , 2004, 7, 48-51. | 0.3 | 1 |
| 227 | Prognostic value of nitrate enhanced Tc99m MIBI SPECT study in detecting viable myocardium in patients with coronary artery disease. <i>International Journal of Cardiovascular Imaging</i> , 2003, 19, 129-135. | 0.6 | 10 |
| 228 | Mineralization and organic phase modifications as contributory factors of accelerated degeneration in homograft aortic valves. <i>Journal of Heart Valve Disease</i> , 2003, 12, 741-51. | 0.5 | 10 |
| 229 | Quantitative assessment of mitral regurgitation: comparison of echocardiographic and angiographic methods. <i>Acta Cardiologica</i> , 2002, 57, 55-6. | 0.9 | 1 |
| 230 | Lung function and exercise tolerance in patients with heart failure. <i>Acta Cardiologica</i> , 2002, 57, 80-1. | 0.9 | 3 |
| 231 | Heart structure and function in systemic sclerosis. <i>European Journal of Dermatology</i> , 2002, 12, 257-62. | 0.6 | 31 |