

Batya Elul

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/526980/batya-elul-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

40
papers

652
citations

14
h-index

24
g-index

40
ext. papers

778
ext. citations

3.6
avg, IF

3.63
L-index

| # | Paper | IF | Citations |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 40 | "Who am I going to stay with? Who will accept me?": family-level domains influencing HIV care engagement among disengaged adolescents in Kenya.. <i>Journal of the International AIDS Society</i> , 2022 , 25, e25890 | 5.4 | |
| 39 | Point-of-care viral load testing among adolescents and young adults living with HIV in Haiti: a randomized control trial. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 1-12 | 2.2 | |
| 38 | Prevalence and psychosocial factors associated with self-injurious thoughts among people living with HIV presenting for HIV testing in Mozambique. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 1-5 | 2.2 | |
| 37 | "I just keep quiet about it and act as if everything is alright" - The cascade from trauma to disengagement among adolescents living with HIV in western Kenya. <i>Journal of the International AIDS Society</i> , 2021 , 24, e25695 | 5.4 | 7 |
| 36 | Tracing-corrected estimates of disengagement from HIV care and mortality among patients enrolling in HIV care without overt immunosuppression in Tanzania. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 33, 47-53 | 2.2 | 3 |
| 35 | Social, economic, and health effects of the COVID-19 pandemic on adolescents retained in or recently disengaged from HIV care in Kenya. <i>PLoS ONE</i> , 2021 , 16, e0257210 | 3.7 | 5 |
| 34 | Household Decision-Making and HIV Care Continuum Outcomes Among Women Living with HIV in Mozambique. <i>AIDS Patient Care and STDs</i> , 2020 , 34, 173-183 | 5.8 | |
| 33 | Interventions to Improve Antiretroviral Therapy Adherence Among Adolescents and Youth in Low- and Middle-Income Countries: A Systematic Review 2015-2019. <i>AIDS and Behavior</i> , 2020 , 24, 2797-2810 | 4.3 | 14 |
| 32 | Patterns and Predictors of HIV Status Disclosure in the 12 Months After Diagnosis in Mozambique. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020 , 84, 242-252 | 3.1 | 3 |
| 31 | Point-of-care viral load testing among adolescents and youth living with HIV in Haiti: a protocol for a randomised trial to evaluate implementation and effect. <i>BMJ Open</i> , 2020 , 10, e036147 | 3 | 2 |
| 30 | Gender, HIV-Related Stigma, and Health-Related Quality of Life Among Adults Enrolling in HIV Care in Tanzania. <i>AIDS and Behavior</i> , 2020 , 24, 142-150 | 4.3 | 9 |
| 29 | Psychosocial Factors Associated with Food Insufficiency Among People Living with HIV/AIDS (PLWH) Initiating ART in Ethiopia. <i>AIDS and Behavior</i> , 2019 , 23, 3052-3057 | 4.3 | 2 |
| 28 | Gender Differences and Psychosocial Factors Associated with Problem Drinking Among Adults Enrolling in HIV Care in Tanzania. <i>AIDS and Behavior</i> , 2019 , 23, 1612-1622 | 4.3 | 3 |
| 27 | Youth-friendly services and differentiated models of care are needed to improve outcomes for young people living with HIV. <i>Current Opinion in HIV and AIDS</i> , 2018 , 13, 249-256 | 4.2 | 13 |
| 26 | HIV-Related Stigma, Social Support, and Psychological Distress Among Individuals Initiating ART in Ethiopia. <i>AIDS and Behavior</i> , 2018 , 22, 3815-3825 | 4.3 | 21 |
| 25 | Psychological distress, health and treatment-related factors among individuals initiating ART in Oromia, Ethiopia. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018 , 30, 338-342 | 2.2 | 7 |
| 24 | Increased prevalence of pregnancy and comparative risk of program attrition among individuals starting HIV treatment in East Africa. <i>PLoS ONE</i> , 2018 , 13, e0190828 | 3.7 | 5 |

| | | | |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|
| 23 | Household decision-making power and the mental health and well-being of women initiating antiretroviral treatment in Oromia, Ethiopia. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018 , 30, 211-218 | 2.2 | 4 |
| 22 | Adolescent pregnancy at antiretroviral therapy (ART) initiation: a critical barrier to retention on ART. <i>Journal of the International AIDS Society</i> , 2018 , 21, e25178 | 5.4 | 13 |
| 21 | Disclosure History Among Persons Initiating Antiretroviral Treatment at Six HIV Clinics in Oromia, Ethiopia, 2012-2013. <i>AIDS and Behavior</i> , 2017 , 21, 70-81 | 4.3 | 14 |
| 20 | Informing efforts to reach UNAIDS90-90-90 targets: a comparison of characteristics of people diagnosed with HIV in health facilities to the general population of people living with HIV in Mozambique. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017 , 29, 1062-1066 | 2.2 | 2 |
| 19 | Advanced Human Immunodeficiency Virus Disease at Diagnosis in Mozambique and Swaziland. <i>Open Forum Infectious Diseases</i> , 2017 , 4, ofx156 | 1 | 10 |
| 18 | Feasibility and Acceptability of Health Communication Interventions Within a Combination Intervention Strategy for Improving Linkage and Retention in HIV Care in Mozambique. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 74 Suppl 1, S29-S36 | 3.1 | 14 |
| 17 | "Testing, Testing": Multiple HIV-Positive Tests among Patients Initiating Antiretroviral Therapy in Ethiopia. <i>Journal of the International Association of Providers of AIDS Care</i> , 2017 , 16, 546-554 | 1.7 | 12 |
| 16 | A combination intervention strategy to improve linkage to and retention in HIV care following diagnosis in Mozambique: A cluster-randomized study. <i>PLoS Medicine</i> , 2017 , 14, e1002433 | 11.6 | 34 |
| 15 | HIV Care and Treatment Beliefs among Patients Initiating Antiretroviral Treatment (ART) in Oromia, Ethiopia. <i>AIDS and Behavior</i> , 2016 , 20, 998-1008 | 4.3 | 9 |
| 14 | Identifying Perceived Barriers along the HIV Care Continuum: Findings from Providers, Peer Educators, and Observations of Provider-Patient Interactions in Ethiopia. <i>Journal of the International Association of Providers of AIDS Care</i> , 2016 , 15, 291-300 | 1.7 | 19 |
| 13 | Factors associated with initiation of antiretroviral therapy in the advanced stages of HIV infection in six Ethiopian HIV clinics, 2012 to 2013. <i>Journal of the International AIDS Society</i> , 2016 , 19, 20637 | 5.4 | 37 |
| 12 | Untangling the Relationship Between Antiretroviral Therapy Use and Incident Pregnancy: A Marginal Structural Model Analysis Using Data From 47,313 HIV-Positive Women in East Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016 , 72, 324-32 | 3.1 | 10 |
| 11 | Gender Differences and Psychosocial Factors Associated with Quality of Life Among ART Initiators in Oromia, Ethiopia. <i>AIDS and Behavior</i> , 2016 , 20, 1682-91 | 4.3 | 10 |
| 10 | Pregnancy desire and dual method contraceptive use among people living with HIV attending clinical care in Kenya, Namibia and Tanzania. <i>Journal of Family Planning and Reproductive Health Care</i> , 2015 , 41, e1 | | 24 |
| 9 | High attrition before and after ART initiation among youth (15-24 years of age) enrolled in HIV care. <i>Aids</i> , 2014 , 28, 559-68 | 3.5 | 131 |
| 8 | Characteristics and outcomes among older HIV-positive adults enrolled in HIV programs in four sub-Saharan African countries. <i>PLoS ONE</i> , 2014 , 9, e103864 | 3.7 | 32 |
| 7 | A combination strategy for enhancing linkage to and retention in HIV care among adults newly diagnosed with HIV in Mozambique: study protocol for a site-randomized implementation science study. <i>BMC Infectious Diseases</i> , 2014 , 14, 549 | 4 | 21 |
| 6 | High levels of adherence and viral suppression in a nationally representative sample of HIV-infected adults on antiretroviral therapy for 6, 12 and 18 months in Rwanda. <i>PLoS ONE</i> , 2013 , 8, e53386 | 3.7 | 55 |

| | | | |
|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 5 | Trends in the clinical characteristics of HIV-infected patients initiating antiretroviral therapy in Kenya, Uganda and Tanzania between 2002 and 2009. <i>Journal of the International AIDS Society</i> , 2011 , 14, 46 | 5.4 | 42 |
| 4 | Assessments of the importance of provider characteristics for abortion care: data from women in Rajasthan, India. <i>Health Care for Women International</i> , 2011 , 32, 72-95 | 1.5 | 9 |
| 3 | Determinants of induced abortion: an analysis of individual, household and contextual factors in Rajasthan, India. <i>Journal of Biosocial Science</i> , 2011 , 43, 1-17 | 1.6 | 13 |
| 2 | Pregnancy desires, and contraceptive knowledge and use among prevention of mother-to-child transmission clients in Rwanda. <i>Aids</i> , 2009 , 23 Suppl 1, S19-26 | 3.5 | 43 |
| 1 | Early Pregnancy Termination443-457 | | |