

# Brian S Buckley

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5271138/publications.pdf>

Version: 2024-02-01

74  
papers

2,018  
citations

218677  
26  
h-index

265206  
42  
g-index

79  
all docs

79  
docs citations

79  
times ranked

3306  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of Urinary Incontinence in Men, Women, and Children—Current Evidence: Findings of the Fourth International Consultation on Incontinence. <i>Urology</i> , 2010, 76, 265-270.	1.0	259
2	Antimicrobial catheters for reduction of symptomatic urinary tract infection in adults requiring short-term catheterisation in hospital: a multicentre randomised controlled trial. <i>Lancet</i> , The, 2012, 380, 1927-1935.	13.7	203
3	Urinary incontinence in men after formal one-to-one pelvic-floor muscle training following radical prostatectomy or transurethral resection of the prostate (MAPS): two parallel randomised controlled trials. <i>Lancet</i> , The, 2011, 378, 328-337.	13.7	105
4	Assessment of total cardiovascular risk using WHO/ISH risk prediction charts in three low and middle income countries in Asia. <i>BMC Public Health</i> , 2013, 13, 539.	2.9	86
5	Assessing methods to specify the target difference for a randomised controlled trial: DELTA (Difference ELicitation in TriAls) review. <i>Health Technology Assessment</i> , 2014, 18, v-vi, 1-175.	2.8	68
6	Public attitudes to the use in research of personal health information from general practitioners' records: a survey of the Irish general public. <i>Journal of Medical Ethics</i> , 2011, 37, 50-55.	1.8	65
7	Mobile technologies to support healthcare provider to healthcare provider communication and management of care. <i>The Cochrane Library</i> , 2020, 2020, CD012927.	2.8	58
8	Multimorbidity and risk among patients with established cardiovascular disease: a cohort study. <i>British Journal of General Practice</i> , 2008, 58, 488-494.	1.4	56
9	Selection bias resulting from the requirement for prior consent in observational research: a community cohort of people with ischaemic heart disease. <i>Heart</i> , 2007, 93, 1116-1120.	2.9	54
10	Specifying the target difference in the primary outcome for a randomised controlled trial: guidance for researchers. <i>Trials</i> , 2015, 16, 12.	1.6	52
11	Prioritizing research: Patients, carers, and clinicians working together to identify and prioritize important clinical uncertainties in urinary incontinence. <i>Neurourology and Urodynamics</i> , 2010, 29, 708-714.	1.5	50
12	Developing a pelvic floor muscle training regimen for use in a trial intervention. <i>Physiotherapy</i> , 2009, 95, 199-208.	0.4	44
13	Impact of palliative urinary diversion by percutaneous nephrostomy drainage and ureteral stenting among patients with advanced cervical cancer and obstructive uropathy: A prospective cohort. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011, 37, 1061-1070.	1.3	42
14	Five year prognosis in patients with angina identified in primary care: incident cohort study. <i>BMJ: British Medical Journal</i> , 2009, 339, b3058-b3058.	2.3	37
15	Ribavirin for treating Crimean Congo haemorrhagic fever. <i>The Cochrane Library</i> , 2018, 2018, CD012713.	2.8	37
16	Medical interns' knowledge and training regarding urethral catheter insertion and insertion-related urethral injury in male patients. <i>BMC Medical Education</i> , 2011, 11, 73.	2.4	34
17	Systematic archiving and access to health research data: rationale, current status and way forward. <i>Bulletin of the World Health Organization</i> , 2012, 90, 932-939.	3.3	33
18	Individual-based primary prevention of cardiovascular disease in Cambodia and Mongolia: early identification and management of hypertension and diabetes mellitus. <i>BMC Public Health</i> , 2012, 12, 254.	2.9	33

#	ARTICLE	IF	CITATIONS
19	Cohort study on clustering of lifestyle risk factors and understanding its association with stress on health and wellbeing among school teachers in Malaysia (CLUSTER) – a study protocol. BMC Public Health, 2014, 14, 611.	2.9	31
20	A Randomized, Double-blind Placebo-controlled Clinical Trial of the Routine Use of Preoperative Antibiotic Prophylaxis in Modified Radical Mastectomy. World Journal of Surgery, 2013, 37, 59-66.	1.6	30
21	Case study: A patient-clinician collaboration that identified and prioritized evidence gaps and stimulated research development. Journal of Clinical Epidemiology, 2013, 66, 483-489.	5.0	29
22	Treatment of recurrent stress urinary incontinence after failed minimally invasive synthetic suburethral tape surgery in women. The Cochrane Library, 2013, , CD009407.	2.8	29
23	The effect of urinary incontinence on health utility and health-related quality of life in men following prostate surgery. Neurourology and Urodynamics, 2012, 31, 465-469.	1.5	28
24	Five-Year Prognosis in an Incident Cohort of People Presenting with Acute Myocardial Infarction. PLoS ONE, 2011, 6, e26573.	2.5	28
25	A pragmatic multicentre randomised controlled trial comparing stapled haemorrhoidopexy with traditional excisional surgery for haemorrhoidal disease: the eTHoS study. Health Technology Assessment, 2017, 21, 1-224.	2.8	28
26	Methods for Specifying the Target Difference in a Randomised Controlled Trial: The Difference Elicitation in Trials (DELTA) Systematic Review. PLoS Medicine, 2014, 11, e1001645.	8.4	27
27	Chronic kidney disease and mortality and morbidity among patients with established cardiovascular disease: a West of Ireland community-based cohort study. Nephrology Dialysis Transplantation, 2007, 22, 2586-2594.	0.7	26
28	Drugs for treatment of urinary retention after surgery in adults. The Cochrane Library, 2010, , CD008023.	2.8	26
29	Assessing professional equipoise and views about a future clinical trial of invasive urodynamics prior to surgery for stress urinary incontinence in women: A survey within a mixed methods feasibility study. Neurourology and Urodynamics, 2012, 31, 1223-1230.	1.5	25
30	Topical petrolatum gel alone versus topical silver sulfadiazine with standard gauze dressings for the treatment of superficial partial thickness burns in adults: A randomized controlled trial. Burns, 2014, 40, 1267-1273.	1.9	24
31	Service organisation for the secondary prevention of ischaemic heart disease in primary care. The Cochrane Library, 2010, , CD006772.	2.8	22
32	Techniques of monitoring blood glucose during pregnancy for women with pre-existing diabetes. The Cochrane Library, 2017, 6, CD009613.	2.8	22
33	A New Scale for Assessing the Severity of Uncomplicated Diaper Dermatitis in Infants: Development and Validation. Pediatric Dermatology, 2016, 33, 632-639.	0.9	20
34	Surgery for recurrent stress urinary incontinence: the views of surgeons and women. International Urogynecology Journal, 2018, 29, 45-54.	1.4	17
35	Improving health research governance and management in the Western Pacific: A WHO Expert Consultation. Journal of Evidence-Based Medicine, 2011, 4, 204-213.	1.8	16
36	Primary care organisational interventions for secondary prevention of ischaemic heart disease: a systematic review and meta-analysis. British Journal of General Practice, 2015, 65, e460-e468.	1.4	16

#	ARTICLE	IF	CITATIONS
37	Techniques of monitoring blood glucose during pregnancy for women with pre-existing diabetes. The Cochrane Library, 2019, 2019, CD009613.	2.8	15
38	Techniques of monitoring blood glucose during pregnancy for women with pre-existing diabetes. , 2014, , CD009613.		14
39	INVESTIGATE-I (INVasive Evaluation before Surgical Treatment of Incontinence Gives Added Therapeutic) Tj ETQq1 1 0.784314 rgBT /O controlled trial of the clinical utility of invasive urodynamic testing. Trials, 2011, 12, 169.	1.6	13
40	The people that the ostomy industry forgot. British Journal of General Practice, 2012, 62, 544-545.	1.4	13
41	Interventions for treating recurrent stress urinary incontinence after failed minimally invasive synthetic midurethral tape surgery in women. The Cochrane Library, 2019, 2019, CD009407.	2.8	13
42	Mobile-based technologies to support healthcare provider to healthcare provider communication and management of care. The Cochrane Library, 0, , .	2.8	12
43	Conservative interventions for treating functional daytime urinary incontinence in children. The Cochrane Library, 2019, 9, CD012367.	2.8	12
44	INVESTIGATE-I (INVasive Evaluation before Surgical Treatment of Incontinence Gives Added Therapeutic) Tj ETQq0 0 0 rgBT /Overlock 10 invasive urodynamic testing prior to surgery for stress urinary incontinence in women. Health Technology Assessment, 2015, 19, 1-274.	2.8	11
45	ItÊ¼s the Way You Ask That Matters. Journal of Wound, Ostomy and Continence Nursing, 2006, 33, 26-29.	1.0	10
46	A pragmatic, multicentre, randomised controlled trial comparing stapled haemorrhoidopexy to traditional excisional surgery for haemorrhoidal disease (eTHoS): study protocol for a randomised controlled trial. Trials, 2014, 15, 439.	1.6	10
47	A rapid research needs appraisal methodology to identify evidence gaps to inform clinical research priorities in response to outbreaksâ€”results from the Lassa fever pilot. BMC Medicine, 2019, 17, 107.	5.5	10
48	Repeated in vivo inguinal measurements to estimate a single optimal mesh size for inguinal herniorrhaphy. BMC Surgery, 2012, 12, 19.	1.3	9
49	A mixed methods study to assess the feasibility of a randomised controlled trial of invasive urodynamic testing versus clinical assessment and non-invasive tests prior to surgery for stress urinary incontinence in women: the INVESTIGATE-I study. Trials, 2015, 16, 400.	1.6	9
50	Factors affecting continuation of clean intermittent catheterisation in people with multiple sclerosis: Results of the COSMOS mixed-methods study. Multiple Sclerosis Journal, 2019, 25, 727-739.	3.0	9
51	Considerable differences exist between prevalent and incident myocardial infarction cohorts derived from the same population. Journal of Clinical Epidemiology, 2010, 63, 1351-1357.	5.0	8
52	Use of methods for specifying the target difference in randomised controlled trial sample size calculations: Two surveys of trialistsâ€™ practice. Clinical Trials, 2014, 11, 300-308.	1.6	8
53	Compliance with international guidelines on antibiotic prophylaxis for elective surgeries at a tertiary-level hospital in the Philippines. Healthcare Infection, 2015, 20, 145-151.	0.6	8
54	Conservative treatment options for women with stress urinary incontinence: clinical update. British Journal of General Practice, 2013, 63, 218-220.	1.4	7

#	ARTICLE	IF	CITATIONS
55	What is the most effective management of neurogenic bladder dysfunction?. BMJ: British Medical Journal, 2009, 338, b659-b659.	2.3	7
56	Risk of prostate cancer associated with benign prostate disease: a primary care caseâ€“control study. British Journal of General Practice, 2011, 61, e684-e691.	1.4	6
57	Mobile-based technologies to support client to healthcare provider communication and management of care. The Cochrane Library, 2018, , .	2.8	5
58	Giving intermittent catheter users more choice. British Journal of General Practice, 2015, 65, 419-419.	1.4	4
59	Understanding variations in patient screening and recruitment in a multicentre pilot randomised controlled trial: a vignette-based study. Trials, 2016, 17, 522.	1.6	4
60	User perspectives, preferences and priorities relating to products for managing bladder and bowel dysfunctions. Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine, 2019, 233, 7-18.	1.8	4
61	Reaching a consensus and ranking research priorities in urinary incontinence. Nursing Times, 2010, 106, 36-7.	0.2	4
62	The need for wider public understanding of health care research. Primary Health Care Research and Development, 2008, 9, .	1.2	2
63	Commentary: Conventional medicine is less than perfect. British Journal of General Practice, 2009, 59, 519-519.	1.4	2
64	The Mult<i>IC</i>ath study: creating an evidence base. British Journal of Nursing, 2015, 24, S4-S5.	0.7	2
65	Ribavirin for treating Crimean Congo haemorrhagic fever. The Cochrane Library, 2017, , .	2.8	2
66	Conservative treatment for functional daytime urinary incontinence in children. The Cochrane Library, 0, , .	2.8	2
67	Thereâ€™s a Will. . .but Is There a Way?. Journal of Wound, Ostomy and Continence Nursing, 2005, 32, 53-56.	1.0	1
68	Drugs for the prevention of postoperative urinary retention in adults. The Cochrane Library, 0, , .	2.8	1
69	Research Priorities for Continence Care and Urogenital Health. Journal of Wound, Ostomy and Continence Nursing, 2008, 35, 610-616.	1.0	0
70	Closed versus open approach in laparoscopic colorectal surgery. The Cochrane Library, 0, , .	2.8	0
71	We need another guideline. Journal of Clinical Epidemiology, 2014, 67, 958-959.	5.0	0
72	Re: Hilton P, Bryant A, Howel D, McColl E, Buckley BS, Lucas MG, et al. Assessing professional equipoise and views about a future clinical trial of invasive urodynamics prior to surgery for stress urinary incontinence in women: A survey within a mixed methods feasibility study. Neurourol Urodyn. 2012;31(8):1223â€“30. Neurourology and Urodynamics, 2016, 35, 750-751.	1.5	0

#	ARTICLE	IF	CITATIONS
73	Closed versus open approach in laparoscopic colorectal surgery. The Cochrane Library, 0, , .	2.8	0
74	Identifying uncertainties to prioritise research. Nursing Times, 2008, 104, 38-9.	0.2	0